Path Summary

	Property	Value
1	From Node	a[1]
2	To Node	product[14]
3	Launch Clock	virtual_io
4	Latch Clock	virtual_io
5	Data Arrival Time	19.201
6	Data Required Time	100.000
7	Slack	80.799

Statistics

	Property	Value	Count	Total Delay	% of Total	Min	Max
1	Setup Relationship	100.000					
2	Clock Skew	0.000					
3	Data Delay	19.201					
4	Number of Logic Levels		11				
5	Physical Delays						
1	Arrival Path						
1	Clock						
1	Clock Network (Lumped)		1	0.000		0.000	0.000
2	Data						
1	IC		12	11.041	58	0.000	4.549
2	Cell		13	8.160	42	0.000	3.050
2	Required Path						
1	Clock						
1	Clock Network (Lumped)		1	0.000		0.000	0.000

Data Path

Data Arrival

	Total	Incr	RF	Type	Fanout	Location	Element
1	0.000	0.000					launch edge time

	Total	Incr	RF	Type	Fanout	Location	Element
2	0.000	0.000					clock path
1	0.000	0.000	R				clock network delay
3	0.000	0.000	F	iExt	1	PIN_137	a[1]
4	19.201	19.201					data path
1	0.000	0.000	FF	IC	1	IOIBUF_X1_Y7_N1	a[1]~input|i
2	0.965	0.965	FF	CELL	6	IOIBUF_X1_Y7_N1	a[1]~input|o
3	5.514	4.549	FF	IC	1	LCCOMB_X16_Y9_N18	SECOND_AXC_2|carry|datab
4	5.903	0.389	FF	CELL	2	LCCOMB_X16_Y9_N18	SECOND_AXC_2|carry|combout
5	6.231	0.328	FF	IC	1	LCCOMB_X16_Y9_N4	RESULT_FA_1|cout~0|datab
6	6.692	0.461	FF	CELL	2	LCCOMB_X16_Y9_N4	RESULT_FA_1|cout~0|combout
7	7.021	0.329	FF	IC	1	LCCOMB_X16_Y9_N28	RESULT_FA_2|cout~0|datab
8	7.448	0.427	FF	CELL	2	LCCOMB_X16_Y9_N28	RESULT_FA_2|cout~0|combout
9	8.326	0.878	FF	IC	1	LCCOMB_X15_Y11_N2	RESULT_FA_3|cout~0|datab
10	8.787	0.461	FF	CELL	2	LCCOMB_X15_Y11_N2	RESULT_FA_3|cout~0|combout
11	9.303	0.516	FF	IC	1	LCCOMB_X14_Y11_N12	RESULT_FA_4|cout~0|dataa
12	9.757	0.454	FF	CELL	2	LCCOMB_X14_Y11_N12	RESULT_FA_4|cout~0|combout
13	10.094	0.337	FF	IC	1	LCCOMB_X14_Y11_N22	RESULT_FA_5|cout~0|dataa
14	10.548	0.454	FF	CELL	2	LCCOMB_X14_Y11_N22	RESULT_FA_5|cout~0|combout
15	10.832	0.284	FF	IC	1	LCCOMB_X14_Y11_N14	RESULT_FA_6|cout~0|datac
16	11.139	0.307	FF	CELL	2	LCCOMB_X14_Y11_N14	RESULT_FA_6|cout~0|combout
17	12.300	1.161	FF	IC	1	LCCOMB_X12_Y7_N6	RESULT_FA_7|cout~0|dataa
18	12.754	0.454	FF	CELL	2	LCCOMB_X12_Y7_N6	RESULT_FA_7|cout~0|combout
19	13.093	0.339	FF	IC	1	LCCOMB_X12_Y7_N30	RESULT_FA_8|cout~0|dataa
20	13.547	0.454	FF	CELL	2	LCCOMB_X12_Y7_N30	RESULT_FA_8|cout~0|combout
21	13.831	0.284	FF	IC	1	LCCOMB_X12_Y7_N20	RESULT_FA_9|s~0|datac
22	14.115	0.284	FR	CELL	1	LCCOMB_X12_Y7_N20	RESULT_FA_9|s~0|combout
23	16.151	2.036	RR	IC	1	IOOBUF_X0_Y5_N23	product[14]~output|i
24	19.201	3.050	RR	CELL	1	IOOBUF_X0_Y5_N23	product[14]~output|o
25	19.201	0.000	RR	CELL	0	PIN_26	product[14]

Data Required

	Total	Incr	RF	Type	Fanout	Location	Element
1	100.000	100.000					latch edge time
2	100.000	0.000					clock path
1	100.000	0.000	R				clock network delay
3	100.000	0.000	R	oExt	0	PIN_26	product[14]