Path Summary

	Property	Value
1	From Node	b[3]
2	To Node	product[14]
3	Launch Clock	virtual_io
4	Latch Clock	virtual_io
5	Data Arrival Time	17.425
6	Data Required Time	100.000
7	Slack	82.575

Statistics

	Property	Value	Count	Total Delay	% of Total	Min	Max
1	Setup Relationship	100.000					
2	Clock Skew	0.000					
3	Data Delay	17.425					
4	Number of Logic Levels		13				
5	Physical Delays						
1	Arrival Path						
1	Clock						
1	Clock Network (Lumped)		1	0.000		0.000	0.000
2	Data						
1	IC		14	10.274	59	0.000	4.289
2	Cell		15	7.151	41	0.000	2.560
2	Required Path						
1	Clock						
1	Clock Network (Lumped)		1	0.000		0.000	0.000

Data Path

Data Arrival

	Total	Incr	RF	Type	Fanout	Location	Element
1	0.000	0.000					launch edge time
2	0.000	0.000					clock path
1	0.000	0.000	R				clock network delay

	Total	Incr	RF	Type	Fanout	Location	Element
3	0.000	0.000	R	iExt	1	PIN_128	b[3]
4	17.425	17.425					data path
1	0.000	0.000	RR	IC	1	IOIBUF_X6_Y7_N22	b[3]~input|i
2	0.804	0.804	RR	CELL	13	IOIBUF_X6_Y7_N22	b[3]~input|o
3	5.093	4.289	RR	IC	1	LCCOMB_X11_Y8_N10	SECOND_AXC_3|sum~0|datab
4	5.498	0.405	RF	CELL	1	LCCOMB_X11_Y8_N10	SECOND_AXC_3|sum~0|combout
5	6.169	0.671	FF	IC	1	LCCOMB_X11_Y9_N28	SECOND_AXC_3|sum~1|datab
6	6.540	0.371	FF	CELL	2	LCCOMB_X11_Y9_N28	SECOND_AXC_3|sum~1|combout
7	6.789	0.249	FF	IC	1	LCCOMB_X11_Y9_N22	SECOND_AXC_3|sum~2|datab
8	7.176	0.387	FR	CELL	2	LCCOMB_X11_Y9_N22	SECOND_AXC_3|sum~2|combout
9	7.370	0.194	RR	IC	1	LCCOMB_X11_Y9_N12	RESULT_FA_1|cout~0|datac
10	7.642	0.272	RR	CELL	2	LCCOMB_X11_Y9_N12	RESULT_FA_1|cout~0|combout
11	8.581	0.939	RR	IC	1	LCCOMB_X12_Y8_N30	RESULT_FA_2|cout~0|dataa
12	8.950	0.369	RR	CELL	2	LCCOMB_X12_Y8_N30	RESULT_FA_2|cout~0|combout
13	9.181	0.231	RR	IC	1	LCCOMB_X12_Y8_N18	RESULT_FA_3|cout~0|dataa
14	9.550	0.369	RR	CELL	2	LCCOMB_X12_Y8_N18	RESULT_FA_3|cout~0|combout
15	10.217	0.667	RR	IC	1	LCCOMB_X11_Y6_N26	RESULT_FA_4|cout~0|datad
16	10.368	0.151	RR	CELL	2	LCCOMB_X11_Y6_N26	RESULT_FA_4|cout~0|combout
17	10.560	0.192	RR	IC	1	LCCOMB_X11_Y6_N22	RESULT_FA_5|cout~0|datac
18	10.832	0.272	RR	CELL	2	LCCOMB_X11_Y6_N22	RESULT_FA_5|cout~0|combout
19	11.023	0.191	RR	IC	1	LCCOMB_X11_Y6_N24	RESULT_FA_6|cout~0|datac
20	11.295	0.272	RR	CELL	2	LCCOMB_X11_Y6_N24	RESULT_FA_6|cout~0|combout
21	11.993	0.698	RR	IC	1	LCCOMB_X11_Y7_N4	RESULT_FA_7|cout~0|datab
22	12.368	0.375	RR	CELL	2	LCCOMB_X11_Y7_N4	RESULT_FA_7|cout~0|combout
23	12.564	0.196	RR	IC	1	LCCOMB_X11_Y7_N30	RESULT_FA_8|cout~0|datac
24	12.836	0.272	RR	CELL	2	LCCOMB_X11_Y7_N30	RESULT_FA_8|cout~0|combout
25	13.028	0.192	RR	IC	1	LCCOMB_X11_Y7_N20	RESULT_FA_9|s~0|datac
26	13.300	0.272	RR	CELL	1	LCCOMB_X11_Y7_N20	RESULT_FA_9|s~0|combout
27	14.865	1.565	RR	IC	1	IOOBUF_X6_Y7_N9	product[14]~output|i
28	17.425	2.560	RR	CELL	1	IOOBUF_X6_Y7_N9	product[14]~output|o
29	17.425	0.000	RR	CELL	0	PIN_123	product[14]

Data Required

	Total	Incr	RF	Type	Fanout	Location	Element
1	100.000	100.000					latch edge time
2	100.000	0.000					clock path
1	100.000	0.000	R				clock network delay
3	100.000	0.000	R	oExt	0	PIN_123	product[14]