Path Summary

	Property	Value
1	From Node	b[3]
2	To Node	product[14]
3	Launch Clock	virtual_io
4	Latch Clock	virtual_io
5	Data Arrival Time	21.392
6	Data Required Time	100.000
7	Slack	78.608

Statistics

	Property	Value	Count	Total Delay	% of Total	Min	Max
1	Setup Relationship	100.000					
2	Clock Skew	0.000					
3	Data Delay	21.392					
4	Number of Logic Levels		13				
5	Physical Delays						
1	Arrival Path						
1	Clock						
1	Clock Network (Lumped)		1	0.000		0.000	0.000
2	Data						
1	IC		14	12.892	60	0.000	5.183
2	Cell		15	8.500	40	0.000	3.088
2	Required Path						
1	Clock						
1	Clock Network (Lumped)		1	0.000		0.000	0.000

Data Path

Data Arrival

	Total	Incr	RF	Type	Fanout	Location	Element
1	0.000	0.000					launch edge time
2	0.000	0.000					clock path
1	0.000	0.000	R				clock network delay

	Total	Incr	RF	Type	Fanout	Location	Element
3	0.000	0.000	F	iExt	1	PIN_128	b[3]
4	21.392	21.392					data path
1	0.000	0.000	FF	IC	1	IOIBUF_X6_Y7_N22	b[3]~input|i
2	0.999	0.999	FF	CELL	13	IOIBUF_X6_Y7_N22	b[3]~input|o
3	6.182	5.183	FF	IC	1	LCCOMB_X11_Y8_N10	SECOND_AXC_3|sum~0|datab
4	6.642	0.460	FR	CELL	1	LCCOMB_X11_Y8_N10	SECOND_AXC_3|sum~0|combout
5	7.599	0.957	RR	IC	1	LCCOMB_X11_Y9_N28	SECOND_AXC_3|sum~1|datab
6	8.053	0.454	RR	CELL	2	LCCOMB_X11_Y9_N28	SECOND_AXC_3|sum~1|combout
7	8.339	0.286	RR	IC	1	LCCOMB_X11_Y9_N22	SECOND_AXC_3|sum~2|datab
8	8.823	0.484	RF	CELL	2	LCCOMB_X11_Y9_N22	SECOND_AXC_3|sum~2|combout
9	9.107	0.284	FF	IC	1	LCCOMB_X11_Y9_N12	RESULT_FA_1|cout~0|datac
10	9.414	0.307	FF	CELL	2	LCCOMB_X11_Y9_N12	RESULT_FA_1|cout~0|combout
11	10.519	1.105	FF	IC	1	LCCOMB_X12_Y8_N30	RESULT_FA_2|cout~0|dataa
12	10.973	0.454	FF	CELL	2	LCCOMB_X12_Y8_N30	RESULT_FA_2|cout~0|combout
13	11.312	0.339	FF	IC	1	LCCOMB_X12_Y8_N18	RESULT_FA_3|cout~0|dataa
14	11.766	0.454	FF	CELL	2	LCCOMB_X12_Y8_N18	RESULT_FA_3|cout~0|combout
15	12.559	0.793	FF	IC	1	LCCOMB_X11_Y6_N26	RESULT_FA_4|cout~0|datad
16	12.693	0.134	FF	CELL	2	LCCOMB_X11_Y6_N26	RESULT_FA_4|cout~0|combout
17	12.976	0.283	FF	IC	1	LCCOMB_X11_Y6_N22	RESULT_FA_5|cout~0|datac
18	13.283	0.307	FF	CELL	2	LCCOMB_X11_Y6_N22	RESULT_FA_5|cout~0|combout
19	13.565	0.282	FF	IC	1	LCCOMB_X11_Y6_N24	RESULT_FA_6|cout~0|datac
20	13.872	0.307	FF	CELL	2	LCCOMB_X11_Y6_N24	RESULT_FA_6|cout~0|combout
21	14.716	0.844	FF	IC	1	LCCOMB_X11_Y7_N4	RESULT_FA_7|cout~0|datab
22	15.177	0.461	FF	CELL	2	LCCOMB_X11_Y7_N4	RESULT_FA_7|cout~0|combout
23	15.463	0.286	FF	IC	1	LCCOMB_X11_Y7_N30	RESULT_FA_8|cout~0|datac
24	15.770	0.307	FF	CELL	2	LCCOMB_X11_Y7_N30	RESULT_FA_8|cout~0|combout
25	16.054	0.284	FF	IC	1	LCCOMB_X11_Y7_N20	RESULT_FA_9|s~0|datac
26	16.338	0.284	FR	CELL	1	LCCOMB_X11_Y7_N20	RESULT_FA_9|s~0|combout
27	18.304	1.966	RR	IC	1	IOOBUF_X6_Y7_N9	product[14]~output|i
28	21.392	3.088	RR	CELL	1	IOOBUF_X6_Y7_N9	product[14]~output|o
29	21.392	0.000	RR	CELL	0	PIN_123	product[14]

Data Required

	Total	Incr	RF	Type	Fanout	Location	Element
1	100.000	100.000					latch edge time
2	100.000	0.000					clock path
1	100.000	0.000	R				clock network delay
3	100.000	0.000	R	oExt	0	PIN_123	product[14]