Path Summary

	Property	Value
1	From Node	b[3]
2	To Node	product[14]
3	Launch Clock	virtual_io
4	Latch Clock	virtual_io
5	Data Arrival Time	18.661
6	Data Required Time	100.000
7	Slack	81.339

Statistics

	Property	Value	Count	Total Delay	% of Total	Min	Max
1	Setup Relationship	100.000					
2	Clock Skew	0.000					
3	Data Delay	18.661					
4	Number of Logic Levels		14				
5	Physical Delays						
1	Arrival Path						
1	Clock						
1	Clock Network (Lumped)		1	0.000		0.000	0.000
2	Data						
1	IC		15	11.465	61	0.000	4.614
2	Cell		16	7.196	39	0.000	2.581
2	Required Path						
1	Clock						
1	Clock Network (Lumped)		1	0.000		0.000	0.000

Data Path

Data Arrival

	Total	Incr	RF	Type	Fanout	Location	Element
1	0.000	0.000					launch edge time
2	0.000	0.000					clock path
1	0.000	0.000	R				clock network delay

	Total	Incr	RF	Type	Fanout	Location	Element
3	0.000	0.000	F	iExt	1	PIN_125	b[3]
4	18.661	18.661					data path
1	0.000	0.000	FF	IC	1	IOIBUF_X6_Y7_N15	b[3]~input|i
2	0.869	0.869	FF	CELL	15	IOIBUF_X6_Y7_N15	b[3]~input|o
3	5.483	4.614	FF	IC	1	LCCOMB_X11_Y11_N0	SECOND_EXACT_0|x1_xor_x2|dataa
4	5.838	0.355	FF	CELL	3	LCCOMB_X11_Y11_N0	SECOND_EXACT_0|x1_xor_x2|combout
5	6.059	0.221	FF	IC	1	LCCOMB_X11_Y11_N4	RESULT_FA_2|cout~0|datad
6	6.198	0.139	FR	CELL	2	LCCOMB_X11_Y11_N4	RESULT_FA_2|cout~0|combout
7	7.593	1.395	RR	IC	1	LCCOMB_X9_Y6_N8	RESULT_FA_3|cout~0|datab
8	7.968	0.375	RR	CELL	2	LCCOMB_X9_Y6_N8	RESULT_FA_3|cout~0|combout
9	8.326	0.358	RR	IC	1	LCCOMB_X9_Y6_N16	RESULT_FA_4|cout~0|datad
10	8.477	0.151	RR	CELL	2	LCCOMB_X9_Y6_N16	RESULT_FA_4|cout~0|combout
11	8.835	0.358	RR	IC	1	LCCOMB_X10_Y6_N10	RESULT_FA_5|cout~0|datac
12	9.107	0.272	RR	CELL	2	LCCOMB_X10_Y6_N10	RESULT_FA_5|cout~0|combout
13	9.336	0.229	RR	IC	1	LCCOMB_X10_Y6_N6	RESULT_FA_6|cout~0|dataa
14	9.705	0.369	RR	CELL	2	LCCOMB_X10_Y6_N6	RESULT_FA_6|cout~0|combout
15	9.896	0.191	RR	IC	1	LCCOMB_X10_Y6_N12	RESULT_FA_7|cout~0|datad
16	10.047	0.151	RR	CELL	2	LCCOMB_X10_Y6_N12	RESULT_FA_7|cout~0|combout
17	11.189	1.142	RR	IC	1	LCCOMB_X11_Y9_N26	RESULT_FA_8|cout~0|dataa
18	11.558	0.369	RR	CELL	2	LCCOMB_X11_Y9_N26	RESULT_FA_8|cout~0|combout
19	11.791	0.233	RR	IC	1	LCCOMB_X11_Y9_N4	RESULT_FA_9|cout~0|dataa
20	12.160	0.369	RR	CELL	2	LCCOMB_X11_Y9_N4	RESULT_FA_9|cout~0|combout
21	12.352	0.192	RR	IC	1	LCCOMB_X11_Y9_N12	RESULT_FA_10|cout~0|datac
22	12.624	0.272	RR	CELL	2	LCCOMB_X11_Y9_N12	RESULT_FA_10|cout~0|combout
23	13.525	0.901	RR	IC	1	LCCOMB_X12_Y8_N4	RESULT_FA_11|cout~0|datac
24	13.797	0.272	RR	CELL	2	LCCOMB_X12_Y8_N4	RESULT_FA_11|cout~0|combout
25	13.993	0.196	RR	IC	1	LCCOMB_X12_Y8_N30	RESULT_FA_12|cout~0|datac
26	14.265	0.272	RR	CELL	2	LCCOMB_X12_Y8_N30	RESULT_FA_12|cout~0|combout
27	14.493	0.228	RR	IC	1	LCCOMB_X12_Y8_N28	RESULT_FA_13|s~0|dataa
28	14.873	0.380	RR	CELL	1	LCCOMB_X12_Y8_N28	RESULT_FA_13|s~0|combout
29	16.080	1.207	RR	IC	1	IOOBUF_X14_Y0_N2	product[14]~output|i
30	18.661	2.581	RR	CELL	1	IOOBUF_X14_Y0_N2	product[14]~output|o
31	18.661	0.000	RR	CELL	0	PIN_63	product[14]

Data Required

	Total	Incr	RF	Type	Fanout	Location	Element
1	100.000	100.000					latch edge time
2	100.000	0.000					clock path
1	100.000	0.000	R				clock network delay
3	100.000	0.000	R	oExt	0	PIN_63	product[14]