Path Summary

	Property	Value
1	From Node	b[3]
2	To Node	product[14]
3	Launch Clock	virtual_io
4	Latch Clock	virtual_io
5	Data Arrival Time	22.868
6	Data Required Time	100.000
7	Slack	77.132

Statistics

	Property	Value	Count	Total Delay	% of Total	Min	Max
1	Setup Relationship	100.000					
2	Clock Skew	0.000					
3	Data Delay	22.868					
4	Number of Logic Levels		13				
5	Physical Delays						
1	Arrival Path						
1	Clock						
1	Clock Network (Lumped)		1	0.000		0.000	0.000
2	Data						
1	IC		14	14.157	62	0.000	5.662
2	Cell		15	8.711	38	0.000	3.115
2	Required Path						
1	Clock						
1	Clock Network (Lumped)		1	0.000		0.000	0.000

Data Path

Data Arrival

	Total	Incr	RF	Type	Fanout	Location	Element
1	0.000	0.000					launch edge time
2	0.000	0.000					clock path
1	0.000	0.000	R				clock network delay

	Total	Incr	RF	Type	Fanout	Location	Element
3	0.000	0.000	F	iExt	1	PIN_125	b[3]
4	22.868	22.868					data path
1	0.000	0.000	FF	IC	1	IOIBUF_X6_Y7_N15	b[3]~input|i
2	0.965	0.965	FF	CELL	15	IOIBUF_X6_Y7_N15	b[3]~input|o
3	6.627	5.662	FF	IC	1	LCCOMB_X11_Y8_N24	a1b3|datab
4	7.016	0.389	FF	CELL	1	LCCOMB_X11_Y8_N24	a1b3|combout
5	8.798	1.782	FF	IC	1	LCCOMB_X9_Y6_N28	SECOND_AXC_1|cout~0|datab
6	9.259	0.461	FF	CELL	3	LCCOMB_X9_Y6_N28	SECOND_AXC_1|cout~0|combout
7	9.607	0.348	FF	IC	1	LCCOMB_X9_Y6_N12	SECOND_AXC_2|carry~0|datab
8	10.068	0.461	FF	CELL	2	LCCOMB_X9_Y6_N12	SECOND_AXC_2|carry~0|combout
9	10.585	0.517	FF	IC	1	LCCOMB_X10_Y6_N10	RESULT_FA_5|cout~0|dataa
10	11.039	0.454	FF	CELL	2	LCCOMB_X10_Y6_N10	RESULT_FA_5|cout~0|combout
11	11.375	0.336	FF	IC	1	LCCOMB_X10_Y6_N6	RESULT_FA_6|cout~0|dataa
12	11.829	0.454	FF	CELL	2	LCCOMB_X10_Y6_N6	RESULT_FA_6|cout~0|combout
13	12.102	0.273	FF	IC	1	LCCOMB_X10_Y6_N12	RESULT_FA_7|cout~0|datad
14	12.236	0.134	FF	CELL	2	LCCOMB_X10_Y6_N12	RESULT_FA_7|cout~0|combout
15	13.649	1.413	FF	IC	1	LCCOMB_X11_Y9_N26	RESULT_FA_8|cout~0|dataa
16	14.103	0.454	FF	CELL	2	LCCOMB_X11_Y9_N26	RESULT_FA_8|cout~0|combout
17	14.444	0.341	FF	IC	1	LCCOMB_X11_Y9_N4	RESULT_FA_9|cout~0|dataa
18	14.898	0.454	FF	CELL	2	LCCOMB_X11_Y9_N4	RESULT_FA_9|cout~0|combout
19	15.181	0.283	FF	IC	1	LCCOMB_X11_Y9_N12	RESULT_FA_10|cout~0|datac
20	15.488	0.307	FF	CELL	2	LCCOMB_X11_Y9_N12	RESULT_FA_10|cout~0|combout
21	16.534	1.046	FF	IC	1	LCCOMB_X12_Y8_N4	RESULT_FA_11|cout~0|datac
22	16.841	0.307	FF	CELL	2	LCCOMB_X12_Y8_N4	RESULT_FA_11|cout~0|combout
23	17.127	0.286	FF	IC	1	LCCOMB_X12_Y8_N30	RESULT_FA_12|cout~0|datac
24	17.434	0.307	FF	CELL	2	LCCOMB_X12_Y8_N30	RESULT_FA_12|cout~0|combout
25	17.770	0.336	FF	IC	1	LCCOMB_X12_Y8_N28	RESULT_FA_13|s~0|dataa
26	18.219	0.449	FR	CELL	1	LCCOMB_X12_Y8_N28	RESULT_FA_13|s~0|combout
27	19.753	1.534	RR	IC	1	IOOBUF_X14_Y0_N2	product[14]~output|i
28	22.868	3.115	RR	CELL	1	IOOBUF_X14_Y0_N2	product[14]~output|o
29	22.868	0.000	RR	CELL	0	PIN_63	product[14]

Data Required

	Total	Incr	RF	Type	Fanout	Location	Element
1	100.000	100.000					latch edge time
2	100.000	0.000					clock path
1	100.000	0.000	R				clock network delay
3	100.000	0.000	R	oExt	0	PIN_63	product[14]