

Name	Path	Data Type	Logical Address
PB_Start	PLC_IO	Bool	%I0.0
PB_Stop	PLC_IO	Bool	%I0.1
MainTank_Level_1	PLC_IO	Bool	%I0.2
MainTank_Level_2	PLC_IO	Bool	%I0.3
MainTank_Level_Low	PLC_IO	Bool	%I0.4
Pump1_Overload	PLC_IO	Bool	%I0.5
Safety_EStop	PLC_IO	Bool	%I0.6
Pump1_Run	PLC_IO	Bool	%Q0.0
MainTank_LiqA_Valve	PLC_IO	Bool	%Q0.1
MainTank_LiqB_Valve	PLC_IO	Bool	%Q0.2
MainTank_Heater	PLC_IO	Bool	%Q0.3
MainTank_Mixer	PLC_IO	Bool	%Q0.4
MainTank_Drain_Valve	PLC_IO	Bool	%Q0.5
MainTank_Temp_AI	PLC_IO	Int	%IW64

Comment	Hmi Visible	Hmi Accessibl
Momentary Start Button (HMI or Physical)	True	True
Momentary Stop Button (HMI or Physical)	True	True
Level sensor for Liquid A complete	True	True
Level sensor for Liquid B complete (Max Level)	True	True
Low level sensor (Tank empty / Drain complete)	True	True
Thermal overload relay feedback (Normally Closed)	True	True
Emergency Stop (Normally Closed wiring)	True	True
Digital command to start Pump 1 contactor	True	True
Solenoid/Motorized valve for Liquid A	True	True
Solenoid/Motorized valve for Liquid B	True	True
Heating element contactor	True	True
Mixer motor contactor	True	True
Drain valve at the bottom of the tank	True	True
Temperature sensor (e.g., 4-20mA scaled to 0-100°C)	True	True

Hmi WriteableTypeobject ID Version ID

True

True

True

True

True

True

True

True

True

True

True

True

True

True