

Supplementary Table 1: Spearman correlation analysis among soluble immune checkpoint molecules in PBMCs according to clinical group and time point.

Analyte	Time peaks	stage	Checkpoints	rho	p-value
sCD25	24	ND	ND	ND	ND
sCD27	24	HC	Tim-3 LAG-3	1 -1	<0,0001***
B7.2	24	HC	4-1BB, PD-1, CTLA-4	1	<0,0001***
CTLA-4		GC III	PD-1, CTLA-4 4-1BB	-1 1	
	24	HC	PD-1	1	<0,0001***
		CG	Galectin-9	1	
			PD-1, PD-L2	-1	
		GC I	PD-L1	1	
		GC IV	PD-L2	-1	
TGF-β1	24	HC	PD-L1, PD-L2	-1	<0,0001***
PD-L1	24	HC	PD-L2	1	<0,0001***
			Free Active	-1	
		GC I	CTLA-4	1	
		GC II	4-1BB, LAG-3	-1	
		GC III	PD-L2	1	
			LAG-3, Tim-3	-1	
		GC IV	LAG-3, PD-1	-1	
Tim-3	24	HC	sCD27	1	<0,0001***
			LAG-3	-1	
		GC III	4-1BB, LAG-3	1	
			PD-L1, PD-L2	-1	
Galectin-9	24	CG	CTLA-4	1	<0,0001***
			PD-1, PD-L2	-1	
LAG-3	24	HC	Tim-3, sCD27	-1	<0,0001***
		GC I	PD-1	1	
		GC II	4-1BB, PD-1	1	
			PD-L1	-1	
		GC III	Tim-3	1	
			PD-L1, PD-L2	-1	
		GC IV	PD-1	1	
			PD-L1	-1	
4-1BB	48	GC I	PD-L2	1	<0,0001***
		GC II	B7.2, Tim-3	-1	
		GC IV	PD-1	1	
PD-1	48	HC	LAG-3	1	<0,0001***
			PD-L2	-1	
		CG	PD-L1, PD-L2	1	
		GC I	CTLA-4	1	
			LAG-3, sCD25, PD-L1, Tim-3	-1	
		GC II	CTLA-4	1	
			LAG-3, PD-L2	-1	
		GC III	PD-L1	-1	
		GC IV	4-1BB, sCD25	1	
PD-L2	72	HC	PD-1	1	<0,0001***
			4-1BB	-1	
		GC I	sCD25, PD-L1	1	
		GC III	sCD25, PD-L1	1	
			PD-1	-1	
		GC IV	B7.2	1	