Visoka škola strukovnih studija za informacione i komunikacione tehnologije

Sofija Vitorovic 171/17

Dokumentacija

http://coffetto17117.000webhostapp.com/index.php

Smer: Internet Tehnologije

Modul:Web programiranje

Predmet: Praktikum PHP

Beograd, Jun 2019

Table of Contents

1. Uvod:	5
Korišćeni programski jezici	5
Opis funkcionalnosti	5
Template	6
Sitemap	7
2. Baza	8
3. Stranice sajta	9
Index.php	9
	10
page=menu	11
page=blog	13
Page=contact	14
Page=admin	16
Page=autor	17
Page=login I register	17
Izgled u editor	20
Index.php	20
Views	22
Head.php	22
Topmenu.php	23
Menu.php	23
Futer.php	25
Baner.php	26
Galerija.php	29
Kafa.php	32
Kategorije.php	32
Updates.php	33
Method.php	34
Welcome.php	35
ADMIN.PHP	36
insertNew.php	41
insertNewBlog.php	45
Author.php	46
Blogs.php	47

	Info.php	50
	Log.php	51
	Kafa.php	53
	Kategorije.php	55
	Reg.php	57
4. N	Nodels	58
Cru	d	58
	contactPoruka.php	58
	Dohvati.php	60
	dohvatiK.php	61
	updateBlog.php	61
	updateUser.php	62
	deleteK.php	63
	deleteBlog.php	63
	Logout	64
	Logovanje.php	64
	Registracija.php	66
ехр	ortExel.php	67
ехр	ortWord.php	69
	Filtriranjebutton.php	69
	gettBlogs.php	70
	Paginacija.php	71
Pica	a.php	71
Sea	rch.php	72
5. D	ata	72
Errc	ors.php	72
pris	tup.txt	73
6. C	onfig	73
Env		73
Con	fig.php	73
Con	nection.php	74
7. Js	S	75
Pica	ı.js	75
nod	aciKorisnik.php	82

1. Uvod: Korišćeni programski jezici

Za izradu sajta korišćene su sledeće tehnologije:

- HTML
- CSS
- JavaScript
- jQuery
- AJAX
- PHP
- Bootstrap

Kod je pisan u Visual Studio Code-u.

Opis funkcionalnosti

Kod je organizovan tako da postoji samo jedna strana index.php, postoje fiksni delovi koji su isti na svakoj strani I oni se nalaze u folderu fixed, delovi koji su posebni za svaku stranu, ucitavaju se u zavisnosti od zahtevane strane sajta. Podaci su ucitani dinamicki iz baze, ajaxom uglavnom, zbog potreba filtriranja, paginacije I prikaza. Mogucnost logovanja I registracije, takodje uradjeno ajaxom. Ulogovani korisnici na contact strani imaju mogucnost da posalju poruku, I ona se upisuje u bazu, zajedno sa id-em korisnika koji je tu poruku napisao. Na stranici menu, nalazi se funkcionalnost filtriranja po kategoriji I funkcionalnost pretrage. Takodje, na ovoj strani nalazi se I export menia pica u Exeelu. Na strani autor, mogucnost exporta u Word. Admin strana, na ovoj strani postoji mogucnost


unosa novog korisnika, brisanje korisnika, kao I update koji je uradjen preko ajaxa, klikom na update, automatski se popunjava forma za update. Takodje sve ovo omoguceno je i za blogove kao i Ispis poruka koje su ostavili korisnici. Blogove ispisuju admini, ispod bloga stoji ime admina, koji je napisao post, ovo je uradjeno preko sesije. Blogovi imaju mogucnost prikaza putem paginacije, takodje uradjeno ajaxom. Postoji funkcija koja belezi pristup stranicama (pristup.txt), kao I funkcija koja prihvata greske I upisuje ih u tekstualni fajl errors.txt. Validacije postoje I na klijentskoj I na serverskoj strani. U futeru se nalazi poslednji blog.

Template

Koriscen je template, ali je u velikoj meri izmenjen sto se tice funkcionalnosti I izgleda.

```
Sitemap
<?xml version="1.0" encoding="utf-8"?>
<urlset xmlns="https://www.sitemaps.org/schemas/sitemap/0.9">
       <url>
       <loc>http://coffetto17117.000webhostapp.com/index.php
</loc>
              <lastmood>2019-15-06</lastmood>
              <changefreq>monthly</changefreq>
              <priority>0.8</priority>
       </url>
 <url>
       <loc>http://coffetto17117.000webhostapp.com/index.php
?page=menu</loc>
              <lastmood>2019-15-06</lastmood>
              <changefreq>monthly</changefreq>
              <priority>0.8</priority>
       </url>
       <url>
       <loc>http://coffetto17117.000webhostapp.com/index.php
?page=blog</loc>
              <lastmood>2019-15-06</lastmood>
              <changefreq>monthly</changefreq>
              <priority>0.8</priority>
       </url>
       </urlset>
```

2.Baza



3. Stranice sajta Index.php



page=menu




COFFEE MILK COCKTAIL BEVERAGES CAKE

Search... EXPORT TO EXCEL







page=blog







Page=contact




LEAVE US A MESSAGE Your message Coffetto is always open for changes, so teel us what you think about our work ② @ict.edu.rs ③ 0645996888 SEND MESSAGE OPEN HOURS Monday - Thursday 8 am - 5 pm Friday 8 am - 6 pm Saturday 9 am - 5 pm Sunday & Holidays Closed



Page=admin







Page=autor




My name is Sofija Vitorović, I am student, who studies at ICT College, with number of index 171/17.

EXPORT TO WORD





Page=login I register












Firstname		
Lastname		
Username		
Password		
Repeat password		
Email		



Izgled u editor



3. Kodovi

Index.php

```
<?php
session_start();
include "views/fixed/head.php";
include "views/fixed/topmenu.php";
include "views/fixed/menu.php";
if(!isset($_GET['page'])){
   include "views/pocetna/baner.php";
   include "views/pocetna/coffetto.php";
   include "views/pocetna/kategorije.php";
   include "views/pocetna/updates.php";
   include "views/pocetna/galerija.php";
   include "views/pocetna/kafa.php";
   include "views/pocetna/kafa.php";
   include "views/pocetna/kafa.php";
}
else {
   switch($_GET['page']){
      case 'pocetna':</pre>
```

```
include "views/pocetna/baner.php";
    include "views/pocetna/coffetto.php";
    include "views/pocetna/kategorije.php";
    include "views/pocetna/updates.php";
    include "views/pocetna/galerija.php";
    include "views/pocetna/kafa.php";
    include "views/pocetna/recept.php";
   break;
 case 'about':
   include "views/about/welcome.php";
   include "views/about/method.php";
   break;
case 'menu':
    include "views/menu/kategorije.php";
   include "views/menu/kafa.php";
   break;
case 'blog':
    include "views/blog/blogs.php";
   break;
case 'contact':
   include "views/contact/info.php";
    include "views/contact/forma.php";
   break;
case 'login':
   include "views/login/log.php";
   break;
case 'register':
   include "views/register/reg.php";
   break;
   case 'admin':
   include "views/admin/admin.php";
   break;
case 'autor':
   include "views/author/author.php";
   break;
case 'insertU':
    include "views/admin/insertNew.php";
   break;
case 'insertBlog':
    include "views/admin/insertNewBlog.php";
   break;
case 'updateBlog':
```

```
include "views/admin/updateBlog.php";
    break;

}
}
include "views/fixed/footer.php";
?>
```

Views Head.php

```
<!doctype html>
<html class="no-js" lang="">
<head>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible"</pre>
content="IE=edge">
<title>Coffetto |</title>
<meta name="description" content="">
<meta name="viewport" content="width=device-width,</pre>
initial-scale=1">
<link type="text/css" rel="stylesheet"</pre>
    href="http://fonts.googleapis.com/css?family=Pla
yfair+Display:400,700">
k
href='http://fonts.googleapis.com/css?family=PT+Sans
:400,700'
    rel='stylesheet' type='text/css'>
    <link rel="shortcut icon"</pre>
href="assets/images/slika.png"/>
<link rel="stylesheet" href="assets/css/hover.css">
<link rel="stylesheet"</pre>
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
<link rel="stylesheet"</pre>
href="assets/css/bootstrap.min.css">
<link rel="stylesheet" href="assets/css/nivo-</pre>
slider.css">
<link rel="stylesheet" href="assets/css/main.css">
<link rel="stylesheet"</pre>
href="assets/css/responsive.css">
<link rel="stylesheet"</pre>
href="assets/css/color/default.css">
```

```
<script src="assets/js/vendor/modernizr-2.8.3-
respond-1.4.2.min.js"></script>
</head>
```

Topmenu.php

```
<!doctype html>
<html class="no-js" lang="">
<head>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible"</pre>
content="IE=edge">
<title>Coffetto |</title>
<meta name="description" content="">
<meta name="viewport" content="width=device-width,</pre>
initial-scale=1">
<link type="text/css" rel="stylesheet"</pre>
    href="http://fonts.googleapis.com/css?family=Pla
yfair+Display:400,700">
k
href='http://fonts.googleapis.com/css?family=PT+Sans
:400,700'
    rel='stylesheet' type='text/css'>
    <link rel="shortcut icon"</pre>
href="assets/images/slika.png"/>
<link rel="stylesheet" href="assets/css/hover.css">
<link rel="stylesheet"</pre>
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
<link rel="stylesheet"</pre>
href="assets/css/bootstrap.min.css">
<link rel="stylesheet" href="assets/css/nivo-</pre>
slider.css">
<link rel="stylesheet" href="assets/css/main.css">
<link rel="stylesheet"</pre>
href="assets/css/responsive.css">
<link rel="stylesheet"</pre>
href="assets/css/color/default.css">
<script src="assets/js/vendor/modernizr-2.8.3-</pre>
respond-1.4.2.min.js"></script>
</head>
```

Menu.php

```
@session_start();
?>
```

```
<nav id="primary-navigation" class="navbar"</pre>
role="navigation">
                       <div class="navbar-inner">
                           <div class="navbar-
header">
                               <button
type="button" class="navbar-toggle collapsed"
                                   data-
toggle="collapse" data-target="#navbar">
                                   <span class="sr-</pre>
only">Toggle navigation</span> <span</pre>
                                      class="icon-
bar"></span> <span class="icon-bar"></span> <span</pre>
                                      class="icon-
bar"></span>
                               </button>
                               <h3 class="navbar-
brand">Menu</h3>
                           </div>
                           <div id="navbar"
class="navbar-collapse collapse">
                               navbar-nav">
                                   ><a
href="index.php?page=pocetna">Home</a>
href="index.php?page=about">About</a>
                                   <a
href="index.php?page=menu">Menu</a>
                                   <a
href="index.php?page=blog">Blog</a>
                                   <a
href="index.php?page=contact">Contact</a>
                                      <?php
if(isset($_SESSION['korisnikUloga'])):?>
                               <?php endif; ?>
                               <?php
if(isset($_SESSION['user'])):?>
href="models/crud/logout.php">LOGOUT</a>
                               <?php endif; ?>
```

Futer.php

```
@session_start();
<nav id="primary-navigation" class="navbar"</pre>
role="navigation">
                       <div class="navbar-inner">
                           <div class="navbar-
header">
                               <button
type="button" class="navbar-toggle collapsed"
                                   data-
toggle="collapse" data-target="#navbar">
                                   <span class="sr-</pre>
only">Toggle navigation</span> <span</pre>
                                       class="icon-
bar"></span> <span class="icon-bar"></span> <span</pre>
                                       class="icon-
bar"></span>
                               </button>
                               <h3 class="navbar-
brand">Menu</h3>
                           </div>
                           <div id="navbar"
class="navbar-collapse collapse">
                               navbar-nav">
                                   ><a
href="index.php?page=pocetna">Home</a>
href="index.php?page=about">About</a>
                                   <a
href="index.php?page=menu">Menu</a>
                                   <a
href="index.php?page=blog">Blog</a>
```

Baner.php

```
<div id="banner">
                <div class="slider-wrapper">
                    <div class="nivoSlider">
src="assets/images/home/slider/r.jpg" alt=""
                             title="#nivoCaption-1"
/> <img src="assets/images/home/slider/a.jpg"</pre>
                             alt=""
title="#nivoCaption-2" /> <img</pre>
                            src="assets/images/home/
slider/j.jpg" alt="" title="#nivoCaption-3" />
                    </div>
                     <div id="nivoCaption-1"
class="nivo-html-caption">
                         <div class="nivo-caption-</pre>
img-2 animated" data-animate="fadeInUp">
                        </div>
                         <div class="nivo-caption-</pre>
content">
                             <h1 class="line-title
title animated animation-delay-75"
                                 data-
animate="fadeInUp">
                                 COFFETTO<i
class="fa"></i>
```

```
</h1>
                         animation-delay-100"
animate="fadeInUp">RAPSODY DRINKS, MADE WITH LOVE
</div>
                  </div>
                  <div id="nivoCaption-2"
class="nivo-html-caption">
                     <div class="nivo-caption-</pre>
content">
                         <h1 class="line-title
title animated animation-delay-75"
animate="fadeInUp">
                            Coktails<i
class="fa"></i>
                         </h1>
                         animation-delay-100"
                            data-
animate="fadeInUp">Mixture of all kinds of glam
drinks
                     </div>
                  </div>
                  <div id="nivoCaption-3"
class="nivo-html-caption">
                        <div class="nivo-
caption-content">
                            <h1 class="line-
title title animated animation-delay-75"
                                data-
animate="fadeInUp">
                                Cupcakes<i
class="fa"></i>
                            </h1>
                            animated animation-delay-100"
                                data-
animate="fadeInUp">
                         </div>
                     </div>
              </div>
```

```
</div>
```

Coffetto.php

```
<div id="main-content" class="main-content">
            <section id="infoUs" class="section</pre>
infoUs"
                style="background-image:
url(assets/images/home//latest/bg.png); background-
position: right top; background-repeat: no-repeat;">
                <div class="container">
                    <div class="row">
                        <div class="col-sm-6 col-sm-
push-6">
                            <figure>
                                <a href="#"> <img
alt=""
src="assets/images/home/dol.png"class="animated"
data-animate="fadeInRight animation">
                                </a>
                        </div>
                        <div class="col-sm-6 col-sm-
pull-6">
                            <h1 class="title line-
title">
                                Welcome to our
Coffetto<i class="fa">&#xf111;</i></i>
                            <aside>
                                Coffeto is a
bar in the center of New York,
                                     we have the
most exclusive types of coffee,
                                      cocktails,
milk with special
                                      ingredients,
baverages, teas and cupcakes made with heart.
                                Bar Coffetto 
                            </aside>
                        </div>
                    </div>
                </div>
            </section>
```

Galerija.php

```
<div class="col-sm-5">
                            <div class="widget-
gallery">
                                <!php</li>
                                     $upit="SELECT *
FROM slikepocetna";
                                    $glavneSlike=exe
cuteQuery($upit);
                                    foreach
($glavneSlike as $slik):
                                     <1i>>
                                         <figure>
class="animated" data-animate="zoomIn animation"
alt="<?=$slik->alt?>" src="<?=$slik->src?>" >
                                             <figcapt
ion>
class="gallery-ajax" href="#" data-
url="../ajax/gallery-v2-1.html" data-toggle="modal"
data-target="#myModal-1"></a>
                                             </figcap
tion>
                                         </figure>
                                     <?php
endforeach;?>
                                </div>
                        </div>
                    </div>
                </div>
                <div class="modal" id="myModal-1">
                    <div class="modal-content">
                        <div class="modal-header">
                            <div class="container">
                                <button aria-</pre>
label="Close" data-dismiss="modal" class="close"
                                    type="button">
                                     <span aria-</pre>
hidden="true">x</span>
                                </button>
                            </div>
                        </div>
```

```
<div class="modal-
body"></div>
                     </div>
                 </div>
                 <div class="modal" id="myModal-2">
                     <div class="modal-content">
                         <div class="modal-header">
                             <div class="container">
                                 <button aria-</pre>
label="Close" data-dismiss="modal" class="close"
                                      type="button">
                                     <span aria-</pre>
hidden="true">x</span>
                                 </button>
                             </div>
                         </div>
                         <div class="modal-
body"></div>
                     </div>
                 </div>
                 <div class="modal" id="myModal-3">
                     <div class="modal-content">
                         <div class="modal-header">
                             <div class="container">
                                 <button aria-</pre>
label="Close" data-dismiss="modal" class="close"
                                      type="button">
                                     <span aria-</pre>
hidden="true">x</span>
                                 </button>
                             </div>
                         </div>
                         <div class="modal-
body"></div>
                     </div>
                     <!-- /.modal-content -->
                 </div>
                 <div class="modal" id="myModal-4">
                     <div class="modal-content">
                         <div class="modal-header">
                             <div class="container">
```

```
<button aria-</pre>
label="Close" data-dismiss="modal" class="close"
                                      type="button">
                                      <span aria-</pre>
hidden="true">x</span>
                                  </button>
                             </div>
                         </div>
                         <div class="modal-
body"></div>
                     </div>
                 </div>
                 <div class="modal" id="myModal-5">
                     <div class="modal-content">
                         <div class="modal-header">
                             <div class="container">
                                  <button aria-</pre>
label="Close" data-dismiss="modal" class="close"
                                      type="button">
                                      <span aria-</pre>
hidden="true">x</span>
                                  </button>
                             </div>
                         </div>
                         <div class="modal-
body"></div>
                     </div>
                 </div>
                 <div class="modal" id="myModal-6">
                     <div class="modal-content">
                         <div class="modal-header">
                              <div class="container">
                                  <button aria-
label="Close" data-dismiss="modal" class="close"
                                      type="button">
                                      <span aria-</pre>
hidden="true">x</span>
                                  </button>
                             </div>
                         </div>
                         <div class="modal-
body"></div>
```

```
</div>
<!-- /.modal-content -->
</div>
</section>
```

Kafa.php

```
<section id="info-recipe" class="section info-</pre>
recipe">
                <div class="container">
                    <div class="row">
                        <div class="col-sm-7">
                             <aside>
                                 <h4
class="title">Why do we need coffee?</h4>
                                 Coffee is a
ritual, a small treat in the morning, "fuel",
                                     a break, chat,
affair that makes up our lives. Making the
                                     coffee better,
we make our lives better.
                            </aside>
                        </div>
                        <div class="col-sm-5">
                             <img id="kafa" alt=""</pre>
src="assets/images/home/cof.png">
                    </div>
                </div>
            </section>
```

Kategorije.php

Updates.php

```
<section id="latest" class="section latest"</pre>
               style="background-image:
url(assets/images/home/latest/bg.png); background-
position: right top; background-repeat: no-repeat;">
               <div class="container">
                   <div class="row">
                       <div class="col-sm-7">
                          <h1 class="title line-
title">
                              Latest Updates<i
class="fa"></i>
                           </h1>
                           <1i>>
                                  <figure>
                                      <a href="#">
<img alt="" src="assets/images/home/b.png">
                                      </a>
                                  </figure>
                                  <aside>
class="title">
                                          Нарру
Hour, between 4 pm & 5 pm every day in our
Coffetto
                                      </h4>
```

```
This is
hour where you can buy anything with the incredible
discount of even <b>50% </b>
                                  </aside>
                              <
                                  <figure>
                                      <a href="#">
<img alt="" src="assets/images/home/bavera.png">
                                      </a>
                                  </figure>
class="title">
href="index.php?page=register">Registered users have
a <b>20% </b>discount on all our beverages</a>
                                      </h4>
                                      So all
you need to do is to click <a
href="index.php?page=register">here</a>, and when
you come to our store you have to say your
username.
                                  </aside>
                              </div>
```

Method.php

```
<section class="section ourMethods">
                     <div class="container">
                         <div class="row">
                             <div class="col-sm-5">
                                 <figure>
                                     <img alt=""</pre>
src="assets/images/about/ourMethods-1.png"
class="animated" data-animate="fadeInLeft
animation">
                                     <img alt=""</pre>
src="assets/images/about/ourMethods-2.png"
class="animated" data-animate="fadeInLeft animation
animation-delay-25">
                                 </figure>
                             </div>
                             <div class="col-sm-7">
class="title">Our Methods</h1>
```

Welcome.php

```
</header>
        <div id="main-content" class="main-content">
            <!-- <div class="page-about"> -->
                <div class="page-header">
                     <figure class="post-thumbnail">
                         <img alt=""</pre>
src="assets/images/about/about.jpg">
                     </figure>
                     <h1 class="title"><span
class="line-title">About Us<i</pre>
class="fa"></i></span></h1>
                </div>
                <section id="infoUs" class="section</pre>
infoUs"
                     style="background-image:
url(assets/images/home/info/info-bg.jpg);
background-position: right center; background-
repeat: no-repeat;">
                     <div class="container">
                        <div class="row">
                             <div class="col-sm-6"
col-sm-push-6">
                                 <figure>
                                     <img alt=""</pre>
src="assets/images/home/info/info-img-1.png"
class="animated" data-animate="fadeInRight animation
animation-delay-25">
                                     <img alt=""</pre>
src="assets/images/home/info/info-img-2.png"
class="animated" data-animate="fadeInRight
animation">
                                 </figure>
                             <div class="col-sm-6"
col-sm-pull-6">
```

ADMIN.PHP

```
<?php
if($ SESSION['korisnikUloga'] != 1){
 header("Location:index.php");
?></header>
      <div id="main-content" class="main-content">
          <div class="page-header">
             <figure class="post-thumbnail">
                 <img alt=""</pre>
src="assets/images/contact/contact.jpg">
             </figure>
             <h1 class="title">
                 <span class="line-title">admin<i</pre>
class="fa"></i></span>
             </h1>
          </div>
          <div class="page-content">
             <div class="container">
             RB
                        Name
                        Lastname
                        Role
                        Update
                        Delete
                    <?php
```

```
include
"config/connection.php";
                         $upit = "SELECT
k.idKorisnik, k.ime, k.prezime, u.nazivUloga FROM
korisnik k INNER JOIN uloga u ON k.ulogaId =
u.ulogaId";
                         $rezultat = $conn-
>query($upit);
                         $korisnici = $rezultat-
>fetchAll();
                         br = 1;
                         foreach($korisnici as
$korisnik) :
                         <?= $br++ ?>
                         <:ime
?>
                         <?= $korisnik-
>prezime ?>
                         <?= $korisnik-
<a href="#"
class="updateU" data-id="<?= $korisnik-</pre>
>idKorisnik?>">Change</a>
                         <a
href="models/crud/deleteK.php?id=<?= $korisnik-</pre>
>idKorisnik?>">Delete</a>
                     <?php endforeach; ?>
<div class='dugme'>
                             <h1><a
href='index.php?page=insertU'>Insert new
user</a></h1>
href='index.php?page=insertBlog'>Insert new
blog</a></h1>
                  </div>
              </div>
              <div class="container">
     <div class="row">
     <div class="row">
                 <div class="col-sm-6">
```

```
<h2 class="sub-
title"id='blo'>Update blog</h2>
                         <form action=""</pre>
method="POST">
                         <input type="hidden"</pre>
id="hidnU" name='hdn'/>
                             <div class="form-group">
<label>Caption</label>
                                  <input type="text"</pre>
name="nazivU" id='nazivU' class="form-control"/>
                              </div>
                             <div class="form-group">
<label>Description</label>
                                  <textarea
name="opisU" id='opisU'class="form-
control"></textarea>
                              </div>
                              <div class="form-group">
                                  <label>Date</label>
                                  <input type="date"</pre>
name="datumU" id='datumU' class="form-control"/>
                              </div>
                             <input type='hidden'</pre>
id='hidnBlogU' name='hdnU'
value="<?=$_SESSION['user_id']?>"/>
                              <div class="form-group">
                                  <input type="button"</pre>
name="btnSlikaU" id='updateU' class="form-control
btn btn-primary" value="ADD"/>
                             </div>
                         </form>
                     </div>
                     <div class="col-sm-6">
                     <h2 class="sub-
title"id='blo'>Update user</h2>
                    <form action="" method="POST"</pre>
id="re"
                                      class="contact-
form">
class="row">
                                          <div
class="col-sm-7">
```

```
class="contact-form-author">
                                               <inp
ut type="text"size="30" class="form-control"
value=""
name="firstnameU" id="firstnameIdU"
placeholder="Firstname">
                                           </div>
class="col-sm-7">
class="contact-form-author">
ut type="text" size="30" value=""
name="lastnameU" id="lastnameIdU"
placeholder="Lastname">
                                           </div>
class="col-sm-7">
class="contact-form-author">
<input type="text" size="30" value=""</pre>
    name="usernameU" id="usernameIdU"
placeholder="Username"/>
                                               </div>
                                           <div
class="col-sm-7">
class="contact-form-author">
                                               <inp
ut type="hidden"
name="hiU" id="hidnUU" placeholder="Firstname">
                                           </div>
                                   </div>
```

```
submit button">
                                 <button
class="hvr-rectangle-out" type="button" id="sendIdU"
                                    name="se
ndRU"><i class="fa fa-sign-in" aria-
hidden="true"></i></button>
                             </form>
   </div>
         <div class="container">
    <div class="row">
     <div class="row">
                </div>
    </div>
   </div>
         </div>
                Picture
                       Title
                       Description
                       Date
                       Post by:
                       Update
                       Delete
                          <?php
                          $proizvodi =
executeQuery("SELECT * FROM blogovi b inner JOIN
korisnik k on b.idKorisnik=k.idKorisnik INNER JOIN
uloga u ON u.ulogaId =k.ulogaId");
                          foreach($proizvodi
as $pro) :
```

```
<img src="<?= $pro->src?>"
alt="<?= $pro->alt ?>"> 
                <?= $pro->naslov ?>
                <?= $pro->opis ?>
                <?= $pro->datum ?>
                <?= $pro->ime ?>
                <a href="#" class="update"
data-id="<?= $pro->idBlog?>">Change</a></rappe>
href="models/crud/deleteBlog.php?id=<?= $pro-</pre>
>idBlog?>">Delete</a>
               <?php endforeach; ?>
KOMENTARI KORISNIKA
<?php
$poruke = executeQuery("SELECT k.ime,p.poruka FROM
poruke p inner JOIN korisnik k on
p.idKorisnik=k.idKorisnik ");
foreach($poruke as $por) :
                         <?= $por->ime
?> <?= $por->poruka ?>
                         <?php endforeach; ?>
                         </div>
      </div>
  insertNew.php
</header>
```

```
<div id="main-content" class="main-content">
            <div class="page-header">
                <figure class="post-thumbnail">
                    <img alt=""</pre>
src="assets/images/contact/contact.jpg">
                </figure>
            </div>
            <div class="page-content">
                <div class="container">
                    <div class="row">
                        <div class="col-md-3 col-md-
push-9">
                            <div class="sidebar">
class="widget">
class="widget-inner">
                                                <fig
ure>
    <a href="#"> <img alt=""</pre>
src="assets/images/home/singup.png">
    </a>
</figure>
                                            </div>
                                        </div>
                            </div>
                        </div>
                        <div class="col-md-9 col-
md-pull-3">
                           <div class="contact-</pre>
content">
                                <h3 class="title
contact-title">INSERT NEW USER</h3>
                                desc">
                                <form
action="insertK.php" method="POST" id="regiNEw"
                                    class="contact-
form">
```

```
class="row">
class="col-sm-7">
class="contact-form-author">
                                              <inp
ut type="text"size="30" value=""
name="firstnameI" id="firstnameIdI"
placeholder="Firstname">
                                         <p
id='fGG'>
                                      </div>
class="col-sm-7">
class="contact-form-author">
                                              <inp
ut type="text" size="30" value=""
name="lastnameI" id="lastnameIdI"
placeholder="Lastname">
                                          <p
id='lGG'>
class="col-sm-7">
class="contact-form-author">
<input type="text" size="30" value=""</pre>
    name="usernameI" id="usernameIdI"
placeholder="Username"/>
                                              </div>
class="col-sm-7">
class="contact-form-author">
                                              <inp
ut type="password" size="30" value=""
name="passwordI" id="passwordIdI"
placeholder="Password">
```

```
<p
id='pGG'>
                                     </div>
class="col-sm-7">
class="contact-form-author">
                                            <inp
ut type="password" size="30" value=""
name="rePasswordI" id="rePasswordIdI"
placeholder="Repeat password">
                                        <p
id='rPGG'>
                                     </div>
class="col-sm-7">
class="contact-form-author">
                                            <inp
ut type="text" size="30" value=""
name="emailI" id="emailIdI" placeholder="Email">
                                        <p
id='eGG'>
                                    </div>
                                 </div>
                                submit button">
                                     <button
class="hvr-rectangle-out" type="submit" id="sendIdI"
                                        name="se
ndRI"><i class="fa fa-sign-in" aria-
hidden="true"></i></button>
                                id="feedI"></div>
                             </form>
                         </div>
                      </div>
                  </div>
              </div>
```

```
</div>
</div></div>
```

```
insertNewBlog.php
</header>
            <div class="page-header">
                <figure class="post-thumbnail">
                     <img alt=""</pre>
src="assets/images/contact/contact.jpg">
                </figure>
```

```
<div id="main-content" class="main-content">
            </div><section id="mu-blog">
    <div class="container">
      <div class="row">
      <div class="row">
                     <div class="col-sm-6">
                         <h2 class="sub-
title"id='blo'>Add blog</h2>
                         <form
action="models/crud/insertBlog.php" method="POST"
enctype="multipart/form-data" >
                             <div class="form-group">
<label>Caption</label>
                                 <input type="text"</pre>
name="naziv" id='nazivI' class="form-control"/>
                             </div>
                             <div class="form-group">
<label>Description</label>
                                 <textarea
name="opis" id='opisI'class="form-
control"></textarea>
                             </div>
                             <div class="form-group">
                                 <label>Date</label>
                                 <input type="date"</pre>
name="datum" id='datum' class="form-control"/>
                             </div>
                             <div class="form-group">
                                 <label>Photo</label>
                                 <input type="file"</pre>
name="slika" id='slikaI' class="form-control"/>
```

Author.php

```
</header>
        <div id="main-content" class="main-content">
            <div class="page-header">
                <figure class="post-thumbnail">
                    <img alt=""</pre>
src="assets/images/contact/contact.jpg">
                </figure>
                <h1 class="title">
                    <span class="line-title">about<i</pre>
class="fa"></i></span>
                </h1>
            </div>
            <div class="page-content">
                <div class="container">
                    <div class="row">
                        <div class="col-md-3 col-md-
push-9">
                            <div class="sidebar">
                                 <div class="widget">
class="widget-inner">
                                     </div>
                                 </div>
                                 <div class="widget">
class="widget-inner">
```

```
src="assets/images/autor.jpg"/>
class="widget-text">
                                         </div>
                                    </div>
                                </div>
                            </div>
                        </div>
                        <div class="col-md-9 col-
md-pull-3">
                            <div class="contact-</pre>
content">
                                <h3 class="title
contact-title"></h3>
                                <h3 class="contact-
desc" id="aut">My name is Sofija Vitorović, I am
student, who studies at ICT College, with number of
index 171/17.</h3>
                            </div>
href="models/exportWord.php" class="btn pull-left">
                EXPORT TO WORD
              </a>
                        </div>
                    </div>
                </div>
            </div>
       </div>
```

Blogs.php

```
<span class="line-title">about<i</pre>
class="fa"></i></span>
                </h1>
            </div>
            <div class="page-content">
                <div class="container">
                    <div class="row">
                        <div class="col-md-3 col-md-
push-9">
                            <div class="sidebar">
                                <div class="widget">
class="widget-inner">
                                    </div>
                                </div>
                                <div class="widget">
class="widget-inner">
                                        <img
src="assets/images/autor.jpg"/>
                                        <div
class="widget-text">
                                        </div>
                                    </div>
                                </div>
                            </div>
                        </div>
                       <div class="col-md-9 col-
md-pull-3">
                       <div class="contact-</pre>
content">
                                <h3 class="title
contact-title"></h3>
                                <h3 class="contact-
desc" id="aut">My name is Sofija Vitorović, I am
student, who studies at ICT College, with number of
index 171/17.</h3>
                            </div>
href="models/exportWord.php" class="btn pull-left">
                EXPORT TO WORD
              </a>
```

```
</div>
                   </div>
               </div>
           </div>
       </div>
<?php if(isset($_SESSION['user'])): ?>
<div class="col-md-9 col-md-pull-3">
                          <div class="contact-
content">
                              <h3 class="title
contact-title">Leave us a message</h3>
                              desc">
                              <form
action="AAAAAAAA.php" method="post" id="contact"
                                  class="contact-
form">
                                  <input</pre>
type='hidden' id='hidn' name='hidn'
value="<?=$_SESSION['user_id']?>"/>
                                      <textarea
required="required" rows="3" cols="45"
                                          name="me
ssageC" id="messageId" placeholder="Your
message"></textarea>
                                  <p
class="error" id="porukaGreske">
                                  submit button">
class="hvr-rectangle-out" type="button" id="sendC"
                                          name="se
ndC">Send Message</button>
                              </form>
                          </div><?php endif;?>
                      </div>
```

```
</div>
</div>
</div>
</div>
```

Info.php

```
</header>
        <div id="main-content" class="main-content">
            <div class="page-header">
                <figure class="post-thumbnail">
                    <img alt=""</pre>
src="assets/images/contact/contact.jpg">
                </figure>
                <h1 class="title">
                    <span class="line-</pre>
title">contact<i class="fa">&#xf111;</i></span>
                </h1>
            </div>
            <div class="page-content">
                <div class="container">
                    <div class="row">
                        <div class="col-md-3 col-md-
push-9">
                            <div class="sidebar">
                                 <div class="widget">
class="widget-inner">
class="title">contact Info</h3>
class="widget-text">
                                             Coffe
tto is always open for changes, so teel us what you
think about our work
class="fa fa-envelope"></i><a</pre>
href="mailto:sofija.vitorovic.171.17@ict.edu.rs">@ic
t.edu.rs</a><br>
class="fa fa-phone"></i><span>0645896888</span>
```

```
</div>
                                    </div>
                                </div>
                                <div class="widget">
class="widget-inner">
class="title">Open Hours</h3>
class="widget-text">
class="row">
                                                 <div
class="col-xs-8 col-sm-7">Monday - Thursday</div>
                                                 <div
class="col-xs-4 col-sm-5">8 am - 5 pm</div>
                                                 <div
class="col-xs-8 col-sm-7">Friday</div>
                                                 <div
class="col-xs-4 col-sm-5">8 am - 6 pm</div>
                                                 <div
class="col-xs-8 col-sm-7">Saturday</div>
                                                 <div
class="col-xs-4 col-sm-5">9 am - 5 pm</div>
                                                 <div
class="col-xs-8 col-sm-7">Sunday & amp;
Holidays</div>
                                                 <div
class="col-xs-4 col-sm-5">Closed</div>
                                             </div>
                                        </div>
                                    </div>
                                </div>
                            </div>
                        </div>
```

Log.php

```
<img alt=""</pre>
src="assets/images/contact/contact.jpg">
                </figure>
                <h1 class="title">
                    <span class="line-</pre>
title">contact<i class="fa">&#xf111;</i></span>
                </h1>
            </div>
            <div class="page-content">
                <div class="container">
                    <div class="row">
                        <div class="col-md-3 col-md-
push-9">
                            <div class="sidebar">
                                 <div class="widget">
class="widget-inner">
class="title">contact Info</h3>
class="widget-text">
                                             Coffe
tto is always open for changes, so teel us what you
think about our work
class="fa fa-envelope"></i><a</pre>
href="mailto:sofija.vitorovic.171.17@ict.edu.rs">@ic
t.edu.rs</a><br>
class="fa fa-phone"></i><span>0645896888</span>
                                             </div>
                                     </div>
                                </div>
                                 <div class="widget">
class="widget-inner">
class="title">Open Hours</h3>
                                         <div
class="widget-text">
                                             <div
class="row">
```

```
<div
class="col-xs-8 col-sm-7">Monday - Thursday</div>
                                                 <div
class="col-xs-4 col-sm-5">8 am - 5 pm</div>
                                                 <div
class="col-xs-8 col-sm-7">Friday</div>
                                                 <div
class="col-xs-4 col-sm-5">8 am - 6 pm</div>
                                                 <div
class="col-xs-8 col-sm-7">Saturday</div>
                                                 <div
class="col-xs-4 col-sm-5">9 am - 5 pm</div>
                                                 <div
class="col-xs-8 col-sm-7">Sunday & amp;
Holidays</div>
                                                 <div
class="col-xs-4 col-sm-5">Closed</div>
                                             </div>
                                         </div>
                                     </div>
                                 </div>
                            </div>
                        </div>
```

Kafa.php

```
<div class="col-md-3 col-md-
push-9">
                            <div class="sidebar">
                                <div class="widget">
class="widget-inner">
class="title">contact Info</h3>
class="widget-text">
                                            Coffe
tto is always open for changes, so teel us what you
think about our work
class="fa fa-envelope"></i><a</pre>
href="mailto:sofija.vitorovic.171.17@ict.edu.rs">@ic
t.edu.rs</a><br>
class="fa fa-phone"></i><span>0645896888</span>
                                            </div>
                                    </div>
                                </div>
                                <div class="widget">
class="widget-inner">
class="title">Open Hours</h3>
class="widget-text">
                                            <div
class="row">
                                                <div
class="col-xs-8 col-sm-7">Monday - Thursday</div>
class="col-xs-4 col-sm-5">8 am - 5 pm</div>
                                                <div
class="col-xs-8 col-sm-7">Friday</div>
                                                <div
class="col-xs-4 col-sm-5">8 am - 6 pm</div>
                                                <div
class="col-xs-8 col-sm-7">Saturday</div>
                                                <div
class="col-xs-4 col-sm-5">9 am - 5 pm</div>
```

Kategorije.php

```
</header>
        <div id="main-content" class="main-content">
            <div class="page-header">
                <figure class="post-thumbnail">
                    <img alt=""</pre>
src="assets/images/contact/contact.jpg">
                </figure>
                <h1 class="title">
                    <span class="line-</pre>
title">contact<i class="fa">&#xf111;</i></span>
                </h1>
            </div>
            <div class="page-content">
                <div class="container">
                    <div class="row">
                        <div class="col-md-3 col-md-
push-9">
                            <div class="sidebar">
                                <div class="widget">
                                    <div
class="widget-inner">
class="title">contact Info</h3>
class="widget-text">
                                             Coffe
tto is always open for changes, so teel us what you
think about our work
```

```
class="fa fa-envelope"></i><a</pre>
href="mailto:sofija.vitorovic.171.17@ict.edu.rs">@ic
t.edu.rs</a><br>
class="fa fa-phone"></i><span>0645896888</span>
                                             </div>
                                     </div>
                                </div>
                                <div class="widget">
class="widget-inner">
class="title">Open Hours</h3>
class="widget-text">
                                             <div
class="row">
                                                 <div
class="col-xs-8 col-sm-7">Monday - Thursday</div>
class="col-xs-4 col-sm-5">8 am - 5 pm</div>
                                                 <div
class="col-xs-8 col-sm-7">Friday</div>
class="col-xs-4 col-sm-5">8 am - 6 pm</div>
                                                 <div
class="col-xs-8 col-sm-7">Saturday</div>
                                                 <div
class="col-xs-4 col-sm-5">9 am - 5 pm</div>
                                                 <div
class="col-xs-8 col-sm-7">Sunday & amp;
Holidays</div>
                                                 <div
class="col-xs-4 col-sm-5">Closed</div>
                                             </div>
                                         </div>
                                    </div>
                                </div>
                            </div>
                        </div>
```

Reg.php

```
</header>
        <div id="main-content" class="main-content">
            <div class="page-header">
                <figure class="post-thumbnail">
                    <img alt=""</pre>
src="assets/images/contact/contact.jpg">
                </figure>
                <h1 class="title">
                    <span class="line-</pre>
title">contact<i class="fa">&#xf111;</i></span>
                </h1>
            </div>
            <div class="page-content">
                <div class="container">
                    <div class="row">
                        <div class="col-md-3 col-md-
push-9">
                            <div class="sidebar">
                                 <div class="widget">
class="widget-inner">
class="title">contact Info</h3>
class="widget-text">
                                             Coffe
tto is always open for changes, so teel us what you
think about our work
class="fa fa-envelope"></i><a</pre>
href="mailto:sofija.vitorovic.171.17@ict.edu.rs">@ic
t.edu.rs</a><br>
class="fa fa-phone"></i><span>0645896888</span>
                                         </div>
                                     </div>
                                 </div>
                                 <div class="widget">
class="widget-inner">
```

```
class="title">Open Hours</h3>
class="widget-text">
class="row">
                                                 <div
class="col-xs-8 col-sm-7">Monday - Thursday</div>
                                                 <div
class="col-xs-4 col-sm-5">8 am - 5 pm</div>
class="col-xs-8 col-sm-7">Friday</div>
                                                 <div
class="col-xs-4 col-sm-5">8 am - 6 pm</div>
                                                 <div
class="col-xs-8 col-sm-7">Saturday</div>
                                                 <div
class="col-xs-4 col-sm-5">9 am - 5 pm</div>
                                                 <div
class="col-xs-8 col-sm-7">Sunday & amp;
Holidays</div>
                                                 <div
class="col-xs-4 col-sm-5">Closed</div>
                                             </div>
                                         </div>
                                     </div>
                                </div>
                            </div>
                        </div>
```

4. Models Crud contactPoruka.php

```
<span class="line-</pre>
title">contact<i class="fa">&#xf111;</i></span>
                </h1>
            </div>
            <div class="page-content">
                <div class="container">
                    <div class="row">
                        <div class="col-md-3 col-md-
push-9">
                            <div class="sidebar">
                                <div class="widget">
class="widget-inner">
class="title">contact Info</h3>
                                         <div
class="widget-text">
                                             Coffe
tto is always open for changes, so teel us what you
think about our work
class="fa fa-envelope"></i><a</pre>
href="mailto:sofija.vitorovic.171.17@ict.edu.rs">@ic
t.edu.rs</a><br>
class="fa fa-phone"></i><span>0645896888</span>
                                         </div>
                                     </div>
                                </div>
                                <div class="widget">
class="widget-inner">
class="title">Open Hours</h3>
                                         <div
class="widget-text">
                                             <div
class="row">
class="col-xs-8 col-sm-7">Monday - Thursday</div>
class="col-xs-4 col-sm-5">8 am - 5 pm</div>
```

```
<div
class="col-xs-8 col-sm-7">Friday</div>
                                                 <div
class="col-xs-4 col-sm-5">8 am - 6 pm</div>
                                                 <div
class="col-xs-8 col-sm-7">Saturday</div>
                                                 <div
class="col-xs-4 col-sm-5">9 am - 5 pm</div>
                                                 <div
class="col-xs-8 col-sm-7">Sunday & amp;
Holidays</div>
                                                 <div
class="col-xs-4 col-sm-5">Closed</div>
                                             </div>
                                         </div>
                                     </div>
                                 </div>
                            </div>
                        </div>
```

Dohvati.php

```
<?php
header('Content-Type: application/json');
if(isset($_GET['id'])){
    require_once '../../config/connection.php';
   $id = $_GET['id'];
    $rezultat = $conn->prepare("SELECT * FROM
blogovi WHERE idBlog = ?");
    $rezultat->bindValue(1, $id);
   try {
        $rezultat->execute();
        $korisnikk = $rezultat->fetch();
        echo json_encode($korisnikk);
    catch(PDOException $ex){
        echo json_encode(['message'=> $ex-
>getMessage()]);
        http response code(500);
```

```
uhvatiGreske("dohvati.php ->".$ex-
>getMessage());
    }
} else {
    http_response_code(400); // 400 - Bad request
}
```

dohvatiK.php

```
<?php
// Obezbediti da PHP strana vraća JSON.
header('Content-Type: application/json');
if(isset($_GET['id'])){
    require_once '../../config/connection.php';
    $id = $_GET['id'];
    $rezultat = $conn->prepare("SELECT * FROM
korisnik WHERE idKorisnik = ?");
    $rezultat->bindValue(1, $id);
   try {
        $rezultat->execute();
        $korisnikU = $rezultat->fetch();
        echo json_encode($korisnikU);
    catch(PDOException $ex){
        echo json_encode(['message'=> $ex-
>getMessage()]);
        http_response_code(500);
        uhvatiGreske("dohvatiK.php ->".$ex-
>getMessage());
} else {
   http_response_code(400); // 400 - Bad request
```

updateBlog.php

```
<?php

// Podesavanje da PHP stranica vraca JSON

header('Content-Type: application/json');

if(isset($_POST['id']) && isset($_POST['naziv']) && isset($_POST['opis']) && isset($_POST['datum'])){
    require_once '../../config/connection.php';</pre>
```

```
$id = $ POST['id'];
    $naziv = $ POST['naziv'];
    $opis = $_POST['opis'];
   $datum=$ POST['datum'];
    $rezultat = $conn->prepare("UPDATE blogovi SET
naslov = ?,opis = ?, datum = ? WHERE idBlog = ?");
   $rezultat->bindValue(1, $naziv);
   $rezultat->bindValue(2, $opis);
   $rezultat->bindValue(3, $datum);
   $rezultat->bindValue(4, $id);
   try {
       $rezultat->execute();
       http_response_code(204); // 204 - Success
and No content (Nothing to return)
    catch(PDOException $ex){
        echo json encode(['message =>'.$ex-
>getMessage()]);
       http_response_code(500);
       uhvatiGreske("updateBlog.php =>".$ex-
>getMessage());
} else {
   http response code(400); // 400 - Bad request
```

updateUser.php

```
<?php
// Podesavanje da PHP stranica vraca JSON
header('Content-Type: application/json');
if(isset($ POST['id']) && isset($ POST['ime']) &&
isset($ POST['prezime']) &&
isset($_POST['korisnicko'])){
    require_once '../../config/connection.php';
    $id = $_POST['id'];
    $ime = $ POST['ime'];
    $prezime = $ POST['prezime'];
    $korisnicko=$_POST['korisnicko'];
    $rezultat = $conn->prepare("UPDATE korisnik SET
ime = ?,prezime = ?, korisnicko = ? WHERE
idKorisnik = ?");
    $rezultat->bindValue(1, $ime);
    $rezultat->bindValue(2, $prezime);
```

```
$rezultat->bindValue(3, $korisnicko);
    $rezultat->bindValue(4, $id);
    try {
        $rezultat->execute();
        http_response_code(204); // 204 - Success
and No content (Nothing to return)
    catch(PDOException $ex){
        echo json_encode(['message =>'.$ex-
>getMessage()]);
        http_response_code(500);
        uhvatiGreske("updateBlog.php =>".$ex-
>getMessage());
} else {
   http_response_code(400); // 400 - Bad request
   deleteK.php
<?php
require "../../config/connection.php";
if(!isset($_GET['id'])){
   header('Location: index.php');
   $id =$_GET['id'];
   $upit = "DELETE FROM korisnik WHERE idKorisnik =
:id";
    $rez = $conn->prepare($upit);
   $rez->bindParam(":id", $id);
    $rez->execute();
   header("Location: ../../index.php?page=admin");
   deleteBlog.php
<?php
require "../../config/connection.php";
if(!isset($_GET['id'])){
   header('Location:index.php');
```

\$id =\$_GET['id'];

```
$upit = "DELETE FROM blogovi WHERE idBlog =
:id";
    $rez = $conn->prepare($upit);

    $rez->bindParam(":id", $id);

    $rez->execute();

    header("Location:../../index.php?page=admin");
?>
```

Logout

```
<?php
    session_start();
    if(isset($_SESSION['user'])){
        unset($_SESSION['user']);
        session_destroy();
        header("Location: ../../index.php");
}</pre>
```

Logovanje.php

```
<?php
@session_start();
include "../../config/connection.php";
header("Content-type:application/json");
if(isset($_POST['sendL'])){
   $userL=$_POST['usernameL'];
   $passL=$_POST['passwordL'];
  $greskeL=[];
  $reUs='/^[a-zA-Z][a-zA-Z0-9-_]{3,32}$/';
  $reL='/^(?=.*\d).{6,}$/';
  if(!preg_match($reUs,$userL)){
    array_push($greskeL, "Username is not in good
format" );
  else if ($userL=='') {
    array_push($greskeL, "Username is required
field" );
   if(!preg_match($reL,$passL)){
    array_push($greskeL, "Password is not in good
format" );
   else if(empty($passL)){
```

```
array push($greskeL, "Password is required
field" );
   if(count($greskeL)!= 0){
      http_response_code(422);
     header("Location:
../../index.php?page=login");
   else{
    $passSifrovano=md5($_POST['passwordL']);
       $upit="SELECT * FROM korisnik WHERE
korisnicko=:kor AND lozinka=:loz";
       $priprema=$conn->prepare($upit);
       $priprema->bindParam(':kor',$userL);
       $priprema->bindParam(':loz',$passSifrovano);
       $rezultatLogovanja=$priprema->execute();
       if($rezultatLogovanja){
           if($priprema->rowCount()==1){
               http_response_code(200);
               $user=$priprema->fetch();
               $_SESSION["user"]=$user;
              $ SESSION["user id"]=$user-
>idKorisnik;
               $_SESSION["korisnikUloga"]=$user-
>ulogaId;
               if($_SESSION["korisnikUloga"] == 1){
                header("Location:
../../index.php?admin");
               else if($_SESSION["korisnikUloga"] ==
2){
                header("Location: ../../index.php");
           else{
            if($priprema->rowCount() == 0){
                http_response_code(500);
```

```
else {
    http_response_code(400);;
}
}
```

Registracija.php

```
<?php
require "../../config/connection.php";
$code=404;
$data=null;
if(isset($_POST['send'])){
    $firstname=$_POST['firstname'];
    $lastname=$_POST['lastname'];
    $username=$ POST['username'];
    $password=md5($_POST['password']);
    $rePassword=md5($ POST['rePassword']);
    $email=$ POST['email'];
    $errors=[];
    $reFirstLast="/^[A-Z]{1}[a-z]{2,25}$/";
    $rePassword="/^(?=.*\d).{6,}$/";
    $reUsername="/^[a-zA-Z][a-zA-Z0-9-_]{3,32}$/";
    if(empty($firstname)){
        array_push($errors,'Field for firstname is
required');
    }else if(!preg_match($reFirstLast,$firstname)){
        array_push($errors,'Not valid form fn');
    if(empty($lastname)){
        array_push($errors,'Field for lastname is
required');
    }else if(!preg match($reFirstLast,$lastname)){
        array_push($errors,'Not valid form ln');
    if(empty($username)){
        array_push($errors,'Field for username is
required');
    }else if(!preg match($reUsername,$username)){
        array_push($errors,'Not valid form un');
    if(!$ POST['password']){
        array push($errors,'Field for password is
required');
    }else
if(!preg_match($rePassword,$_POST['password'])){
        array_push($errors,'Not valid form pasw');
```

```
if(($ POST['rePassword'])!=($ POST['password'])){
        array_push($errors,'Field for repeat and
password do not match');
    }else if(!$_POST['rePassword']){
        array_push($errors,'Field for repeat
password is required');
    if(!filter var($email,FILTER VALIDATE EMAIL)){
        array_push($errors,'Not valid form email');
    if(count($errors)){
        $code=422;
        $data=$errors;
    }else{
        $upit="INSERT INTO
korisnik(idKorisnik,ime,prezime,korisnicko,lozinka,e
mail,ulogaId) values (NULL,?,?,?,?,?,2)";
        $rezultat = $conn->prepare($upit);
       try{
       $code= $rezultat->execute( [
$firstname,$lastname,$username,$password,$email ] )
? 201 : 500;
       catch(PDOException $e){
           $code=409;
           uhvatiGreske("registracija.php ->".$ex-
>getMessage());
http_response_code($code);
echo json_encode($data);
   exportExel.php
<?php
require_once "../config/connection.php";
include "functions.php";
```

```
$upit="SELECT
m.idPice,m.nazivPica,m.cena,m.opis,k.nazivKategorija
FROM meni m INNER JOIN kategorije k ON
m.idKategorije=k.idKategorije";
$drinks=executeQuery($upit);
// Pokretanje Excel aplikacije
$excel = new COM("Excel.Application");
// Da bi se fizički videlo otvaranje fajla
$excel->Visible = 1;
you want MS Word to be the default .. etc"
$excel->DisplayAlerts = 1;
// Otvaranje Excel faila
$workbook = $excel->Workbooks->Add();
// Otvaranje Sheet
$sheet = $workbook->Worksheets('Sheet1');
$sheet->activate;
br = 1;
foreach($drinks as $drink){
    // U A kolonu upisujemo ID
    $polje = $sheet->Range("A{$br}");
    $polje->activate;
    $polje->value = $drink->idPice;
    // U B kolonu upisujemo TITLE
    $polje = $sheet->Range("B{$br}");
    $polje->activate;
    $polje->value = $drink->nazivPica;
    // U C kolonu upisujemo DESCRIPTION
    $polje = $sheet->Range("C{$br}");
    $polje->activate;
    $polje->value = $drink->opis;
    // U D kolonu upisujemo TRAILER
    $polje = $sheet->Range("D{$br}");
    $polje->activate;
    $polje->value = $drink->cena;
    $polje = $sheet->Range("E{$br}");
    $polje->activate;
    $polje->value = $drink->nazivKategorija;
    $br++;
```

```
// U E kolonu upisujemo BROJ UNETIH REDOVA
$polje = $sheet->Range("F{$br}");
$polje->activate;
$polje->value = count($drinks);
$workbook-
>_SaveAs("http://localhost/Coffetto/models/exel/pica
.xlsx", -4143);
$workbook->Save();
// Zatvaranje Excel fajla
$workbook->Saved=true;
$workbook->Close;
$excel->Workbooks->Close();
$excel->Quit();
unset($sheet);
unset($workbook);
unset($excel);
```

exportWord.php

```
<?php
include "../config/connection.php";
$upit="SELECT * FROM autor";

$authors=executeQuery($upit);
$author=$authors[0];

$wordApp=new COM("Word.Application");
$wordApp->Visible=true;

$wordApp->Documents->Add();
$wordApp->Selection->TypeText("$author->imePrezime
\n $author->opis");
header("Location:../../index.php");

$wordApp->Documents[1]->SaveAs("About.doc");
?>
```

Filtriranjebutton.php

```
<?php
include "../config/connection.php";
include "functions.php";
header("Content-Type:application/json");
if(isset($_POST['dohvacen'])){</pre>
```

```
$kategorijaId=$ POST['dohvacen'];
    $upit = getQueryButtonSearch();
    try{
        $upitt=$conn->prepare($upit);
        $upitt->bindParam(":kat",$kategorijaId);
        $upitt->execute();
        $konac=$upitt->fetchAll();
        echo json_encode($konac);
    catch(PDOException $ex){
        echo json_encode(['message'=> $ex-
>getMessage()]);
        http response code(500);
        uhvatiGreske("filtriranjeButton.php ->".$ex-
>getMessage());
else{
   http_response_code(400);
   gettBlogs.php
<?php
```

```
header("Content-Type:application/json");
if($_SERVER['REQUEST_METHOD']== 'GET'){
    include "../config/connection.php";;
    try{
        $blogs= executeQuery("SELECT * FROM blogovi
b inner JOIN korisnik k on b.idKorisnik=k.idKorisnik
");
        echo json_encode($blogs);
    catch(PDOException $ex){
        echo json_encode(['message'=> $ex-
>getMessage()]);
        http_response_code(500);
        uhvatiGreske("getBlogs.php ->".$ex-
>getMessage());
else{
http_response_code(500);
```

Paginacija.php

```
<?php
header("Content-Type: application/json");
require "../config/connection.php";
try{
    if(isset($_POST['str'])){
        $stranana=$ POST['str'];
        $br =(int)$stranana;
        $strana=($br-1)*3;
        $upit = "SELECT b.*,k.ime FROM blogovi b
inner JOIN korisnik k ON b.idKorisnik = k.idKorisnik
LIMIT $strana , 3";
        $blogovi=executeQuery($upit);
        echo json encode($blogovi);
        http_response_code(200);
catch(PDOException $ex){
    echo json_encode(["Greska =>".$ex-
>getMessage()]);
    http_response_code(400);
```

Pica.php

```
<?php
header("Content-Type:application/json");

if($_SERVER['REQUEST_METHOD']== 'GET'){
    require "../config/connection.php";
    try{
        $drinks= executeQuery("SELECT
m.*,k.nazivKategorija FROM meni m INNER JOIN
kategorije k ON m.idKategorije=k.idKategorije");
        echo json_encode($drinks);
    }
    catch(PDOException $ex){</pre>
```

```
echo json_encode(['message'=> $ex-
>getMessage()]);
    http_response_code(500);
    uhvatiGreske("pica.php ->".$ex-
>getMessage());
    }
}
else{
http_response_code(500);
}
```

Search.php

```
<?php
include "../config/connection.php";
header("Content-Type:application/json");
if(isset($_POST['uneto'])){
    $uneto = trim($ POST['uneto']);
    $komp = "%$uneto%";
    try{
        $upit=$conn->prepare("SELECT * FROM meni
WHERE nazivPica LIKE :komp");
        $upit->bindParam(":komp",$komp);
        $upit->execute();
        $dohvaceni=$upit->fetchAll();
        echo json_encode($dohvaceni);
    catch(PDOException $ex){
        echo json_encode(['message'=> $ex-
getMessage()]);
        http_response_code(500);
        uhvatiGreske("search.php ->".$ex-
>getMessage());
else{
   http_response_code(400);
```

5. Data

Errors.php-tu su ispisane greske, dobijene iz catcha

contactPoruka.php ->SQLSTATE[42S22]: Column not found: 1054 Unknown column 'idPouka' in 'field list' 14-06-2019 00:27:43

```
getBlogs.php ->SQLSTATE[42S02]: Base table or view not found:
1146 Table 'coffetto.blogvi' doesn't exist
                                             14-06-2019
00:36:28
getBlogs.php ->SQLSTATE[42S02]: Base table or view not found:
1146 Table 'coffetto.blogvi' doesn't exist
                                             14-06-2019
00:36:29
dohvati.php ->SQLSTATE[42S22]: Column not found: 1054
Unknown column 'id' in 'where clause' 14-06-2019 16:14:27
dohvati.php ->SQLSTATE[42S22]: Column not found: 1054
Unknown column 'id' in 'where clause' 14-06-2019 16:15:05
updateBlog.php =>SQLSTATE[42S22]: Column not found: 1054
Unknown column 'id' in 'where clause' 15-06-2019 00:18:36
updateBlog.php =>SQLSTATE[42S22]: Column not found: 1054
Unknown column 'id' in 'where clause' 15-06-2019 00:21:32
    pristup.txt-
belezi pristup
etBlogs.php
               15.06.2019 04:58:03
                                     ::1
pica.php
               15.06.2019 04:58:18
                                     ::1
getBlogs.php
              15.06.2019 04:58:18
                                     ::1
index.php?page=pocetna
                              15.06.2019 04:58:22
                                                    ::1
               15.06.2019 04:58:22
pica.php
                                     ::1
getBlogs.php
               15.06.2019 04:58:22
                                     ::1
               15.06.2019 05:19:04
index.php
                                     ::1
pica.php
               15.06.2019 05:19:05
                                     ::1
   6. Config
   Env
   Config.php
<?php
to/" );
```

```
define("BASE_URL",$_SERVER['DOCUMENT_ROOT']."/Coffet
to/" );

define("ERROR_FILE", BASE_URL."/data/errors.txt");

define("SERVER", env("SERVER"));
define("DATABASE", env("DATABASE"));
define("USERNAME", env("USERNAME"));
define("PASSWORD", env("PASSWORD"));
```

```
function env($parametar){
    $file = file(BASE_URL . "config/.env");

    $vrednost = "";

    foreach($file as $red){
        $podaci = explode("=", trim($red));
        if($parametar == $podaci[0]){
              $vrednost = $podaci[1];
        }
    }
    return $vrednost;
}
```

Connection.php

```
<?php
require_once "config.php";
try {
   zabeleziPristup();
    $conn = new
PDO("mysql:host=".SERVER.";dbname=".DATABASE.";chars
et=utf8", USERNAME, PASSWORD);
    $conn-
>setAttribute(PDO::ATTR_DEFAULT_FETCH_MODE,
PDO::FETCH_OBJ);
    $conn->setAttribute(PDO::ATTR_ERRMODE,
PDO::ERRMODE_EXCEPTION);
catch(PDOException $ex){
    echo $ex->getMessage();
function executeQuery($query){
    global $conn;
    return $conn->query($query)->fetchAll();
function zabeleziPristup(){
   $file = fopen(BASE_URL . "data/pristup.txt",
"a");
```

```
$string = basename($_SERVER['REQUEST_URI']) .
"\t" . date("d.m.Y H:i:s") . "\t" .
$_SERVER['REMOTE_ADDR'] . "\n";

fwrite($file, $string);
  fclose($file);
}
function uhvatiGreske($error){
    @$open = fopen(ERROR_FILE, "a");
    $unosG = $error."\t".date('d-m-Y H:i:s'). "\n";
    @fwrite($open, $unosG);
    @fclose($open);
```

7. Js

Pica.is

```
$(document).ready(function(){
    showProducts();
    $('#sendIdd').click(checkContact);
   showBlogs();
    $(document).on('click','.linkPag',
posaljiBrojStrane);
})
//pag
function posaljiBrojStrane(e){
    e.preventDefault();
    var str=$(this).data('pag');
    $.ajax({
        url:"models/paginacija.php",
        dataType:"json",
        data:{
            str:str
        },
        method:"post",
        success:function(data,status,xhr){
            console.log('Br strana nadjen.');
            printBlogs(data);
        error:function(xhr,status,error){
            console.error(xhr.status);
            console.log(error);
    });
```

```
$("#menus .container #filter
:button").click(function(){
   let dohvacen=$(this).data('filter');
   $.ajax({
       url:'models/filtriranjeButton.php',
       method:'POST',
       dataType:'json',
       data:{
           dohvacen:dohvacen
       },
       success:function(data, status, xhr){
           console.warn(data);
           console.log('Nadjeno po kategorijama');
           printDrinks(data);
       },
       error:function(xhr){
            console.log('nije uspeo AJAX');
  })
});
function showBlogs(){
    $.ajax({
        url: 'models/getBlogs.php',
        method: 'GET',
        dataType: 'json',
        success: function(data){
            console.warn(data);
            printBlogs(data);
        error: function(xhr, status, statusText){
            console.log('gr');
            console.log(xhr);
    });
function printBlogs(data){
    let html = "";
    for(let blog of data){
        html += `
        <div class="row">
            <div class="col-md-6">
                <figure class="post-thumbnail">
                    <img alt="${blog.alt}"</pre>
src="${blog.src}">
                    <a href="#"></a>
```

```
</figure>
            </div>
            <div class="col-md-6">
                <div class="entry">
                    <div class="entry-date"></div>
                    <h3 class="title entry-title"><a
href="#">
                    ${blog.naslov}</a></h3>
                    <div class="entry-
content">${blog.opis}</div>
                    <div class="entry-meta">
                        Post by <a href="#"
class="entry-meta-author">${blog.ime}</a>
                     </div>
                </div>
            </div>
        </div>
    $("#blog").html(html);
function showProducts(){
    $.ajax({
        url: 'models/pica.php',
        method: 'GET',
        dataType: 'json',
        success: function(data){
            console.warn(data);
            printDrinks(data);
        error: function(xhr, status, statusText){
            console.log('gr');
            console.log(xhr);
    })
function printDrinks(data){
    let html = "";
    for(let drink of data){
        html += `<aside class="clearfix animated</pre>
animation-delay-75" data-animate="fadeInLeft">
        <img class="menu-img" alt="" src="${</pre>
drink.slika }">
        <div class="menu-content">
```

```
<h5 class="title menu-title"><span> ${
drink.nazivPica }</span><span class="menu-price"><i</pre>
class="fa fa-usd"></i>${ drink.cena }</span></h5>
            ${ drink.opis }.
        </div>
    </aside>`;
    $("#picaa").html(html);
$("#pretraga").keyup(function(){
    let uneto=$(this).val();
    $.ajax({
        url:'models/search.php',
        method:'POST',
        dataType:'json',
        data:{
            uneto:uneto
        },
        success:function(data){
           console.warn(data);
            printDrinks(data);
      },
        error:function(xhr, status, statusText){
            console.log('Greska');
            console.log(xhr);
    })
});
$(document).on('click', '.update', function(e){
    e.preventDefault();
    let id = $(this).data('id');
    $.ajax({
        url: 'models/crud/dohvati.php',
        method: 'GET',
        data: {
            id: id
        dataType: 'json',
        success: function(korisnikk){
            console.warn('USPESNO DOHVACENA
KATEGORIJA');
            console.log(korisnikk);
            // Popunjavanje forme
           fillForm(korisnikk);
```

```
error: function(greska, status, statusText){
            console.error('GRESKA DOHVATANJE
KATEGORIJE:');
            console.log(greska.parseJSON);
            alert(greska.parseJSON.poruka);
    })
});
function fillForm(korisnikk){
    $("#hidnU").val(korisnikk.idBlog);
    $("#nazivU").val(korisnikk.naslov);
    $("#opisU").val(korisnikk.opis);
$("#updateU").click(function(){
    let id = $('#hidnU').val();
        $.ajax({
            url: 'models/crud/updateBlog.php',
            method: 'POST',
            data: {
                id: id,
                naziv: $('#nazivU').val(),
                opis: $('#opisU').val(),
                datum:$('#datumU').val()
            },
            dataType: 'json',
            success: function(podaci, status,
ceoZahtev){
                console.warn('USPESNO SACUVANO');
                if(ceoZahtev.status == 204){
                    console.log('USPESNO
SACUVANO!');
                clearForm();
            },
```

```
error: function(greska, status,
statusText){
                console.error('GRESKA DOHVATANJE
KATEGORIJE:');
                console.log(greska.parseJSON);
                alert(greska.parseJSON.poruka);
            }
        });
function clearForm(){
    $("#hidnU").val('');
    $("#nazivU").val('');
    $("#opisU").val('');
$(document).on('click', '.updateU', function(e){
    e.preventDefault();
    let id = $(this).data('id');
    $.ajax({
        url: 'models/crud/dohvatiK.php',
        method: 'GET',
        data: {
            id: id
        },
        dataType: 'json',
        success: function(korisnikU){
            console.log(korisnikU);
            // Popunjavanje forme
            fillFormUser(korisnikU);
        },
        error: function(greska, status, statusText){
            console.error('GRESKA DOHVATANJE
KATEGORIJE:');
            console.log(greska.parseJSON);
            alert(greska.parseJSON.poruka);
    })
});
function fillFormUser(korisnikU){
    $('#firstnameIdU').val(korisnikU.ime);
    $('#lastnameIdU').val(korisnikU.prezime);
    $('#usernameIdU').val(korisnikU.korisnicko);
```

```
$('#hidnUU').val(korisnikU.idKorisnik);
$('#sendIdU').click(function(){
    let id = $('#hidnUU').val();
    $.ajax({
        url: 'models/crud/updateUser.php',
        method: 'POST',
        data: {
            id: id,
            ime: $('#firstnameIdU').val(),
            prezime: $('#lastnameIdU').val(),
            korisnicko:$('#usernameIdU').val()
        dataType: 'json',
        success: function(podaci, status,
ceoZahtev){
            console.warn('USPESNO SACUVANO');
            if(ceoZahtev.status == 204){
                console.log('USPESNO SACUVANO!');
            clearFormUser();
        },
        error: function(greska, status, statusText){
            console.error('GRESKA DOHVATANJE
KATEGORIJE:');
            console.log(greska.parseJSON);
            alert(greska.parseJSON.poruka);
    });
function clearFormUser(){
    $("#firstnameIdU").val('');
    $("#lastnameIdU").val('');
    $("#usernameIdU").val('');
function checkContact(){
ime=document.getElementById("nameIdd").value;
```

```
let
poruka=document.getElementById("messageId").value;
    let reIme=/^[A-Z]{1}[a-z]{2,20}$/;
    let rePoruka=/^[A-Za-z\s]{10,250}$/;
    if(ime.match(reIme)){
            document.querySelector("#nameggreske").i
nnerHTML="";
    else if(ime==""){
        document.querySelector("#nameggreske").inner
HTML="You must enter your name";
    else{
            document.querySelector("#nameggreske").i
nnerHTML="Your name isn't in right form";
    if(poruka.match(rePoruka)){
    document.querySelector("#porukaGreske").innerHTM
   else if(poruka=""){
    document.querySelector("#porukaGreske").innerHTM
L="You must enter message";
    else{
    document.querySelector("#porukaGreske").innerHTM
L="Message isn't in right form";
```

podaciKorisnik.php

```
$(document).ready(function(){
    $('#sendC').click(dodajPoruku);
    $("#sendId").click(function(e){
        e.preventDefault();
    $firstname= $("#firstnameId").val();
    $lastname=$("#lastnameId").val();
    $username=$("#usernameId").val();
    $password=$("#passwordId").val();
    $repassword=$("#rePasswordId").val();
    $email=$("#emailId").val();

//REGULARNI IZRAZI
```

```
$pFirstname=/^[A-Z]{1}[a-z]{2,25}$/;
       $pLastname=/^[A-Z]{1}[a-z]{2,25}$/;
       $pUsername=/^[a-zA-Z][a-zA-Z0-9-_]{3,32}$/;//
      PPassword=/^(?=.*\d).{6,}$/;// brojevi,
       $pEmail=/^[a-z0-9!#$%&'*+/=?^_`{|}~-
]+(?:\.[a-z0-9!#$%&'*+/=?^_`{|}~-]+)*@(?:[a-z0-
9](?:[a-z0-9-]*[a-z0-9])?\.)+[a-z0-9](?:[a-z0-9-
]*[a-z0-9])?$/;
      //PROVERE
      $marker=0; //ako je 1 IMA GRESAKA
      if($firstname.match($pFirstname)){
           $('#fG').html('');
      else if($firstname==""){
           $('#fG').html( 'Firstname is required
field');
           $marker=1;
      else{
           $("#fG").html("Firstname is not in good
format");
           $marker=1;
        //llastname
       if($lastname.match($pLastname)){
           $('#1G').html( '');
       else if($lastname==""){
           $('#1G').html( 'Lastname is required
field');
           $marker=1;
       else{
            $("#1G").html("Lastname is not in good
format");
            $marker=1;
        //username
       if($username.match($pUsername)){
           $('#uG').html( '');
       else if($username==""){
           $('#uG').html( 'Username is required
field');
           $marker=1;
```

```
else{
            $("#uG").html("Username is not in good
format");
            $marker=1;
        //PASSWORD
        if($password.match($PPassword)){
            $('#pG').html( '');
        else if($password==""){
            $('#pG').html( 'Password is required
field');
            $marker=1;
        else{
            $("#pG").html("Password is not in good
format");
            $marker=1;
        //REPASS
        if($repassword!=$password){
            $("#rPG").html("Passwords must match");
            $marker=1;
        if($repassword==''){
            $("#rPG").html('');
        else if($repassword==""){
            $("#rPG").html('You must repeat
password');
        if($email.match($pEmail)){
            $('#eG').html( '');
        else if($email==""){
            $('#eG').html( 'Email is required
field');
            $marker=1;
        else{
            $("#eG").html("Email is not in good
format");
            $marker=1;
        function dohvati(){
            var obj={
                firstname: $firstname,
```

```
lastname:$lastname,
                username: $username,
                password: $password,
                rePassword: $repassword,
                email:$email,
                send:true
            };
         return obj;
        function pozoviAjax(obj){
            $.ajax({
                url:'models/crud/registracija.php',
                type: "post",
                data:obj,
                success:function(data, status, xhr){
                     console.log(xhr.status);
                    if(xhr.status == 201){
                         console.log("Uspesno
registrovan korisnik!");
                    $("#feed").html("<h1>Successful
registration.</h1>");
                error:function(xhr, status, error){
                    var poruka="Your data is not
valid";
                     switch(xhr.status){
                         case 404:
                             poruka="Page not found";
                             break;
                         case 500:
                             poruka="Error";
                             break;
                    $("#feed").html(poruka);
            });
        var formData=dohvati();
        pozoviAjax(formData);
    });
});
function doda;Poruku(){
```

```
let idKorisnika=$('#hidn').val();
    let poruka=$('#messageId').val();
    $.ajax({
        url:'models/crud/contactPoruka.php',
        method:'post',
        dataType:'json',
        data:{
            idKorisnika:idKorisnika,
            poruka:poruka,
            send:true
        },
        success:function(xhr,data,status){
            console.warn(data);
            console.log(xhr.status);
        },
        error:function(xhr, status, statusText){
            console.error('nije prosao AJax');
            console.log(xhr.status);
    })
$('#sendIdI').click(function(e){
    e.preventDefault();
   let fn=$('#firstnameIdI').val();
   let ln=$('#lastnameIdI').val();
   let un=$('#usernameIdI').val();
   let ps=$('#passwordIdI').val();
   let rep=$('#rePasswordIdI').val();
   let em=$('#emailIdI').val();
   pFn=/^[A-Z]{1}[a-z]{2,25}$/;
   pLn=/^[A-Z]{1}[a-z]{2,25}$/;
  pUn=/^[a-zA-Z][a-zA-Z0-9-]{3,32}$/;// a-z A-Z -
  $pP=/^(?=.*\d).{6,}$/;// brojevi, donje, slova
   $pE=/^[a-z0-9!#$%&'*+/=?^_`{|}~-]+(?:\.[a-z0-
9!#$%&'*+/=?^_`{|}~-]+)*@(?:[a-z0-9](?:[a-z0-9-]*[a-
z0-9])?\.)+[a-z0-9](?:[a-z0-9-]*[a-z0-9])?$/;
   $markerr=0; //ako je 1 IMA GRESAKA
       if(fn.match($pFn)){
           $('#fGG').html('');
       else if(fn==""){
           $('#fGG').html( 'Firstname is required
field');
           $markerr=1;
```

```
else{
           $("#fGG").html("Firstname is not in good
format");
           $markerr=1;
        if(ln.match($pLn)){
            $('#1GG').html('');
       else if(ln==""){
            $('#1GG').html( 'Lastname is required
field');
            $markerr=1;
       else{
            $("#1GG").html("Lastname is not in good
format");
            $markerr=1;
        if(un.match($pUn)){
            $('#uGG').html('');
       else if(un==""){
            $('#uGG').html( 'Username is required
field');
            $markerr=1;
       else{
            $("#uGG").html("Username is not in good
format");
            $markerr=1;
        if(ps.match($pP)){
            $('#pGG').html('');
       else if(ps==""){
            $('#pGG').html( 'Password is required
field');
            $markerr=1;
       else{
            $("#pGG").html("Password is not in good
format");
            $markerr=1;
         }
        if(rep!=ps){
            $('#rPGG').html('Passwords must match');
            $markerr=1;
       else if(rep==""){
```

```
$('#rPGG').html( 'You must repeat your
password');
            $markerr=1;
         else{
            $('#rPGG').html( '');
         if(em.match($pE)){
            $('#eGG').html('');
        else if(em==""){
            $('#eGG').html( 'Email is required
field');
            $markerr=1;
        else{
            $("#eGG").html("Email is not in good
format");
            $markerr=1;
         console.log($markerr);//0 ako je tacno
         function dohvatiInsert(obj){
            var obj={
                firstnameI:fn,
                lastnameI:ln,
                usernameI:un,
                passwordI:ps,
                rePasswordI:rep,
                emailI:em,
                sendI:true
            };
         return obj;
        function pozoviAjaxInsert(obj){
            $.ajax({
                url:'models/crud/insertK.php',
                type: "post",
                data:obj,
                dataType:"json",
                success:function(data, status, xhr){
                    console.log(xhr.status);
                    if(xhr.status == 201){
                        console.log("Uspesno unesen
korisnik!");
                    $("#feedI").html("<h1>Successful
registration.</h1>");
```