

Sofija Vitorovic 171/17

Dokumentacija

<https://hamger34.000webhostapp.com/index.php>

Smer: Internet Tehnologije


Modul: Web programiranje


Predmet: Web programiranje PHP1

Beograd, April 2019

Contents

1. Uvod:	6
Korišćeni programski jezici	6
Opis funkcionalnosti	6
Template	7
2. Organizacija	8
Organizaciona šema	8





.....	9
Sitemap.....	10
Izgled baze	12
Opis stranica sajta	12
Index.php.....	12
admin.php.....	13
Stranice namenjene manipulaciji sadrzaja u admin panelu	15
Register.php I insert.php	15
Login.php	16
insertM.php	17
3. Kodovi.....	17
Javascript	17
Moj.js.....	17
proveraContact.js.....	20
Index.php.....	21

Admin.php	32
insertM.php	37
InsertMeni.php	41
deleteMeni.php	43
inserU.php	43
insertUser.php	48
delete.php	50
updateUser.php	50
updateU.php.....	51
Login.php	56
logProvera.php.....	62
Register.php.....	63
Logout.php.....	68
Proverareg.php	69

1. Uvod:

Korišćeni programski jezici

Za izradu sajta korišćene su sledeće tehnologije:

- HTML
- CSS
- JavaScript
- jQuery
- AJAX
- PHP
- Bootstrap

Kod je pisan u Visual Studio Code-u.

Opis funkcionalnosti

- Dinamicki učitani svi podaci koji se ponavljaju
- Paginacija na index.php za proizvode
- Validacija na klijentu i server, koriscen je ajax za registraciju
- Zabrana ulaska u adminpanel preko url ako korisnik nije admin


- Dodavanje, izmena i brisanja korisnika
- Dodavanje, izmena i brisanje proizvoda dinamička paginacija za njih, nalazi se na index.php
- Kontakt forma sa proverom podataka na klijentskoj strani


Template

Koriscen je template, ali je u velikoj meri izmenjen sto se tice funkcionalnosti i izgleda.

2. Organizacija

Organizaciona šema





Sitemap

```


<?xml version="1.0" encoding="utf-8"?>
<urlset xmlns="https://www.sitemaps.org/schemas/sitemap/0.9">
  <url>
    <loc>https://hamger34.000webhostapp.com/index.php </loc>
    <lastmood>2019-21-4</lastmood>
    <changefreq>monthly</changefreq>
    <priority>0.8</priority>
  </url>
  <url>
    <loc>https://hamger34.000webhostapp.com/index.php </loc>
    <lastmood>2019-21-4</lastmood>
    <changefreq>monthly</changefreq>
    <priority>0.6</priority>
  </url>
  <url>
    <loc>https://shoesof.000webhostapp.com/shop.html</loc>
  </url>
</urlset>

```

```
<lastmood>2019-21-4</lastmood>
<changefreq>monthly</changefreq>
<priority>0.9</priority>
</url>
<url>
  <loc> https://hamger34.000webhostapp.com/index.php </loc>
  <lastmood>2019-21-4</lastmood>
  <changefreq>yearly</changefreq>
  <priority>0.5</priority>
</url>

</urlset>
```


Izgled baze



Opis stranica sajta


Index.php

Index stranica je glavna stranica, sajt je single page, s tim sto je adminPanel na drugoj strani, kao i login i register. Dinamicki se ucitava sve sto se ponavlja.



admin.php

Admin panelu imaju pristup samo administratori sajta. U admin panelu se vidi lista korisnika i moguće je dodavati, menjati i brisati korisnike. Takođe moguće je dodavati, brisati i apdejtovati proizvode iz menija.



ID	Name	Lastname	Role	Update	Delete
1	Petar	Starić	korisnik	Imenui	Očisti
2	Milica	Starić	korisnik	Imenui	Očisti
3	Zoran	Vitorović	korisnik	Imenui	Očisti
4	Sedjo	Vitorović	admin	Imenui	Očisti
5	Milica	Starić	korisnik	Imenui	Očisti
6	Filip	Miric	korisnik	Imenui	Očisti

Insert new user


Insert new product

Picture	Name	Price	Description	Change	Delete
	BurgerCheeseB	6	Spiked with tasty food	Change	Delete
	Crunchy salad	35	Crunchy chicken	Change	Delete
	FreshChickenS	8	Chili with chicken	Change	Delete
	FishSpicy	6	Fish lovers favorite	Change	Delete
	DoubleCheeseBam	8	Fully taste of premium cheese	Change	Delete
	Fish	5	Fish with sauce	Change	Delete
	Crunchy salad	6	Fully flavor chicken	Change	Delete
	GrillChickenMls	7	Mixed salad chicken sausage	Change	Delete
	FreshChickenBbqB	20	0	Change	Delete

Stranice namenjene manipulaciji sadržaja u admin panelu


Sadrže klijentsku I serversu proveru podataka.





Register.php I insert.php




Become our member

Sing up






Designed by Sofija Vitorovic 171/17



Log in



Designed by Sofija Vitorovic 171/17



Add product

Name

Price

Caption

Photo
 No file chosen

[f](#) [t](#) [i](#) [y](#)

Designed by Sofija Vitorovic 171/17

3. Kodovi

Javascript

Moj.js

```
$(document).ready(function(){
    $('#posalji').click(function(){
        var errors = [];
        $ime=$('#first').val();
        $reIme=/^[A-Z]{1}[a-z]{2,13}$/;
        if($ime.match($reIme)){
            document.querySelector("#firstG").innerHTML="";
        }
        else if($ime==""){
            document.querySelector("#firstG").innerHTML="Your must enter your
firstname";
            errors.push('gr');
        }
        else{
```

```

        document.querySelector("#firstG").innerHTML="Your firstname isn't in
right form";
        errors.push('gr');
    }
    $prezime=$('#last').val();
    $rePrezime=/^[A-Z]{1}[a-z]{2,13}$/;
    if($prezime.match($rePrezime)){
        document.querySelector("#lastG").innerHTML="";
    }
    else if($prezime==""){
        document.querySelector("#lastG").innerHTML="Your must enter your
lastname";
        errors.push('gr');
    }
    else{
        document.querySelector("#lastG").innerHTML="Your lastname isn't in
right form";
        errors.push('gr');
    }
    $korisnicko=$('#user').val();
    $reKorisnicko=/^[a-zA-z0-9]{7,17}$/;
    if($korisnicko.match($reKorisnicko)){
        document.querySelector("#userG").innerHTML="";
    }
    else if($korisnicko==""){
        document.querySelector("#userG").innerHTML="Your must enter your
username";
        errors.push('gr');
    }
    else{
        document.querySelector("#userG").innerHTML="Your username isn't in
right form";
        errors.push('gr');
    }
    $sifra=$('#pass').val();
    $reSifra= /^(?=.*\d).{6,}$/;
    if($sifra.match($reSifra)){
        document.querySelector("#passG").innerHTML="";
    }
    else if($sifra==""){
        document.querySelector("#passG").innerHTML="Your must enter your
password";
        errors.push('gr');
    }
    else{
        document.querySelector("#passG").innerHTML="Your password isn't in
right form";
        errors.push('gr');
    }
    $reSifra1=$('#rePass').val();
    if($reSifra1==""){

```

```

document.querySelector("#rePG").innerHTML="This is required field";
errors.push('gr');
}
else if($reSifra!=$sifra){
    document.querySelector("#rePG").innerHTML="Passwords do not match";
    errors.push('gr');
}
$mejl=$('#mail').val();
$reMejl=/^(?:(?:[\w`~!#$%^&*\\-+=;:}'|,?\\/\.\(\)<>\\[\]@]|\\\\"|\\\\\\\\)*"[\w`~!#$%^&*\\-+=;:}'|,?\\/\.\(\)<>\\[\]@]|\\\\"|\\\\\\\\)+")@(?:[a-zA-Z\d\\-]+(?:\\.[a-zA-Z\d\\-]+)*|\\[\\d{1,3}\\.\\d{1,3}\\.\\d{1,3}\\.\\d{1,3}\\])$)/
if($mejl.match($reMejl)){
    document.querySelector("#emailG").innerHTML="";
}
else if($sifra==""){
    document.querySelector("#emailG").innerHTML="Your must enter your email";
    errors.push('gr');
}
else{
    document.querySelector("#emailG").innerHTML="Your email isn't in right form";
    errors.push('gr');
}
console.log(errors);
function dohvati(){
    var obj={
        firstname:$("#first").val(),
        lastname:$("#last").val(),
        username:$("#user").val(),
        password:$("#pass").val(),
        rePassword:$("#rePass").val(),
        email:$("#mail").val(),
        send:true
    };
    return obj;
}
function pozoviAjax(obj){
    $.ajax({
        url:"proveraReg.php",
        type:"post",
        data:obj,
        success:function(data,xhr){
            $("#feed").html("<h1>Success registration.</h1>");
        },
        error:function(xhr,status,error){
            var poruka="Doslo je do greske!";

```

```

        switch(xhr.status){
            case 404:
                poruka="Page not found";
                break;
            case 409:
                poruka="Username or email already exists";
                break;
            case 422:
                poruka="Data not valid";
                console.log(xhr.responseText);
                break;
            case 500:
                poruka="Error";
                break;
        }
        $("#feed").html(poruka);
    }
});
}
var formData=dohvati();
pozoviAjax(formData);

});
});

```

proveraContact.js

```

window.onload=function(){
    document.getElementById("submit").addEventListener("click",provera);
    function provera(){
        let ime=document.getElementById("name").value;
        let mejl=document.getElementById("email").value;
        let reImeNaslov=/^[A-Z]{1}[a-z]{2,11}$/;
        let remejl= /^[a-z]+\.[a-z]+\.[0-9]{0,3}\.(1[0-8])\@ict\.edu\.rs$/;
        let poruka=document.getElementById("message").value;
        let rePoruka=/^[A-Za-z\s]{10,20}$/;

        if(ime.match(reImeNaslov)){
            document.querySelector("#nameggreske").innerHTML="";
        }
        else if(ime==""){
            document.querySelector("#nameggreske").innerHTML="You must enter your name";
        }
        else{
            document.querySelector("#nameggreske").innerHTML="Your name isn't in right form";
        }
    }
}

```

```

        if(mejl.match(remejl)){
            document.querySelector("#emailgreske").innerHTML="";
        }
        else if(mejl==""){
            document.querySelector("#emailgreske").innerHTML="You must enter
your email";
        }
        else{
            document.querySelector("#emailgreske").innerHTML="Wrong
email";
        }

        if(poruka.match(rePoruka)){
            document.querySelector("#porukaGreske").innerHTML=""
        }
        else if(poruka==""){
            document.querySelector("#porukaGreske").innerHTML="You must enter
message";
        }
        else{
            document.querySelector("#porukaGreske").innerHTML="Message isn't in
right form";
        }
    }
}

```

Index.php

```

<?php
session_start();
require "config/konekcija.php";
?>
<!DOCTYPE html>
<html lang="en">
    <head>
        <meta charset="utf-8">
        <meta http-equiv="X-UA-Compatible" content="IE=edge">
        <meta name="viewport" content="width=device-width, initial-
scale=1">
        <title>Hamger | Home</title>

        <!-- Favicon -->
        <link rel="shortcut icon" href="assets/img/lo.ico" type="image/x-
icon">

```

```

<!-- Font awesome -->
<link href="assets/css/font-awesome.css" rel="stylesheet">
<!-- Bootstrap -->
<link href="assets/css/bootstrap.css" rel="stylesheet">
<!-- Slick slider -->
<link rel="stylesheet" type="text/css" href="assets/css/slick.css">
<!-- Date Picker -->
<link rel="stylesheet" type="text/css" href="assets/css/bootstrap-
datepicker.css">
<!-- Fancybox slider -->
<link rel="stylesheet" href="assets/css/jquery.fancybox.css"
type="text/css" media="screen" />
<!-- Theme color -->
<link id="switcher" href="assets/css/theme-color/default-theme.css"
rel="stylesheet">

<!-- Main style sheet -->
<link href="style.css" rel="stylesheet">

<!-- Google Fonts -->
<link href='https://fonts.googleapis.com/css?family=Tangerine'
rel='stylesheet' type='text/css'>
<link href='https://fonts.googleapis.com/css?family=Open+Sans'
rel='stylesheet' type='text/css'>
<link href='https://fonts.googleapis.com/css?family=Prata'
rel='stylesheet' type='text/css'>

<!-- HTML5 shim and Respond.js for IE8 support of HTML5 elements
and media queries -->
<!-- WARNING: Respond.js doesn't work if you view the page via
file:// -->
<!--[if lt IE 9]>
<script
src="https://oss.maxcdn.com/html5shiv/3.7.2/html5shiv.min.js"></script>
<script
src="https://oss.maxcdn.com/respond/1.4.2/respond.min.js"></script>
<![endif]-->

</head>
<body>
<!-- Pre Loader -->
<div id="aa-preloader-area">
<div class="mu-preloader">

</div>
</div>
<!--START SCROLL TOP BUTTON -->
<a class="scrollToTop" href="#">
<i class="fa fa-angle-up"></i>

```

```

    </a>
<!-- END SCROLL TOP BUTTON -->

<!-- Start header section -->
<header id="mu-header">
    <nav class="navbar navbar-default mu-main-navbar"
role="navigation">
        <div class="container">
            <div class="navbar-header">
                <!-- FOR MOBILE VIEW COLLAPSED BUTTON -->
                <button type="button" class="navbar-toggle collapsed" data-
toggle="collapse" data-target="#navbar" aria-expanded="false" aria-
controls="navbar">
                    <span class="sr-only">Toggle navigation</span>
                    <span class="icon-bar"></span>
                    <span class="icon-bar"></span>
                    <span class="icon-bar"></span>
                </button>
                <!-- LOGO -->
                <a class="navbar-brand" href="index.php"></a>
            </div>
            <div id="navbar" class="navbar-collapse collapse">
                <ul id="top-menu" class="nav navbar-nav navbar-right mu-main-
nav">
                    <?php
                        $meni = executeQuery("SELECT * FROM meni WHERE
idMeni<7");
                        foreach($meni as $men):
                            ?>
                            <li><a href="<?=$men->href?>"><?=$men->naziv?></a></li>
                            <?php endforeach; ?>

                            <li class="dropdown">
                                <a class="dropdown-toggle" data-toggle="dropdown"
href="#"><i class="fa fa-user" aria-hidden="true"></i></a>
                                <?php
                                    $menii = executeQuery("SELECT * FROM meni WHERE idMeni=8
OR idMeni=9");
                                    foreach($menii as $menn):
                                        ?>
                                        <ul class="dropdown-menu" role="menu">

                                            <li><a href="<?=$menn->href?>"><?=$menn-
>naziv?></a></li>

                                            <?php endforeach; ?>
                                        </ul>

```

```

        </li>

    </ul>

</div>
</div>
</nav>
</header>
<!-- End header section -->

<!-- Start slider -->
<section id="mu-slider">
    <div class="mu-slider-area">
        <!-- Top slider -->
        <div class="mu-top-slider">
            <!-- Top slider single slide -->
            <?php
                $slajder = executeQuery("SELECT * FROM
slajder");
                foreach($slajder as $sla):
                    ?>
                    <div class="mu-top-slider-single">
                        alt?>">
                        <!-- Top slider content -->
                        <div class="mu-top-slider-content">
                            <span class="mu-slider-small-title"><?= $sla-
>naslov?></span>
                            <h2 class="mu-slider-title"><?= $sla->naslovI?></h2>

                        </div>
                        <!-- / Top slider content -->
                    </div>
                    <!-- / Top slider single slide -->

                <?php endforeach; ?>
            </section>
<!-- End slider -->

<!-- Start About us -->
<section id="mu-about-us">
    <div class="container">
        <div class="row">
            <div class="col-md-12">

```



```

<div class="mu-about-us-area">
  <div class="mu-title">
    <span class="mu-subtitle">Discover</span>
    <h2>ABOUT US</h2>
    <i class="fa fa-spoon"></i>
    <span class="mu-title-bar"></span>
  </div>
  <div class="row">
    <div class="col-md-6">
      <div class="mu-about-us-left">
        <p>Celebrated by diners, critics and peers, Hamger has
held a coveted Michelin star since 2010, and regularly takes pride of
place on Belgrade Best Restaurants lists, setting the standard for fine
dining across the globe.</p>
        <hr/>
        <p>Hamger is the culmination of Sofija's long held
dream to open a restaurant serving delicious food, inspired by her
trips to Italy.
        </p>
        <hr/>
      </div>
    </div>
    <div class="col-md-6">
      <div class="mu-about-us-right">

      </div>
    </div>
  </div>
</div>
</section>
<!-- End About us -->

<!-- Start Counter Section -->

<!-- End Counter Section -->

<!-- Start Restaurant Menu -->
<section id="mu-restaurant-menu">
  <div class="container">
    <div class="row">
      <div class="col-md-12">
        <div class="mu-restaurant-menu-area">
          <div class="mu-title" id='cao'>
            <span class="mu-subtitle">Discover</span>
            <h2>OUR FAVOURITES</h2>

```

```

        <i class="fa fa-spoon"></i>
        <span class="mu-tittle-bar"></span>

    </div>
    <div class="mu-restaurant-menu-content">

        <!-- Tab panes -->
        <div class="tab-content">
            <div class="tab-pane fade in active" id="breakfast">
                <div class="mu-tab-content-area">
                    <div class="row">

                        <ul class="mu-menu-item-nav">
                            <?php
                                $strana = 0;
                                if(isset($_GET['strana'])){
                                    $strana = ($_GET['strana'] - 1) * 2;
                                }

                                $upit_pr = "SELECT * FROM proizvodi LIMIT $strana,
3";

                                $rez_pr = $conn->query($upit_pr);
                                $proi = $rez_pr->fetchAll();
                                foreach($proi as $p) :
                                    ?>
                                    <li>
                                        <div class="media">
                                            <div class="media-left">
                                                <a href="#">
                                                    alt?>">
                                                    </a>
                                                </div>
                                                <div class="media-body">
                                                    <h4 class="media-heading"><a
href="#"><?= $p->proizvodNaziv?></a></h4>
                                                    <span class="mu-menu-price">$<?= $p-
>cena?></span>

                                                    <p><?= $p->opis?></p>
                                                </div>
                                            </div>
                                        </li>
                                    <?php endforeach; ?>
                                </ul>

                            </div>
                        </div>
                    </div>

```

```

        </div>

    </div>

    <div class="col-md-12">
        <div class="mu-blog-pagination-area">
            <nav>
                <ul class="mu-blog-pagination" id='pag'>

                    <?php
                        $upitP = "SELECT COUNT(*) AS brojL FROM
proizvodi";
                        $rezultat = $conn->query($upitP)-
>fetch();

                        $brojL = $rezultat->brojL;
                        $brojLinkova = ceil($brojL / 3);

                        for($i=1; $i <= $brojLinkova; $i++):
                            ?>
                                <li>
                                    <a href="index.php?strana=<?=
$i?>">

                                        <b> <?= $i ?> </b>
                                    </a>
                                </li>
                            <?php endfor;?>

                </ul>
            </nav>
        </div>
    </div>
</div>

</section>
<!-- End Restaurant Menu -->

<!-- Start Gallery -->
<section id="mu-gallery">
    <div class="container">
        <div class="row">
            <div class="col-md-12">
                <div class="mu-gallery-area">
                    <div class="mu-title">
                        <span class="mu-subtitle">Discover</span>
                        <h2>Our Gallery</h2>
                        <i class="fa fa-spoon"></i>
                        <span class="mu-title-bar"></span>
                    </div>
                </div>
            </div>
        </div>
    </div>
</section>

```

```

    </div>
    <div class="mu-gallery-content">

        <!-- Start gallery image -->
        <div class="mu-gallery-body" id="mikit-container">
            <!-- start single gallery image -->
            <?php
                $galerijee = executeQuery("SELECT * FROM
galerija");

                foreach($galerijee as $gal):
                    ?>
                        <div class="mu-single-gallery col-md-4 mix food">
                            <div class="mu-single-gallery-item">
                                <figure class="mu-single-gallery-img">
                                    <img alt="<?= $gal->alt?>" src="<?= $gal->src?>">
                                </figure>

                                </div>
                            </div>
                            <?php endforeach; ?>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
</section>
<!-- End Gallery -->

<!-- End Gallery -->

<!-- Start Client Testimonial section -->
<section id="mu-client-testimonial">
    <div class="mu-overlay">
        <div class="container">
            <div class="row">
                <div class="col-md-12">
                    <div class="mu-client-testimonial-area">
                        <div class="mu-title">

                            </div>
                            <!-- testimonial content -->

                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
</section>
<!-- End Client Testimonial section -->

```

```

<!-- Start Chef Section -->
<section id="mu-chef">
  <div class="container">
    <div class="row">
      <div class="col-md-12">
        <div class="mu-chef-area">
          <div class="mu-title">
            <span class="mu-subtitle">Our Professional</span>
            <h2>MASTER CHEF</h2>
            <i class="fa fa-spoon"></i>
            <span class="mu-title-bar"></span>
          </div>
          <div class="mu-chef-content" >
            
          </div>
        </div>
      </div>
    </div>
  </div>
</section>
<!-- End Chef Section -->

<!-- Start Contact section -->
<section id="mu-contact">
  <div class="container">
    <div class="row">
      <div class="col-md-12">
        <div class="mu-contact-area">
          <div class="mu-title">
            <span class="mu-subtitle">Get In Touch</span>
            <h2>Contact Us</h2>
            <i class="fa fa-spoon"></i>
            <span class="mu-title-bar"></span>
          </div>
          <div class="mu-contact-content">
            <div class="row">
              <div class="col-md-6">
                <div class="mu-contact-left">
                  <form class="mu-contact-form">
                    <div class="form-group">
                      <label for="name">Your Name</label>
                      <input type="text" name="name" class="form-control" id="name" placeholder="Name"><p class="error" id="nameggreske"></p>
                    </div>
                    <div class="form-group">
                      <label for="email">Email address</label>

```



```

<!-- Start Footer -->
<footer id="mu-footer">
  <div class="container">
    <div class="row">
      <div class="col-md-12">
        <div class="mu-footer-area">
          <div class="mu-footer-social">
            <a href="https://www.facebook.com/"><span class="fa fa-
facebook"></span></a>
            <a href="https://twitter.com/"><span class="fa fa-
twitter"></span></a>
            <a href="https://www.instagram.com/"><span class="fa fa-
instagram"></span></a>
            <a href="https://www.youtube.com/"><span class="fa fa-
youtube"></span></a>
          </div>
          <div class="mu-footer-copyright">
            <p>Designed by Sofija Vitorovic 171/17</a></p>
            <a href="#">Documentation</a>
            <a href="sitemap.xml">Sitemap</a>

          </div>
        </div>
      </div>
    </div>
  </div>
</footer>
<!-- End Footer -->

<!-- jQuery library -->
<script src="assets/js/jquery.min.js"></script>
<!-- Include all compiled plugins (below), or include individual
files as needed -->
<script src="assets/js/bootstrap.js"></script>
<!-- Slick slider -->
<script type="text/javascript" src="assets/js/slick.js"></script>
<!-- Counter -->
<script type="text/javascript" src="assets/js/waypoints.js"></script>
<script type="text/javascript"
src="assets/js/jquery.counterup.js"></script>
<!-- Date Picker -->
<script type="text/javascript" src="assets/js/bootstrap-
datepicker.js"></script>
<!-- Mixit slider -->
<script type="text/javascript"
src="assets/js/jquery.mixitup.js"></script>
<!-- Add fancyBox -->
<script type="text/javascript"
src="assets/js/jquery.fancybox.pack.js"></script>

<!-- Custom js -->

```

```

<script src="assets/js/custom.js"></script>
<script src="assets/js/proveraContact.js"></script>

</body>
</html>

```

Admin.php

```

<?php
session_start();
require "config/konekcija.php";
?>
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <title>SpicyX | Blog Archive</title>

    <!-- Favicon -->
    <link rel="shortcut icon" href="assets/img/favicon.ico" type="image/x-
icon">

    <!-- Font awesome -->
    <link href="assets/css/font-awesome.css" rel="stylesheet">
    <!-- Bootstrap -->
    <link href="assets/css/bootstrap.css" rel="stylesheet">
    <!-- Slick slider -->
    <link rel="stylesheet" type="text/css" href="assets/css/slick.css">
    <!-- Date Picker -->
    <link rel="stylesheet" type="text/css" href="assets/css/bootstrap-
datepicker.css">
    <!-- Fancybox slider -->
    <link rel="stylesheet" href="assets/css/jquery.fancybox.css"
type="text/css" media="screen" />
    <!-- Theme color -->
    <link id="switcher" href="assets/css/theme-color/default-theme.css"
rel="stylesheet">

    <!-- Main style sheet -->
    <link href="style.css" rel="stylesheet">

    <!-- Google Fonts -->
    <link href='https://fonts.googleapis.com/css?family=Tangerine'
rel='stylesheet' type='text/css'>
    <link href='https://fonts.googleapis.com/css?family=Open+Sans'
rel='stylesheet' type='text/css'>

```



```

    <link href='https://fonts.googleapis.com/css?family=Prata'
rel='stylesheet' type='text/css'>

    <!-- HTML5 shim and Respond.js for IE8 support of HTML5 elements and media
queries -->
    <!-- WARNING: Respond.js doesn't work if you view the page via file:// -->
    <!--[if lt IE 9]>
        <script
src="https://oss.maxcdn.com/html5shiv/3.7.2/html5shiv.min.js"></script>
        <script
src="https://oss.maxcdn.com/respond/1.4.2/respond.min.js"></script>
    <![endif]-->

</head>
<body>
<!-- Pre Loader -->
<div id="aa-preloader-area">
    <div class="mu-preloader">
        
    </div>
</div>
<!-- SCROLL TOP BUTTON -->
    <a class="scrollToTop" href="#">

</a>
<!-- END SCROLL TOP BUTTON -->

<!-- Start header section -->
<header id="mu-header">
    <nav class="navbar navbar-default mu-main-navbar" role="navigation">
        <div class="container">
            <div class="navbar-header">
                <!-- FOR MOBILE VIEW COLLAPSED BUTTON -->
                <button type="button" class="navbar-toggle collapsed" data-
toggle="collapse" data-target="#navbar" aria-expanded="false" aria-
controls="navbar">
                    <span class="sr-only">Toggle navigation</span>
                    <span class="icon-bar"></span>
                    <span class="icon-bar"></span>
                    <span class="icon-bar"></span>
                </button>
                <!-- LOGO -->
                <a class="navbar-brand" href="index.php"></a>
            </div>
        </div>
    </nav>
</header>
<!-- End header section -->

```

```

<!-- Start Blog banner -->
<section id="mu-blog-banner">

    <div class="container">

        <div class="mu-blog-banner-area">

            <h2>Become our member</h2>
        </div>

    </div>
</section>
<!-- End Blog banner -->

<!-- Start Blog -->
<section id="mu-blog">
    <div class="container">
        <div class="row">
            <div class="col-md-12">
                <div class="mu-blog-area">
                    <div class="row">
                        <div class="col-md-8 col-sm-8">
                            <div class="mu-blog-content">
                                <!-- Start Single blog item -->
                                <table class="table">
                                    <tr>
                                        <th>RB</th>
                                        <th>Name</th>
                                        <th>Lastname</th>
                                        <th>Role</th>
                                        <th>Update</th>
                                        <th>Delete</th>
                                    </tr>

                                    <?php
                                        $upit = "SELECT u.idUser, u.firstname, u.lastname,
r.name FROM user u INNER JOIN role r ON u.idRole = r.idRole";

                                        $rezultat = $conn->query($upit);

                                        $korisnici = $rezultat->fetchAll();

                                        $br = 1;
                                        foreach($korisnici as $korisnik) :
                                            ?>
                                            <tr>
                                                <td><?= $br++ ?></td>
                                                <td><?= $korisnik->firstname ?></td>
                                                <td><?= $korisnik->lastname ?></td>

```

```
<td><?= $korisnik->name ?></td>  
<td><a href="updateU.php?id=<?= $korisnik-  
>idUser?">Izmeni</a></td>  
<td><a href="deleteU.php?id=<?= $korisnik-  
>idUser?">Obrisi</a></td>  
</tr>  
  
        <?php endforeach; ?>  
    </table>  
    <div class='dugme'>  
        <h1><a href='insertU.php'>Insert new  
user</a></h1>  
        <h1><a href='insertM.php'>Insert new  
product</a></h1>  
  
    </div>  
    <!-- End Single blog item -->  
</div>  
  
<!-- Start Blog Sidebar -->  
<div class="col-md-4 col-sm-4">  
    <aside class="mu-blog-sidebar">  
  
        <div class="mu-blog-sidebar-single">  
            <a href="#" class="mu-sidebar-add">  
                  
            </a>  
        </div>  
        <!-- End Blog Sidebar Single -->  
    </aside>  
</div>  
    <!-- End Blog Sidebar -->  
</div>  
</div>  
</div>  
</div>  
</section>  
<div class="row">  
<div class="col-xs-12 col-sm-12">  
<div class='container'>  
<table class="table">  
<tr>  
  
<th>Picture</th>  
<th>Name</th>  
<th>Price</th>  
<th>Description</th>  
<th>Change</th>  
<th>Delete</th>
```

```

</tr>
<!-- Lista Food -->
<?php

$proizvodi = executeQuery("SELECT * FROM proizvodi");

foreach($proizvodi as $pro) :

    ?>
<tr>

    <td >alt ?>"></td> </td>
    <td><?= $pro->proizvodNaziv ?></td>

    <td><?= $pro->cena ?></td>
    <td><?= $pro->opis ?></td>
    <td><a href="changeMenu.php?id=<?= $pro->idProizvod
?>">Change</a></td>
    <td><a href="deleteMeni.php?id=<?= $pro->idProizvod
?>">Delete</a></td>
</tr>
<?php endforeach; ?>
</table>
</div>
<!-- End Blog -->

<!-- Footer -->
<footer id="mu-footer">
    <div class="container">
        <div class="row">
            <div class="col-md-12">
                <div class="mu-footer-area">
                    <div class="mu-footer-social">
                        <a href="https://www.facebook.com/"><span class="fa fa-
facebook"></span></a>
                        <a href="https://twitter.com/"><span class="fa fa-
twitter"></span></a>
                        <a href="https://www.instagram.com/"><span class="fa fa-
instagram"></span></a>
                        <a href="https://www.youtube.com/"><span class="fa fa-
youtube"></span></a>
                    </div>
                    <div class="mu-footer-copyright">
                        <p>Designed by Sofija Vitorovic 171/17</a></p>
                    </div>
                </div>
            </div>
        </div>
    </div>
</footer>

```

```

<!-- / Footer -->

<!-- jQuery library -->
<script src="assets/js/jquery.min.js"></script>
<!-- Include all compiled plugins (below), or include individual files as
needed -->
<script src="assets/js/bootstrap.js"></script>
<!-- Slick slider -->
<script type="text/javascript" src="assets/js/slick.js"></script>
<!-- Counter -->
<script type="text/javascript" src="assets/js/waypoints.js"></script>
<script type="text/javascript" src="assets/js/jquery.counterup.js"></script>
<!-- Date Picker -->
<script type="text/javascript" src="assets/js/bootstrap-
datepicker.js"></script>
<!-- Mixit slider -->
<script type="text/javascript" src="assets/js/jquery.mixitup.js"></script>
<!-- Add fancyBox -->
<script type="text/javascript"
src="assets/js/jquery.fancybox.pack.js"></script>

<!-- Custom js -->
<script src="assets/js/custom.js"></script>
<script src="assets/js/moj.js"></script>

</body>
</html>

```

insertM.php

```

<?php

session_start();
include "config/konekcija.php";
?>
<!DOCTYPE html>
<html style="height:100%">
<head><title> Insert
</title></head>
<body style="color: #444; margin:0;font: norm<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1">
<title>SpicyX | Blog Archive</title>

<!-- Favicon -->
<link rel="shortcut icon" href="assets/img/favicon.ico" type="image/x-
icon">

```

```

    <!-- Font awesome -->
    <link href="assets/css/font-awesome.css" rel="stylesheet">
    <!-- Bootstrap -->
    <link href="assets/css/bootstrap.css" rel="stylesheet">
    <!-- Slick slider -->
    <link rel="stylesheet" type="text/css" href="assets/css/slick.css">
    <!-- Date Picker -->
    <link rel="stylesheet" type="text/css" href="assets/css/bootstrap-
datepicker.css">
    <!-- Fancybox slider -->
    <link rel="stylesheet" href="assets/css/jquery.fancybox.css"
type="text/css" media="screen" />
    <!-- Theme color -->
    <link id="switcher" href="assets/css/theme-color/default-theme.css"
rel="stylesheet">

    <!-- Main style sheet -->
    <link href="style.css" rel="stylesheet">

    <!-- Google Fonts -->
    <link href='https://fonts.googleapis.com/css?family=Tangerine'
rel='stylesheet' type='text/css'>
    <link href='https://fonts.googleapis.com/css?family=Open+Sans'
rel='stylesheet' type='text/css'>
    <link href='https://fonts.googleapis.com/css?family=Prata'
rel='stylesheet' type='text/css'>

    <!-- HTML5 shim and Respond.js for IE8 support of HTML5 elements and media
queries -->
    <!-- WARNING: Respond.js doesn't work if you view the page via file:// -->
    <!--[if lt IE 9]>
        <script
src="https://oss.maxcdn.com/html5shiv/3.7.2/html5shiv.min.js"></script>
        <script
src="https://oss.maxcdn.com/respond/1.4.2/respond.min.js"></script>
    <![endif]-->

</head>
<body>
    <!-- Pre Loader -->
    <div id="aa-preloader-area">
        <div class="mu-preloader">
            
        </div>
    </div>
    <!-- SCROLL TOP BUTTON -->
    <a class="scrollToTop" href="#">

```

```

    </a>
<!-- END SCROLL TOP BUTTON -->

<!-- Start header section -->
<header id="mu-header">
    <nav class="navbar navbar-default mu-main-navbar" role="navigation">
        <div class="container">
            <div class="navbar-header">
                <!-- FOR MOBILE VIEW COLLAPSED BUTTON -->
                <button type="button" class="navbar-toggle collapsed" data-
toggle="collapse" data-target="#navbar" aria-expanded="false" aria-
controls="navbar">
                    <span class="sr-only">Toggle navigation</span>
                    <span class="icon-bar"></span>
                    <span class="icon-bar"></span>
                    <span class="icon-bar"></span>
                </button>
                <!-- LOGO -->
                <a class="navbar-brand" href="index.php"></a>
            </div>
        </div>
    </nav>
</header>
<!-- End header section -->

<!-- Start Blog banner -->
<section id="mu-blog-banner">

    <div class="container">

        <div class="mu-blog-banner-area">

            <h2></h2>
        </div>

    </div>
</section>
<!-- End Blog banner -->

<!-- Start Blog -->
<section id="mu-blog">
    <div class="container">
        <div class="row">
            <div class="row">
                <div class="col-sm-6">
                    <h2 class="sub-title">Add product</h2>

                    <form action="insertMeni.php" method="POST"
enctype="multipart/form-data" >

```

```

        <div class="form-group">
            <label>Name</label>
            <input type="text" name="naziv" id='nazivI'
class="form-control"/>
        </div>
        <div class="form-group">
            <label>Price</label>
            <input type="text" name="cena" id='cenaI'
class="form-control"/>
        </div>
        <div class="form-group">
            <label>Caption</label>
            <textarea name="opis" id='opisI' class="form-
control"></textarea>
        </div>
        <div class="form-group">
            <label>Photo</label>
            <input type="file" name="slika" id='slikaI'
class="form-control"/>
        </div>
        <div class="form-group">
            <input type="submit" name="btnSlika"
id='insert' class="form-control btn btn-primary" value="ADD"/>
        </div>
    </form>
</div>
</div>
</div>
</section>
<!-- End Blog -->

<!-- Footer -->
<footer id="mu-footer">
    <div class="container">
        <div class="row">
            <div class="col-md-12">
                <div class="mu-footer-area">
                    <div class="mu-footer-social">
                        <a href="https://www.facebook.com/"><span class="fa fa-
facebook"></span></a>
                        <a href="https://twitter.com/"><span class="fa fa-
twitter"></span></a>
                        <a href="https://www.instagram.com/"><span class="fa fa-
instagram"></span></a>
                        <a href="https://www.youtube.com/"><span class="fa fa-
youtube"></span></a>
                    </div>
                    <div class="mu-footer-copyright">
                        <p>Designed by Sofija Vitorovic 171/17</a></p>
                    </div>
                </div>
            </div>
        </div>
    </div>

```



```

        </div>
    </div>
</div>
</footer>
<!-- / Footer -->

<!-- jQuery library -->
<script src="assets/js/jquery.min.js"></script>
<!-- Include all compiled plugins (below), or include individual files as
needed -->
<script src="assets/js/bootstrap.js"></script>
<!-- Slick slider -->
<script type="text/javascript" src="assets/js/slick.js"></script>
<!-- Counter -->
<script type="text/javascript" src="assets/js/waypoints.js"></script>
<script type="text/javascript" src="assets/js/jquery.counterup.js"></script>
<!-- Date Picker -->
<script type="text/javascript" src="assets/js/bootstrap-
datepicker.js"></script>
<!-- Mixit slider -->
<script type="text/javascript" src="assets/js/jquery.mixitup.js"></script>
<!-- Add fancyBox -->
<script type="text/javascript"
src="assets/js/jquery.fancybox.pack.js"></script>

<!-- Custom js -->
<script src="assets/js/custom.js"></script>

</body>
</html>

```

InsertMeni.php

```

<?php

session_start();
include "config/konekcija.php";

    $status = 404;
    if(isset($_POST['btnSlika'])) {
        $ime = $_POST['naziv'];
        $cena = $_POST['cena'];
        $opis = $_POST['opis'];
        $slika = $_FILES['slika'];
        $ime_fajla = $slika['name'];
        $tip_fajla = $slika['type'];
        $velicina_fajla = $slika['size'];
    }

```

```

$tmp_putanja = $slika['tmp_name'];
$errors = [];
$dovoljeni_formati = array("image/jpg", "image/jpeg",
"image/png");
    if(!in_array($tip_fajla, $dovoljeni_formati)){
        $errors[] = "Type is not good!";
    }
    if($velicina_fajla > 3000000){
        $errors[] = "File must be less than 3MB";
    }
    if(empty($ime)){
        $errors[] = "Name is required field.";
    }
    if(empty($cena)){
        $errors[] = "Price is required field.";
    }
    if(empty($opis)){
        $errors[] = "Description is required field.";
    }
    if(count($errors)>0){
        $status = 422;

    }
    else{
        $naziv_fajla = time().$ime_fajla;
        $nova_putanja = "assets/img/".$naziv_fajla;
        if(move_uploaded_file($tmp_putanja, $nova_putanja)){
            $upitReg = "INSERT INTO proizvodi(idProizvod,
proizvodNaziv,cena,src,opis) values (NULL, :naziv,
:cena, :putanja,:opis)";
            $rez_Reg = $conn->prepare($upitReg);
            $rez_Reg->bindParam(":putanja", $nova_putanja);
            $rez_Reg->bindParam(":naziv", $ime);
            $rez_Reg->bindParam(":cena", $cena);
            $rez_Reg->bindParam(":opis", $opis);
            try{
                $izvesen_Reg = $rez_Reg->execute();
                if($izvesen_Reg){
                    header("Location:admin.php");
                }else{
                    echo 'greska';
                }
            }
            catch(PDOException $ex){

        }
    }
};

?>

```

deleteMeni.php

```
<?php

session_start();
include "config/konekcija.php";
if(isset($_GET['id'])){
    header('Location:admin.php');
}
$id = $_GET['id'];
$upitPO = "DELETE FROM proizvodi WHERE idProizvod = :id";
$rez = $conn->prepare($upitPO);

$rez->bindParam(":id", $id);

$rez->execute();

header("Location:admin.php");
?>
```

inserU.php

```
<?php
session_start();
require "config/konekcija.php";
?>
<!DOCTYPE html>
<html lang="en">
    <head>
        <meta charset="utf-8">
        <meta http-equiv="X-UA-Compatible" content="IE=edge">
        <meta name="viewport" content="width=device-width, initial-scale=1">
        <title>SpicyX | Blog Archive</title>

        <!-- Favicon -->
        <link rel="shortcut icon" href="assets/img/favicon.ico" type="image/x-
icon">

        <!-- Font awesome -->
        <link href="assets/css/font-awesome.css" rel="stylesheet">
        <!-- Bootstrap -->
        <link href="assets/css/bootstrap.css" rel="stylesheet">
        <!-- Slick slider -->
        <link rel="stylesheet" type="text/css" href="assets/css/slick.css">
        <!-- Date Picker -->
        <link rel="stylesheet" type="text/css" href="assets/css/bootstrap-
datepicker.css">
        <!-- Fancybox slider -->
        <link rel="stylesheet" href="assets/css/jquery.fancybox.css"
type="text/css" media="screen" />
        <!-- Theme color -->
```

```

    <link id="switcher" href="assets/css/theme-color/default-theme.css"
rel="stylesheet">

    <!-- Main style sheet -->
    <link href="style.css" rel="stylesheet">

    <!-- Google Fonts -->
    <link href='https://fonts.googleapis.com/css?family=Tangerine'
rel='stylesheet' type='text/css'>
    <link href='https://fonts.googleapis.com/css?family=Open+Sans'
rel='stylesheet' type='text/css'>
    <link href='https://fonts.googleapis.com/css?family=Prata'
rel='stylesheet' type='text/css'>

    <!-- HTML5 shim and Respond.js for IE8 support of HTML5 elements and media
queries -->
    <!-- WARNING: Respond.js doesn't work if you view the page via file:// -->
    <!--[if lt IE 9]>
        <script
src="https://oss.maxcdn.com/html5shiv/3.7.2/html5shiv.min.js"></script>
        <script
src="https://oss.maxcdn.com/respond/1.4.2/respond.min.js"></script>
    <![endif]-->

</head>
<body>
<!-- Pre Loader -->
<div id="aa-preloader-area">
    <div class="mu-preloader">
        
    </div>
</div>
<!-- SCROLL TOP BUTTON -->
    <a class="scrollToTop" href="#">

    </a>
<!-- END SCROLL TOP BUTTON -->

<!-- Start header section -->
<header id="mu-header">
    <nav class="navbar navbar-default mu-main-navbar" role="navigation">
        <div class="container">
            <div class="navbar-header">
                <!-- FOR MOBILE VIEW COLLAPSED BUTTON -->
                <button type="button" class="navbar-toggle collapsed" data-
toggle="collapse" data-target="#navbar" aria-expanded="false" aria-
controls="navbar">
                    <span class="sr-only">Toggle navigation</span>

```

```

        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
    </button>
    <!-- LOGO -->
    <a class="navbar-brand" href="index.html"></a>
    </div>
</div>
</nav>
</header>
<!-- End header section -->

<!-- Start Blog banner -->
<section id="mu-blog-banner">

    <div class="container">

        <div class="mu-blog-banner-area">

            <h2>Become our member</h2>
        </div>

    </div>
</section>
<!-- End Blog banner -->

<!-- Start Blog -->
<section id="mu-blog">
    <div class="container">
        <div class="row">
            <div class="col-md-12">
                <div class="mu-blog-area">
                    <div class="row">
                        <div class="col-md-8 col-sm-8">
                            <div class="mu-blog-content">
                                <!-- Start Single blog item -->
                                <article class="mu-news-single" id='naslov'>

                                    <div class="mu-title">
                                        <h2>Add user</h2>
                                        <i class="fa fa-spoon"></i>
                                        <span class="mu-title-bar"></span>
                                    </div>
                                <div class="mu-news-single-content" id='tab'>

                                    <div class="col-md-6 col-auto">

```

```

        <div class="mu-contact-left">
            <form action="insertUser.php" method="POST"
class="mu-contact-form" id="insert">
                <div class="form-group">

                    <input type="text" class="form-control"
name='firstnameU' id="first" placeholder="Firtsname"/><p id="firstG"></p>
                    </div>
                    <div class="form-group">

                        <input type="text" class="form-control"
name='lastnameU' id="last" placeholder="Lastname"><p id="lastG"></p>
                        </div>
                        <div class="form-group">

                            <input type="text" class="form-control"
name='usernameU' id="user" placeholder="Username"><p class="error"
id="userG"></p>
                            </div>
                            <div class="form-group">

                                <input type="password" class="form-
control" name='passwordU' id="pass" placeholder="Password"><p class="error"
id="passG"></p>
                                </div>
                                <div class="form-group">

                                    <input type="password" class="form-
control" name='rePasswordU' id="rePass" placeholder=" Repeat password"><p
class="error" id="rePG"></p>
                                    </div>
                                    <div class="form-group">

                                        <input type="text" class="form-control"
name='emailU' id="mail" placeholder="Email"><p class="error" id="emailG"></p>
                                        </div>

                                        <button type="button" class="mu-send-btn"
name='btnSendU' id='posalji'>Sing up</button>
                                        <div id="feed"></div>
                                    </form>
                                </div>
                            </div>
                        </div>

                    </form>

                </div>
            </article>
            <!-- End Single blog item -->

```

```

        </div>

    </div>
    <!-- Start Blog Sidebar -->
    <div class="col-md-4 col-sm-4">
        <aside class="mu-blog-sidebar">

            <div class="mu-blog-sidebar-single">
                <a href="#" class="mu-sidebar-add">
                    
                </a>
            </div>
            <!-- End Blog Sidebar Single -->
        </aside>
    </div>
    <!-- End Blog Sidebar -->
</div>
</div>
</div>
</div>
</div>
</section>
<!-- End Blog -->

<!-- Footer -->
<footer id="mu-footer">
    <div class="container">
        <div class="row">
            <div class="col-md-12">
                <div class="mu-footer-area">
                    <div class="mu-footer-social">
                        <a href="https://www.facebook.com/"><span class="fa fa-
facebook"></span></a>
                        <a href="https://twitter.com/"><span class="fa fa-
twitter"></span></a>
                        <a href="https://www.instagram.com/"><span class="fa fa-
instagram"></span></a>
                        <a href="https://www.youtube.com/"><span class="fa fa-
youtube"></span></a>
                    </div>
                    <div class="mu-footer-copyright">
                        <p>Designed by Sofija Vitorovic 171/17</a></p>
                    </div>
                </div>
            </div>
        </div>
    </div>
</footer>
<!-- / Footer -->

```

```

<!-- jQuery library -->
<script src="assets/js/jquery.min.js"></script>
<!-- Include all compiled plugins (below), or include individual files as
needed -->
<script src="assets/js/bootstrap.js"></script>
<!-- Slick slider -->
<script type="text/javascript" src="assets/js/slick.js"></script>
<!-- Counter -->
<script type="text/javascript" src="assets/js/waypoints.js"></script>
<script type="text/javascript" src="assets/js/jquery.counterup.js"></script>
<!-- Date Picker -->
<script type="text/javascript" src="assets/js/bootstrap-
datepicker.js"></script>
<!-- Mixit slider -->
<script type="text/javascript" src="assets/js/jquery.mixitup.js"></script>
<!-- Add fancyBox -->
<script type="text/javascript"
src="assets/js/jquery.fancybox.pack.js"></script>

<!-- Custom js -->
<script src="assets/js/custom.js"></script>
<script src="assets/js/moj.js"></script>

</body>
</html>

```

insertUser.php

```

<?php
session_start();
require "config/konekcija.php";

if(isset($_POST['btnSendU'])){
    $firstname=$_POST['firstnameU'];
    $lastname=$_POST['lastnameU'];
    $username=$_POST['usernameU'];
    $password=md5($_POST['passwordU']);
    $rePassword=md5($_POST['rePasswordU']);
    $email=$_POST['email'];
    $id_uloza=$_POST['idRole'];

    $data=[];
    $errorss=[];
    $reFirstLast="/^[A-Z]{1}[a-z]{2,13}$/";
    $rePassword="/^(?=.*\d).\{6,\}$/";
    $reUsername="/^[a-zA-Z0-9]{7,17}$/";

    if(empty($firstname)){
        array_push($errorss,'Field for firstname is required');
    }else if(!preg_match($reFirstLast,$firstname)){
        array_push($errorss,'Not valid form fn');
    }
}

```



```

if(empty($lastname)){
    array_push($errorss,'Field for lastname is required');
}else if(!preg_match($reFirstLast,$lastname)){
    array_push($errorss,'Not valid form ln');
}
if(empty($username)){
    array_push($errorss,'Field for username is required');
}else if(!preg_match($reUsername,$username)){
    array_push($errorss,'Not valid form un');
}
if(!$_POST['password']){
    array_push($errorss,'Field for password is required');
}else if(!preg_match($rePassword,$_POST['password'])){
    array_push($errorss,'Not valid form pasw');
}
if(($_POST['rePassword'])!=($_POST['password'])){
    array_push($errorss,'Field for repeat and password do not match');
}else if(!$_POST['rePassword']){
    array_push($errorss,'Field for repeat password is required');
}
if(!filter_var($email,FILTER_VALIDATE_EMAIL)){
    array_push($errorss,'Not valid form email');
}
if(count($errorss)>0){
    echo 'greska';
}

}else{

    $upit="INSERT INTO
user(idUser,firstname,lastname,username,password,email,idRole) values
(NULL,:ime,:prezime,:kor,:lozinka,:mejl,1)";

    $statement=$conn->prepare($upit);
    $statement->bindParam(":ime",$firstname);
    $statement->bindParam(":prezime",$lastname);
    $statement->bindParam(":kor",$username);
    $statement->bindParam(":lozinka",$password);
    $statement->bindParam(":mejl",$email);

    $uradj=$statement->execute();
    if($uradj){
        header("Location:index.php");
    }
    else{
        header("Location:index.php");
    }
}
}
}

```

?>

delete.php

```
<?php
session_start();
require "config/konekcija.php";

if(!isset($_GET['id'])){
    header('Location: admin.php');
}

$id = $_GET['id'];
$upit = "DELETE FROM user WHERE idUser = :id";
$rez = $conn->prepare($upit);

$rez->bindParam(":id", $id);

$rez->execute();

header("Location: admin.php");
?>
```

updateUser.php

```
<?php
session_start();
require "config/konekcija.php";
if(isset($_POST['btnUpdate'])){

    $id=$_GET['id'];

    $ime = $_POST['firstnameUp'];
    $prezime = $_POST['lastnameUp'];
    $kor = $_POST['usernameUp'];
    $la = $_POST['passwordUp'];
    $email = $_POST['emailUp'];

    $uloga = $_POST['idRole'];

    $upit = "UPDATE user SET idUser=NULL firstname = :ime, lastname =
:prezime, username = :korisnicko, password = :pass, email = :email, idRole =
:uloga WHERE idUser = :id";

    $rez = $conn->prepare($upit);

    $rez->bindParam(":id", $id);

    $rez->bindParam(":ime", $ime);
    $rez->bindParam(":prezime", $prezime);
    $rez->bindParam(":korisnicko", $kor);
```

```

$rez->bindParam(":email", $email);
$rez->bindParam(":pass", $la);
$rez->bindParam(":uloga", $uloga);

$rez->execute();
header("Location:admin.php");

}
?>

```

updateU.php

```

<?php
session_start();
require "config/konekcija.php";

if(!isset($_GET['id'])){
    header("Location: admin.php");
}

$id = $_GET['id'];
$upit = "SELECT * FROM user WHERE idUser = :id";
$rezultat = $conn->prepare($upit);
$rezultat->bindParam(":id", $id);

$rezultat->execute();

$korisnik = $rezultat->fetch();

if($korisnik==null){
    header("Location:admin.php");
}
?>
<!DOCTYPE html>
<html lang="en">
    <head>
        <meta charset="utf-8">
        <meta http-equiv="X-UA-Compatible" content="IE=edge">
        <meta name="viewport" content="width=device-width, initial-scale=1">
        <title>SpicyX | Blog Archive</title>

        <!-- Favicon -->
        <link rel="shortcut icon" href="assets/img/favicon.ico" type="image/x-
icon">

        <!-- Font awesome -->
        <link href="assets/css/font-awesome.css" rel="stylesheet">
        <!-- Bootstrap -->
        <link href="assets/css/bootstrap.css" rel="stylesheet">
        <!-- Slick slider -->

```

```

<link rel="stylesheet" type="text/css" href="assets/css/slick.css">
<!-- Date Picker -->
<link rel="stylesheet" type="text/css" href="assets/css/bootstrap-
datepicker.css">
<!-- Fancybox slider -->
<link rel="stylesheet" href="assets/css/jquery.fancybox.css"
type="text/css" media="screen" />
<!-- Theme color -->
<link id="switcher" href="assets/css/theme-color/default-theme.css"
rel="stylesheet">

<!-- Main style sheet -->
<link href="style.css" rel="stylesheet">

<!-- Google Fonts -->
<link href='https://fonts.googleapis.com/css?family=Tangerine'
rel='stylesheet' type='text/css'>
<link href='https://fonts.googleapis.com/css?family=Open+Sans'
rel='stylesheet' type='text/css'>
<link href='https://fonts.googleapis.com/css?family=Prata'
rel='stylesheet' type='text/css'>

<!-- HTML5 shim and Respond.js for IE8 support of HTML5 elements and media
queries -->
<!-- WARNING: Respond.js doesn't work if you view the page via file:// -->
<!--[if lt IE 9]>
<script
src="https://oss.maxcdn.com/html5shiv/3.7.2/html5shiv.min.js"></script>
<script
src="https://oss.maxcdn.com/respond/1.4.2/respond.min.js"></script>
<![endif]-->

</head>
<body>
<!-- Pre Loader -->
<div id="aa-preloader-area">
<div class="mu-preloader">

</div>
</div>
<!-- SCROLL TOP BUTTON -->
<a class="scrollToTop" href="#">

</a>
<!-- END SCROLL TOP BUTTON -->

<!-- Start header section -->
<header id="mu-header">

```

```

<nav class="navbar navbar-default mu-main-navbar" role="navigation">
  <div class="container">
    <div class="navbar-header">
      <!-- FOR MOBILE VIEW COLLAPSED BUTTON -->
      <button type="button" class="navbar-toggle collapsed" data-
toggle="collapse" data-target="#navbar" aria-expanded="false" aria-
controls="navbar">
        <span class="sr-only">Toggle navigation</span>
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
      </button>
      <!-- LOGO -->
      <a class="navbar-brand" href="index.php
"></a>
    </div>
  </div>
</nav>
</header>
<!-- End header section -->

<!-- Start Blog banner -->
<section id="mu-blog-banner">

  <div class="container">

    <div class="mu-blog-banner-area">

      <h2>Become our member</h2>
    </div>

  </div>
</section>
<!-- End Blog banner -->

<!-- Start Blog -->
<section id="mu-blog">
  <div class="container">
    <div class="row">
      <div class="col-md-12">
        <div class="mu-blog-area">
          <div class="row">
            <div class="col-md-8 col-sm-8">
              <div class="mu-blog-content">
                <!-- Start Single blog item -->
                <article class="mu-news-single" id='naslov'>

                  <div class="mu-title">
                    <h2>Update user</h3>

```

```

        <i class="fa fa-spoon"></i>
        <span class="mu-title-bar"></span>
    </div>
    <div class="mu-news-single-content" id='tab'>

        <div class="col-md-6 col-auto">

            <div class="mu-contact-left">
                <form action="updateUser.php" method="POST"
class="mu-contact-form" id="upd">
                    <div class="form-group">

                        <input type="text" class="form-control"
name='firstnameUp' id="first" placeholder="Firtsname" value="<?php echo
$korisnik->firstname; ?>" /><p id="firstG"></p>
                    </div>
                    <div class="form-group">

                        <input type="text" class="form-control"
name='lastnameUp' id="last" placeholder="Lastname" value="<?php echo $korisnik-
>lastname; ?>"><p id="lastG"></p>
                    </div>
                    <div class="form-group">

                        <input type="text" class="form-control"
name='usernameUp' id="user" placeholder="Username" value="<?php echo $korisnik-
>username; ?>"><p class="error" id="userG"></p>
                    </div>
                    <div class="form-group">

                        <input type="password" class="form-
control" name='passwordUp' id="pass" placeholder="Password"><p class="error"
id="passG"></p>
                    </div>
                    <div class="form-group">

                        <input type="password" class="form-
control" name='rePasswordUp' id="rePass" placeholder=" Repeat password"><p
class="error" id="rePG"></p>
                    </div>
                    <div class="form-group">

                        <input type="text" class="form-control"
name='emailUp' id="mail" placeholder="Email" value="<?php echo $korisnik-
>email; ?>"><p class="error" id="emailG"></p>
                    </div>

                    <button type="button" class="mu-send-btn"
name='btnUpdate' id='posaljki'>Update</button>

```

```
<div id="feed"></div>
</form>
</div>
</div>

</form>

</div>
</article>
<!-- End Single blog item -->
</div>

</div>
<!-- Start Blog Sidebar -->
<div class="col-md-4 col-sm-4">
    <aside class="mu-blog-sidebar">

        <div class="mu-blog-sidebar-single">
            <a href="#" class="mu-sidebar-add">
                
            </a>
        </div>
        <!-- End Blog Sidebar Single -->
    </aside>
</div>
<!-- End Blog Sidebar -->
</div>
</div>
</div>
</div>
</section>
<!-- End Blog -->

<!-- Footer -->
<footer id="mu-footer">
    <div class="container">
        <div class="row">
            <div class="col-md-12">
                <div class="mu-footer-area">
                    <div class="mu-footer-social">
                        <a href="https://www.facebook.com/"><span class="fa fa-facebook"></span></a>
                        <a href="https://twitter.com/"><span class="fa fa-twitter"></span></a>
                        <a href="https://www.instagram.com/"><span class="fa fa-instagram"></span></a>
                        <a href="https://www.youtube.com/"><span class="fa fa-youtube"></span></a>
                    </div>
                </div>
            </div>
        </div>
    </div>
</footer>
```

```
<div class="mu-footer-copyright">  
  <p>Designed by Sofija Vitorovic 171/17</a></p>  
</div>  
</div>  
</div>  
</div>  
</div>  
</footer>  
<!-- / Footer -->  
  
<!-- jQuery library -->  
<script src="assets/js/jquery.min.js"></script>  
<!-- Include all compiled plugins (below), or include individual files as  
needed -->  
<script src="assets/js/bootstrap.js"></script>  
<!-- Slick slider -->  
<script type="text/javascript" src="assets/js/slick.js"></script>  
<!-- Counter -->  
<script type="text/javascript" src="assets/js/waypoints.js"></script>  
<script type="text/javascript" src="assets/js/jquery.counterup.js"></script>  
<!-- Date Picker -->  
<script type="text/javascript" src="assets/js/bootstrap-  
datepicker.js"></script>  
<!-- Mixit slider -->  
<script type="text/javascript" src="assets/js/jquery.mixitup.js"></script>  
<!-- Add fancyBox -->  
<script type="text/javascript"  
src="assets/js/jquery.fancybox.pack.js"></script>  
  
<!-- Custom js -->  
<script src="assets/js/custom.js"></script>  
<script src="assets/js/moj.js"></script>  
  
</body>  
</html>
```

[Login.php](#)

```
<?php
session_start();
require "config/konekcija.php";
// header("Content-type:application/json");
$code = 400;
$data = null;
if(isset($_POST['btnSendL'])) {
    $userLog=$_POST['userL'];
    $passLog=$_POST['passL'];

    $reusername="/^[a-zA-z0-9]{5,17}$/";
    $rePassword="/^(?=.*\d){6,}$/";
```



```

$nizGreske=[];

if(empty($userLog)){
    $nizGreske[]="Username is a required field";
}
else if(!preg_match($reusername,$userLog)){
    $nizGreske[]="The username must contain at least 8 characters long.";
}
if(empty($passLog)){
    $nizGreske[]="Password is a required field";
}
else if(!preg_match($rePassword,$passLog)){
    $nizGreske[]="Password must contain only lowercase letters and
numbers, at least 8 characters long.";
}

if(count($nizGreske) !=0 ){
    $code=422;
    $data=$nizGreske;
}
else {

    $upit="SELECT * FROM user WHERE username = :username AND password =
:pass";

    $pripremaLogin = $conn->prepare($upit);
    $pripremaLogin->bindParam(':username', $userLog);
    $pripremaLogin->bindParam(':pass', $passLog);

    $rezultatLogin = $pripremaLogin->execute();
    if($rezultatLogin){
        if($pripremaLogin->rowCount() == 1){
            $data="WE FOUND U.";
            $code=201;
            $user=$pripremaLogin->fetch();
            $_SESSION['user_id']=$user->idUser;
            $_SESSION['user']=$user;

            if($_SESSION['user']->idRole == 2){
                header("Location:admin.php");
                $data='admin';
            }
            else {
                header("Location:index.php");
                $code=200;
                $data='user';
            }
        }
    }
    else {

```

```

        if($pripremaLogin->rowCount() == 0){
            $data="Not register";
            $code=403;
        }
    }
}

else {
    $code=402;
}

}
}

?>

<!DOCTYPE html>
<html lang="en">
    <head>
        <meta charset="utf-8">
        <meta http-equiv="X-UA-Compatible" content="IE=edge">
        <meta name="viewport" content="width=device-width, initial-scale=1">
        <title>SpicyX | Blog Archive</title>

        <!-- Favicon -->
        <link rel="shortcut icon" href="assets/img/favicon.ico" type="image/x-
icon">

        <!-- Font awesome -->
        <link href="assets/css/font-awesome.css" rel="stylesheet">
        <!-- Bootstrap -->
        <link href="assets/css/bootstrap.css" rel="stylesheet">
        <!-- Slick slider -->
        <link rel="stylesheet" type="text/css" href="assets/css/slick.css">
        <!-- Date Picker -->
        <link rel="stylesheet" type="text/css" href="assets/css/bootstrap-
datepicker.css">
        <!-- Fancybox slider -->
        <link rel="stylesheet" href="assets/css/jquery.fancybox.css"
type="text/css" media="screen" />
        <!-- Theme color -->
        <link id="switcher" href="assets/css/theme-color/default-theme.css"
rel="stylesheet">

        <!-- Main style sheet -->
        <link href="style.css" rel="stylesheet">

        <!-- Google Fonts -->
        <link href='https://fonts.googleapis.com/css?family=Tangerine'
rel='stylesheet' type='text/css'>

```

```

    <link href='https://fonts.googleapis.com/css?family=Open+Sans'
rel='stylesheet' type='text/css'>
    <link href='https://fonts.googleapis.com/css?family=Prata'
rel='stylesheet' type='text/css'>

    <!-- HTML5 shim and Respond.js for IE8 support of HTML5 elements and media
queries -->
    <!-- WARNING: Respond.js doesn't work if you view the page via file:// -->
    <!--[if lt IE 9]>
        <script
src="https://oss.maxcdn.com/html5shiv/3.7.2/html5shiv.min.js"></script>
        <script
src="https://oss.maxcdn.com/respond/1.4.2/respond.min.js"></script>
    <![endif]-->

</head>
<body>
<!-- Pre Loader -->
<div id="aa-preloader-area">
    <div class="mu-preloader">
        
    </div>
</div>
<!-- SCROLL TOP BUTTON -->
    <a class="scrollToTop" href="#">

    </a>
<!-- END SCROLL TOP BUTTON -->

<!-- Start header section -->
<header id="mu-header">
    <nav class="navbar navbar-default mu-main-navbar" role="navigation">
        <div class="container">
            <div class="navbar-header">
                <!-- FOR MOBILE VIEW COLLAPSED BUTTON -->
                <button type="button" class="navbar-toggle collapsed" data-
toggle="collapse" data-target="#navbar" aria-expanded="false" aria-
controls="navbar">
                    <span class="sr-only">Toggle navigation</span>
                    <span class="icon-bar"></span>
                    <span class="icon-bar"></span>
                    <span class="icon-bar"></span>
                </button>
                <!-- LOGO -->
                <a class="navbar-brand" href="index.php"></a>
            </div>
        </div>
    </nav>

```

```

</header>
<!-- End header section -->

<!-- Start Blog banner -->
<section id="mu-blog-banner">

    <div class="container">

        <div class="mu-blog-banner-area">

            <h2></h2>
        </div>

    </div>
</section>
<!-- End Blog banner -->

<!-- Start Blog -->
<section id="mu-blog">
    <div class="container">
        <div class="row">
            <div class="col-md-12">
                <div class="mu-blog-area">
                    <div class="row">
                        <div class="col-md-8 col-sm-8">
                            <div class="mu-blog-content">
                                <!-- Start Single blog item -->
                                <article class="mu-news-single" id='naslov'>

                                    <div class="mu-title">
                                        <h2>Log in</h3>
                                        <i class="fa fa-spoon"></i>
                                        <span class="mu-title-bar"></span>
                                    </div>
                                    <div class="mu-news-single-content" id='tab'>

                                        <div class="col-md-6 col-auto">

                                            <div class="mu-contact-left">
                                                <form action="<?=$_SERVER['PHP_SELF'];?>"
method="POST" class="mu-contact-form" id="regja">
                                                    <div class="form-group">

                                                        <input type="text" class="form-control"
name='userL' placeholder="Username"/><p id="grU"></p>
                                                    </div>
                                                    <div class="form-group">

```



```

require "config/konekcija.php";

if(isset($_POST['btnSendL'])){
    $usernameL = $_POST['userL'];
    $passwordL = $_POST['passL'];
    $reKorisnickoL="/^[a-zA-z0-9]{7,17}$/";
    $rePassL = "/^(?=.*\d).{6,}$/";
    $errorsL = [];
    if(!preg_match($reKorisnickoL, $usernameL)){
        $errorsL[] = " Username nije u dobrom formatu.";
    }
    if(!preg_match($rePassL, $passwordL)){
        $errorsL[] = "Password nije u dobrom formatu.";
    }
    if(count($errorsL) != 0){
        $codee = 422;
    }
    else{
        $usernameLL = $_POST['userL'];
        $passwordLL = md5($_POST['passL']);

        $upitL = "SELECT * FROM user WHERE
        username = :user AND password = :password";
        $pripremaL = $conn->prepare($upitL);
        $pripremaL->bindParam(':user', $usernameLL);
        $pripremaL->bindParam(':password', $passwordLL);
        $rezultatL = $pripremaL->execute();
        if($rezultatL){
            if($rezultatL->rowCount()==1){
                $korisnikL = $rezultatL->fetch();
                $_SESSION['korisnik_id'] = $korisnikL->idUser;
                $_SESSION['korisnik'] = $korisnikL;
                if($_SESSION['korisnik']->idRole==1){
                    header("Location:index.html");
                }else{
                    header("Location:admin.php");
                }
            }
        }
    }
}
?>

```

Register.php

```

<?php
require "config/konekcija.php";
?>
<!DOCTYPE html>

```

```

<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <title>SpicyX | Blog Archive</title>

    <!-- Favicon -->
    <link rel="shortcut icon" href="assets/img/favicon.ico" type="image/x-
icon">

    <!-- Font awesome -->
    <link href="assets/css/font-awesome.css" rel="stylesheet">
    <!-- Bootstrap -->
    <link href="assets/css/bootstrap.css" rel="stylesheet">
    <!-- Slick slider -->
    <link rel="stylesheet" type="text/css" href="assets/css/slick.css">
    <!-- Date Picker -->
    <link rel="stylesheet" type="text/css" href="assets/css/bootstrap-
datepicker.css">
    <!-- Fancybox slider -->
    <link rel="stylesheet" href="assets/css/jquery.fancybox.css"
type="text/css" media="screen" />
    <!-- Theme color -->
    <link id="switcher" href="assets/css/theme-color/default-theme.css"
rel="stylesheet">

    <!-- Main style sheet -->
    <link href="style.css" rel="stylesheet">

    <!-- Google Fonts -->
    <link href='https://fonts.googleapis.com/css?family=Tangerine'
rel='stylesheet' type='text/css'>
    <link href='https://fonts.googleapis.com/css?family=Open+Sans'
rel='stylesheet' type='text/css'>
    <link href='https://fonts.googleapis.com/css?family=Prata'
rel='stylesheet' type='text/css'>

    <!-- HTML5 shim and Respond.js for IE8 support of HTML5 elements and media
queries -->
    <!-- WARNING: Respond.js doesn't work if you view the page via file:// -->
    <!--[if lt IE 9]>
      <script
src="https://oss.maxcdn.com/html5shiv/3.7.2/html5shiv.min.js"></script>
      <script
src="https://oss.maxcdn.com/respond/1.4.2/respond.min.js"></script>
    <![endif]-->

  </head>

```



```

<body>
<!-- Pre Loader -->
<div id="aa-preloader-area">
  <div class="mu-preloader">
    
  </div>
</div>
<!-- SCROLL TOP BUTTON -->
  <a class="scrollToTop" href="#">

  </a>
<!-- END SCROLL TOP BUTTON -->

<!-- Start header section -->
<header id="mu-header">
  <nav class="navbar navbar-default mu-main-navbar" role="navigation">
    <div class="container">
      <div class="navbar-header">
        <!-- FOR MOBILE VIEW COLLAPSED BUTTON -->
        <button type="button" class="navbar-toggle collapsed" data-
toggle="collapse" data-target="#navbar" aria-expanded="false" aria-
controls="navbar">
          <span class="sr-only">Toggle navigation</span>
          <span class="icon-bar"></span>
          <span class="icon-bar"></span>
          <span class="icon-bar"></span>
        </button>
        <!-- LOGO -->
        <a class="navbar-brand" href="index.php"></a>
      </div>
    </div>
  </nav>
</header>
<!-- End header section -->

<!-- Start Blog banner -->
<section id="mu-blog-banner">

  <div class="container">

    <div class="mu-blog-banner-area">

      <h2>Become our member</h2>
    </div>

  </div>
</section>
<!-- End Blog banner -->

```

```

<!-- Start Blog -->
<section id="mu-blog">
  <div class="container">
    <div class="row">
      <div class="col-md-12">
        <div class="mu-blog-area">
          <div class="row">
            <div class="col-md-8 col-sm-8">
              <div class="mu-blog-content">
                <!-- Start Single blog item -->
                <article class="mu-news-single" id='naslov'>

                  <div class="mu-title">
                    <h2>Sing up</h3>
                    <i class="fa fa-spoon"></i>
                    <span class="mu-title-bar"></span>
                  </div>
                  <div class="mu-news-single-content" id='tab'>

                    <div class="col-md-6 col-auto">

                      <div class="mu-contact-left">
                        <form action="proveraReg.php" method="POST"
class="mu-contact-form" id="registracija">
                          <div class="form-group">

                            <input type="text" class="form-control"
name='firstname' id="first" placeholder="Firtsname"/><p id="firstG"></p>
                          </div>
                          <div class="form-group">

                            <input type="text" class="form-control"
name='lastname' id="last" placeholder="Lastname"><p id="lastG"></p>
                          </div>
                          <div class="form-group">

                            <input type="text" class="form-control"
name='username' id="user" placeholder="Username"><p class="error"
id="userG"></p>
                          </div>
                          <div class="form-group">

                            <input type="password" class="form-
control" name='password' id="pass" placeholder="Password"><p class="error"
id="passG"></p>
                          </div>
                          <div class="form-group">

```



```
<div class="row">  
    <div class="col-md-12">  
        <div class="mu-footer-area">  
            <div class="mu-footer-social">  
                <a href="https://www.facebook.com/"><span class="fa fa-facebook"></span></a>  
                <a href="https://twitter.com/"><span class="fa fa-twitter"></span></a>  
                <a href="https://www.instagram.com/"><span class="fa fa-instagram"></span></a>  
                <a href="https://www.youtube.com/"><span class="fa fa-youtube"></span></a>  
            </div>  
            <div class="mu-footer-copyright">  
                <p>Designed by Sofija Vitorovic 171/17</a></p>  
            </div>  
        </div>  
    </div>  
</div>  
</div>  
</div>  
  
<!-- / Footer -->  
  
<!-- jQuery library -->  
<script src="assets/js/jquery.min.js"></script>  
<!-- Include all compiled plugins (below), or include individual files as needed -->  
<script src="assets/js/bootstrap.js"></script>  
<!-- Slick slider -->  
<script type="text/javascript" src="assets/js/slick.js"></script>  
<!-- Counter -->  
<script type="text/javascript" src="assets/js/waypoints.js"></script>  
<script type="text/javascript" src="assets/js/jquery.counterup.js"></script>  
<!-- Date Picker -->  
<script type="text/javascript" src="assets/js/bootstrap-datepicker.js"></script>  
<!-- Mixit slider -->  
<script type="text/javascript" src="assets/js/jquery.mixitup.js"></script>  
<!-- Add fancyBox -->  
<script type="text/javascript"  
src="assets/js/jquery.fancybox.pack.js"></script>  
  
<!-- Custom js -->  
<script src="assets/js/custom.js"></script>  
<script src="assets/js/moj.js"></script>  
  
</body>  
</html>
```

[Logout.php](#)

```
<?php
    session_start();
    if(isset($_SESSION['user'])){
        session_destroy();
        header("Location:index.php");
    }
}
```

Proverareg.php

```
<?php
require "config/konekcija.php";

$code=404;
$data=null;
if(isset($_POST['send'])){
    $firstname=$_POST['firstname'];
    $lastname=$_POST['lastname'];
    $username=$_POST['username'];
    $password=md5($_POST['password']);
    $rePassword=md5($_POST['rePassword']);
    $email=$_POST['email'];

    $errors=[];
    $reFirstLast="/^[A-Z]{1}[a-z]{2,13}$/";
    $rePassword="/^(?=.*\d){6,}$/";
    $reUsername="/^[a-zA-Z0-9]{7,17}$/";

    if(empty($firstname)){
        array_push($errors,'Field for firstname is required');
    }else if(!preg_match($reFirstLast,$firstname)){
        array_push($errors,'Not valid form fn');
    }
    if(empty($lastname)){
        array_push($errors,'Field for lastname is required');
    }else if(!preg_match($reFirstLast,$lastname)){
        array_push($errors,'Not valid form ln');
    }
    if(empty($username)){
        array_push($errors,'Field for username is required');
    }else if(!preg_match($reUsername,$username)){
        array_push($errors,'Not valid form un');
    }
    if(!$_POST['password']){
        array_push($errors,'Field for password is required');
    }else if(!preg_match($rePassword,$_POST['password'])){
        array_push($errors,'Not valid form pasw');
    }
    if(($_POST['rePassword'])!=($_POST['password'])){
        array_push($errors,'Field for repeat and password do not match');
```

```

    }else if(!$_POST['rePassword']){
        array_push($errors,'Field for repeat password is required');
    }
    if(!filter_var($email,FILTER_VALIDATE_EMAIL)){
        array_push($errors,'Not valid form email');
    }
    if(count($errors)){
        $code=422;
        $data=$errors;

    }else{

        $upit="INSERT INTO
user(idUser,firstname,lastname,username,password,email,idRole) values
(NULL,:ime,:prezime,:kor,:lozinka,:mejl,1)";

        $statement=$conn->prepare($upit);
        $statement->bindParam(":ime",$firstname);
        $statement->bindParam(":prezime",$lastname);
        $statement->bindParam(":kor",$username);
        $statement->bindParam(":lozinka",$password);
        $statement->bindParam(":mejl",$email);
        try{
            $code=$statement->execute() ? 201 : 500;
        }
        catch(PDOException $e){
            $code=409;
        }
    }
}
http_response_code($code);
echo json_encode($data);
?>

```