

## ANGULARJS MOCK TEST II

**Q 1 - AngularJS expressions are written using.**

**A - double braces like {{ expression}}**

B - single braces like {expression}

C - small bracket like *expression*

D - capital bracket like [expression]

**Q 2 - AngularJS expressions behave in same way as ng-bind directives.**

A - false

**B - true**

**Q 3 - AngularJS application expressions are pure JavaScript expressions.**

**A - true**

B - false

**Q 4 - Which of the following is true about uppercase filter?**

A - Uppercase filter is a function which takes text as input.

**B - Uppercase filter converts a text to upper case text.**

C - Both of the above.

D - None of the above.

**Q 5 - Which of the following is true about lowercase filter?**

**A - Lowercase filter converts a text to lower case text.**

B - Lowercase filter is a function which takes text as input.

C - Both of the above.

D - None of the above.

**Q 6 - Which of the following is true about currency filter?**

A - Currency filter formats text in a currency format.

**B - Currency filter is a function which takes text as input.**

C - Both of the above.

D - None of the above.

**Q 7 - Which of the following is true about filter filter?**

A - filter filter is a function which takes text as input.

**B - filter filter is used to filter the array to a subset of it based on provided criteria.**

C - Both of the above.

D - None of the above.

**Q 8 - Which of the following is true about orderby filter?**

**A - orderby filter orders the array based on provided criteria.**

B - orderby filter is used to filter the array to a subset of it based on provided criteria.

C - Both of the above.

D - None of the above.

**Q 9 - Which of the following is true about ng-disabled directive?**

A - ng-disabled directive can enable a given control.

B - ng-disabled directive can disable a given control.

**C - Both of the above.**

D - None of the above.

**Q 10 - Which of the following is true about ng-show directive?**

A - ng-show directive can show a given control.

B - ng-show directive can hide a given control.

**C - Both of the above.**

D - None of the above.

**Q 11 - Which of the following is true about ng-hide directive?**

A - ng-hide directive can show a given control.

B - ng-hide directive can hide a given control.

**C - Both of the above.**

D - None of the above.

**Q 12 - ng-click directive represents a AngularJS click event.**

**A - true**

B - false

**Q 13 - How angular.module works?**

A - angular.module is used to create AngularJS modules along with its dependent modules.

B - angular.module is primarily used to create application module.

**C - Both of the above.**

D - None of the above.

**Q 14 - angular.module is primarily used to create application module.**

**A - true**

B - false

**Q 15 - Which of the following is true about \$dirty flag?**

**A - \$dirty flag states that value has been changed.**

B - \$dirty flag states that form has invalid data.

C - Both of the above. D

- None of the above.

**Q 16 - Which of the following is true about \$invalid flag?**

A - \$invalid flag states that value has been changed.

**B - \$invalid flag states that form has invalid data.**

C - Both of the above. D

- None of the above.

**Q 17 - Which of the following is true about \$error?**

A - \$error states that form has invalid data.

**B - \$error states the exact error.**

C - Both of the above.

D - None of the above.

**Q 18 - Use novalidate with a form declaration to disable any browser specific validation.**

**A - true**

B - false

**Q 19 - Which of the following is true about ng-include directive?**

**A - Embed HTML pages within a HTML page using ng-include directive**

B - Embed JS files within a HTML page using ng-include directive

C - Both of the above.

D - None of the above.

**Q 20 - \$http service is used to make an Ajax call to server.**

A - false

**B - true**

**Q 21 - AngularJS needs data in JSON format to populate its model.**

**A - true**

B - false

**Q 22 - Which of the following is true about \$routeProvider? A -**

\$routeProvider is the key service which set the configuration of urls.

B - \$routeProvider maps Urls with the corresponding html page or ng-template.

C - \$routeProvider attaches a controller with the view.

**D - All of the above.**

**Q 23 - \$rootScope is the parent of all of the scope variables.**

**A - true**

B - false

**Q 24 - Model available in \$rootScope is available to its all child scopes.**

**A - true**

B - false

**Q 25 - Model available in \$rootScope can be overridden by its all child scopes.**

**A - true**

B - false

