HTML Tags Ordered Alphabetically

Tag	Description
<!--...-->	Defines a comment
<!DOCTYPE>	Defines the document type
<a>	Defines a hyperlink
<abbr>	Defines an abbreviation or an acronym
<acronym>	Not supported in HTML5. Use <abbr> instead. Defines an acronym
<address>	Defines contact information for the author/owner of a document
<applet>	Not supported in HTML5. Use <embed> or <object> instead. Defines an embedded applet
<area>	Defines an area inside an image-map
<article>	Defines an article
<aside>	Defines content aside from the page content
<audio>	Defines sound content
<b>	Defines bold text
<base>	Specifies the base URL/target for all relative URLs in a document
<basefont>	Not supported in HTML5. Use CSS instead. Specifies a default color, size, and font for all text in a document
<bdi>	Isolates a part of text that might be formatted in a different direction from other text outside it
<bdo>	Overrides the current text direction
<big>	Not supported in HTML5. Use CSS instead. Defines big text
<blockquote>	Defines a section that is quoted from another source
<body>	Defines the document's body
 	Defines a single line break

<button>	Defines a clickable button
<canvas>	Used to draw graphics, on the fly, via scripting (usually JavaScript)
<caption>	Defines a table caption
<center>	Not supported in HTML5. Use CSS instead. Defines centered text
<cite>	Defines the title of a work
<code>	Defines a piece of computer code
<col>	Specifies column properties for each column within a <colgroup> element
<colgroup>	Specifies a group of one or more columns in a table for formatting
<datalist>	Specifies a list of pre-defined options for input controls
<dd>	Defines a description/value of a term in a description list
<del>	Defines text that has been deleted from a document
<details>	Defines additional details that the user can view or hide
<dfn>	Represents the defining instance of a term
<dialog>	Defines a dialog box or window
<dir>	Not supported in HTML5. Use instead. Defines a directory list
<div>	Defines a section in a document
<dl>	Defines a description list
<dt>	Defines a term/name in a description list
<em>	Defines emphasized text
<embed>	Defines a container for an external (non-HTML) application
<fieldset>	Groups related elements in a form
<figcaption>	Defines a caption for a <figure> element
<figure>	Specifies self-contained content
<font>	Not supported in HTML5. Use CSS instead. Defines font, color, and size for text
<footer>	Defines a footer for a document or section
<form>	Defines an HTML form for user input
<frame>	Not supported in HTML5. Defines a window (a frame) in a frameset

<frameset>	Not supported in HTML5.
	Defines a set of frames
<h1> to <h6>	Defines HTML headings
<head>	Defines information about the document
<header>	Defines a header for a document or section
<hr>	Defines a thematic change in the content
<html>	Defines the root of an HTML document
<i>	Defines a part of text in an alternate voice or mood
<iframe>	Defines an inline frame
<img>	Defines an image
<input>	Defines an input control
<ins>	Defines a text that has been inserted into a document
<kbd>	Defines keyboard input
<keygen>	Defines a key-pair generator field (for forms)
<label>	Defines a label for an <input> element
<legend>	Defines a caption for a <fieldset> element
	Defines a list item
<link>	Defines the relationship between a document and an external resource (most used to link to style sheets)
<main>	Specifies the main content of a document
<map>	Defines a client-side image-map
<mark>	Defines marked/highlighted text
<menu>	Defines a list/menu of commands
<menuitem>	Defines a command/menu item that the user can invoke from a popup menu
<meta>	Defines metadata about an HTML document
<meter>	Defines a scalar measurement within a known range (a gauge)
<nav>	Defines navigation links
<noframes>	Not supported in HTML5.
	Defines an alternate content for users that do not support frames
<noscript>	Defines an alternate content for users that do not support client-side scripts
<object>	Defines an embedded object
	Defines an ordered list

[<optgroup>](#)	Defines a group of related options in a drop-down list
[<option>](#)	Defines an option in a drop-down list
[<output>](#)	Defines the result of a calculation
[<p>](#)	Defines a paragraph
[<param>](#)	Defines a parameter for an object
[<pre>](#)	Defines preformatted text
[<progress>](#)	Represents the progress of a task
[<q>](#)	Defines a short quotation
[<rp>](#)	Defines what to show in browsers that do not support ruby annotations
[<rt>](#)	Defines an explanation/pronunciation of characters (for East Asian typography)
[<ruby>](#)	Defines a ruby annotation (for East Asian typography)
[<s>](#)	Defines text that is no longer correct
[<samp>](#)	Defines sample output from a computer program
[<script>](#)	Defines a client-side script
[<section>](#)	Defines a section in a document
[<select>](#)	Defines a drop-down list
[<small>](#)	Defines smaller text
[<source>](#)	Defines multiple media resources for media elements (<video> and <audio>)
[<span>](#)	Defines a section in a document
[<strike>](#)	Not supported in HTML5. Use <del> or <s> instead. Defines strikethrough text
[<strong>](#)	Defines important text
[<style>](#)	Defines style information for a document
[<sub>](#)	Defines subscripted text
[<summary>](#)	Defines a visible heading for a <details> element
[<sup>](#)	Defines superscripted text
[<table>](#)	Defines a table
[<tbody>](#)	Groups the body content in a table
[<td>](#)	Defines a cell in a table
[<textarea>](#)	Defines a multiline input control (text area)
[<tfoot>](#)	Groups the footer content in a table

<th>	Defines a header cell in a table
<thead>	Groups the header content in a table
<time>	Defines a date/time
<title>	Defines a title for the document
<tr>	Defines a row in a table
<track>	Defines text tracks for media elements (<video> and <audio>)
<tt>	Not supported in HTML5. Use CSS instead. Defines teletype text
<u>	Defines text that should be stylistically different from normal text
	Defines an unordered list
<var>	Defines a variable
<video>	Defines a video or movie
<wbr>	Defines a possible line-break