

**STELIS BIO-PHARMA PRIVATE LIMITED**

## ENVIRONMENTAL MONITORING SYSTEM

## VIAL FILLING AREA-DP

[illegible]









**STELIS BIO-PHARMA PRIVATE LIMITED**

## ENVIRONMENTAL MONITORING SYSTEM

## VIAL FILLING AREA-DP

[illegible]

**STELIS BIO-PHARMA PRIVATE LIMITED**















**STELIS BIO-PHARMA PRIVATE LIMITED**



**STELIS BIO-PHARMA PRIVATE LIMITED**





**STELIS BIO-PHARMA PRIVATE LIMITED****ENVIRONMENTAL MONITORING SYSTEM****VIAL FILLING AREA-DP**

DATE TIME	STERILE CR1 w.r.t CORRIDOR	STERILE CR2 wrt STERILE CR1	STERILE CR3 wrt STERILE CR2	STERILE CR4 wrt STERILE CR3	VIAL FILLING wrt STERILE CR4	VIAL FILLING wrt STERILE CR5	STERILE CR5 wrt STERILE CR6	VIAL FILLING wrt COOL ZONE	VIAL FILLING wrt VIAL SEALING	FILTRATION wrt VIAL SEALING
DD/MM/YYYY HH:MM	DP Pa	DP Pa	DP Pa	DP Pa	DP Pa	DP Pa	DP Pa	DP Pa	DP Pa	DP Pa
Min Value	9999	9999	9999	9999	9999	9999	9999	9999	9999	9999
Max Value	-9999	-9999	-9999	-9999	-9999	-9999	-9999	-9999	-9999	-9999

End Of Report : From 07/03/2022 13:28:46 To 08/03/2022 13:28:46

ACTIVITY	NAME	SIGNATURE AND DATE
CHECKED BY		