



SOMERSET THERAPEUTICS LIMITED

DATA REPORT - SVP1 AND AMPOULE LINE EMS

WASHING AND STERILIZATION AREA

Date Time	Temperature	RH	Diffrential Pressure	Diffrential Pressure	Diffrential Pressure
DD-MM-YYYY HH:MM:SS	Washing and Sterilization Area (NMT 30°C)	Washing and Sterilization Area (NMT 80%)	Washing and Sterilization Area w.r.t Unit Preparation Room (NLT 6 Pa)	Washing and Sterilization Area w.r.t Ampoule Decartoning Room (NLT 12 Pa)	Washing and Sterilization Area w.r.t Injectable main corridor (NLT 12 Pa)
12-07-2022 13:15:00	****	****	****	****	****
12-07-2022 13:16:00	****	****	****	****	****
12-07-2022 13:17:00	****	****	****	****	****
12-07-2022 13:18:00	****	****	****	****	****
12-07-2022 13:19:00	****	****	****	****	****
12-07-2022 13:20:00	****	****	****	****	****
12-07-2022 13:21:00	****	****	****	****	****
12-07-2022 13:22:00	****	****	****	****	****
12-07-2022 13:23:00	****	****	****	****	****
12-07-2022 13:24:00	****	****	****	****	****
12-07-2022 13:25:00	****	****	****	****	****
12-07-2022 13:26:00	****	****	****	****	****
12-07-2022 13:27:00	****	****	****	****	****
12-07-2022 13:28:00	****	****	****	****	****
12-07-2022 13:29:00	****	****	****	****	****
12-07-2022 13:30:00	****	****	****	****	****
12-07-2022 13:31:00	****	****	****	****	****
12-07-2022 13:32:00	****	****	****	****	****
12-07-2022 13:33:00	****	****	****	****	****
12-07-2022 13:34:00	****	****	****	****	****
12-07-2022 13:35:00	****	****	****	****	****
12-07-2022 13:36:00	****	****	****	****	****
12-07-2022 13:37:00	****	****	****	****	****
12-07-2022 13:38:00	****	****	****	****	****

ACTIVITY	NAME	SIGNATURE AND DATE
REVIEWED BY USER		
REVIEWED BY QA		



SOMERSET THERAPEUTICS LIMITED

DATA REPORT - SVP1 AND AMPOULE LINE EMS

WASHING AND STERILIZATION AREA

Date Time	Temperature	RH	Diffrential Pressure	Diffrential Pressure	Diffrential Pressure
DD-MM-YYYY HH:MM:SS	Washing and Sterilization Area (NMT 30°C)	Washing and Sterilization Area (NMT 80%)	Washing and Sterilization Area w.r.t Unit Preparation Room (NLT 6 Pa)	Washing and Sterilization Area w.r.t Ampoule Decartoning Room (NLT 12 Pa)	Washing and Sterilization Area w.r.t Injectable main corridor (NLT 12 Pa)
12-07-2022 13:39:00	****	****	****	****	****
12-07-2022 13:40:00	****	****	****	****	****
12-07-2022 13:41:00	****	****	****	****	****
12-07-2022 13:42:00	****	****	****	****	****
12-07-2022 13:43:00	****	****	****	****	****
12-07-2022 13:44:00	****	****	****	****	****
12-07-2022 13:45:00	****	****	****	****	****
12-07-2022 13:46:00	****	****	****	****	****
12-07-2022 13:47:00	****	****	****	****	****
12-07-2022 13:48:00	****	****	****	****	****
12-07-2022 13:49:00	****	****	****	****	****
12-07-2022 13:50:00	****	****	****	****	****
12-07-2022 13:51:00	****	****	****	****	****
12-07-2022 13:52:00	****	****	****	****	****
12-07-2022 13:53:00	****	****	****	****	****
12-07-2022 13:54:00	****	****	****	****	****
12-07-2022 13:55:00	****	****	****	****	****
12-07-2022 13:56:00	****	****	****	****	****
12-07-2022 13:57:00	****	****	****	****	****
12-07-2022 13:58:00	****	****	****	****	****
12-07-2022 13:59:00	****	****	****	****	****
12-07-2022 14:00:00	****	****	****	****	****
12-07-2022 14:01:00	****	****	****	****	****
12-07-2022 14:02:00	****	****	****	****	****

ACTIVITY	NAME	SIGNATURE AND DATE
REVIEWED BY USER		
REVIEWED BY QA		



SOMERSET THERAPEUTICS LIMITED

DATA REPORT - SVP1 AND AMPOULE LINE EMS

WASHING AND STERILIZATION AREA

Date Time	Temperature	RH	Diffrential Pressure	Diffrential Pressure	Diffrential Pressure
DD-MM-YYYY HH:MM:SS	Washing and Sterilization Area (NMT 30°C)	Washing and Sterilization Area (NMT 80%)	Washing and Sterilization Area w.r.t Unit Preparation Room (NLT 6 Pa)	Washing and Sterilization Area w.r.t Ampoule Decartoning Room (NLT 12 Pa)	Washing and Sterilization Area w.r.t Injectable main corridor (NLT 12 Pa)
12-07-2022 14:03:00	****	****	****	****	****
12-07-2022 14:04:00	****	****	****	****	****
12-07-2022 14:05:00	****	****	****	****	****
12-07-2022 14:06:00	****	****	****	****	****
12-07-2022 14:07:00	****	****	****	****	****
12-07-2022 14:08:00	****	****	****	****	****
12-07-2022 14:09:00	****	****	****	****	****
12-07-2022 14:10:00	****	****	****	****	****
12-07-2022 14:11:00	****	****	****	****	****
12-07-2022 14:12:00	****	****	****	****	****
12-07-2022 14:13:00	****	****	****	****	****
12-07-2022 14:14:00	****	****	****	****	****
12-07-2022 14:15:00	****	****	****	****	****
Min Value	****	****	****	****	****
Max Value	****	****	****	****	****

End Of Report : From 12-07-2022 13:15:05 To 12-07-2022 14:15:05

ACTIVITY	NAME	SIGNATURE AND DATE
REVIEWED BY USER		
REVIEWED BY QA		