



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| Alarm Low Limit | 18.0 | 18.0 | 6 | 18.0 |
| Alarm High Limit | 25.0 | 25.0 | 65 | 25.0 |
| 01-05-2022 12:11 | 22.5 | 19.7 | 8 | 19.9 |
| 01-05-2022 12:12 | 22.5 | 19.7 | 8 | 19.9 |
| 01-05-2022 12:13 | 22.5 | 19.6 | 8 | 19.9 |
| 01-05-2022 12:14 | 22.5 | 19.6 | 8 | 19.8 |
| 01-05-2022 12:15 | 22.5 | 19.6 | 8 | 19.9 |
| 01-05-2022 12:16 | 22.5 | 19.6 | 8 | 19.8 |
| 01-05-2022 12:17 | 22.5 | 19.6 | 8 | 19.8 |
| 01-05-2022 12:18 | 22.5 | 19.6 | 8 | 19.8 |
| 01-05-2022 12:19 | 22.5 | 19.6 | 8 | 19.8 |
| 01-05-2022 12:20 | 22.5 | 19.6 | 8 | 19.8 |
| 01-05-2022 12:21 | 22.5 | 19.6 | 8 | 19.7 |
| 01-05-2022 12:22 | 22.5 | 19.6 | 8 | 19.8 |
| 01-05-2022 12:23 | 22.5 | 19.6 | 8 | 19.7 |
| 01-05-2022 12:24 | 22.5 | 19.6 | 8 | 19.8 |
| 01-05-2022 12:25 | 22.4 | 19.6 | 8 | 19.7 |
| 01-05-2022 12:26 | 22.4 | 19.6 | 8 | 19.7 |
| 01-05-2022 12:27 | 22.4 | 19.6 | 8 | 19.7 |
| 01-05-2022 12:28 | 22.4 | 19.5 | 8 | 19.7 |
| 01-05-2022 12:29 | 22.4 | 19.5 | 8 | 19.7 |
| 01-05-2022 12:30 | 22.4 | 19.6 | 7 | 19.7 |
| 01-05-2022 12:31 | 22.4 | 19.5 | 8 | 19.7 |
| 01-05-2022 12:32 | 22.4 | 19.5 | 8 | 19.7 |
| 01-05-2022 12:33 | 22.3 | 19.5 | 8 | 19.7 |
| 01-05-2022 12:34 | 22.3 | 19.5 | 8 | 19.7 |
| 01-05-2022 12:35 | 22.3 | 19.5 | 8 | 19.7 |
| 01-05-2022 12:36 | 22.3 | 19.5 | 8 | 19.7 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 01-05-2022 12:37 | 22.3 | 19.5 | 8 | 19.7 |
| 01-05-2022 12:38 | 22.3 | 19.5 | 8 | 19.6 |
| 01-05-2022 12:39 | 22.3 | 19.5 | 7 | 19.7 |
| 01-05-2022 12:40 | 22.3 | 19.5 | 8 | 19.7 |
| 01-05-2022 12:41 | 22.3 | 19.5 | 8 | 19.6 |
| 01-05-2022 12:42 | 22.3 | 19.5 | 8 | 19.7 |
| 01-05-2022 12:43 | 22.3 | 19.5 | 8 | 19.7 |
| 01-05-2022 12:44 | 22.3 | 19.5 | 8 | 19.7 |
| 01-05-2022 12:45 | 22.3 | 19.5 | 8 | 19.6 |
| 01-05-2022 12:46 | 22.3 | 19.5 | 8 | 19.6 |
| 01-05-2022 12:47 | 22.2 | 19.5 | 8 | 19.6 |
| 01-05-2022 12:48 | 22.2 | 19.5 | 8 | 19.6 |
| 01-05-2022 12:49 | 22.2 | 19.5 | 8 | 19.6 |
| 01-05-2022 12:50 | 22.2 | 19.5 | 8 | 19.6 |
| 01-05-2022 12:51 | 22.2 | 19.5 | 7 | 19.6 |
| 01-05-2022 12:52 | 22.2 | 19.5 | 8 | 19.6 |
| 01-05-2022 12:53 | 22.2 | 19.5 | 8 | 19.6 |
| 01-05-2022 12:54 | 22.2 | 19.5 | 7 | 19.6 |
| 01-05-2022 12:55 | 22.2 | 19.5 | 8 | 19.6 |
| 01-05-2022 12:56 | 22.2 | 19.5 | 7 | 19.6 |
| 01-05-2022 12:57 | 22.2 | 19.5 | 8 | 19.6 |
| 01-05-2022 12:58 | 22.2 | 19.5 | 8 | 19.6 |
| 01-05-2022 12:59 | 22.2 | 19.5 | 8 | 19.6 |
| 01-05-2022 13:00 | 22.2 | 19.5 | 8 | 19.6 |
| 01-05-2022 13:01 | 22.2 | 19.5 | 8 | 19.6 |
| 01-05-2022 13:02 | 22.2 | 19.5 | 7 | 19.6 |
| 01-05-2022 13:03 | 22.2 | 19.5 | 8 | 19.6 |
| 01-05-2022 13:04 | 22.2 | 19.5 | 8 | 19.6 |
| 01-05-2022 13:05 | 22.2 | 19.5 | 8 | 19.5 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 01-05-2022 13:06 | 22.2 | 19.5 | 8 | 19.5 |
| 01-05-2022 13:07 | 22.2 | 19.5 | 8 | 19.5 |
| 01-05-2022 13:08 | 22.2 | 19.5 | 8 | 19.5 |
| 01-05-2022 13:09 | 22.2 | 19.5 | 8 | 19.6 |
| 01-05-2022 13:10 | 22.2 | 19.5 | 8 | 19.6 |
| 01-05-2022 13:11 | 22.2 | 19.5 | 8 | 19.5 |
| 01-05-2022 13:12 | 22.1 | 19.5 | 8 | 19.6 |
| 01-05-2022 13:13 | 22.2 | 19.5 | 8 | 19.6 |
| 01-05-2022 13:14 | 22.2 | 19.5 | 8 | 19.5 |
| 01-05-2022 13:15 | 22.2 | 19.5 | 8 | 19.5 |
| 01-05-2022 13:16 | 22.2 | 19.5 | 8 | 19.5 |
| 01-05-2022 13:17 | 22.2 | 19.5 | 8 | 19.5 |
| 01-05-2022 13:18 | 22.2 | 19.5 | 8 | 19.5 |
| 01-05-2022 13:19 | 22.2 | 19.5 | 8 | 19.5 |
| 01-05-2022 13:20 | 22.2 | 19.5 | 8 | 19.5 |
| 01-05-2022 13:21 | 22.2 | 19.5 | 8 | 19.5 |
| 01-05-2022 13:22 | 22.2 | 19.5 | 8 | 19.5 |
| 01-05-2022 13:23 | 22.2 | 19.5 | 8 | 19.6 |
| 01-05-2022 13:24 | 22.2 | 19.5 | 7 | 19.5 |
| 01-05-2022 13:25 | 22.2 | 19.5 | 8 | 19.5 |
| 01-05-2022 13:26 | 22.2 | 19.5 | 8 | 19.6 |
| 01-05-2022 13:27 | 22.2 | 19.5 | 8 | 19.5 |
| 01-05-2022 13:28 | 22.2 | 19.5 | 8 | 19.5 |
| 01-05-2022 13:29 | 22.2 | 19.5 | 8 | 19.5 |
| 01-05-2022 13:30 | 22.2 | 19.5 | 8 | 19.6 |
| 01-05-2022 13:31 | 22.2 | 19.5 | 8 | 19.4 |
| 01-05-2022 13:32 | 22.2 | 19.5 | 7 | 19.5 |
| 01-05-2022 13:33 | 22.2 | 19.5 | 8 | 19.5 |
| 01-05-2022 13:34 | 22.2 | 19.5 | 8 | 19.6 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 01-05-2022 13:35 | 22.2 | 19.5 | 8 | 19.5 |
| 01-05-2022 13:36 | 22.2 | 19.5 | 8 | 19.5 |
| 01-05-2022 13:37 | 22.2 | 19.5 | 7 | 19.5 |
| 01-05-2022 13:38 | 22.2 | 19.5 | 8 | 19.6 |
| 01-05-2022 13:39 | 22.2 | 19.5 | 8 | 19.5 |
| 01-05-2022 13:40 | 22.2 | 19.5 | 8 | 19.5 |
| 01-05-2022 13:41 | 22.2 | 19.5 | 7 | 19.5 |
| 01-05-2022 13:42 | 22.2 | 19.5 | 8 | 19.5 |
| 01-05-2022 13:43 | 22.2 | 19.5 | 8 | 19.5 |
| 01-05-2022 13:44 | 22.2 | 19.5 | 8 | 19.5 |
| 01-05-2022 13:45 | 22.2 | 19.5 | 8 | 19.5 |
| 01-05-2022 13:46 | 22.1 | 19.5 | 8 | 19.5 |
| 01-05-2022 13:47 | 22.2 | 19.5 | 7 | 19.5 |
| 01-05-2022 13:48 | 22.2 | 19.5 | 8 | 19.5 |
| 01-05-2022 13:49 | 22.1 | 19.5 | 7 | 19.5 |
| 01-05-2022 13:50 | 22.1 | 19.5 | 8 | 19.5 |
| 01-05-2022 13:51 | 22.1 | 19.5 | 8 | 19.5 |
| 01-05-2022 13:52 | 22.2 | 19.5 | 8 | 19.5 |
| 01-05-2022 13:53 | 22.1 | 19.5 | 8 | 19.5 |
| 01-05-2022 13:54 | 22.2 | 19.5 | 8 | 19.5 |
| 01-05-2022 13:55 | 22.2 | 19.5 | 8 | 19.5 |
| 01-05-2022 13:56 | 22.1 | 19.5 | 7 | 19.5 |
| 01-05-2022 13:57 | 22.1 | 19.5 | 7 | 19.5 |
| 01-05-2022 13:58 | 22.1 | 19.5 | 7 | 19.4 |
| 01-05-2022 13:59 | 22.1 | 19.5 | 7 | 19.5 |
| 01-05-2022 14:00 | 22.1 | 19.5 | 8 | 19.6 |
| 01-05-2022 14:01 | 22.1 | 19.5 | 8 | 19.5 |
| 01-05-2022 14:02 | 22.1 | 19.5 | 8 | 19.5 |
| 01-05-2022 14:03 | 22.1 | 19.5 | 8 | 19.5 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 01-05-2022 14:04 | 22.1 | 19.5 | 7 | 19.5 |
| 01-05-2022 14:05 | 22.1 | 19.5 | 8 | 19.5 |
| 01-05-2022 14:06 | 22.1 | 19.5 | 7 | 19.5 |
| 01-05-2022 14:07 | 22.1 | 19.5 | 8 | 19.5 |
| 01-05-2022 14:08 | 22.1 | 19.5 | 7 | 19.6 |
| 01-05-2022 14:09 | 22.1 | 19.5 | 7 | 19.5 |
| 01-05-2022 14:10 | 22.1 | 19.5 | 7 | 19.5 |
| 01-05-2022 14:11 | 22.1 | 19.5 | 7 | 19.6 |
| 01-05-2022 14:12 | 22.1 | 19.5 | 8 | 19.5 |
| 01-05-2022 14:13 | 22.1 | 19.5 | 7 | 19.5 |
| 01-05-2022 14:14 | 22.1 | 19.5 | 3 | 19.5 |
| 01-05-2022 14:15 | 22.3 | 19.5 | 0 | 19.6 |
| 01-05-2022 14:16 | 22.3 | 19.5 | 7 | 19.6 |
| 01-05-2022 14:17 | 22.3 | 19.5 | 0 | 19.7 |
| 01-05-2022 14:18 | 22.5 | 19.5 | 4 | 19.7 |
| 01-05-2022 14:19 | 22.4 | 19.6 | 8 | 19.8 |
| 01-05-2022 14:20 | 22.4 | 19.6 | 7 | 19.7 |
| 01-05-2022 14:21 | 22.4 | 19.6 | 6 | 19.8 |
| 01-05-2022 14:22 | 22.4 | 19.7 | 7 | 19.9 |
| 01-05-2022 14:23 | 22.4 | 19.7 | 8 | 19.9 |
| 01-05-2022 14:24 | 22.5 | 19.8 | 7 | 20.0 |
| 01-05-2022 14:25 | 22.5 | 19.8 | 7 | 20.1 |
| 01-05-2022 14:26 | 22.5 | 19.9 | 8 | 20.2 |
| 01-05-2022 14:27 | 22.6 | 20.0 | 7 | 20.2 |
| 01-05-2022 14:28 | 22.6 | 20.0 | 6 | 20.3 |
| 01-05-2022 14:29 | 22.7 | 20.1 | 6 | 20.4 |
| 01-05-2022 14:30 | 22.8 | 20.1 | 6 | 20.4 |
| 01-05-2022 14:31 | 22.8 | 20.1 | 6 | 20.4 |
| 01-05-2022 14:32 | 22.9 | 20.2 | 7 | 20.6 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 01-05-2022 14:33 | 22.9 | 20.3 | 7 | 20.6 |
| 01-05-2022 14:34 | 23.0 | 20.3 | 8 | 20.7 |
| 01-05-2022 14:35 | 23.0 | 20.3 | 7 | 20.8 |
| 01-05-2022 14:36 | 23.1 | 20.4 | 7 | 20.8 |
| 01-05-2022 14:37 | 23.1 | 20.5 | 7 | 20.8 |
| 01-05-2022 14:38 | 23.1 | 20.5 | 7 | 20.9 |
| 01-05-2022 14:39 | 23.2 | 20.5 | 7 | 21.0 |
| 01-05-2022 14:40 | 23.2 | 20.6 | 6 | 21.0 |
| 01-05-2022 14:41 | 23.2 | 20.6 | 8 | 21.0 |
| 01-05-2022 14:42 | 23.2 | 20.7 | 7 | 21.1 |
| 01-05-2022 14:43 | 23.3 | 20.7 | 8 | 21.2 |
| 01-05-2022 14:44 | 23.3 | 20.7 | 8 | 21.2 |
| 01-05-2022 14:45 | 23.3 | 20.7 | 7 | 21.2 |
| 01-05-2022 14:46 | 23.4 | 20.8 | 8 | 21.3 |
| 01-05-2022 14:47 | 23.4 | 20.8 | 8 | 21.3 |
| 01-05-2022 14:48 | 23.4 | 20.9 | 8 | 21.4 |
| 01-05-2022 14:49 | 23.5 | 20.9 | 7 | 21.5 |
| 01-05-2022 14:50 | 23.5 | 20.9 | 8 | 21.5 |
| 01-05-2022 14:51 | 23.5 | 21.0 | 8 | 21.5 |
| 01-05-2022 14:52 | 23.6 | 21.0 | 8 | 21.6 |
| 01-05-2022 14:53 | 23.6 | 21.0 | 7 | 21.6 |
| 01-05-2022 14:54 | 23.6 | 21.1 | 8 | 21.6 |
| 01-05-2022 14:55 | 23.6 | 21.1 | 8 | 21.7 |
| 01-05-2022 14:56 | 23.7 | 21.1 | 8 | 21.6 |
| 01-05-2022 14:57 | 23.7 | 21.1 | 8 | 21.6 |
| 01-05-2022 14:58 | 23.7 | 21.1 | 8 | 21.7 |
| 01-05-2022 14:59 | 23.7 | 21.1 | 8 | 21.6 |
| 01-05-2022 15:00 | 23.7 | 21.2 | 8 | 21.7 |
| 01-05-2022 15:01 | 23.7 | 21.1 | 8 | 21.6 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 01-05-2022 15:02 | 23.7 | 21.2 | 8 | 21.6 |
| 01-05-2022 15:03 | 23.7 | 21.1 | 8 | 21.6 |
| 01-05-2022 15:04 | 23.7 | 21.1 | 8 | 21.6 |
| 01-05-2022 15:05 | 23.7 | 21.1 | 8 | 21.7 |
| 01-05-2022 15:06 | 23.7 | 21.1 | 8 | 21.6 |
| 01-05-2022 15:07 | 23.6 | 21.1 | 8 | 21.6 |
| 01-05-2022 15:08 | 23.6 | 21.1 | 8 | 21.6 |
| 01-05-2022 15:09 | 23.6 | 21.1 | 8 | 21.6 |
| 01-05-2022 15:10 | 23.6 | 21.0 | 8 | 21.6 |
| 01-05-2022 15:11 | 23.6 | 21.0 | 8 | 21.6 |
| 01-05-2022 15:12 | 23.6 | 21.0 | 8 | 21.6 |
| 01-05-2022 15:13 | 23.6 | 21.0 | 8 | 21.6 |
| 01-05-2022 15:14 | 23.6 | 21.0 | 8 | 21.6 |
| 01-05-2022 15:15 | 23.6 | 21.0 | 8 | 21.6 |
| 01-05-2022 15:16 | 23.5 | 21.0 | 8 | 21.6 |
| 01-05-2022 15:17 | 23.5 | 20.9 | 8 | 21.5 |
| 01-05-2022 15:18 | 23.5 | 20.9 | 7 | 21.5 |
| 01-05-2022 15:19 | 23.5 | 20.9 | 8 | 21.6 |
| 01-05-2022 15:20 | 23.5 | 20.9 | 8 | 21.5 |
| 01-05-2022 15:21 | 23.5 | 20.9 | 8 | 21.5 |
| 01-05-2022 15:22 | 23.4 | 20.9 | 8 | 21.4 |
| 01-05-2022 15:23 | 23.4 | 20.9 | 8 | 21.5 |
| 01-05-2022 15:24 | 23.4 | 20.9 | 8 | 21.5 |
| 01-05-2022 15:25 | 23.4 | 20.8 | 8 | 21.4 |
| 01-05-2022 15:26 | 23.4 | 20.8 | 8 | 21.5 |
| 01-05-2022 15:27 | 23.4 | 20.8 | 8 | 21.4 |
| 01-05-2022 15:28 | 23.4 | 20.8 | 8 | 21.4 |
| 01-05-2022 15:29 | 23.4 | 20.8 | 8 | 21.4 |
| 01-05-2022 15:30 | 23.4 | 20.8 | 8 | 21.3 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 01-05-2022 15:31 | 23.4 | 20.8 | 8 | 21.3 |
| 01-05-2022 15:32 | 23.4 | 20.7 | 8 | 21.4 |
| 01-05-2022 15:33 | 23.4 | 20.7 | 9 | 21.3 |
| 01-05-2022 15:34 | 23.4 | 20.7 | 8 | 21.3 |
| 01-05-2022 15:35 | 23.4 | 20.7 | 8 | 21.4 |
| 01-05-2022 15:36 | 23.4 | 20.7 | 8 | 21.3 |
| 01-05-2022 15:37 | 23.4 | 20.7 | 8 | 21.2 |
| 01-05-2022 15:38 | 23.3 | 20.7 | 8 | 21.2 |
| 01-05-2022 15:39 | 23.4 | 20.7 | 8 | 21.3 |
| 01-05-2022 15:40 | 23.3 | 20.7 | 8 | 21.3 |
| 01-05-2022 15:41 | 23.3 | 20.6 | 8 | 21.2 |
| 01-05-2022 15:42 | 23.3 | 20.6 | 8 | 21.2 |
| 01-05-2022 15:43 | 23.3 | 20.6 | 8 | 21.2 |
| 01-05-2022 15:44 | 23.3 | 20.6 | 8 | 21.2 |
| 01-05-2022 15:45 | 23.2 | 20.5 | 8 | 21.2 |
| 01-05-2022 15:46 | 23.2 | 20.5 | 8 | 21.1 |
| 01-05-2022 15:47 | 23.2 | 20.5 | 8 | 21.0 |
| 01-05-2022 15:48 | 23.2 | 20.5 | 6 | 21.0 |
| 01-05-2022 15:49 | 23.2 | 20.5 | 7 | 21.0 |
| 01-05-2022 15:50 | 23.2 | 20.5 | 8 | 21.1 |
| 01-05-2022 15:51 | 23.2 | 20.5 | 8 | 21.0 |
| 01-05-2022 15:52 | 23.2 | 20.5 | 7 | 21.0 |
| 01-05-2022 15:53 | 23.2 | 20.4 | 8 | 21.0 |
| 01-05-2022 15:54 | 23.2 | 20.4 | 8 | 21.0 |
| 01-05-2022 15:55 | 23.1 | 20.4 | 8 | 20.9 |
| 01-05-2022 15:56 | 23.1 | 20.3 | 8 | 20.9 |
| 01-05-2022 15:57 | 23.1 | 20.3 | 8 | 20.9 |
| 01-05-2022 15:58 | 23.0 | 20.3 | 8 | 20.8 |
| 01-05-2022 15:59 | 23.0 | 20.3 | 8 | 20.8 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 01-05-2022 16:00 | 22.9 | 20.2 | 8 | 20.6 |
| 01-05-2022 16:01 | 22.9 | 20.2 | 8 | 20.6 |
| 01-05-2022 16:02 | 22.9 | 20.1 | 8 | 20.6 |
| 01-05-2022 16:03 | 22.8 | 20.1 | 8 | 20.5 |
| 01-05-2022 16:04 | 22.8 | 20.1 | 8 | 20.5 |
| 01-05-2022 16:05 | 22.7 | 20.0 | 8 | 20.4 |
| 01-05-2022 16:06 | 22.6 | 20.0 | 6 | 20.4 |
| 01-05-2022 16:07 | 22.6 | 19.9 | 8 | 20.4 |
| 01-05-2022 16:08 | 22.5 | 19.9 | 8 | 20.3 |
| 01-05-2022 16:09 | 22.6 | 19.9 | 8 | 20.3 |
| 01-05-2022 16:10 | 22.6 | 19.9 | 8 | 20.3 |
| 01-05-2022 16:11 | 22.5 | 19.8 | 8 | 20.2 |
| 01-05-2022 16:12 | 22.5 | 19.8 | 8 | 20.2 |
| 01-05-2022 16:13 | 22.4 | 19.8 | 8 | 20.1 |
| 01-05-2022 16:14 | 22.4 | 19.8 | 8 | 20.1 |
| 01-05-2022 16:15 | 22.4 | 19.7 | 8 | 20.1 |
| 01-05-2022 16:16 | 22.4 | 19.7 | 8 | 20.0 |
| 01-05-2022 16:17 | 22.3 | 19.7 | 8 | 20.1 |
| 01-05-2022 16:18 | 22.4 | 19.7 | 8 | 20.0 |
| 01-05-2022 16:19 | 22.3 | 19.6 | 8 | 20.0 |
| 01-05-2022 16:20 | 22.3 | 19.6 | 8 | 20.0 |
| 01-05-2022 16:21 | 22.3 | 19.6 | 8 | 20.0 |
| 01-05-2022 16:22 | 22.3 | 19.6 | 8 | 20.0 |
| 01-05-2022 16:23 | 22.3 | 19.6 | 8 | 19.9 |
| 01-05-2022 16:24 | 22.2 | 19.6 | 8 | 20.0 |
| 01-05-2022 16:25 | 22.2 | 19.6 | 8 | 19.9 |
| 01-05-2022 16:26 | 22.2 | 19.6 | 8 | 19.9 |
| 01-05-2022 16:27 | 22.2 | 19.6 | 8 | 19.9 |
| 01-05-2022 16:28 | 22.2 | 19.6 | 8 | 19.9 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 01-05-2022 16:29 | 22.2 | 19.6 | 8 | 19.9 |
| 01-05-2022 16:30 | 22.2 | 19.6 | 8 | 19.9 |
| 01-05-2022 16:31 | 22.2 | 19.6 | 8 | 19.9 |
| 01-05-2022 16:32 | 22.1 | 19.6 | 8 | 19.9 |
| 01-05-2022 16:33 | 22.1 | 19.6 | 8 | 19.9 |
| 01-05-2022 16:34 | 22.2 | 19.6 | 8 | 20.0 |
| 01-05-2022 16:35 | 22.1 | 19.6 | 8 | 19.9 |
| 01-05-2022 16:36 | 22.1 | 19.6 | 8 | 19.9 |
| 01-05-2022 16:37 | 22.1 | 19.6 | 8 | 20.0 |
| 01-05-2022 16:38 | 22.1 | 19.7 | 8 | 20.0 |
| 01-05-2022 16:39 | 22.2 | 19.7 | 8 | 19.9 |
| 01-05-2022 16:40 | 22.2 | 19.7 | 8 | 20.0 |
| 01-05-2022 16:41 | 22.1 | 19.7 | 8 | 20.0 |
| 01-05-2022 16:42 | 22.1 | 19.7 | 8 | 20.0 |
| 01-05-2022 16:43 | 22.1 | 19.8 | 8 | 20.0 |
| 01-05-2022 16:44 | 22.2 | 19.8 | 8 | 20.1 |
| 01-05-2022 16:45 | 22.2 | 19.8 | 8 | 20.1 |
| 01-05-2022 16:46 | 22.2 | 19.8 | 8 | 20.1 |
| 01-05-2022 16:47 | 22.2 | 19.8 | 8 | 20.1 |
| 01-05-2022 16:48 | 22.2 | 19.9 | 6 | 20.2 |
| 01-05-2022 16:49 | 22.2 | 19.9 | 8 | 20.1 |
| 01-05-2022 16:50 | 22.2 | 19.9 | 8 | 20.3 |
| 01-05-2022 16:51 | 22.2 | 19.9 | 7 | 20.3 |
| 01-05-2022 16:52 | 22.2 | 19.9 | 8 | 20.3 |
| 01-05-2022 16:53 | 22.3 | 20.0 | 8 | 20.4 |
| 01-05-2022 16:54 | 22.3 | 20.0 | 7 | 20.4 |
| 01-05-2022 16:55 | 22.3 | 20.1 | 8 | 20.4 |
| 01-05-2022 16:56 | 22.3 | 20.1 | 8 | 20.5 |
| 01-05-2022 16:57 | 22.4 | 20.1 | 8 | 20.6 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 01-05-2022 16:58 | 22.4 | 20.2 | 8 | 20.6 |
| 01-05-2022 16:59 | 22.5 | 20.2 | 8 | 20.7 |
| 01-05-2022 17:00 | 22.5 | 20.3 | 8 | 20.8 |
| 01-05-2022 17:01 | 22.6 | 20.3 | 8 | 20.9 |
| 01-05-2022 17:02 | 22.6 | 20.4 | 8 | 20.9 |
| 01-05-2022 17:03 | 22.7 | 20.4 | 7 | 21.0 |
| 01-05-2022 17:04 | 22.7 | 20.5 | 8 | 21.0 |
| 01-05-2022 17:05 | 22.8 | 20.5 | 8 | 21.1 |
| 01-05-2022 17:06 | 22.8 | 20.6 | 8 | 21.1 |
| 01-05-2022 17:07 | 22.9 | 20.7 | 8 | 21.2 |
| 01-05-2022 17:08 | 22.9 | 20.7 | 8 | 21.2 |
| 01-05-2022 17:09 | 23.0 | 20.7 | 8 | 21.4 |
| 01-05-2022 17:10 | 23.0 | 20.8 | 7 | 21.4 |
| 01-05-2022 17:11 | 23.1 | 20.9 | 8 | 21.5 |
| 01-05-2022 17:12 | 23.1 | 20.9 | 8 | 21.5 |
| 01-05-2022 17:13 | 23.2 | 21.0 | 8 | 21.5 |
| 01-05-2022 17:14 | 23.2 | 21.0 | 7 | 21.6 |
| 01-05-2022 17:15 | 23.3 | 21.0 | 7 | 21.6 |
| 01-05-2022 17:16 | 23.3 | 21.1 | 8 | 21.6 |
| 01-05-2022 17:17 | 23.4 | 21.1 | 8 | 21.8 |
| 01-05-2022 17:18 | 23.4 | 21.2 | 8 | 21.8 |
| 01-05-2022 17:19 | 23.4 | 21.2 | 8 | 21.8 |
| 01-05-2022 17:20 | 23.5 | 21.2 | 8 | 21.8 |
| 01-05-2022 17:21 | 23.5 | 21.2 | 8 | 21.7 |
| 01-05-2022 17:22 | 23.5 | 21.2 | 8 | 21.8 |
| 01-05-2022 17:23 | 23.5 | 21.2 | 8 | 21.7 |
| 01-05-2022 17:24 | 23.5 | 21.2 | 8 | 21.7 |
| 01-05-2022 17:25 | 23.4 | 21.2 | 8 | 21.7 |
| 01-05-2022 17:26 | 23.4 | 21.2 | 8 | 21.6 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 01-05-2022 17:27 | 23.4 | 21.1 | 8 | 21.6 |
| 01-05-2022 17:28 | 23.4 | 21.1 | 8 | 21.5 |
| 01-05-2022 17:29 | 23.4 | 21.0 | 8 | 21.5 |
| 01-05-2022 17:30 | 23.4 | 21.0 | 8 | 21.6 |
| 01-05-2022 17:31 | 23.4 | 21.0 | 8 | 21.5 |
| 01-05-2022 17:32 | 23.3 | 20.9 | 8 | 21.4 |
| 01-05-2022 17:33 | 23.3 | 20.9 | 8 | 21.4 |
| 01-05-2022 17:34 | 23.3 | 20.9 | 8 | 21.4 |
| 01-05-2022 17:35 | 23.3 | 20.9 | 8 | 21.4 |
| 01-05-2022 17:36 | 23.3 | 20.8 | 8 | 21.3 |
| 01-05-2022 17:37 | 23.2 | 20.8 | 8 | 21.2 |
| 01-05-2022 17:38 | 23.2 | 20.7 | 8 | 21.3 |
| 01-05-2022 17:39 | 23.2 | 20.7 | 8 | 21.3 |
| 01-05-2022 17:40 | 23.1 | 20.7 | 8 | 21.2 |
| 01-05-2022 17:41 | 23.1 | 20.7 | 8 | 21.1 |
| 01-05-2022 17:42 | 23.1 | 20.6 | 8 | 21.2 |
| 01-05-2022 17:43 | 23.1 | 20.6 | 8 | 21.2 |
| 01-05-2022 17:44 | 23.1 | 20.6 | 8 | 21.1 |
| 01-05-2022 17:45 | 23.0 | 20.5 | 8 | 21.1 |
| 01-05-2022 17:46 | 23.0 | 20.5 | 8 | 21.2 |
| 01-05-2022 17:47 | 23.0 | 20.5 | 8 | 21.1 |
| 01-05-2022 17:48 | 23.0 | 20.5 | 8 | 21.1 |
| 01-05-2022 17:49 | 23.0 | 20.5 | 8 | 21.2 |
| 01-05-2022 17:50 | 23.0 | 20.5 | 8 | 21.1 |
| 01-05-2022 17:51 | 23.0 | 20.5 | 8 | 21.1 |
| 01-05-2022 17:52 | 23.0 | 20.5 | 8 | 21.2 |
| 01-05-2022 17:53 | 23.0 | 20.5 | 8 | 21.1 |
| 01-05-2022 17:54 | 23.0 | 20.5 | 8 | 21.1 |
| 01-05-2022 17:55 | 23.0 | 20.5 | 8 | 21.1 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 01-05-2022 17:56 | 23.0 | 20.5 | 8 | 21.1 |
| 01-05-2022 17:57 | 23.0 | 20.5 | 8 | 21.1 |
| 01-05-2022 17:58 | 23.0 | 20.5 | 8 | 21.1 |
| 01-05-2022 17:59 | 23.0 | 20.5 | 8 | 21.1 |
| 01-05-2022 18:00 | 23.0 | 20.5 | 8 | 21.1 |
| 01-05-2022 18:01 | 23.0 | 20.5 | 8 | 21.1 |
| 01-05-2022 18:02 | 23.0 | 20.5 | 8 | 21.0 |
| 01-05-2022 18:03 | 22.9 | 20.5 | 8 | 21.1 |
| 01-05-2022 18:04 | 22.9 | 20.5 | 8 | 21.1 |
| 01-05-2022 18:05 | 22.9 | 20.5 | 8 | 21.0 |
| 01-05-2022 18:06 | 22.9 | 20.5 | 8 | 21.0 |
| 01-05-2022 18:07 | 22.9 | 20.5 | 8 | 21.1 |
| 01-05-2022 18:08 | 22.9 | 20.5 | 8 | 21.1 |
| 01-05-2022 18:09 | 22.9 | 20.5 | 8 | 21.0 |
| 01-05-2022 18:10 | 22.9 | 20.5 | 8 | 21.0 |
| 01-05-2022 18:11 | 22.9 | 20.5 | 8 | 21.0 |
| 01-05-2022 18:12 | 22.9 | 20.5 | 8 | 21.0 |
| 01-05-2022 18:13 | 22.9 | 20.5 | 8 | 21.0 |
| 01-05-2022 18:14 | 22.9 | 20.5 | 8 | 21.0 |
| 01-05-2022 18:15 | 22.9 | 20.5 | 9 | 21.0 |
| 01-05-2022 18:16 | 22.9 | 20.4 | 8 | 21.0 |
| 01-05-2022 18:17 | 22.9 | 20.5 | 9 | 20.9 |
| 01-05-2022 18:18 | 22.9 | 20.4 | 8 | 21.0 |
| 01-05-2022 18:19 | 23.0 | 20.5 | 9 | 21.0 |
| 01-05-2022 18:20 | 23.0 | 20.4 | 8 | 21.0 |
| 01-05-2022 18:21 | 23.0 | 20.5 | 8 | 20.9 |
| 01-05-2022 18:22 | 23.0 | 20.4 | 8 | 20.9 |
| 01-05-2022 18:23 | 22.9 | 20.5 | 8 | 21.0 |
| 01-05-2022 18:24 | 23.0 | 20.4 | 8 | 20.9 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 01-05-2022 18:25 | 23.0 | 20.4 | 8 | 20.9 |
| 01-05-2022 18:26 | 23.0 | 20.4 | 8 | 21.0 |
| 01-05-2022 18:27 | 22.9 | 20.4 | 8 | 21.0 |
| 01-05-2022 18:28 | 22.9 | 20.4 | 8 | 20.9 |
| 01-05-2022 18:29 | 22.9 | 20.4 | 8 | 20.9 |
| 01-05-2022 18:30 | 22.9 | 20.4 | 8 | 21.0 |
| 01-05-2022 18:31 | 22.9 | 20.4 | 8 | 21.0 |
| 01-05-2022 18:32 | 22.9 | 20.4 | 8 | 20.9 |
| 01-05-2022 18:33 | 22.9 | 20.4 | 8 | 21.0 |
| 01-05-2022 18:34 | 22.9 | 20.4 | 8 | 21.0 |
| 01-05-2022 18:35 | 23.0 | 20.4 | 0 | 21.0 |
| 01-05-2022 18:36 | 23.0 | 20.4 | 10 | 21.0 |
| 01-05-2022 18:37 | 23.0 | 20.5 | 7 | 20.9 |
| 01-05-2022 18:38 | 23.0 | 20.5 | 8 | 21.0 |
| 01-05-2022 18:39 | 23.0 | 20.5 | 9 | 21.0 |
| 01-05-2022 18:40 | 23.0 | 20.5 | 8 | 21.2 |
| 01-05-2022 18:41 | 23.0 | 20.5 | 8 | 21.2 |
| 01-05-2022 18:42 | 23.1 | 20.6 | 8 | 21.3 |
| 01-05-2022 18:43 | 23.1 | 20.7 | 8 | 21.3 |
| 01-05-2022 18:44 | 23.2 | 20.7 | 8 | 21.4 |
| 01-05-2022 18:45 | 23.2 | 20.7 | 8 | 21.5 |
| 01-05-2022 18:46 | 23.2 | 20.8 | 8 | 21.5 |
| 01-05-2022 18:47 | 23.3 | 20.9 | 8 | 21.6 |
| 01-05-2022 18:48 | 23.3 | 20.9 | 8 | 21.6 |
| 01-05-2022 18:49 | 23.4 | 20.9 | 8 | 21.7 |
| 01-05-2022 18:50 | 23.4 | 21.0 | 8 | 21.7 |
| 01-05-2022 18:51 | 23.5 | 21.1 | 8 | 21.8 |
| 01-05-2022 18:52 | 23.5 | 21.1 | 8 | 21.9 |
| 01-05-2022 18:53 | 23.6 | 21.2 | 8 | 21.9 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 01-05-2022 18:54 | 23.6 | 21.2 | 8 | 22.0 |
| 01-05-2022 18:55 | 23.7 | 21.3 | 8 | 22.0 |
| 01-05-2022 18:56 | 23.7 | 21.3 | 8 | 22.0 |
| 01-05-2022 18:57 | 23.7 | 21.3 | 8 | 22.1 |
| 01-05-2022 18:58 | 23.8 | 21.4 | 8 | 22.0 |
| 01-05-2022 18:59 | 23.8 | 21.4 | 8 | 22.1 |
| 01-05-2022 19:00 | 23.8 | 21.4 | 8 | 22.1 |
| 01-05-2022 19:01 | 23.8 | 21.4 | 8 | 22.0 |
| 01-05-2022 19:02 | 23.8 | 21.4 | 8 | 22.1 |
| 01-05-2022 19:03 | 23.8 | 21.4 | 8 | 22.1 |
| 01-05-2022 19:04 | 23.8 | 21.4 | 8 | 22.1 |
| 01-05-2022 19:05 | 23.8 | 21.4 | 8 | 22.1 |
| 01-05-2022 19:06 | 23.8 | 21.4 | 8 | 22.0 |
| 01-05-2022 19:07 | 23.8 | 21.4 | 8 | 22.1 |
| 01-05-2022 19:08 | 23.8 | 21.4 | 8 | 22.0 |
| 01-05-2022 19:09 | 23.8 | 21.4 | 8 | 22.0 |
| 01-05-2022 19:10 | 23.8 | 21.3 | 8 | 22.0 |
| 01-05-2022 19:11 | 23.8 | 21.3 | 8 | 21.9 |
| 01-05-2022 19:12 | 23.8 | 21.3 | 8 | 22.0 |
| 01-05-2022 19:13 | 23.8 | 21.2 | 8 | 21.9 |
| 01-05-2022 19:14 | 23.8 | 21.2 | 7 | 21.9 |
| 01-05-2022 19:15 | 23.7 | 21.2 | 8 | 21.8 |
| 01-05-2022 19:16 | 23.7 | 21.2 | 8 | 21.8 |
| 01-05-2022 19:17 | 23.7 | 21.2 | 9 | 21.8 |
| 01-05-2022 19:18 | 23.7 | 21.1 | 8 | 21.8 |
| 01-05-2022 19:19 | 23.6 | 21.1 | 8 | 21.8 |
| 01-05-2022 19:20 | 23.6 | 21.1 | 8 | 21.7 |
| 01-05-2022 19:21 | 23.6 | 21.0 | 8 | 21.7 |
| 01-05-2022 19:22 | 23.6 | 21.0 | 8 | 21.7 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 01-05-2022 19:23 | 23.6 | 21.0 | 8 | 21.6 |
| 01-05-2022 19:24 | 23.6 | 20.9 | 8 | 21.6 |
| 01-05-2022 19:25 | 23.5 | 20.9 | 8 | 21.5 |
| 01-05-2022 19:26 | 23.5 | 20.9 | 9 | 21.5 |
| 01-05-2022 19:27 | 23.5 | 20.9 | 8 | 21.5 |
| 01-05-2022 19:28 | 23.5 | 20.9 | 9 | 21.5 |
| 01-05-2022 19:29 | 23.5 | 20.8 | 8 | 21.5 |
| 01-05-2022 19:30 | 23.4 | 20.8 | 8 | 21.5 |
| 01-05-2022 19:31 | 23.4 | 20.7 | 8 | 21.4 |
| 01-05-2022 19:32 | 23.4 | 20.7 | 8 | 21.4 |
| 01-05-2022 19:33 | 23.3 | 20.7 | 8 | 21.4 |
| 01-05-2022 19:34 | 23.3 | 20.7 | 8 | 21.4 |
| 01-05-2022 19:35 | 23.3 | 20.7 | 8 | 21.3 |
| 01-05-2022 19:36 | 23.3 | 20.7 | 8 | 21.3 |
| 01-05-2022 19:37 | 23.3 | 20.6 | 8 | 21.3 |
| 01-05-2022 19:38 | 23.2 | 20.6 | 8 | 21.3 |
| 01-05-2022 19:39 | 23.2 | 20.6 | 9 | 21.3 |
| 01-05-2022 19:40 | 23.2 | 20.6 | 9 | 21.3 |
| 01-05-2022 19:41 | 23.2 | 20.6 | 8 | 21.3 |
| 01-05-2022 19:42 | 23.2 | 20.6 | 9 | 21.3 |
| 01-05-2022 19:43 | 23.2 | 20.5 | 8 | 21.2 |
| 01-05-2022 19:44 | 23.2 | 20.5 | 8 | 21.2 |
| 01-05-2022 19:45 | 23.2 | 20.5 | 9 | 21.2 |
| 01-05-2022 19:46 | 23.1 | 20.5 | 8 | 21.1 |
| 01-05-2022 19:47 | 23.1 | 20.5 | 8 | 21.1 |
| 01-05-2022 19:48 | 23.1 | 20.5 | 9 | 21.1 |
| 01-05-2022 19:49 | 23.1 | 20.5 | 8 | 21.2 |
| 01-05-2022 19:50 | 23.1 | 20.5 | 8 | 21.1 |
| 01-05-2022 19:51 | 23.1 | 20.5 | 8 | 21.1 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 01-05-2022 19:52 | 23.1 | 20.5 | 8 | 21.1 |
| 01-05-2022 19:53 | 23.1 | 20.4 | 8 | 21.0 |
| 01-05-2022 19:54 | 23.0 | 20.4 | 8 | 21.0 |
| 01-05-2022 19:55 | 23.0 | 20.4 | 9 | 21.0 |
| 01-05-2022 19:56 | 23.0 | 20.4 | 8 | 21.0 |
| 01-05-2022 19:57 | 23.0 | 20.4 | 8 | 21.0 |
| 01-05-2022 19:58 | 23.0 | 20.4 | 8 | 21.0 |
| 01-05-2022 19:59 | 22.9 | 20.4 | 8 | 21.0 |
| 01-05-2022 20:00 | 22.9 | 20.4 | 8 | 20.9 |
| 01-05-2022 20:01 | 22.9 | 20.3 | 8 | 20.9 |
| 01-05-2022 20:02 | 22.9 | 20.3 | 9 | 21.0 |
| 01-05-2022 20:03 | 22.9 | 20.3 | 8 | 20.9 |
| 01-05-2022 20:04 | 22.9 | 20.3 | 8 | 21.0 |
| 01-05-2022 20:05 | 22.9 | 20.3 | 8 | 20.9 |
| 01-05-2022 20:06 | 22.9 | 20.3 | 8 | 21.0 |
| 01-05-2022 20:07 | 22.9 | 20.3 | 8 | 20.9 |
| 01-05-2022 20:08 | 22.9 | 20.3 | 8 | 20.9 |
| 01-05-2022 20:09 | 22.9 | 20.3 | 8 | 20.9 |
| 01-05-2022 20:10 | 22.9 | 20.3 | 9 | 20.9 |
| 01-05-2022 20:11 | 22.9 | 20.3 | 8 | 20.9 |
| 01-05-2022 20:12 | 22.9 | 20.3 | 8 | 20.9 |
| 01-05-2022 20:13 | 22.8 | 20.3 | 9 | 20.8 |
| 01-05-2022 20:14 | 22.8 | 20.3 | 8 | 20.8 |
| 01-05-2022 20:15 | 22.9 | 20.3 | 8 | 20.9 |
| 01-05-2022 20:16 | 22.8 | 20.3 | 8 | 20.9 |
| 01-05-2022 20:17 | 22.8 | 20.3 | 8 | 20.8 |
| 01-05-2022 20:18 | 22.8 | 20.3 | 8 | 20.8 |
| 01-05-2022 20:19 | 22.8 | 20.3 | 8 | 20.9 |
| 01-05-2022 20:20 | 22.8 | 20.3 | 8 | 20.8 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 01-05-2022 20:21 | 22.8 | 20.3 | 8 | 20.8 |
| 01-05-2022 20:22 | 22.7 | 20.3 | 8 | 20.8 |
| 01-05-2022 20:23 | 22.7 | 20.3 | 8 | 20.8 |
| 01-05-2022 20:24 | 22.7 | 20.3 | 9 | 20.8 |
| 01-05-2022 20:25 | 22.7 | 20.3 | 8 | 20.8 |
| 01-05-2022 20:26 | 22.7 | 20.3 | 9 | 20.8 |
| 01-05-2022 20:27 | 22.7 | 20.3 | 9 | 20.8 |
| 01-05-2022 20:28 | 22.8 | 20.3 | 9 | 20.7 |
| 01-05-2022 20:29 | 22.8 | 20.3 | 8 | 20.8 |
| 01-05-2022 20:30 | 22.8 | 20.3 | 9 | 20.8 |
| 01-05-2022 20:31 | 22.8 | 20.3 | 8 | 20.8 |
| 01-05-2022 20:32 | 22.8 | 20.3 | 8 | 20.7 |
| 01-05-2022 20:33 | 22.8 | 20.3 | 9 | 20.7 |
| 01-05-2022 20:34 | 22.8 | 20.3 | 8 | 20.7 |
| 01-05-2022 20:35 | 22.8 | 20.3 | 8 | 20.7 |
| 01-05-2022 20:36 | 22.8 | 20.2 | 9 | 20.7 |
| 01-05-2022 20:37 | 22.8 | 20.2 | 9 | 20.7 |
| 01-05-2022 20:38 | 22.8 | 20.2 | 8 | 20.8 |
| 01-05-2022 20:39 | 22.8 | 20.3 | 8 | 20.7 |
| 01-05-2022 20:40 | 22.8 | 20.2 | 8 | 20.7 |
| 01-05-2022 20:41 | 22.8 | 20.2 | 8 | 20.7 |
| 01-05-2022 20:42 | 22.8 | 20.2 | 8 | 20.7 |
| 01-05-2022 20:43 | 22.8 | 20.2 | 9 | 20.8 |
| 01-05-2022 20:44 | 22.8 | 20.2 | 8 | 20.7 |
| 01-05-2022 20:45 | 22.8 | 20.2 | 8 | 20.6 |
| 01-05-2022 20:46 | 22.8 | 20.2 | 8 | 20.7 |
| 01-05-2022 20:47 | 22.8 | 20.2 | 9 | 20.7 |
| 01-05-2022 20:48 | 22.8 | 20.2 | 9 | 20.6 |
| 01-05-2022 20:49 | 22.8 | 20.2 | 9 | 20.7 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 01-05-2022 20:50 | 22.7 | 20.2 | 8 | 20.7 |
| 01-05-2022 20:51 | 22.7 | 20.2 | 8 | 20.6 |
| 01-05-2022 20:52 | 22.7 | 20.2 | 7 | 20.6 |
| 01-05-2022 20:53 | 22.7 | 20.2 | 8 | 20.7 |
| 01-05-2022 20:54 | 22.7 | 20.2 | 9 | 20.6 |
| 01-05-2022 20:55 | 22.7 | 20.2 | 9 | 20.7 |
| 01-05-2022 20:56 | 22.7 | 20.2 | 8 | 20.6 |
| 01-05-2022 20:57 | 22.7 | 20.2 | 8 | 20.7 |
| 01-05-2022 20:58 | 22.7 | 20.2 | 8 | 20.7 |
| 01-05-2022 20:59 | 22.7 | 20.2 | 8 | 20.7 |
| 01-05-2022 21:00 | 22.7 | 20.2 | 9 | 20.7 |
| 01-05-2022 21:01 | 22.7 | 20.2 | 8 | 20.6 |
| 01-05-2022 21:02 | 22.7 | 20.2 | 8 | 20.7 |
| 01-05-2022 21:03 | 22.7 | 20.2 | 9 | 20.6 |
| 01-05-2022 21:04 | 22.7 | 20.2 | 8 | 20.6 |
| 01-05-2022 21:05 | 22.7 | 20.2 | 9 | 20.6 |
| 01-05-2022 21:06 | 22.7 | 20.2 | 8 | 20.6 |
| 01-05-2022 21:07 | 22.7 | 20.2 | 8 | 20.6 |
| 01-05-2022 21:08 | 22.7 | 20.2 | 8 | 20.6 |
| 01-05-2022 21:09 | 22.7 | 20.2 | 9 | 20.6 |
| 01-05-2022 21:10 | 22.7 | 20.2 | 8 | 20.6 |
| 01-05-2022 21:11 | 22.7 | 20.2 | 9 | 20.6 |
| 01-05-2022 21:12 | 22.7 | 20.2 | 8 | 20.6 |
| 01-05-2022 21:13 | 22.7 | 20.2 | 8 | 20.6 |
| 01-05-2022 21:14 | 22.7 | 20.2 | 9 | 20.6 |
| 01-05-2022 21:15 | 22.7 | 20.2 | 9 | 20.6 |
| 01-05-2022 21:16 | 22.6 | 20.2 | 8 | 20.6 |
| 01-05-2022 21:17 | 22.6 | 20.2 | 8 | 20.6 |
| 01-05-2022 21:18 | 22.6 | 20.2 | 8 | 20.6 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 01-05-2022 21:19 | 22.6 | 20.2 | 9 | 20.6 |
| 01-05-2022 21:20 | 22.6 | 20.2 | 8 | 20.6 |
| 01-05-2022 21:21 | 22.6 | 20.2 | 8 | 20.7 |
| 01-05-2022 21:22 | 22.6 | 20.1 | 8 | 20.6 |
| 01-05-2022 21:23 | 22.6 | 20.1 | 8 | 20.6 |
| 01-05-2022 21:24 | 22.6 | 20.1 | 9 | 20.6 |
| 01-05-2022 21:25 | 22.6 | 20.2 | 9 | 20.6 |
| 01-05-2022 21:26 | 22.6 | 20.1 | 9 | 20.5 |
| 01-05-2022 21:27 | 22.6 | 20.2 | 9 | 20.6 |
| 01-05-2022 21:28 | 22.7 | 20.2 | 9 | 20.5 |
| 01-05-2022 21:29 | 22.7 | 20.2 | 8 | 20.6 |
| 01-05-2022 21:30 | 22.6 | 20.2 | 8 | 20.6 |
| 01-05-2022 21:31 | 22.6 | 20.1 | 9 | 20.6 |
| 01-05-2022 21:32 | 22.6 | 20.2 | 8 | 20.6 |
| 01-05-2022 21:33 | 22.6 | 20.2 | 8 | 20.6 |
| 01-05-2022 21:34 | 22.6 | 20.2 | 9 | 20.6 |
| 01-05-2022 21:35 | 22.6 | 20.1 | 9 | 20.5 |
| 01-05-2022 21:36 | 22.6 | 20.1 | 8 | 20.6 |
| 01-05-2022 21:37 | 22.6 | 20.1 | 8 | 20.6 |
| 01-05-2022 21:38 | 22.6 | 20.1 | 8 | 20.5 |
| 01-05-2022 21:39 | 22.6 | 20.1 | 8 | 20.6 |
| 01-05-2022 21:40 | 22.6 | 20.1 | 9 | 20.6 |
| 01-05-2022 21:41 | 22.7 | 20.1 | 9 | 20.5 |
| 01-05-2022 21:42 | 22.6 | 20.1 | 8 | 20.6 |
| 01-05-2022 21:43 | 22.6 | 20.1 | 9 | 20.6 |
| 01-05-2022 21:44 | 22.6 | 20.1 | 8 | 20.6 |
| 01-05-2022 21:45 | 22.6 | 20.1 | 9 | 20.6 |
| 01-05-2022 21:46 | 22.6 | 20.1 | 9 | 20.5 |
| 01-05-2022 21:47 | 22.6 | 20.1 | 9 | 20.5 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 01-05-2022 21:48 | 22.6 | 20.1 | 9 | 20.5 |
| 01-05-2022 21:49 | 22.6 | 20.1 | 9 | 20.5 |
| 01-05-2022 21:50 | 22.6 | 20.1 | 8 | 20.5 |
| 01-05-2022 21:51 | 22.6 | 20.1 | 9 | 20.5 |
| 01-05-2022 21:52 | 22.6 | 20.1 | 8 | 20.5 |
| 01-05-2022 21:53 | 22.6 | 20.1 | 9 | 20.5 |
| 01-05-2022 21:54 | 22.6 | 20.1 | 8 | 20.6 |
| 01-05-2022 21:55 | 22.6 | 20.1 | 9 | 20.5 |
| 01-05-2022 21:56 | 22.6 | 20.1 | 8 | 20.5 |
| 01-05-2022 21:57 | 22.6 | 20.1 | 9 | 20.5 |
| 01-05-2022 21:58 | 22.6 | 20.1 | 8 | 20.5 |
| 01-05-2022 21:59 | 22.6 | 20.1 | 8 | 20.5 |
| 01-05-2022 22:00 | 22.6 | 20.1 | 9 | 20.5 |
| 01-05-2022 22:01 | 22.6 | 20.1 | 9 | 20.5 |
| 01-05-2022 22:02 | 22.6 | 20.1 | 9 | 20.5 |
| 01-05-2022 22:03 | 22.6 | 20.1 | 8 | 20.5 |
| 01-05-2022 22:04 | 22.6 | 20.1 | 9 | 20.6 |
| 01-05-2022 22:05 | 22.6 | 20.1 | 8 | 20.5 |
| 01-05-2022 22:06 | 22.6 | 20.1 | 8 | 20.5 |
| 01-05-2022 22:07 | 22.6 | 20.1 | 9 | 20.5 |
| 01-05-2022 22:08 | 22.6 | 20.1 | 9 | 20.5 |
| 01-05-2022 22:09 | 22.6 | 20.1 | 9 | 20.5 |
| 01-05-2022 22:10 | 22.5 | 20.1 | 8 | 20.5 |
| 01-05-2022 22:11 | 22.5 | 20.1 | 8 | 20.5 |
| 01-05-2022 22:12 | 22.5 | 20.1 | 8 | 20.5 |
| 01-05-2022 22:13 | 22.5 | 20.1 | 8 | 20.5 |
| 01-05-2022 22:14 | 22.4 | 20.1 | 9 | 20.5 |
| 01-05-2022 22:15 | 22.4 | 20.1 | 8 | 20.5 |
| 01-05-2022 22:16 | 22.4 | 20.1 | 9 | 20.5 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 01-05-2022 22:17 | 22.4 | 20.1 | 8 | 20.5 |
| 01-05-2022 22:18 | 22.4 | 20.1 | 8 | 20.5 |
| 01-05-2022 22:19 | 22.4 | 20.1 | 8 | 20.5 |
| 01-05-2022 22:20 | 22.4 | 20.1 | 8 | 20.5 |
| 01-05-2022 22:21 | 22.4 | 20.1 | 8 | 20.5 |
| 01-05-2022 22:22 | 22.4 | 20.1 | 8 | 20.4 |
| 01-05-2022 22:23 | 22.4 | 20.1 | 8 | 20.5 |
| 01-05-2022 22:24 | 22.4 | 20.1 | 8 | 20.4 |
| 01-05-2022 22:25 | 22.4 | 20.1 | 8 | 20.5 |
| 01-05-2022 22:26 | 22.4 | 20.1 | 8 | 20.5 |
| 01-05-2022 22:27 | 22.4 | 20.1 | 9 | 20.5 |
| 01-05-2022 22:28 | 22.3 | 20.1 | 9 | 20.5 |
| 01-05-2022 22:29 | 22.4 | 20.1 | 8 | 20.4 |
| 01-05-2022 22:30 | 22.4 | 20.1 | 8 | 20.4 |
| 01-05-2022 22:31 | 22.3 | 20.1 | 8 | 20.5 |
| 01-05-2022 22:32 | 22.3 | 20.1 | 8 | 20.5 |
| 01-05-2022 22:33 | 22.3 | 20.1 | 8 | 20.4 |
| 01-05-2022 22:34 | 22.3 | 20.1 | 8 | 20.4 |
| 01-05-2022 22:35 | 22.3 | 20.1 | 8 | 20.5 |
| 01-05-2022 22:36 | 22.4 | 20.1 | 8 | 20.5 |
| 01-05-2022 22:37 | 22.4 | 20.1 | 8 | 20.5 |
| 01-05-2022 22:38 | 22.4 | 20.1 | 8 | 20.5 |
| 01-05-2022 22:39 | 22.3 | 20.1 | 8 | 20.5 |
| 01-05-2022 22:40 | 22.4 | 20.1 | 8 | 20.4 |
| 01-05-2022 22:41 | 22.4 | 20.1 | 8 | 20.4 |
| 01-05-2022 22:42 | 22.3 | 20.1 | 8 | 20.5 |
| 01-05-2022 22:43 | 22.4 | 20.1 | 8 | 20.5 |
| 01-05-2022 22:44 | 22.4 | 20.1 | 8 | 20.5 |
| 01-05-2022 22:45 | 22.4 | 20.1 | 8 | 20.5 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 01-05-2022 22:46 | 22.3 | 20.1 | 8 | 20.5 |
| 01-05-2022 22:47 | 22.4 | 20.1 | 8 | 20.5 |
| 01-05-2022 22:48 | 22.4 | 20.1 | 8 | 20.6 |
| 01-05-2022 22:49 | 22.4 | 20.1 | 8 | 20.5 |
| 01-05-2022 22:50 | 22.4 | 20.1 | 8 | 20.5 |
| 01-05-2022 22:51 | 22.4 | 20.1 | 8 | 20.5 |
| 01-05-2022 22:52 | 22.4 | 20.1 | 8 | 20.5 |
| 01-05-2022 22:53 | 22.4 | 20.1 | 9 | 20.5 |
| 01-05-2022 22:54 | 22.4 | 20.1 | 8 | 20.6 |
| 01-05-2022 22:55 | 22.4 | 20.2 | 8 | 20.5 |
| 01-05-2022 22:56 | 22.4 | 20.2 | 8 | 20.5 |
| 01-05-2022 22:57 | 22.4 | 20.2 | 8 | 20.6 |
| 01-05-2022 22:58 | 22.5 | 20.2 | 8 | 20.6 |
| 01-05-2022 22:59 | 22.5 | 20.2 | 9 | 20.6 |
| 01-05-2022 23:00 | 22.5 | 20.2 | 8 | 20.6 |
| 01-05-2022 23:01 | 22.5 | 20.2 | 8 | 20.6 |
| 01-05-2022 23:02 | 22.5 | 20.2 | 8 | 20.6 |
| 01-05-2022 23:03 | 22.5 | 20.2 | 8 | 20.6 |
| 01-05-2022 23:04 | 22.5 | 20.2 | 8 | 20.6 |
| 01-05-2022 23:05 | 22.5 | 20.2 | 8 | 20.6 |
| 01-05-2022 23:06 | 22.5 | 20.2 | 8 | 20.6 |
| 01-05-2022 23:07 | 22.5 | 20.2 | 9 | 20.6 |
| 01-05-2022 23:08 | 22.5 | 20.2 | 8 | 20.6 |
| 01-05-2022 23:09 | 22.6 | 20.2 | 8 | 20.6 |
| 01-05-2022 23:10 | 22.6 | 20.2 | 7 | 20.6 |
| 01-05-2022 23:11 | 22.6 | 20.2 | 8 | 20.6 |
| 01-05-2022 23:12 | 22.6 | 20.2 | 8 | 20.6 |
| 01-05-2022 23:13 | 22.6 | 20.2 | 9 | 20.7 |
| 01-05-2022 23:14 | 22.6 | 20.2 | 7 | 20.6 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 01-05-2022 23:15 | 22.6 | 20.2 | 7 | 20.7 |
| 01-05-2022 23:16 | 22.6 | 20.3 | 8 | 20.6 |
| 01-05-2022 23:17 | 22.6 | 20.2 | 8 | 20.6 |
| 01-05-2022 23:18 | 22.6 | 20.3 | 8 | 20.6 |
| 01-05-2022 23:19 | 22.6 | 20.3 | 8 | 20.7 |
| 01-05-2022 23:20 | 22.6 | 20.3 | 8 | 20.6 |
| 01-05-2022 23:21 | 22.6 | 20.3 | 8 | 20.7 |
| 01-05-2022 23:22 | 22.6 | 20.3 | 8 | 20.7 |
| 01-05-2022 23:23 | 22.6 | 20.3 | 8 | 20.6 |
| 01-05-2022 23:24 | 22.6 | 20.3 | 8 | 20.7 |
| 01-05-2022 23:25 | 22.6 | 20.3 | 9 | 20.6 |
| 01-05-2022 23:26 | 22.6 | 20.3 | 8 | 20.7 |
| 01-05-2022 23:27 | 22.6 | 20.3 | 9 | 20.7 |
| 01-05-2022 23:28 | 22.5 | 20.3 | 8 | 20.7 |
| 01-05-2022 23:29 | 22.6 | 20.3 | 8 | 20.6 |
| 01-05-2022 23:30 | 22.5 | 20.3 | 8 | 20.7 |
| 01-05-2022 23:31 | 22.5 | 20.3 | 8 | 20.7 |
| 01-05-2022 23:32 | 22.5 | 20.2 | 7 | 20.7 |
| 01-05-2022 23:33 | 22.5 | 20.3 | 8 | 20.7 |
| 01-05-2022 23:34 | 22.5 | 20.3 | 8 | 20.6 |
| 01-05-2022 23:35 | 22.5 | 20.3 | 9 | 20.6 |
| 01-05-2022 23:36 | 22.5 | 20.3 | 8 | 20.6 |
| 01-05-2022 23:37 | 22.5 | 20.3 | 8 | 20.7 |
| 01-05-2022 23:38 | 22.5 | 20.3 | 9 | 20.6 |
| 01-05-2022 23:39 | 22.5 | 20.3 | 7 | 20.7 |
| 01-05-2022 23:40 | 22.4 | 20.3 | 8 | 20.7 |
| 01-05-2022 23:41 | 22.4 | 20.3 | 8 | 20.7 |
| 01-05-2022 23:42 | 22.5 | 20.3 | 8 | 20.7 |
| 01-05-2022 23:43 | 22.5 | 20.3 | 8 | 20.7 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 01-05-2022 23:44 | 22.5 | 20.3 | 8 | 20.7 |
| 01-05-2022 23:45 | 22.5 | 20.3 | 0 | 20.6 |
| 01-05-2022 23:46 | 22.4 | 20.3 | 8 | 20.7 |
| 01-05-2022 23:47 | 22.4 | 20.3 | 8 | 20.7 |
| 01-05-2022 23:48 | 22.4 | 20.3 | 8 | 20.7 |
| 01-05-2022 23:49 | 22.4 | 20.3 | 8 | 20.7 |
| 01-05-2022 23:50 | 22.4 | 20.3 | 8 | 20.7 |
| 01-05-2022 23:51 | 22.4 | 20.3 | 8 | 20.7 |
| 01-05-2022 23:52 | 22.4 | 20.3 | 8 | 20.7 |
| 01-05-2022 23:53 | 22.4 | 20.3 | 8 | 20.7 |
| 01-05-2022 23:54 | 22.4 | 20.2 | 8 | 20.7 |
| 01-05-2022 23:55 | 22.4 | 20.3 | 8 | 20.6 |
| 01-05-2022 23:56 | 22.4 | 20.2 | 8 | 20.7 |
| 01-05-2022 23:57 | 22.4 | 20.3 | 8 | 20.7 |
| 01-05-2022 23:58 | 22.4 | 20.2 | 8 | 20.7 |
| 01-05-2022 23:59 | 22.4 | 20.3 | 8 | 20.7 |
| 02-05-2022 00:00 | 22.4 | 20.3 | 8 | 20.7 |
| 02-05-2022 00:01 | 22.4 | 20.3 | 8 | 20.7 |
| 02-05-2022 00:02 | 22.4 | 20.3 | 8 | 20.7 |
| 02-05-2022 00:03 | 22.4 | 20.3 | 9 | 20.6 |
| 02-05-2022 00:04 | 22.4 | 20.3 | 8 | 20.6 |
| 02-05-2022 00:05 | 22.4 | 20.3 | 8 | 20.7 |
| 02-05-2022 00:06 | 22.4 | 20.2 | 8 | 20.6 |
| 02-05-2022 00:07 | 22.4 | 20.3 | 8 | 20.7 |
| 02-05-2022 00:08 | 22.4 | 20.3 | 8 | 20.7 |
| 02-05-2022 00:09 | 22.4 | 20.3 | 8 | 20.7 |
| 02-05-2022 00:10 | 22.4 | 20.3 | 8 | 20.6 |
| 02-05-2022 00:11 | 22.4 | 20.3 | 9 | 20.7 |
| 02-05-2022 00:12 | 22.4 | 20.3 | 8 | 20.7 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 02-05-2022 00:13 | 22.4 | 20.3 | 8 | 20.7 |
| 02-05-2022 00:14 | 22.4 | 20.3 | 8 | 20.6 |
| 02-05-2022 00:15 | 22.4 | 20.3 | 0 | 20.6 |
| 02-05-2022 00:16 | 22.4 | 20.3 | 8 | 20.7 |
| 02-05-2022 00:17 | 22.4 | 20.3 | 7 | 20.7 |
| 02-05-2022 00:18 | 22.4 | 20.3 | 8 | 20.7 |
| 02-05-2022 00:19 | 22.4 | 20.3 | 8 | 20.7 |
| 02-05-2022 00:20 | 22.4 | 20.3 | 8 | 20.7 |
| 02-05-2022 00:21 | 22.5 | 20.3 | 7 | 20.7 |
| 02-05-2022 00:22 | 22.5 | 20.3 | 8 | 20.7 |
| 02-05-2022 00:23 | 22.4 | 20.3 | 8 | 20.7 |
| 02-05-2022 00:24 | 22.4 | 20.3 | 8 | 20.7 |
| 02-05-2022 00:25 | 22.4 | 20.3 | 8 | 20.7 |
| 02-05-2022 00:26 | 22.5 | 20.3 | 8 | 20.7 |
| 02-05-2022 00:27 | 22.4 | 20.3 | 8 | 20.7 |
| 02-05-2022 00:28 | 22.4 | 20.3 | 8 | 20.7 |
| 02-05-2022 00:29 | 22.5 | 20.3 | 8 | 20.7 |
| 02-05-2022 00:30 | 22.5 | 20.3 | 8 | 20.7 |
| 02-05-2022 00:31 | 22.5 | 20.3 | 8 | 20.8 |
| 02-05-2022 00:32 | 22.5 | 20.3 | 7 | 20.7 |
| 02-05-2022 00:33 | 22.5 | 20.3 | 8 | 20.7 |
| 02-05-2022 00:34 | 22.5 | 20.3 | 8 | 20.7 |
| 02-05-2022 00:35 | 22.5 | 20.4 | 8 | 20.8 |
| 02-05-2022 00:36 | 22.5 | 20.4 | 8 | 20.7 |
| 02-05-2022 00:37 | 22.5 | 20.4 | 8 | 20.8 |
| 02-05-2022 00:38 | 22.5 | 20.4 | 8 | 20.8 |
| 02-05-2022 00:39 | 22.5 | 20.4 | 8 | 20.8 |
| 02-05-2022 00:40 | 22.5 | 20.4 | 8 | 20.7 |
| 02-05-2022 00:41 | 22.5 | 20.4 | 8 | 20.7 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 02-05-2022 00:42 | 22.5 | 20.4 | 8 | 20.8 |
| 02-05-2022 00:43 | 22.5 | 20.4 | 8 | 20.7 |
| 02-05-2022 00:44 | 22.5 | 20.4 | 8 | 20.7 |
| 02-05-2022 00:45 | 22.5 | 20.4 | 8 | 20.8 |
| 02-05-2022 00:46 | 22.5 | 20.4 | 8 | 20.7 |
| 02-05-2022 00:47 | 22.5 | 20.4 | 8 | 20.8 |
| 02-05-2022 00:48 | 22.5 | 20.4 | 8 | 20.8 |
| 02-05-2022 00:49 | 22.5 | 20.4 | 9 | 20.8 |
| 02-05-2022 00:50 | 22.5 | 20.4 | 8 | 20.7 |
| 02-05-2022 00:51 | 22.5 | 20.4 | 8 | 20.7 |
| 02-05-2022 00:52 | 22.6 | 20.4 | 8 | 20.8 |
| 02-05-2022 00:53 | 22.5 | 20.4 | 8 | 20.8 |
| 02-05-2022 00:54 | 22.5 | 20.4 | 8 | 20.8 |
| 02-05-2022 00:55 | 22.5 | 20.4 | 4 | 20.8 |
| 02-05-2022 00:56 | 22.5 | 20.4 | 8 | 20.8 |
| 02-05-2022 00:57 | 22.5 | 20.4 | 8 | 20.7 |
| 02-05-2022 00:58 | 22.6 | 20.4 | 9 | 20.8 |
| 02-05-2022 00:59 | 22.5 | 20.4 | 8 | 20.8 |
| 02-05-2022 01:00 | 22.5 | 20.4 | 8 | 20.7 |
| 02-05-2022 01:01 | 22.5 | 20.4 | 8 | 20.8 |
| 02-05-2022 01:02 | 22.5 | 20.5 | 8 | 20.8 |
| 02-05-2022 01:03 | 22.5 | 20.4 | 8 | 20.8 |
| 02-05-2022 01:04 | 22.5 | 20.4 | 8 | 20.8 |
| 02-05-2022 01:05 | 22.6 | 20.4 | 8 | 20.8 |
| 02-05-2022 01:06 | 22.5 | 20.4 | 8 | 20.8 |
| 02-05-2022 01:07 | 22.5 | 20.4 | 9 | 20.8 |
| 02-05-2022 01:08 | 22.6 | 20.4 | 8 | 20.8 |
| 02-05-2022 01:09 | 22.5 | 20.4 | 8 | 20.8 |
| 02-05-2022 01:10 | 22.5 | 20.4 | 8 | 20.8 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 02-05-2022 01:11 | 22.6 | 20.4 | 8 | 20.8 |
| 02-05-2022 01:12 | 22.6 | 20.4 | 8 | 20.8 |
| 02-05-2022 01:13 | 22.6 | 20.4 | 8 | 20.7 |
| 02-05-2022 01:14 | 22.5 | 20.4 | 8 | 20.8 |
| 02-05-2022 01:15 | 22.5 | 20.4 | 8 | 20.8 |
| 02-05-2022 01:16 | 22.5 | 20.4 | 8 | 20.8 |
| 02-05-2022 01:17 | 22.5 | 20.4 | 7 | 20.8 |
| 02-05-2022 01:18 | 22.5 | 20.4 | 8 | 20.7 |
| 02-05-2022 01:19 | 22.5 | 20.4 | 8 | 20.8 |
| 02-05-2022 01:20 | 22.5 | 20.4 | 8 | 20.8 |
| 02-05-2022 01:21 | 22.5 | 20.4 | 8 | 20.8 |
| 02-05-2022 01:22 | 22.6 | 20.4 | 8 | 20.8 |
| 02-05-2022 01:23 | 22.5 | 20.4 | 8 | 20.8 |
| 02-05-2022 01:24 | 22.5 | 20.4 | 8 | 20.8 |
| 02-05-2022 01:25 | 22.5 | 20.4 | 8 | 20.8 |
| 02-05-2022 01:26 | 22.5 | 20.4 | 8 | 20.8 |
| 02-05-2022 01:27 | 22.5 | 20.4 | 8 | 20.8 |
| 02-05-2022 01:28 | 22.6 | 20.4 | 8 | 20.9 |
| 02-05-2022 01:29 | 22.6 | 20.4 | 8 | 20.8 |
| 02-05-2022 01:30 | 22.6 | 20.4 | 8 | 20.8 |
| 02-05-2022 01:31 | 22.6 | 20.4 | 8 | 20.8 |
| 02-05-2022 01:32 | 22.5 | 20.4 | 8 | 20.8 |
| 02-05-2022 01:33 | 22.5 | 20.4 | 8 | 20.8 |
| 02-05-2022 01:34 | 22.5 | 20.4 | 8 | 20.8 |
| 02-05-2022 01:35 | 22.5 | 20.4 | 8 | 20.8 |
| 02-05-2022 01:36 | 22.5 | 20.4 | 8 | 20.8 |
| 02-05-2022 01:37 | 22.6 | 20.4 | 8 | 20.8 |
| 02-05-2022 01:38 | 22.5 | 20.4 | 8 | 20.8 |
| 02-05-2022 01:39 | 22.5 | 20.4 | 8 | 20.8 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 02-05-2022 01:40 | 22.5 | 20.4 | 8 | 20.8 |
| 02-05-2022 01:41 | 22.5 | 20.4 | 8 | 20.8 |
| 02-05-2022 01:42 | 22.5 | 20.4 | 8 | 20.8 |
| 02-05-2022 01:43 | 22.5 | 20.4 | 8 | 20.8 |
| 02-05-2022 01:44 | 22.5 | 20.4 | 8 | 20.8 |
| 02-05-2022 01:45 | 22.5 | 20.4 | 8 | 20.8 |
| 02-05-2022 01:46 | 22.5 | 20.4 | 8 | 20.8 |
| 02-05-2022 01:47 | 22.5 | 20.4 | 8 | 20.7 |
| 02-05-2022 01:48 | 22.5 | 20.4 | 8 | 20.8 |
| 02-05-2022 01:49 | 22.5 | 20.4 | 8 | 20.8 |
| 02-05-2022 01:50 | 22.5 | 20.4 | 8 | 20.8 |
| 02-05-2022 01:51 | 22.6 | 20.4 | 9 | 20.8 |
| 02-05-2022 01:52 | 22.5 | 20.4 | 8 | 20.8 |
| 02-05-2022 01:53 | 22.6 | 20.4 | 8 | 20.8 |
| 02-05-2022 01:54 | 22.6 | 20.4 | 8 | 20.8 |
| 02-05-2022 01:55 | 22.6 | 20.4 | 8 | 20.8 |
| 02-05-2022 01:56 | 22.6 | 20.4 | 8 | 20.7 |
| 02-05-2022 01:57 | 22.6 | 20.4 | 8 | 20.8 |
| 02-05-2022 01:58 | 22.6 | 20.4 | 8 | 20.8 |
| 02-05-2022 01:59 | 22.6 | 20.4 | 8 | 20.8 |
| 02-05-2022 02:00 | 22.6 | 20.4 | 9 | 20.8 |
| 02-05-2022 02:01 | 22.6 | 20.4 | 8 | 20.8 |
| 02-05-2022 02:02 | 22.6 | 20.4 | 8 | 20.7 |
| 02-05-2022 02:03 | 22.6 | 20.3 | 8 | 20.8 |
| 02-05-2022 02:04 | 22.5 | 20.4 | 8 | 20.8 |
| 02-05-2022 02:05 | 22.6 | 20.3 | 8 | 20.7 |
| 02-05-2022 02:06 | 22.6 | 20.3 | 9 | 20.8 |
| 02-05-2022 02:07 | 22.6 | 20.4 | 8 | 20.8 |
| 02-05-2022 02:08 | 22.6 | 20.3 | 8 | 20.8 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 02-05-2022 02:09 | 22.6 | 20.3 | 9 | 20.7 |
| 02-05-2022 02:10 | 22.6 | 20.3 | 8 | 20.7 |
| 02-05-2022 02:11 | 22.6 | 20.3 | 8 | 20.7 |
| 02-05-2022 02:12 | 22.6 | 20.4 | 8 | 20.8 |
| 02-05-2022 02:13 | 22.6 | 20.3 | 8 | 20.8 |
| 02-05-2022 02:14 | 22.6 | 20.3 | 8 | 20.8 |
| 02-05-2022 02:15 | 22.6 | 20.3 | 8 | 20.8 |
| 02-05-2022 02:16 | 22.6 | 20.3 | 8 | 20.8 |
| 02-05-2022 02:17 | 22.6 | 20.3 | 8 | 20.8 |
| 02-05-2022 02:18 | 22.6 | 20.3 | 4 | 20.8 |
| 02-05-2022 02:19 | 22.6 | 20.4 | 9 | 20.8 |
| 02-05-2022 02:20 | 22.5 | 20.4 | 8 | 20.8 |
| 02-05-2022 02:21 | 22.6 | 20.3 | 9 | 20.8 |
| 02-05-2022 02:22 | 22.6 | 20.4 | 8 | 20.8 |
| 02-05-2022 02:23 | 22.6 | 20.4 | 8 | 20.7 |
| 02-05-2022 02:24 | 22.6 | 20.4 | 8 | 20.8 |
| 02-05-2022 02:25 | 22.5 | 20.4 | 8 | 20.8 |
| 02-05-2022 02:26 | 22.6 | 20.4 | 8 | 20.7 |
| 02-05-2022 02:27 | 22.6 | 20.4 | 8 | 20.7 |
| 02-05-2022 02:28 | 22.6 | 20.4 | 7 | 20.8 |
| 02-05-2022 02:29 | 22.6 | 20.4 | 8 | 20.8 |
| 02-05-2022 02:30 | 22.6 | 20.4 | 8 | 20.8 |
| 02-05-2022 02:31 | 22.6 | 20.4 | 8 | 20.7 |
| 02-05-2022 02:32 | 22.6 | 20.4 | 9 | 20.7 |
| 02-05-2022 02:33 | 22.6 | 20.4 | 9 | 20.8 |
| 02-05-2022 02:34 | 22.6 | 20.4 | 8 | 20.8 |
| 02-05-2022 02:35 | 22.6 | 20.4 | 4 | 20.8 |
| 02-05-2022 02:36 | 22.6 | 20.4 | 8 | 20.8 |
| 02-05-2022 02:37 | 22.6 | 20.4 | 9 | 20.8 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 02-05-2022 02:38 | 22.6 | 20.4 | 8 | 20.7 |
| 02-05-2022 02:39 | 22.6 | 20.4 | 8 | 20.8 |
| 02-05-2022 02:40 | 22.6 | 20.4 | 8 | 20.8 |
| 02-05-2022 02:41 | 22.6 | 20.4 | 9 | 20.7 |
| 02-05-2022 02:42 | 22.6 | 20.4 | 8 | 20.8 |
| 02-05-2022 02:43 | 22.6 | 20.4 | 8 | 20.8 |
| 02-05-2022 02:44 | 22.6 | 20.4 | 8 | 20.8 |
| 02-05-2022 02:45 | 22.5 | 20.4 | 8 | 20.7 |
| 02-05-2022 02:46 | 22.5 | 20.4 | 8 | 20.8 |
| 02-05-2022 02:47 | 22.5 | 20.4 | 8 | 20.8 |
| 02-05-2022 02:48 | 22.5 | 20.4 | 8 | 20.7 |
| 02-05-2022 02:49 | 22.5 | 20.4 | 8 | 20.8 |
| 02-05-2022 02:50 | 22.5 | 20.4 | 8 | 20.8 |
| 02-05-2022 02:51 | 22.5 | 20.4 | 8 | 20.8 |
| 02-05-2022 02:52 | 22.5 | 20.4 | 3 | 20.8 |
| 02-05-2022 02:53 | 22.5 | 20.5 | 8 | 20.8 |
| 02-05-2022 02:54 | 22.5 | 20.5 | 8 | 20.8 |
| 02-05-2022 02:55 | 22.5 | 20.5 | 8 | 20.8 |
| 02-05-2022 02:56 | 22.5 | 20.5 | 8 | 20.8 |
| 02-05-2022 02:57 | 22.5 | 20.5 | 8 | 20.8 |
| 02-05-2022 02:58 | 22.5 | 20.5 | 8 | 20.8 |
| 02-05-2022 02:59 | 22.5 | 20.5 | 8 | 20.8 |
| 02-05-2022 03:00 | 22.5 | 20.5 | 8 | 20.8 |
| 02-05-2022 03:01 | 22.5 | 20.5 | 8 | 20.7 |
| 02-05-2022 03:02 | 22.5 | 20.5 | 8 | 20.8 |
| 02-05-2022 03:03 | 22.5 | 20.5 | 8 | 20.8 |
| 02-05-2022 03:04 | 22.5 | 20.5 | 8 | 20.7 |
| 02-05-2022 03:05 | 22.5 | 20.5 | 7 | 20.8 |
| 02-05-2022 03:06 | 22.5 | 20.5 | 8 | 20.8 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 02-05-2022 03:07 | 22.5 | 20.5 | 9 | 20.8 |
| 02-05-2022 03:08 | 22.5 | 20.5 | 8 | 20.8 |
| 02-05-2022 03:09 | 22.6 | 20.5 | 8 | 20.8 |
| 02-05-2022 03:10 | 22.6 | 20.5 | 8 | 20.8 |
| 02-05-2022 03:11 | 22.6 | 20.5 | 9 | 20.8 |
| 02-05-2022 03:12 | 22.6 | 20.5 | 8 | 20.8 |
| 02-05-2022 03:13 | 22.6 | 20.5 | 0 | 20.8 |
| 02-05-2022 03:14 | 22.6 | 20.5 | 9 | 20.8 |
| 02-05-2022 03:15 | 22.5 | 20.5 | 8 | 20.8 |
| 02-05-2022 03:16 | 22.5 | 20.5 | 8 | 20.8 |
| 02-05-2022 03:17 | 22.6 | 20.5 | 8 | 20.8 |
| 02-05-2022 03:18 | 22.6 | 20.5 | 8 | 20.8 |
| 02-05-2022 03:19 | 22.6 | 20.5 | 8 | 20.8 |
| 02-05-2022 03:20 | 22.6 | 20.5 | 9 | 20.8 |
| 02-05-2022 03:21 | 22.6 | 20.5 | 8 | 20.8 |
| 02-05-2022 03:22 | 22.5 | 20.5 | 8 | 20.8 |
| 02-05-2022 03:23 | 22.5 | 20.5 | 8 | 20.8 |
| 02-05-2022 03:24 | 22.6 | 20.6 | 8 | 20.8 |
| 02-05-2022 03:25 | 22.5 | 20.6 | 8 | 20.8 |
| 02-05-2022 03:26 | 22.6 | 20.6 | 8 | 20.8 |
| 02-05-2022 03:27 | 22.6 | 20.6 | 8 | 20.8 |
| 02-05-2022 03:28 | 22.6 | 20.6 | 9 | 20.8 |
| 02-05-2022 03:29 | 22.5 | 20.6 | 8 | 20.8 |
| 02-05-2022 03:30 | 22.6 | 20.6 | 8 | 20.8 |
| 02-05-2022 03:31 | 22.5 | 20.6 | 8 | 20.7 |
| 02-05-2022 03:32 | 22.5 | 20.6 | 8 | 20.8 |
| 02-05-2022 03:33 | 22.5 | 20.6 | 8 | 20.8 |
| 02-05-2022 03:34 | 22.5 | 20.6 | 8 | 20.8 |
| 02-05-2022 03:35 | 22.5 | 20.6 | 8 | 20.8 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 02-05-2022 03:36 | 22.5 | 20.6 | 8 | 20.7 |
| 02-05-2022 03:37 | 22.5 | 20.6 | 8 | 20.7 |
| 02-05-2022 03:38 | 22.5 | 20.6 | 8 | 20.8 |
| 02-05-2022 03:39 | 22.5 | 20.6 | 9 | 20.8 |
| 02-05-2022 03:40 | 22.5 | 20.6 | 8 | 20.8 |
| 02-05-2022 03:41 | 22.5 | 20.6 | 8 | 20.8 |
| 02-05-2022 03:42 | 22.5 | 20.6 | 8 | 20.8 |
| 02-05-2022 03:43 | 22.5 | 20.6 | 8 | 20.8 |
| 02-05-2022 03:44 | 22.5 | 20.7 | 8 | 20.8 |
| 02-05-2022 03:45 | 22.5 | 20.7 | 8 | 20.8 |
| 02-05-2022 03:46 | 22.5 | 20.7 | 8 | 20.8 |
| 02-05-2022 03:47 | 22.5 | 20.7 | 8 | 20.8 |
| 02-05-2022 03:48 | 22.5 | 20.7 | 8 | 20.8 |
| 02-05-2022 03:49 | 22.5 | 20.7 | 0 | 20.8 |
| 02-05-2022 03:50 | 22.5 | 20.7 | 8 | 20.8 |
| 02-05-2022 03:51 | 22.5 | 20.7 | 8 | 20.8 |
| 02-05-2022 03:52 | 22.5 | 20.7 | 8 | 20.8 |
| 02-05-2022 03:53 | 22.5 | 20.7 | 8 | 20.8 |
| 02-05-2022 03:54 | 22.5 | 20.7 | 8 | 20.8 |
| 02-05-2022 03:55 | 22.5 | 20.7 | 0 | 20.8 |
| 02-05-2022 03:56 | 22.5 | 20.7 | 8 | 20.8 |
| 02-05-2022 03:57 | 22.5 | 20.7 | 8 | 20.8 |
| 02-05-2022 03:58 | 22.5 | 20.7 | 8 | 20.8 |
| 02-05-2022 03:59 | 22.5 | 20.6 | 8 | 20.8 |
| 02-05-2022 04:00 | 22.5 | 20.6 | 8 | 20.8 |
| 02-05-2022 04:01 | 22.5 | 20.6 | 9 | 20.7 |
| 02-05-2022 04:02 | 22.5 | 20.6 | 8 | 20.8 |
| 02-05-2022 04:03 | 22.5 | 20.6 | 8 | 20.8 |
| 02-05-2022 04:04 | 22.5 | 20.5 | 8 | 20.8 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 02-05-2022 04:05 | 22.5 | 20.5 | 8 | 20.8 |
| 02-05-2022 04:06 | 22.5 | 20.5 | 8 | 20.8 |
| 02-05-2022 04:07 | 22.5 | 20.5 | 8 | 20.8 |
| 02-05-2022 04:08 | 22.5 | 20.5 | 8 | 20.8 |
| 02-05-2022 04:09 | 22.5 | 20.5 | 8 | 20.8 |
| 02-05-2022 04:10 | 22.5 | 20.5 | 9 | 20.8 |
| 02-05-2022 04:11 | 22.5 | 20.5 | 8 | 20.8 |
| 02-05-2022 04:12 | 22.5 | 20.5 | 9 | 20.8 |
| 02-05-2022 04:13 | 22.5 | 20.5 | 8 | 20.8 |
| 02-05-2022 04:14 | 22.5 | 20.5 | 8 | 20.8 |
| 02-05-2022 04:15 | 22.5 | 20.5 | 8 | 20.8 |
| 02-05-2022 04:16 | 22.5 | 20.5 | 8 | 20.8 |
| 02-05-2022 04:17 | 22.5 | 20.5 | 8 | 20.8 |
| 02-05-2022 04:18 | 22.5 | 20.5 | 8 | 20.8 |
| 02-05-2022 04:19 | 22.5 | 20.5 | 8 | 20.8 |
| 02-05-2022 04:20 | 22.5 | 20.5 | 8 | 20.8 |
| 02-05-2022 04:21 | 22.5 | 20.5 | 8 | 20.7 |
| 02-05-2022 04:22 | 22.5 | 20.5 | 8 | 20.8 |
| 02-05-2022 04:23 | 22.5 | 20.5 | 8 | 20.8 |
| 02-05-2022 04:24 | 22.5 | 20.5 | 8 | 20.8 |
| 02-05-2022 04:25 | 22.5 | 20.5 | 8 | 20.8 |
| 02-05-2022 04:26 | 22.5 | 20.5 | 8 | 20.8 |
| 02-05-2022 04:27 | 22.5 | 20.5 | 8 | 20.7 |
| 02-05-2022 04:28 | 22.5 | 20.5 | 8 | 20.8 |
| 02-05-2022 04:29 | 22.5 | 20.5 | 8 | 20.8 |
| 02-05-2022 04:30 | 22.5 | 20.5 | 8 | 20.9 |
| 02-05-2022 04:31 | 22.5 | 20.5 | 8 | 20.8 |
| 02-05-2022 04:32 | 22.5 | 20.5 | 8 | 20.8 |
| 02-05-2022 04:33 | 22.5 | 20.5 | 8 | 20.7 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 02-05-2022 04:34 | 22.5 | 20.5 | 8 | 20.8 |
| 02-05-2022 04:35 | 22.5 | 20.5 | 8 | 20.8 |
| 02-05-2022 04:36 | 22.5 | 20.5 | 8 | 20.8 |
| 02-05-2022 04:37 | 22.5 | 20.5 | 8 | 20.8 |
| 02-05-2022 04:38 | 22.5 | 20.5 | 8 | 20.8 |
| 02-05-2022 04:39 | 22.6 | 20.5 | 8 | 20.8 |
| 02-05-2022 04:40 | 22.5 | 20.5 | 8 | 20.7 |
| 02-05-2022 04:41 | 22.5 | 20.5 | 8 | 20.8 |
| 02-05-2022 04:42 | 22.6 | 20.5 | 9 | 20.8 |
| 02-05-2022 04:43 | 22.5 | 20.5 | 8 | 20.7 |
| 02-05-2022 04:44 | 22.5 | 20.5 | 8 | 20.8 |
| 02-05-2022 04:45 | 22.5 | 20.5 | 8 | 20.8 |
| 02-05-2022 04:46 | 22.5 | 20.5 | 4 | 20.8 |
| 02-05-2022 04:47 | 22.6 | 20.5 | 8 | 20.8 |
| 02-05-2022 04:48 | 22.6 | 20.5 | 8 | 20.8 |
| 02-05-2022 04:49 | 22.6 | 20.5 | 8 | 20.8 |
| 02-05-2022 04:50 | 22.6 | 20.5 | 8 | 20.8 |
| 02-05-2022 04:51 | 22.6 | 20.5 | 4 | 20.8 |
| 02-05-2022 04:52 | 22.5 | 20.5 | 8 | 20.7 |
| 02-05-2022 04:53 | 22.5 | 20.5 | 8 | 20.8 |
| 02-05-2022 04:54 | 22.5 | 20.5 | 8 | 20.7 |
| 02-05-2022 04:55 | 22.5 | 20.5 | 8 | 20.8 |
| 02-05-2022 04:56 | 22.5 | 20.5 | 8 | 20.8 |
| 02-05-2022 04:57 | 22.5 | 20.5 | 9 | 20.7 |
| 02-05-2022 04:58 | 22.5 | 20.5 | 8 | 20.8 |
| 02-05-2022 04:59 | 22.5 | 20.5 | 8 | 20.8 |
| 02-05-2022 05:00 | 22.6 | 20.5 | 8 | 20.8 |
| 02-05-2022 05:01 | 22.6 | 20.5 | 8 | 20.8 |
| 02-05-2022 05:02 | 22.5 | 20.5 | 8 | 20.8 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 02-05-2022 05:03 | 22.6 | 20.5 | 8 | 20.8 |
| 02-05-2022 05:04 | 22.6 | 20.5 | 8 | 20.8 |
| 02-05-2022 05:05 | 22.5 | 20.5 | 8 | 20.8 |
| 02-05-2022 05:06 | 22.6 | 20.5 | 8 | 20.8 |
| 02-05-2022 05:07 | 22.6 | 20.5 | 8 | 20.8 |
| 02-05-2022 05:08 | 22.6 | 20.5 | 8 | 20.8 |
| 02-05-2022 05:09 | 22.5 | 20.5 | 8 | 20.8 |
| 02-05-2022 05:10 | 22.6 | 20.5 | 8 | 20.7 |
| 02-05-2022 05:11 | 22.6 | 20.5 | 8 | 20.8 |
| 02-05-2022 05:12 | 22.5 | 20.5 | 8 | 20.7 |
| 02-05-2022 05:13 | 22.5 | 20.5 | 8 | 20.8 |
| 02-05-2022 05:14 | 22.5 | 20.5 | 8 | 20.8 |
| 02-05-2022 05:15 | 22.5 | 20.5 | 8 | 20.8 |
| 02-05-2022 05:16 | 22.6 | 20.5 | 8 | 20.8 |
| 02-05-2022 05:17 | 22.5 | 20.5 | 8 | 20.8 |
| 02-05-2022 05:18 | 22.5 | 20.5 | 8 | 20.8 |
| 02-05-2022 05:19 | 22.6 | 20.5 | 8 | 20.7 |
| 02-05-2022 05:20 | 22.6 | 20.5 | 9 | 20.8 |
| 02-05-2022 05:21 | 22.6 | 20.5 | 9 | 20.8 |
| 02-05-2022 05:22 | 22.6 | 20.5 | 8 | 20.8 |
| 02-05-2022 05:23 | 22.6 | 20.5 | 8 | 20.8 |
| 02-05-2022 05:24 | 22.6 | 20.4 | 8 | 20.8 |
| 02-05-2022 05:25 | 22.6 | 20.5 | 9 | 20.9 |
| 02-05-2022 05:26 | 22.5 | 20.5 | 8 | 20.8 |
| 02-05-2022 05:27 | 22.6 | 20.5 | 8 | 20.9 |
| 02-05-2022 05:28 | 22.6 | 20.5 | 8 | 20.8 |
| 02-05-2022 05:29 | 22.6 | 20.5 | 8 | 20.8 |
| 02-05-2022 05:30 | 22.6 | 20.5 | 8 | 20.8 |
| 02-05-2022 05:31 | 22.6 | 20.4 | 8 | 20.8 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 02-05-2022 05:32 | 22.6 | 20.4 | 8 | 20.8 |
| 02-05-2022 05:33 | 22.6 | 20.4 | 8 | 20.8 |
| 02-05-2022 05:34 | 22.6 | 20.5 | 8 | 20.8 |
| 02-05-2022 05:35 | 22.6 | 20.4 | 8 | 20.8 |
| 02-05-2022 05:36 | 22.6 | 20.4 | 8 | 20.8 |
| 02-05-2022 05:37 | 22.6 | 20.5 | 8 | 20.7 |
| 02-05-2022 05:38 | 22.6 | 20.4 | 8 | 20.8 |
| 02-05-2022 05:39 | 22.5 | 20.4 | 8 | 20.8 |
| 02-05-2022 05:40 | 22.6 | 20.4 | 8 | 20.8 |
| 02-05-2022 05:41 | 22.6 | 20.4 | 8 | 20.9 |
| 02-05-2022 05:42 | 22.6 | 20.4 | 9 | 20.8 |
| 02-05-2022 05:43 | 22.6 | 20.4 | 8 | 20.8 |
| 02-05-2022 05:44 | 22.6 | 20.4 | 9 | 20.8 |
| 02-05-2022 05:45 | 22.6 | 20.4 | 8 | 20.8 |
| 02-05-2022 05:46 | 22.6 | 20.4 | 8 | 20.8 |
| 02-05-2022 05:47 | 22.6 | 20.4 | 8 | 20.8 |
| 02-05-2022 05:48 | 22.6 | 20.4 | 8 | 20.8 |
| 02-05-2022 05:49 | 22.6 | 20.4 | 8 | 20.8 |
| 02-05-2022 05:50 | 22.5 | 20.4 | 8 | 20.8 |
| 02-05-2022 05:51 | 22.6 | 20.4 | 8 | 20.8 |
| 02-05-2022 05:52 | 22.5 | 20.4 | 8 | 20.8 |
| 02-05-2022 05:53 | 22.5 | 20.4 | 8 | 20.8 |
| 02-05-2022 05:54 | 22.5 | 20.4 | 8 | 20.8 |
| 02-05-2022 05:55 | 22.5 | 20.4 | 8 | 20.8 |
| 02-05-2022 05:56 | 22.5 | 20.4 | 9 | 20.7 |
| 02-05-2022 05:57 | 22.5 | 20.4 | 8 | 20.8 |
| 02-05-2022 05:58 | 22.5 | 20.4 | 8 | 20.8 |
| 02-05-2022 05:59 | 22.6 | 20.4 | 9 | 20.8 |
| 02-05-2022 06:00 | 22.6 | 20.4 | 8 | 20.8 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 02-05-2022 06:01 | 22.6 | 20.4 | 8 | 20.8 |
| 02-05-2022 06:02 | 22.6 | 20.4 | 9 | 20.8 |
| 02-05-2022 06:03 | 22.6 | 20.4 | 8 | 20.8 |
| 02-05-2022 06:04 | 22.6 | 20.4 | 8 | 20.8 |
| 02-05-2022 06:05 | 22.6 | 20.4 | 8 | 20.7 |
| 02-05-2022 06:06 | 22.6 | 20.4 | 8 | 20.8 |
| 02-05-2022 06:07 | 22.6 | 20.4 | 8 | 20.8 |
| 02-05-2022 06:08 | 22.6 | 20.4 | 9 | 20.8 |
| 02-05-2022 06:09 | 22.6 | 20.4 | 9 | 20.8 |
| 02-05-2022 06:10 | 22.6 | 20.4 | 8 | 20.8 |
| 02-05-2022 06:11 | 22.6 | 20.4 | 8 | 20.7 |
| 02-05-2022 06:12 | 22.6 | 20.4 | 8 | 20.8 |
| 02-05-2022 06:13 | 22.6 | 20.4 | 8 | 20.8 |
| 02-05-2022 06:14 | 22.6 | 20.4 | 8 | 20.8 |
| 02-05-2022 06:15 | 22.6 | 20.4 | 9 | 20.8 |
| 02-05-2022 06:16 | 22.5 | 20.4 | 8 | 20.8 |
| 02-05-2022 06:17 | 22.6 | 20.4 | 8 | 20.8 |
| 02-05-2022 06:18 | 22.6 | 20.4 | 9 | 20.7 |
| 02-05-2022 06:19 | 22.6 | 20.4 | 9 | 20.8 |
| 02-05-2022 06:20 | 22.6 | 20.4 | 8 | 20.7 |
| 02-05-2022 06:21 | 22.6 | 20.4 | 8 | 20.8 |
| 02-05-2022 06:22 | 22.6 | 20.4 | 8 | 20.8 |
| 02-05-2022 06:23 | 22.5 | 20.4 | 8 | 20.7 |
| 02-05-2022 06:24 | 22.6 | 20.4 | 9 | 20.8 |
| 02-05-2022 06:25 | 22.6 | 20.4 | 8 | 20.8 |
| 02-05-2022 06:26 | 22.6 | 20.3 | 9 | 20.8 |
| 02-05-2022 06:27 | 22.6 | 20.3 | 8 | 20.8 |
| 02-05-2022 06:28 | 22.6 | 20.4 | 8 | 20.7 |
| 02-05-2022 06:29 | 22.6 | 20.4 | 9 | 20.8 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 02-05-2022 06:30 | 22.6 | 20.4 | 9 | 20.7 |
| 02-05-2022 06:31 | 22.6 | 20.3 | 8 | 20.7 |
| 02-05-2022 06:32 | 22.6 | 20.3 | 9 | 20.8 |
| 02-05-2022 06:33 | 22.5 | 20.3 | 7 | 20.7 |
| 02-05-2022 06:34 | 22.6 | 20.3 | 8 | 20.7 |
| 02-05-2022 06:35 | 22.6 | 20.3 | 0 | 20.7 |
| 02-05-2022 06:36 | 22.6 | 20.3 | 9 | 20.8 |
| 02-05-2022 06:37 | 22.6 | 20.4 | 8 | 20.7 |
| 02-05-2022 06:38 | 22.6 | 20.4 | 8 | 20.7 |
| 02-05-2022 06:39 | 22.6 | 20.3 | 9 | 20.7 |
| 02-05-2022 06:40 | 22.6 | 20.3 | 9 | 20.7 |
| 02-05-2022 06:41 | 22.6 | 20.4 | 8 | 20.7 |
| 02-05-2022 06:42 | 22.6 | 20.4 | 8 | 20.7 |
| 02-05-2022 06:43 | 22.6 | 20.3 | 9 | 20.8 |
| 02-05-2022 06:44 | 22.6 | 20.4 | 9 | 20.7 |
| 02-05-2022 06:45 | 22.6 | 20.4 | 9 | 20.7 |
| 02-05-2022 06:46 | 22.6 | 20.4 | 8 | 20.7 |
| 02-05-2022 06:47 | 22.6 | 20.4 | 9 | 20.7 |
| 02-05-2022 06:48 | 22.6 | 20.4 | 8 | 20.7 |
| 02-05-2022 06:49 | 22.6 | 20.4 | 8 | 20.7 |
| 02-05-2022 06:50 | 22.6 | 20.4 | 9 | 20.7 |
| 02-05-2022 06:51 | 22.6 | 20.4 | 8 | 20.8 |
| 02-05-2022 06:52 | 22.6 | 20.4 | 9 | 20.8 |
| 02-05-2022 06:53 | 22.6 | 20.4 | 8 | 20.7 |
| 02-05-2022 06:54 | 22.6 | 20.4 | 8 | 20.8 |
| 02-05-2022 06:55 | 22.6 | 20.4 | 8 | 20.8 |
| 02-05-2022 06:56 | 22.6 | 20.4 | 8 | 20.7 |
| 02-05-2022 06:57 | 22.6 | 20.4 | 8 | 20.7 |
| 02-05-2022 06:58 | 22.6 | 20.4 | 9 | 20.7 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 02-05-2022 06:59 | 22.6 | 20.4 | 8 | 20.8 |
| 02-05-2022 07:00 | 22.6 | 20.4 | 8 | 20.8 |
| 02-05-2022 07:01 | 22.6 | 20.4 | 8 | 20.7 |
| 02-05-2022 07:02 | 22.7 | 20.4 | 0 | 20.8 |
| 02-05-2022 07:03 | 22.7 | 20.4 | 0 | 20.8 |
| 02-05-2022 07:04 | 22.7 | 20.4 | 9 | 20.7 |
| 02-05-2022 07:05 | 22.7 | 20.4 | 7 | 20.8 |
| 02-05-2022 07:06 | 22.7 | 20.4 | 9 | 20.8 |
| 02-05-2022 07:07 | 22.8 | 20.4 | 9 | 20.8 |
| 02-05-2022 07:08 | 22.8 | 20.4 | 9 | 20.8 |
| 02-05-2022 07:09 | 22.8 | 20.4 | 7 | 20.7 |
| 02-05-2022 07:10 | 22.8 | 20.4 | 8 | 20.8 |
| 02-05-2022 07:11 | 22.8 | 20.4 | 8 | 20.8 |
| 02-05-2022 07:12 | 22.8 | 20.4 | 9 | 20.8 |
| 02-05-2022 07:13 | 22.8 | 20.4 | 8 | 20.8 |
| 02-05-2022 07:14 | 22.9 | 20.4 | 9 | 20.8 |
| 02-05-2022 07:15 | 22.9 | 20.4 | 9 | 20.8 |
| 02-05-2022 07:16 | 22.9 | 20.4 | 8 | 20.7 |
| 02-05-2022 07:17 | 22.9 | 20.4 | 9 | 20.8 |
| 02-05-2022 07:18 | 22.9 | 20.4 | 9 | 20.8 |
| 02-05-2022 07:19 | 22.9 | 20.4 | 9 | 20.8 |
| 02-05-2022 07:20 | 22.8 | 20.4 | 9 | 20.8 |
| 02-05-2022 07:21 | 22.8 | 20.4 | 9 | 20.8 |
| 02-05-2022 07:22 | 22.9 | 20.4 | 8 | 20.8 |
| 02-05-2022 07:23 | 22.9 | 20.4 | 8 | 20.9 |
| 02-05-2022 07:24 | 22.9 | 20.4 | 8 | 20.8 |
| 02-05-2022 07:25 | 22.9 | 20.5 | 9 | 20.9 |
| 02-05-2022 07:26 | 22.9 | 20.4 | 10 | 20.8 |
| 02-05-2022 07:27 | 22.9 | 20.4 | 9 | 20.8 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 02-05-2022 07:28 | 22.9 | 20.4 | 9 | 20.8 |
| 02-05-2022 07:29 | 22.9 | 20.4 | 9 | 20.8 |
| 02-05-2022 07:30 | 22.9 | 20.4 | 9 | 20.8 |
| 02-05-2022 07:31 | 22.9 | 20.5 | 9 | 20.9 |
| 02-05-2022 07:32 | 22.9 | 20.5 | 9 | 20.8 |
| 02-05-2022 07:33 | 22.8 | 20.5 | 8 | 20.9 |
| 02-05-2022 07:34 | 22.8 | 20.5 | 8 | 20.8 |
| 02-05-2022 07:35 | 22.8 | 20.5 | 8 | 20.9 |
| 02-05-2022 07:36 | 22.8 | 20.5 | 9 | 20.9 |
| 02-05-2022 07:37 | 22.9 | 20.5 | 9 | 20.8 |
| 02-05-2022 07:38 | 22.9 | 20.5 | 9 | 20.8 |
| 02-05-2022 07:39 | 22.9 | 20.5 | 8 | 20.9 |
| 02-05-2022 07:40 | 23.0 | 20.5 | 9 | 20.9 |
| 02-05-2022 07:41 | 23.0 | 20.5 | 9 | 20.9 |
| 02-05-2022 07:42 | 23.0 | 20.5 | 9 | 20.9 |
| 02-05-2022 07:43 | 23.1 | 20.5 | 9 | 20.9 |
| 02-05-2022 07:44 | 23.1 | 20.5 | 9 | 20.9 |
| 02-05-2022 07:45 | 23.1 | 20.5 | 8 | 20.9 |
| 02-05-2022 07:46 | 23.2 | 20.5 | 8 | 20.9 |
| 02-05-2022 07:47 | 23.2 | 20.5 | 8 | 20.9 |
| 02-05-2022 07:48 | 23.3 | 20.5 | 8 | 20.9 |
| 02-05-2022 07:49 | 23.3 | 20.5 | 8 | 20.9 |
| 02-05-2022 07:50 | 23.4 | 20.5 | 8 | 20.9 |
| 02-05-2022 07:51 | 23.4 | 20.5 | 9 | 20.9 |
| 02-05-2022 07:52 | 23.5 | 20.5 | 9 | 21.0 |
| 02-05-2022 07:53 | 23.5 | 20.5 | 9 | 21.0 |
| 02-05-2022 07:54 | 23.6 | 20.5 | 3 | 20.9 |
| 02-05-2022 07:55 | 23.6 | 20.5 | 9 | 21.0 |
| 02-05-2022 07:56 | 23.7 | 20.5 | 8 | 20.9 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 02-05-2022 07:57 | 23.7 | 20.5 | 9 | 21.0 |
| 02-05-2022 07:58 | 23.7 | 20.5 | 9 | 21.0 |
| 02-05-2022 07:59 | 23.8 | 20.5 | 9 | 21.0 |
| 02-05-2022 08:00 | 23.8 | 20.5 | 8 | 21.0 |
| 02-05-2022 08:01 | 23.9 | 20.5 | 9 | 21.0 |
| 02-05-2022 08:02 | 23.9 | 20.5 | 9 | 21.0 |
| 02-05-2022 08:03 | 23.9 | 20.5 | 8 | 21.0 |
| 02-05-2022 08:04 | 23.9 | 20.5 | 9 | 21.0 |
| 02-05-2022 08:05 | 23.9 | 20.5 | 9 | 21.0 |
| 02-05-2022 08:06 | 23.9 | 20.6 | 8 | 21.0 |
| 02-05-2022 08:07 | 23.9 | 20.6 | 9 | 21.0 |
| 02-05-2022 08:08 | 24.0 | 20.6 | 9 | 21.0 |
| 02-05-2022 08:09 | 24.0 | 20.6 | 9 | 21.1 |
| 02-05-2022 08:10 | 23.9 | 20.6 | 8 | 21.0 |
| 02-05-2022 08:11 | 23.9 | 20.6 | 9 | 21.0 |
| 02-05-2022 08:12 | 23.9 | 20.6 | 8 | 21.1 |
| 02-05-2022 08:13 | 24.0 | 20.6 | 8 | 21.0 |
| 02-05-2022 08:14 | 24.0 | 20.6 | 9 | 21.1 |
| 02-05-2022 08:15 | 24.0 | 20.6 | 8 | 21.1 |
| 02-05-2022 08:16 | 24.0 | 20.6 | 8 | 21.1 |
| 02-05-2022 08:17 | 24.1 | 20.6 | 8 | 21.1 |
| 02-05-2022 08:18 | 24.1 | 20.6 | 8 | 21.1 |
| 02-05-2022 08:19 | 24.0 | 20.6 | 8 | 21.1 |
| 02-05-2022 08:20 | 24.1 | 20.6 | 8 | 21.1 |
| 02-05-2022 08:21 | 24.1 | 20.6 | 8 | 21.1 |
| 02-05-2022 08:22 | 24.1 | 20.6 | 8 | 21.1 |
| 02-05-2022 08:23 | 24.1 | 20.6 | 8 | 21.1 |
| 02-05-2022 08:24 | 24.1 | 20.6 | 8 | 21.1 |
| 02-05-2022 08:25 | 24.2 | 20.6 | 8 | 21.1 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 02-05-2022 08:26 | 24.2 | 20.6 | 8 | 21.1 |
| 02-05-2022 08:27 | 24.2 | 20.6 | 8 | 21.1 |
| 02-05-2022 08:28 | 24.2 | 20.6 | 8 | 21.1 |
| 02-05-2022 08:29 | 24.3 | 20.6 | 8 | 21.0 |
| 02-05-2022 08:30 | 24.3 | 20.6 | 8 | 21.1 |
| 02-05-2022 08:31 | 24.3 | 20.6 | 8 | 21.1 |
| 02-05-2022 08:32 | 24.3 | 20.5 | 8 | 21.0 |
| 02-05-2022 08:33 | 24.3 | 20.5 | 8 | 21.1 |
| 02-05-2022 08:34 | 24.3 | 20.5 | 8 | 21.0 |
| 02-05-2022 08:35 | 24.3 | 20.5 | 8 | 21.0 |
| 02-05-2022 08:36 | 24.3 | 20.5 | 8 | 21.0 |
| 02-05-2022 08:37 | 24.3 | 20.5 | 9 | 20.9 |
| 02-05-2022 08:38 | 24.3 | 20.5 | 9 | 21.0 |
| 02-05-2022 08:39 | 24.3 | 20.5 | 9 | 20.9 |
| 02-05-2022 08:40 | 24.3 | 20.5 | 8 | 21.0 |
| 02-05-2022 08:41 | 24.3 | 20.5 | 8 | 20.9 |
| 02-05-2022 08:42 | 24.4 | 20.4 | 9 | 20.9 |
| 02-05-2022 08:43 | 24.4 | 20.4 | 8 | 20.8 |
| 02-05-2022 08:44 | 24.3 | 20.4 | 8 | 20.8 |
| 02-05-2022 08:45 | 24.3 | 20.3 | 8 | 20.9 |
| 02-05-2022 08:46 | 24.3 | 20.3 | 8 | 20.8 |
| 02-05-2022 08:47 | 24.3 | 20.3 | 9 | 20.8 |
| 02-05-2022 08:48 | 24.3 | 20.3 | 8 | 20.8 |
| 02-05-2022 08:49 | 24.3 | 20.3 | 8 | 20.8 |
| 02-05-2022 08:50 | 24.3 | 20.3 | 0 | 20.8 |
| 02-05-2022 08:51 | 24.3 | 20.3 | 8 | 20.8 |
| 02-05-2022 08:52 | 24.3 | 20.3 | 4 | 20.8 |
| 02-05-2022 08:53 | 24.2 | 20.2 | 8 | 20.8 |
| 02-05-2022 08:54 | 24.2 | 20.3 | 8 | 20.7 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 02-05-2022 08:55 | 24.2 | 20.3 | 8 | 20.7 |
| 02-05-2022 08:56 | 24.1 | 20.3 | 8 | 20.7 |
| 02-05-2022 08:57 | 24.2 | 20.2 | 8 | 20.6 |
| 02-05-2022 08:58 | 24.2 | 20.3 | 8 | 20.7 |
| 02-05-2022 08:59 | 24.2 | 20.2 | 8 | 20.6 |
| 02-05-2022 09:00 | 24.2 | 20.2 | 9 | 20.6 |
| 02-05-2022 09:01 | 24.1 | 20.2 | 8 | 20.6 |
| 02-05-2022 09:02 | 24.0 | 20.2 | 8 | 20.5 |
| 02-05-2022 09:03 | 24.0 | 20.2 | 0 | 20.5 |
| 02-05-2022 09:04 | 24.0 | 20.2 | 8 | 20.5 |
| 02-05-2022 09:05 | 24.0 | 20.2 | 7 | 20.5 |
| 02-05-2022 09:06 | 23.9 | 20.2 | 8 | 20.4 |
| 02-05-2022 09:07 | 23.9 | 20.2 | 8 | 20.4 |
| 02-05-2022 09:08 | 23.8 | 20.2 | 8 | 20.4 |
| 02-05-2022 09:09 | 23.7 | 20.2 | 8 | 20.4 |
| 02-05-2022 09:10 | 23.7 | 20.2 | 7 | 20.5 |
| 02-05-2022 09:11 | 23.6 | 20.2 | 8 | 20.4 |
| 02-05-2022 09:12 | 23.6 | 20.2 | 8 | 20.4 |
| 02-05-2022 09:13 | 23.5 | 20.2 | 8 | 20.4 |
| 02-05-2022 09:14 | 23.4 | 20.2 | 8 | 20.4 |
| 02-05-2022 09:15 | 23.4 | 20.2 | 8 | 20.3 |
| 02-05-2022 09:16 | 23.4 | 20.2 | 8 | 20.3 |
| 02-05-2022 09:17 | 23.4 | 20.2 | 7 | 20.3 |
| 02-05-2022 09:18 | 23.3 | 20.1 | 8 | 20.3 |
| 02-05-2022 09:19 | 23.2 | 20.1 | 7 | 20.3 |
| 02-05-2022 09:20 | 23.2 | 20.1 | 8 | 20.3 |
| 02-05-2022 09:21 | 23.2 | 20.1 | 8 | 20.2 |
| 02-05-2022 09:22 | 23.2 | 20.1 | 8 | 20.2 |
| 02-05-2022 09:23 | 23.2 | 20.1 | 8 | 20.2 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 02-05-2022 09:24 | 23.2 | 20.1 | 8 | 20.3 |
| 02-05-2022 09:25 | 23.2 | 20.1 | 8 | 20.3 |
| 02-05-2022 09:26 | 23.1 | 20.1 | 8 | 20.2 |
| 02-05-2022 09:27 | 23.1 | 20.0 | 8 | 20.2 |
| 02-05-2022 09:28 | 23.1 | 20.0 | 8 | 20.2 |
| 02-05-2022 09:29 | 23.2 | 20.0 | 8 | 20.3 |
| 02-05-2022 09:30 | 23.2 | 20.0 | 8 | 20.2 |
| 02-05-2022 09:31 | 23.2 | 20.0 | 8 | 20.2 |
| 02-05-2022 09:32 | 23.2 | 20.0 | 8 | 20.2 |
| 02-05-2022 09:33 | 23.2 | 20.0 | 9 | 20.2 |
| 02-05-2022 09:34 | 23.1 | 20.0 | 9 | 20.1 |
| 02-05-2022 09:35 | 23.1 | 20.0 | 9 | 20.2 |
| 02-05-2022 09:36 | 23.1 | 20.0 | 9 | 20.2 |
| 02-05-2022 09:37 | 23.1 | 20.0 | 4 | 20.1 |
| 02-05-2022 09:38 | 23.1 | 20.0 | 9 | 20.2 |
| 02-05-2022 09:39 | 23.2 | 20.0 | 8 | 20.2 |
| 02-05-2022 09:40 | 23.1 | 20.0 | 8 | 20.1 |
| 02-05-2022 09:41 | 23.2 | 20.0 | 8 | 20.2 |
| 02-05-2022 09:42 | 23.2 | 20.0 | 9 | 20.1 |
| 02-05-2022 09:43 | 23.1 | 19.9 | 9 | 20.1 |
| 02-05-2022 09:44 | 23.2 | 19.9 | 8 | 20.1 |
| 02-05-2022 09:45 | 23.2 | 20.0 | 8 | 20.1 |
| 02-05-2022 09:46 | 23.2 | 19.9 | 0 | 20.2 |
| 02-05-2022 09:47 | 23.2 | 19.9 | 8 | 20.2 |
| 02-05-2022 09:48 | 23.2 | 19.9 | 9 | 20.2 |
| 02-05-2022 09:49 | 23.2 | 19.9 | 8 | 20.1 |
| 02-05-2022 09:50 | 23.2 | 19.9 | 8 | 20.1 |
| 02-05-2022 09:51 | 23.3 | 19.9 | 7 | 20.2 |
| 02-05-2022 09:52 | 23.3 | 19.9 | 8 | 20.1 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 02-05-2022 09:53 | 23.4 | 19.9 | 8 | 20.2 |
| 02-05-2022 09:54 | 23.4 | 19.9 | 0 | 20.1 |
| 02-05-2022 09:55 | 23.4 | 19.9 | 8 | 20.2 |
| 02-05-2022 09:56 | 23.4 | 19.9 | 8 | 20.1 |
| 02-05-2022 09:57 | 23.4 | 19.9 | 7 | 20.1 |
| 02-05-2022 09:58 | 23.4 | 20.0 | 8 | 20.1 |
| 02-05-2022 09:59 | 23.5 | 19.9 | 8 | 20.1 |
| 02-05-2022 10:00 | 23.4 | 20.0 | 8 | 20.2 |
| 02-05-2022 10:01 | 23.4 | 20.0 | 10 | 20.2 |
| 02-05-2022 10:02 | 23.5 | 19.9 | 8 | 20.3 |
| 02-05-2022 10:03 | 23.5 | 20.0 | 0 | 20.2 |
| 02-05-2022 10:04 | 23.5 | 20.0 | 8 | 20.2 |
| 02-05-2022 10:05 | 23.5 | 20.0 | 8 | 20.2 |
| 02-05-2022 10:06 | 23.5 | 20.0 | 8 | 20.3 |
| 02-05-2022 10:07 | 23.5 | 20.0 | 8 | 20.3 |
| 02-05-2022 10:08 | 23.6 | 20.0 | 8 | 20.3 |
| 02-05-2022 10:09 | 23.6 | 20.0 | 8 | 20.4 |
| 02-05-2022 10:10 | 23.6 | 20.0 | 9 | 20.4 |
| 02-05-2022 10:11 | 23.7 | 20.0 | 8 | 20.3 |
| 02-05-2022 10:12 | 23.7 | 20.0 | 8 | 20.4 |
| 02-05-2022 10:13 | 23.7 | 20.0 | 8 | 20.3 |
| 02-05-2022 10:14 | 23.8 | 20.0 | 8 | 20.4 |
| 02-05-2022 10:15 | 23.9 | 20.0 | 9 | 20.3 |
| 02-05-2022 10:16 | 23.9 | 20.0 | 8 | 20.4 |
| 02-05-2022 10:17 | 23.9 | 20.0 | 8 | 20.3 |
| 02-05-2022 10:18 | 23.8 | 20.0 | 8 | 20.3 |
| 02-05-2022 10:19 | 23.9 | 20.0 | 8 | 20.3 |
| 02-05-2022 10:20 | 23.8 | 20.0 | 8 | 20.3 |
| 02-05-2022 10:21 | 23.8 | 20.0 | 7 | 20.3 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 02-05-2022 10:22 | 23.9 | 20.0 | 8 | 20.3 |
| 02-05-2022 10:23 | 23.9 | 20.0 | 7 | 20.3 |
| 02-05-2022 10:24 | 23.9 | 20.0 | 8 | 20.3 |
| 02-05-2022 10:25 | 23.9 | 20.0 | 8 | 20.3 |
| 02-05-2022 10:26 | 23.9 | 20.0 | 8 | 20.2 |
| 02-05-2022 10:27 | 23.9 | 20.0 | 8 | 20.3 |
| 02-05-2022 10:28 | 23.9 | 20.0 | 6 | 20.3 |
| 02-05-2022 10:29 | 23.9 | 20.0 | 8 | 20.2 |
| 02-05-2022 10:30 | 23.9 | 20.0 | 8 | 20.2 |
| 02-05-2022 10:31 | 23.9 | 20.0 | 8 | 20.2 |
| 02-05-2022 10:32 | 23.9 | 20.0 | 8 | 20.2 |
| 02-05-2022 10:33 | 24.0 | 20.0 | 9 | 20.3 |
| 02-05-2022 10:34 | 23.9 | 20.0 | 8 | 20.2 |
| 02-05-2022 10:35 | 23.9 | 20.0 | 8 | 20.2 |
| 02-05-2022 10:36 | 24.0 | 20.0 | 8 | 20.2 |
| 02-05-2022 10:37 | 23.9 | 20.0 | 8 | 20.2 |
| 02-05-2022 10:38 | 23.9 | 20.0 | 8 | 20.2 |
| 02-05-2022 10:39 | 24.0 | 20.0 | 7 | 20.2 |
| 02-05-2022 10:40 | 23.9 | 20.0 | 7 | 20.2 |
| 02-05-2022 10:41 | 23.9 | 20.0 | 8 | 20.2 |
| 02-05-2022 10:42 | 23.9 | 20.0 | 8 | 20.2 |
| 02-05-2022 10:43 | 23.9 | 20.0 | 8 | 20.1 |
| 02-05-2022 10:44 | 23.9 | 20.0 | 8 | 20.2 |
| 02-05-2022 10:45 | 23.9 | 20.0 | 6 | 20.2 |
| 02-05-2022 10:46 | 23.9 | 20.0 | 8 | 20.2 |
| 02-05-2022 10:47 | 23.9 | 20.0 | 0 | 20.2 |
| 02-05-2022 10:48 | 23.8 | 20.0 | 7 | 20.2 |
| 02-05-2022 10:49 | 23.8 | 20.0 | 6 | 20.1 |
| 02-05-2022 10:50 | 23.9 | 20.0 | 7 | 20.2 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 02-05-2022 10:51 | 23.9 | 20.0 | 8 | 20.2 |
| 02-05-2022 10:52 | 23.9 | 20.0 | 8 | 20.2 |
| 02-05-2022 10:53 | 23.9 | 20.0 | 8 | 20.2 |
| 02-05-2022 10:54 | 24.0 | 20.0 | 8 | 20.1 |
| 02-05-2022 10:55 | 24.0 | 20.0 | 8 | 20.2 |
| 02-05-2022 10:56 | 24.0 | 19.9 | 8 | 20.2 |
| 02-05-2022 10:57 | 24.0 | 19.9 | 6 | 20.2 |
| 02-05-2022 10:58 | 24.1 | 19.9 | 8 | 20.1 |
| 02-05-2022 10:59 | 24.1 | 19.9 | 8 | 20.2 |
| 02-05-2022 11:00 | 24.1 | 19.9 | 7 | 20.1 |
| 02-05-2022 11:01 | 24.1 | 19.9 | 7 | 20.2 |
| 02-05-2022 11:02 | 24.2 | 19.9 | 8 | 20.2 |
| 02-05-2022 11:03 | 24.2 | 19.9 | 7 | 20.1 |
| 02-05-2022 11:04 | 24.2 | 19.9 | 8 | 20.1 |
| 02-05-2022 11:05 | 24.2 | 19.9 | 8 | 20.1 |
| 02-05-2022 11:06 | 24.2 | 19.9 | 8 | 20.2 |
| 02-05-2022 11:07 | 24.2 | 19.9 | 8 | 20.1 |
| 02-05-2022 11:08 | 24.1 | 19.9 | 8 | 20.2 |
| 02-05-2022 11:09 | 24.1 | 19.9 | 8 | 20.2 |
| 02-05-2022 11:10 | 24.1 | 19.9 | 8 | 20.2 |
| 02-05-2022 11:11 | 24.0 | 19.9 | 8 | 20.2 |
| 02-05-2022 11:12 | 24.0 | 19.9 | 8 | 20.2 |
| 02-05-2022 11:13 | 24.0 | 19.9 | 8 | 20.2 |
| 02-05-2022 11:14 | 24.1 | 19.9 | 8 | 20.2 |
| 02-05-2022 11:15 | 24.1 | 19.9 | 8 | 20.2 |
| 02-05-2022 11:16 | 24.0 | 19.9 | 8 | 20.2 |
| 02-05-2022 11:17 | 24.0 | 19.9 | 8 | 20.2 |
| 02-05-2022 11:18 | 24.1 | 19.9 | 8 | 20.2 |
| 02-05-2022 11:19 | 24.0 | 19.9 | 8 | 20.2 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 02-05-2022 11:20 | 24.1 | 19.9 | 7 | 20.2 |
| 02-05-2022 11:21 | 24.1 | 19.9 | 7 | 20.2 |
| 02-05-2022 11:22 | 24.1 | 19.9 | 8 | 20.2 |
| 02-05-2022 11:23 | 24.1 | 19.9 | 8 | 20.2 |
| 02-05-2022 11:24 | 24.1 | 19.9 | 8 | 20.2 |
| 02-05-2022 11:25 | 24.1 | 19.9 | 8 | 20.2 |
| 02-05-2022 11:26 | 24.1 | 20.0 | 8 | 20.2 |
| 02-05-2022 11:27 | 24.1 | 20.0 | 8 | 20.2 |
| 02-05-2022 11:28 | 24.1 | 20.0 | 8 | 20.2 |
| 02-05-2022 11:29 | 24.1 | 20.0 | 8 | 20.2 |
| 02-05-2022 11:30 | 24.1 | 20.0 | 8 | 20.2 |
| 02-05-2022 11:31 | 24.1 | 20.0 | 7 | 20.2 |
| 02-05-2022 11:32 | 24.2 | 20.0 | 8 | 20.2 |
| 02-05-2022 11:33 | 24.1 | 20.0 | 8 | 20.3 |
| 02-05-2022 11:34 | 24.1 | 20.0 | 8 | 20.3 |
| 02-05-2022 11:35 | 24.1 | 20.0 | 8 | 20.3 |
| 02-05-2022 11:36 | 24.1 | 20.0 | 8 | 20.3 |
| 02-05-2022 11:37 | 24.1 | 20.0 | 8 | 20.4 |
| 02-05-2022 11:38 | 24.1 | 20.0 | 8 | 20.3 |
| 02-05-2022 11:39 | 24.1 | 20.0 | 8 | 20.4 |
| 02-05-2022 11:40 | 24.0 | 20.0 | 8 | 20.3 |
| 02-05-2022 11:41 | 24.0 | 20.0 | 8 | 20.4 |
| 02-05-2022 11:42 | 24.0 | 20.0 | 8 | 20.4 |
| 02-05-2022 11:43 | 24.0 | 20.0 | 8 | 20.4 |
| 02-05-2022 11:44 | 24.0 | 20.0 | 8 | 20.4 |
| 02-05-2022 11:45 | 24.0 | 20.0 | 8 | 20.4 |
| 02-05-2022 11:46 | 24.0 | 20.0 | 8 | 20.4 |
| 02-05-2022 11:47 | 24.0 | 20.0 | 7 | 20.5 |
| 02-05-2022 11:48 | 24.0 | 20.0 | 6 | 20.5 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 02-05-2022 11:49 | 24.0 | 20.0 | 8 | 20.5 |
| 02-05-2022 11:50 | 24.0 | 20.0 | 8 | 20.4 |
| 02-05-2022 11:51 | 24.0 | 20.0 | 8 | 20.4 |
| 02-05-2022 11:52 | 24.0 | 20.0 | 8 | 20.4 |
| 02-05-2022 11:53 | 24.0 | 20.0 | 8 | 20.5 |
| 02-05-2022 11:54 | 24.0 | 20.0 | 8 | 20.4 |
| 02-05-2022 11:55 | 24.0 | 19.9 | 8 | 20.4 |
| 02-05-2022 11:56 | 24.0 | 19.9 | 8 | 20.4 |
| 02-05-2022 11:57 | 24.0 | 19.9 | 8 | 20.3 |
| 02-05-2022 11:58 | 24.0 | 19.9 | 7 | 20.4 |
| 02-05-2022 11:59 | 24.0 | 19.9 | 8 | 20.3 |
| 02-05-2022 12:00 | 24.0 | 19.9 | 8 | 20.3 |
| 02-05-2022 12:01 | 24.0 | 19.8 | 8 | 20.3 |
| 02-05-2022 12:02 | 24.0 | 19.8 | 8 | 20.2 |
| 02-05-2022 12:03 | 24.0 | 19.8 | 8 | 20.2 |
| 02-05-2022 12:04 | 23.8 | 19.8 | 9 | 20.1 |
| 02-05-2022 12:05 | 23.7 | 19.7 | 8 | 20.0 |
| 02-05-2022 12:06 | 23.7 | 19.7 | 8 | 20.1 |
| 02-05-2022 12:07 | 23.6 | 19.7 | 8 | 20.0 |
| 02-05-2022 12:08 | 23.6 | 19.6 | 8 | 20.0 |
| 02-05-2022 12:09 | 23.6 | 19.6 | 8 | 19.9 |
| 02-05-2022 12:10 | 23.5 | 19.6 | 8 | 19.9 |
| 02-05-2022 12:11 | 23.5 | 19.6 | 8 | 19.9 |
| 02-05-2022 12:12 | 23.5 | 19.6 | 8 | 19.8 |
| 02-05-2022 12:13 | 23.4 | 19.5 | 8 | 19.8 |
| 02-05-2022 12:14 | 23.4 | 19.5 | 8 | 19.7 |
| 02-05-2022 12:15 | 23.3 | 19.5 | 8 | 19.7 |
| 02-05-2022 12:16 | 23.3 | 19.5 | 8 | 19.7 |
| 02-05-2022 12:17 | 23.3 | 19.5 | 8 | 19.7 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 02-05-2022 12:18 | 23.2 | 19.5 | 8 | 19.6 |
| 02-05-2022 12:19 | 23.2 | 19.5 | 8 | 19.6 |
| 02-05-2022 12:20 | 23.2 | 19.4 | 8 | 19.5 |
| 02-05-2022 12:21 | 23.2 | 19.4 | 8 | 19.6 |
| 02-05-2022 12:22 | 23.1 | 19.4 | 7 | 19.5 |
| 02-05-2022 12:23 | 23.1 | 19.4 | 8 | 19.5 |
| 02-05-2022 12:24 | 23.0 | 19.4 | 8 | 19.5 |
| 02-05-2022 12:25 | 22.9 | 19.4 | 8 | 19.5 |
| 02-05-2022 12:26 | 22.8 | 19.4 | 8 | 19.4 |
| 02-05-2022 12:27 | 22.8 | 19.3 | 8 | 19.5 |
| 02-05-2022 12:28 | 22.7 | 19.3 | 8 | 19.4 |
| 02-05-2022 12:29 | 22.7 | 19.3 | 8 | 19.4 |
| 02-05-2022 12:30 | 22.7 | 19.3 | 8 | 19.4 |
| 02-05-2022 12:31 | 22.7 | 19.3 | 8 | 19.4 |
| 02-05-2022 12:32 | 22.5 | 19.3 | 8 | 19.3 |
| 02-05-2022 12:33 | 22.5 | 19.3 | 8 | 19.3 |
| 02-05-2022 12:34 | 22.4 | 19.3 | 8 | 19.3 |
| 02-05-2022 12:35 | 22.3 | 19.3 | 8 | 19.3 |
| 02-05-2022 12:36 | 22.3 | 19.3 | 8 | 19.3 |
| 02-05-2022 12:37 | 22.3 | 19.3 | 8 | 19.2 |
| 02-05-2022 12:38 | 22.3 | 19.2 | 8 | 19.3 |
| 02-05-2022 12:39 | 22.3 | 19.2 | 7 | 19.2 |
| 02-05-2022 12:40 | 22.3 | 19.2 | 7 | 19.2 |
| 02-05-2022 12:41 | 22.3 | 19.2 | 8 | 19.2 |
| 02-05-2022 12:42 | 22.3 | 19.2 | 8 | 19.2 |
| 02-05-2022 12:43 | 22.3 | 19.2 | 8 | 19.2 |
| 02-05-2022 12:44 | 22.3 | 19.2 | 8 | 19.2 |
| 02-05-2022 12:45 | 22.3 | 19.2 | 8 | 19.2 |
| 02-05-2022 12:46 | 22.2 | 19.2 | 8 | 19.2 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 02-05-2022 12:47 | 22.2 | 19.2 | 8 | 19.2 |
| 02-05-2022 12:48 | 22.3 | 19.2 | 8 | 19.1 |
| 02-05-2022 12:49 | 22.3 | 19.2 | 8 | 19.2 |
| 02-05-2022 12:50 | 22.3 | 19.2 | 8 | 19.1 |
| 02-05-2022 12:51 | 22.2 | 19.2 | 8 | 19.2 |
| 02-05-2022 12:52 | 22.3 | 19.2 | 7 | 19.0 |
| 02-05-2022 12:53 | 22.3 | 19.2 | 7 | 19.1 |
| 02-05-2022 12:54 | 22.2 | 19.2 | 8 | 19.1 |
| 02-05-2022 12:55 | 22.2 | 19.2 | 8 | 19.0 |
| 02-05-2022 12:56 | 22.2 | 19.2 | 8 | 19.1 |
| 02-05-2022 12:57 | 22.3 | 19.2 | 8 | 19.0 |
| 02-05-2022 12:58 | 22.2 | 19.2 | 8 | 19.0 |
| 02-05-2022 12:59 | 22.1 | 19.2 | 8 | 19.0 |
| 02-05-2022 13:00 | 22.1 | 19.2 | 8 | 19.1 |
| 02-05-2022 13:01 | 22.1 | 19.2 | 8 | 19.0 |
| 02-05-2022 13:02 | 22.0 | 19.2 | 8 | 19.1 |
| 02-05-2022 13:03 | 22.0 | 19.2 | 8 | 19.0 |
| 02-05-2022 13:04 | 22.0 | 19.2 | 8 | 19.0 |
| 02-05-2022 13:05 | 21.9 | 19.2 | 8 | 19.0 |
| 02-05-2022 13:06 | 21.9 | 19.2 | 8 | 18.9 |
| 02-05-2022 13:07 | 21.9 | 19.1 | 8 | 19.0 |
| 02-05-2022 13:08 | 21.9 | 19.2 | 8 | 19.0 |
| 02-05-2022 13:09 | 21.8 | 19.1 | 8 | 19.0 |
| 02-05-2022 13:10 | 21.9 | 19.2 | 8 | 19.0 |
| 02-05-2022 13:11 | 21.9 | 19.1 | 8 | 18.9 |
| 02-05-2022 13:12 | 21.9 | 19.1 | 8 | 19.0 |
| 02-05-2022 13:13 | 21.9 | 19.1 | 8 | 18.9 |
| 02-05-2022 13:14 | 21.9 | 19.1 | 8 | 18.9 |
| 02-05-2022 13:15 | 21.8 | 19.1 | 8 | 19.0 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 02-05-2022 13:16 | 21.9 | 19.1 | 8 | 19.0 |
| 02-05-2022 13:17 | 21.8 | 19.1 | 7 | 18.9 |
| 02-05-2022 13:18 | 21.8 | 19.1 | 7 | 18.9 |
| 02-05-2022 13:19 | 21.8 | 19.1 | 7 | 18.9 |
| 02-05-2022 13:20 | 21.8 | 19.1 | 7 | 18.9 |
| 02-05-2022 13:21 | 21.9 | 19.1 | 6 | 18.9 |
| 02-05-2022 13:22 | 21.9 | 19.1 | 6 | 18.9 |
| 02-05-2022 13:23 | 21.9 | 19.1 | 8 | 18.9 |
| 02-05-2022 13:24 | 21.9 | 19.1 | 8 | 18.9 |
| 02-05-2022 13:25 | 22.0 | 19.1 | 8 | 18.9 |
| 02-05-2022 13:26 | 22.0 | 19.1 | 8 | 18.8 |
| 02-05-2022 13:27 | 22.0 | 19.1 | 8 | 18.9 |
| 02-05-2022 13:28 | 22.0 | 19.1 | 8 | 18.9 |
| 02-05-2022 13:29 | 22.0 | 19.1 | 8 | 18.9 |
| 02-05-2022 13:30 | 22.0 | 19.1 | 7 | 18.9 |
| 02-05-2022 13:31 | 22.0 | 19.1 | 8 | 18.9 |
| 02-05-2022 13:32 | 22.0 | 19.1 | 8 | 18.8 |
| 02-05-2022 13:33 | 22.0 | 19.1 | 8 | 18.8 |
| 02-05-2022 13:34 | 22.0 | 19.1 | 7 | 18.8 |
| 02-05-2022 13:35 | 22.0 | 19.1 | 8 | 18.8 |
| 02-05-2022 13:36 | 22.0 | 19.1 | 7 | 18.8 |
| 02-05-2022 13:37 | 22.0 | 19.1 | 8 | 18.8 |
| 02-05-2022 13:38 | 22.0 | 19.1 | 8 | 18.8 |
| 02-05-2022 13:39 | 22.0 | 19.1 | 8 | 18.8 |
| 02-05-2022 13:40 | 22.0 | 19.1 | 7 | 18.9 |
| 02-05-2022 13:41 | 22.0 | 19.1 | 8 | 18.8 |
| 02-05-2022 13:42 | 22.0 | 19.1 | 6 | 18.8 |
| 02-05-2022 13:43 | 22.0 | 19.2 | 8 | 18.9 |
| 02-05-2022 13:44 | 22.0 | 19.2 | 8 | 18.9 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 02-05-2022 13:45 | 22.0 | 19.2 | 8 | 18.9 |
| 02-05-2022 13:46 | 22.0 | 19.2 | 8 | 18.8 |
| 02-05-2022 13:47 | 22.0 | 19.2 | 7 | 18.8 |
| 02-05-2022 13:48 | 22.0 | 19.2 | 8 | 18.8 |
| 02-05-2022 13:49 | 22.0 | 19.2 | 7 | 18.8 |
| 02-05-2022 13:50 | 22.0 | 19.2 | 8 | 18.9 |
| 02-05-2022 13:51 | 22.0 | 19.2 | 7 | 18.9 |
| 02-05-2022 13:52 | 22.0 | 19.2 | 8 | 18.9 |
| 02-05-2022 13:53 | 22.0 | 19.2 | 7 | 18.8 |
| 02-05-2022 13:54 | 22.0 | 19.2 | 7 | 18.9 |
| 02-05-2022 13:55 | 22.0 | 19.2 | 8 | 18.9 |
| 02-05-2022 13:56 | 22.0 | 19.2 | 7 | 18.9 |
| 02-05-2022 13:57 | 21.9 | 19.2 | 7 | 18.9 |
| 02-05-2022 13:58 | 22.0 | 19.2 | 7 | 18.9 |
| 02-05-2022 13:59 | 22.0 | 19.2 | 8 | 18.9 |
| 02-05-2022 14:00 | 22.0 | 19.2 | 8 | 19.0 |
| 02-05-2022 14:01 | 22.0 | 19.2 | 8 | 19.1 |
| 02-05-2022 14:02 | 22.0 | 19.2 | 8 | 19.0 |
| 02-05-2022 14:03 | 22.0 | 19.2 | 7 | 19.0 |
| 02-05-2022 14:04 | 22.0 | 19.2 | 8 | 19.0 |
| 02-05-2022 14:05 | 22.0 | 19.2 | 7 | 19.1 |
| 02-05-2022 14:06 | 22.0 | 19.2 | 7 | 19.0 |
| 02-05-2022 14:07 | 22.0 | 19.2 | 6 | 19.0 |
| 02-05-2022 14:08 | 22.0 | 19.2 | 6 | 19.1 |
| 02-05-2022 14:09 | 22.1 | 19.2 | 7 | 19.1 |
| 02-05-2022 14:10 | 22.1 | 19.2 | 7 | 19.0 |
| 02-05-2022 14:11 | 22.1 | 19.2 | 8 | 19.1 |
| 02-05-2022 14:12 | 22.1 | 19.2 | 6 | 19.1 |
| 02-05-2022 14:13 | 22.0 | 19.2 | 0 | 19.0 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 02-05-2022 14:14 | 22.0 | 19.2 | 6 | 19.1 |
| 02-05-2022 14:15 | 22.0 | 19.2 | 7 | 19.1 |
| 02-05-2022 14:16 | 22.0 | 19.2 | 7 | 19.1 |
| 02-05-2022 14:17 | 22.0 | 19.2 | 7 | 19.1 |
| 02-05-2022 14:18 | 22.0 | 19.2 | 8 | 19.0 |
| 02-05-2022 14:19 | 22.0 | 19.2 | 7 | 19.1 |
| 02-05-2022 14:20 | 22.0 | 19.2 | 7 | 19.1 |
| 02-05-2022 14:21 | 22.0 | 19.2 | 7 | 19.0 |
| 02-05-2022 14:22 | 22.0 | 19.2 | 7 | 19.1 |
| 02-05-2022 14:23 | 21.9 | 19.2 | 8 | 19.1 |
| 02-05-2022 14:24 | 21.9 | 19.2 | 8 | 19.0 |
| 02-05-2022 14:25 | 21.9 | 19.2 | 8 | 19.0 |
| 02-05-2022 14:26 | 21.9 | 19.2 | 8 | 19.0 |
| 02-05-2022 14:27 | 21.9 | 19.2 | 7 | 19.0 |
| 02-05-2022 14:28 | 22.0 | 19.2 | 8 | 19.0 |
| 02-05-2022 14:29 | 21.9 | 19.2 | 8 | 19.0 |
| 02-05-2022 14:30 | 21.9 | 19.2 | 8 | 19.0 |
| 02-05-2022 14:31 | 21.9 | 19.2 | 8 | 19.0 |
| 02-05-2022 14:32 | 22.0 | 19.2 | 7 | 19.0 |
| 02-05-2022 14:33 | 21.9 | 19.2 | 7 | 18.9 |
| 02-05-2022 14:34 | 21.9 | 19.2 | 7 | 19.0 |
| 02-05-2022 14:35 | 21.9 | 19.2 | 8 | 18.9 |
| 02-05-2022 14:36 | 21.9 | 19.2 | 8 | 18.9 |
| 02-05-2022 14:37 | 21.8 | 19.2 | 8 | 19.0 |
| 02-05-2022 14:38 | 21.9 | 19.1 | 8 | 18.9 |
| 02-05-2022 14:39 | 21.8 | 19.1 | 8 | 18.8 |
| 02-05-2022 14:40 | 21.8 | 19.1 | 8 | 18.8 |
| 02-05-2022 14:41 | 21.8 | 19.1 | 7 | 18.9 |
| 02-05-2022 14:42 | 21.8 | 19.1 | 7 | 18.8 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 02-05-2022 14:43 | 21.8 | 19.0 | 8 | 18.9 |
| 02-05-2022 14:44 | 21.8 | 19.0 | 8 | 18.9 |
| 02-05-2022 14:45 | 21.8 | 19.0 | 6 | 18.8 |
| 02-05-2022 14:46 | 21.7 | 19.0 | 7 | 18.8 |
| 02-05-2022 14:47 | 21.7 | 19.0 | 8 | 18.8 |
| 02-05-2022 14:48 | 21.6 | 19.0 | 8 | 18.7 |
| 02-05-2022 14:49 | 21.6 | 19.0 | 7 | 18.8 |
| 02-05-2022 14:50 | 21.6 | 19.0 | 7 | 18.8 |
| 02-05-2022 14:51 | 21.6 | 18.9 | 8 | 18.8 |
| 02-05-2022 14:52 | 21.6 | 18.9 | 7 | 18.7 |
| 02-05-2022 14:53 | 21.6 | 18.9 | 8 | 18.7 |
| 02-05-2022 14:54 | 21.5 | 18.9 | 8 | 18.7 |
| 02-05-2022 14:55 | 21.5 | 18.9 | 8 | 18.7 |
| 02-05-2022 14:56 | 21.5 | 18.9 | 7 | 18.6 |
| 02-05-2022 14:57 | 21.5 | 18.9 | 6 | 18.7 |
| 02-05-2022 14:58 | 21.5 | 18.9 | 6 | 18.6 |
| 02-05-2022 14:59 | 21.5 | 18.9 | 8 | 18.6 |
| 02-05-2022 15:00 | 21.4 | 18.9 | 6 | 18.6 |
| 02-05-2022 15:01 | 21.4 | 18.9 | 7 | 18.7 |
| 02-05-2022 15:02 | 21.4 | 18.9 | 8 | 18.7 |
| 02-05-2022 15:03 | 21.4 | 18.9 | 8 | 18.6 |
| 02-05-2022 15:04 | 21.4 | 18.9 | 8 | 18.6 |
| 02-05-2022 15:05 | 21.4 | 18.9 | 7 | 18.6 |
| 02-05-2022 15:06 | 21.4 | 18.9 | 6 | 18.6 |
| 02-05-2022 15:07 | 21.4 | 18.9 | 6 | 18.6 |
| 02-05-2022 15:08 | 21.4 | 18.9 | 7 | 18.5 |
| 02-05-2022 15:09 | 21.4 | 18.9 | 6 | 18.6 |
| 02-05-2022 15:10 | 21.3 | 18.9 | 7 | 18.6 |
| 02-05-2022 15:11 | 21.3 | 18.9 | 6 | 18.5 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 02-05-2022 15:12 | 21.4 | 18.9 | 8 | 18.5 |
| 02-05-2022 15:13 | 21.4 | 18.9 | 8 | 18.5 |
| 02-05-2022 15:14 | 21.3 | 18.8 | 8 | 18.5 |
| 02-05-2022 15:15 | 21.3 | 18.8 | 8 | 18.5 |
| 02-05-2022 15:16 | 21.3 | 18.8 | 8 | 18.5 |
| 02-05-2022 15:17 | 21.3 | 18.8 | 6 | 18.5 |
| 02-05-2022 15:18 | 21.3 | 18.8 | 4 | 18.5 |
| 02-05-2022 15:19 | 21.3 | 18.9 | 6 | 18.4 |
| 02-05-2022 15:20 | 21.3 | 18.8 | 8 | 18.5 |
| 02-05-2022 15:21 | 21.3 | 18.8 | 8 | 18.5 |
| 02-05-2022 15:22 | 21.3 | 18.8 | 8 | 18.5 |
| 02-05-2022 15:23 | 21.2 | 18.8 | 6 | 18.4 |
| 02-05-2022 15:24 | 21.2 | 18.8 | 8 | 18.4 |
| 02-05-2022 15:25 | 21.2 | 18.8 | 8 | 18.5 |
| 02-05-2022 15:26 | 21.2 | 18.8 | 8 | 18.5 |
| 02-05-2022 15:27 | 21.2 | 18.8 | 8 | 18.4 |
| 02-05-2022 15:28 | 21.2 | 18.8 | 8 | 18.5 |
| 02-05-2022 15:29 | 21.2 | 18.8 | 7 | 18.4 |
| 02-05-2022 15:30 | 21.2 | 18.8 | 8 | 18.4 |
| 02-05-2022 15:31 | 21.2 | 18.8 | 7 | 18.4 |
| 02-05-2022 15:32 | 21.1 | 18.8 | 8 | 18.4 |
| 02-05-2022 15:33 | 21.1 | 18.8 | 6 | 18.4 |
| 02-05-2022 15:34 | 21.1 | 18.8 | 8 | 18.4 |
| 02-05-2022 15:35 | 21.2 | 18.7 | 6 | 18.4 |
| 02-05-2022 15:36 | 21.1 | 18.8 | 7 | 18.4 |
| 02-05-2022 15:37 | 21.1 | 18.8 | 8 | 18.4 |
| 02-05-2022 15:38 | 21.1 | 18.7 | 8 | 18.4 |
| 02-05-2022 15:39 | 21.0 | 18.7 | 7 | 18.4 |
| 02-05-2022 15:40 | 21.0 | 18.7 | 7 | 18.4 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 02-05-2022 15:41 | 21.0 | 18.7 | 6 | 18.4 |
| 02-05-2022 15:42 | 21.0 | 18.7 | 8 | 18.4 |
| 02-05-2022 15:43 | 21.0 | 18.7 | 7 | 18.4 |
| 02-05-2022 15:44 | 21.0 | 18.7 | 8 | 18.4 |
| 02-05-2022 15:45 | 21.0 | 18.7 | 7 | 18.4 |
| 02-05-2022 15:46 | 21.0 | 18.7 | 7 | 18.3 |
| 02-05-2022 15:47 | 21.0 | 18.7 | 7 | 18.3 |
| 02-05-2022 15:48 | 21.0 | 18.7 | 8 | 18.3 |
| 02-05-2022 15:49 | 21.0 | 18.7 | 8 | 18.3 |
| 02-05-2022 15:50 | 21.0 | 18.7 | 8 | 18.3 |
| 02-05-2022 15:51 | 21.0 | 18.7 | 8 | 18.3 |
| 02-05-2022 15:52 | 21.0 | 18.7 | 6 | 18.3 |
| 02-05-2022 15:53 | 21.0 | 18.7 | 8 | 18.2 |
| 02-05-2022 15:54 | 21.0 | 18.7 | 7 | 18.3 |
| 02-05-2022 15:55 | 21.0 | 18.7 | 7 | 18.3 |
| 02-05-2022 15:56 | 21.0 | 18.7 | 8 | 18.3 |
| 02-05-2022 15:57 | 20.9 | 18.7 | 7 | 18.2 |
| 02-05-2022 15:58 | 20.9 | 18.7 | 7 | 18.2 |
| 02-05-2022 15:59 | 20.9 | 18.7 | 7 | 18.2 |
| 02-05-2022 16:00 | 20.9 | 18.7 | 8 | 18.3 |
| 02-05-2022 16:01 | 20.9 | 18.7 | 8 | 18.3 |
| 02-05-2022 16:02 | 20.8 | 18.6 | 8 | 18.3 |
| 02-05-2022 16:03 | 20.8 | 18.7 | 8 | 18.2 |
| 02-05-2022 16:04 | 20.9 | 18.6 | 7 | 18.3 |
| 02-05-2022 16:05 | 20.9 | 18.6 | 8 | 18.2 |
| 02-05-2022 16:06 | 20.8 | 18.6 | 6 | 18.2 |
| 02-05-2022 16:07 | 20.8 | 18.6 | 7 | 18.2 |
| 02-05-2022 16:08 | 20.8 | 18.6 | 8 | 18.2 |
| 02-05-2022 16:09 | 20.8 | 18.6 | 7 | 18.2 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 02-05-2022 16:10 | 20.8 | 18.6 | 6 | 18.2 |
| 02-05-2022 16:11 | 20.8 | 18.6 | 8 | 18.2 |
| 02-05-2022 16:12 | 20.8 | 18.7 | 7 | 18.3 |
| 02-05-2022 16:13 | 20.8 | 18.7 | 8 | 18.3 |
| 02-05-2022 16:14 | 20.8 | 18.7 | 7 | 18.3 |
| 02-05-2022 16:15 | 20.9 | 18.7 | 8 | 18.3 |
| 02-05-2022 16:16 | 20.9 | 18.7 | 7 | 18.3 |
| 02-05-2022 16:17 | 20.8 | 18.7 | 0 | 18.3 |
| 02-05-2022 16:18 | 20.8 | 18.7 | 7 | 18.3 |
| 02-05-2022 16:19 | 20.9 | 18.7 | 7 | 18.4 |
| 02-05-2022 16:20 | 20.9 | 18.7 | 6 | 18.4 |
| 02-05-2022 16:21 | 20.8 | 18.8 | 6 | 18.5 |
| 02-05-2022 16:22 | 20.9 | 18.8 | 6 | 18.5 |
| 02-05-2022 16:23 | 20.9 | 18.9 | 6 | 18.5 |
| 02-05-2022 16:24 | 20.9 | 18.9 | 6 | 18.6 |
| 02-05-2022 16:25 | 20.9 | 18.9 | 6 | 18.7 |
| 02-05-2022 16:26 | 20.9 | 18.9 | 7 | 18.7 |
| 02-05-2022 16:27 | 20.9 | 19.0 | 6 | 18.7 |
| 02-05-2022 16:28 | 20.9 | 19.1 | 7 | 18.7 |
| 02-05-2022 16:29 | 21.0 | 19.1 | 6 | 18.8 |
| 02-05-2022 16:30 | 21.0 | 19.2 | 4 | 18.8 |
| 02-05-2022 16:31 | 21.0 | 19.2 | 6 | 18.9 |
| 02-05-2022 16:32 | 21.0 | 19.2 | 6 | 18.9 |
| 02-05-2022 16:33 | 21.1 | 19.2 | 7 | 18.9 |
| 02-05-2022 16:34 | 21.1 | 19.2 | 6 | 19.0 |
| 02-05-2022 16:35 | 21.1 | 19.2 | 7 | 19.0 |
| 02-05-2022 16:36 | 21.1 | 19.2 | 6 | 19.0 |
| 02-05-2022 16:37 | 21.1 | 19.2 | 7 | 19.0 |
| 02-05-2022 16:38 | 21.1 | 19.2 | 7 | 19.0 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 02-05-2022 16:39 | 21.2 | 19.2 | 6 | 19.0 |
| 02-05-2022 16:40 | 21.2 | 19.3 | 6 | 19.0 |
| 02-05-2022 16:41 | 21.2 | 19.3 | 7 | 19.0 |
| 02-05-2022 16:42 | 21.2 | 19.3 | 6 | 19.1 |
| 02-05-2022 16:43 | 21.2 | 19.3 | 7 | 19.1 |
| 02-05-2022 16:44 | 21.2 | 19.3 | 6 | 19.2 |
| 02-05-2022 16:45 | 21.3 | 19.3 | 7 | 19.1 |
| 02-05-2022 16:46 | 21.3 | 19.3 | 7 | 19.2 |
| 02-05-2022 16:47 | 21.3 | 19.3 | 7 | 19.1 |
| 02-05-2022 16:48 | 21.3 | 19.3 | 7 | 19.1 |
| 02-05-2022 16:49 | 21.3 | 19.3 | 6 | 19.1 |
| 02-05-2022 16:50 | 21.3 | 19.3 | 7 | 19.1 |
| 02-05-2022 16:51 | 21.3 | 19.4 | 7 | 19.1 |
| 02-05-2022 16:52 | 21.4 | 19.4 | 7 | 19.1 |
| 02-05-2022 16:53 | 21.4 | 19.4 | 6 | 19.1 |
| 02-05-2022 16:54 | 21.4 | 19.4 | 8 | 19.1 |
| 02-05-2022 16:55 | 21.4 | 19.4 | 7 | 19.1 |
| 02-05-2022 16:56 | 21.4 | 19.4 | 7 | 19.1 |
| 02-05-2022 16:57 | 21.4 | 19.4 | 8 | 19.1 |
| 02-05-2022 16:58 | 21.5 | 19.4 | 8 | 19.1 |
| 02-05-2022 16:59 | 21.5 | 19.4 | 7 | 19.1 |
| 02-05-2022 17:00 | 21.5 | 19.4 | 8 | 19.2 |
| 02-05-2022 17:01 | 21.5 | 19.4 | 6 | 19.1 |
| 02-05-2022 17:02 | 21.5 | 19.5 | 8 | 19.2 |
| 02-05-2022 17:03 | 21.5 | 19.5 | 7 | 19.1 |
| 02-05-2022 17:04 | 21.6 | 19.5 | 7 | 19.1 |
| 02-05-2022 17:05 | 21.6 | 19.5 | 8 | 19.2 |
| 02-05-2022 17:06 | 21.6 | 19.5 | 8 | 19.1 |
| 02-05-2022 17:07 | 21.6 | 19.5 | 8 | 19.2 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 02-05-2022 17:08 | 21.6 | 19.5 | 8 | 19.2 |
| 02-05-2022 17:09 | 21.6 | 19.5 | 8 | 19.2 |
| 02-05-2022 17:10 | 21.7 | 19.5 | 8 | 19.2 |
| 02-05-2022 17:11 | 21.7 | 19.5 | 7 | 19.2 |
| 02-05-2022 17:12 | 21.7 | 19.5 | 7 | 19.3 |
| 02-05-2022 17:13 | 21.7 | 19.5 | 8 | 19.2 |
| 02-05-2022 17:14 | 21.7 | 19.5 | 8 | 19.2 |
| 02-05-2022 17:15 | 21.6 | 19.5 | 7 | 19.2 |
| 02-05-2022 17:16 | 21.6 | 19.5 | 7 | 19.2 |
| 02-05-2022 17:17 | 21.6 | 19.5 | 7 | 19.2 |
| 02-05-2022 17:18 | 21.6 | 19.4 | 8 | 19.2 |
| 02-05-2022 17:19 | 21.6 | 19.4 | 7 | 19.2 |
| 02-05-2022 17:20 | 21.6 | 19.4 | 8 | 19.1 |
| 02-05-2022 17:21 | 21.5 | 19.4 | 8 | 19.1 |
| 02-05-2022 17:22 | 21.6 | 19.3 | 7 | 19.1 |
| 02-05-2022 17:23 | 21.5 | 19.3 | 8 | 19.1 |
| 02-05-2022 17:24 | 21.5 | 19.3 | 8 | 19.0 |
| 02-05-2022 17:25 | 21.5 | 19.3 | 8 | 19.0 |
| 02-05-2022 17:26 | 21.5 | 19.3 | 8 | 19.0 |
| 02-05-2022 17:27 | 21.5 | 19.2 | 8 | 18.9 |
| 02-05-2022 17:28 | 21.5 | 19.2 | 8 | 19.0 |
| 02-05-2022 17:29 | 21.5 | 19.2 | 8 | 18.9 |
| 02-05-2022 17:30 | 21.5 | 19.2 | 8 | 18.9 |
| 02-05-2022 17:31 | 21.5 | 19.2 | 8 | 18.9 |
| 02-05-2022 17:32 | 21.5 | 19.2 | 8 | 18.9 |
| 02-05-2022 17:33 | 21.5 | 19.1 | 8 | 18.8 |
| 02-05-2022 17:34 | 21.5 | 19.1 | 4 | 18.8 |
| 02-05-2022 17:35 | 21.5 | 19.1 | 8 | 18.8 |
| 02-05-2022 17:36 | 21.6 | 19.1 | 8 | 18.7 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 02-05-2022 17:37 | 21.6 | 19.1 | 8 | 18.8 |
| 02-05-2022 17:38 | 21.6 | 19.0 | 8 | 18.7 |
| 02-05-2022 17:39 | 21.6 | 19.0 | 6 | 18.8 |
| 02-05-2022 17:40 | 21.6 | 19.0 | 7 | 18.7 |
| 02-05-2022 17:41 | 21.6 | 19.0 | 8 | 18.7 |
| 02-05-2022 17:42 | 21.6 | 19.0 | 9 | 18.7 |
| 02-05-2022 17:43 | 21.6 | 19.0 | 8 | 18.7 |
| 02-05-2022 17:44 | 21.7 | 18.9 | 9 | 18.6 |
| 02-05-2022 17:45 | 21.7 | 18.9 | 8 | 18.7 |
| 02-05-2022 17:46 | 21.7 | 18.9 | 8 | 18.6 |
| 02-05-2022 17:47 | 21.6 | 18.9 | 8 | 18.6 |
| 02-05-2022 17:48 | 21.5 | 18.9 | 8 | 18.6 |
| 02-05-2022 17:49 | 21.4 | 18.9 | 8 | 18.6 |
| 02-05-2022 17:50 | 21.4 | 18.9 | 8 | 18.6 |
| 02-05-2022 17:51 | 21.3 | 18.9 | 7 | 18.5 |
| 02-05-2022 17:52 | 21.3 | 18.9 | 8 | 18.6 |
| 02-05-2022 17:53 | 21.3 | 18.9 | 7 | 18.5 |
| 02-05-2022 17:54 | 21.2 | 18.8 | 7 | 18.6 |
| 02-05-2022 17:55 | 21.2 | 18.8 | 8 | 18.6 |
| 02-05-2022 17:56 | 21.2 | 18.8 | 8 | 18.5 |
| 02-05-2022 17:57 | 21.2 | 18.8 | 8 | 18.6 |
| 02-05-2022 17:58 | 21.2 | 18.8 | 8 | 18.5 |
| 02-05-2022 17:59 | 21.2 | 18.8 | 8 | 18.5 |
| 02-05-2022 18:00 | 21.2 | 18.8 | 8 | 18.5 |
| 02-05-2022 18:01 | 21.3 | 18.8 | 8 | 18.5 |
| 02-05-2022 18:02 | 21.3 | 18.8 | 8 | 18.5 |
| 02-05-2022 18:03 | 21.3 | 18.8 | 8 | 18.5 |
| 02-05-2022 18:04 | 21.3 | 18.8 | 8 | 18.5 |
| 02-05-2022 18:05 | 21.3 | 18.8 | 7 | 18.4 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 02-05-2022 18:06 | 21.2 | 18.8 | 8 | 18.4 |
| 02-05-2022 18:07 | 21.2 | 18.8 | 8 | 18.4 |
| 02-05-2022 18:08 | 21.2 | 18.7 | 8 | 18.4 |
| 02-05-2022 18:09 | 21.2 | 18.7 | 8 | 18.4 |
| 02-05-2022 18:10 | 21.2 | 18.7 | 8 | 18.4 |
| 02-05-2022 18:11 | 21.2 | 18.7 | 8 | 18.4 |
| 02-05-2022 18:12 | 21.1 | 18.7 | 7 | 18.4 |
| 02-05-2022 18:13 | 21.1 | 18.7 | 8 | 18.4 |
| 02-05-2022 18:14 | 21.1 | 18.7 | 8 | 18.4 |
| 02-05-2022 18:15 | 21.1 | 18.7 | 6 | 18.4 |
| 02-05-2022 18:16 | 21.0 | 18.7 | 7 | 18.3 |
| 02-05-2022 18:17 | 21.0 | 18.7 | 8 | 18.3 |
| 02-05-2022 18:18 | 21.0 | 18.7 | 6 | 18.3 |
| 02-05-2022 18:19 | 20.9 | 18.7 | 6 | 18.4 |
| 02-05-2022 18:20 | 20.9 | 18.7 | 6 | 18.3 |
| 02-05-2022 18:21 | 20.9 | 18.7 | 7 | 18.4 |
| 02-05-2022 18:22 | 20.9 | 18.7 | 8 | 18.4 |
| 02-05-2022 18:23 | 20.8 | 18.7 | 7 | 18.4 |
| 02-05-2022 18:24 | 20.8 | 18.7 | 7 | 18.3 |
| 02-05-2022 18:25 | 20.9 | 18.7 | 7 | 18.4 |
| 02-05-2022 18:26 | 20.8 | 18.7 | 8 | 18.4 |
| 02-05-2022 18:27 | 20.8 | 18.7 | 7 | 18.3 |
| 02-05-2022 18:28 | 20.8 | 18.7 | 7 | 18.4 |
| 02-05-2022 18:29 | 20.8 | 18.8 | 7 | 18.5 |
| 02-05-2022 18:30 | 20.8 | 18.8 | 4 | 18.4 |
| 02-05-2022 18:31 | 20.8 | 18.8 | 7 | 18.4 |
| 02-05-2022 18:32 | 20.8 | 18.9 | 7 | 18.6 |
| 02-05-2022 18:33 | 20.9 | 18.9 | 7 | 18.6 |
| 02-05-2022 18:34 | 20.8 | 18.8 | 7 | 18.5 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 02-05-2022 18:35 | 20.9 | 18.7 | 8 | 18.6 |
| 02-05-2022 18:36 | 20.9 | 18.7 | 7 | 18.6 |
| 02-05-2022 18:37 | 20.9 | 18.7 | 6 | 18.7 |
| 02-05-2022 18:38 | 20.9 | 18.7 | 7 | 18.8 |
| 02-05-2022 18:39 | 20.9 | 18.7 | 7 | 18.8 |
| 02-05-2022 18:40 | 21.0 | 18.7 | 6 | 18.9 |
| 02-05-2022 18:41 | 21.0 | 18.8 | 6 | 18.9 |
| 02-05-2022 18:42 | 21.1 | 18.9 | 7 | 18.9 |
| 02-05-2022 18:43 | 21.1 | 19.0 | 7 | 19.0 |
| 02-05-2022 18:44 | 21.1 | 19.1 | 0 | 19.0 |
| 02-05-2022 18:45 | 21.2 | 19.2 | 8 | 19.0 |
| 02-05-2022 18:46 | 21.2 | 19.2 | 7 | 19.1 |
| 02-05-2022 18:47 | 21.2 | 19.3 | 7 | 19.1 |
| 02-05-2022 18:48 | 21.2 | 19.3 | 6 | 19.1 |
| 02-05-2022 18:49 | 21.3 | 19.3 | 7 | 19.1 |
| 02-05-2022 18:50 | 21.3 | 19.3 | 6 | 19.1 |
| 02-05-2022 18:51 | 21.3 | 19.4 | 7 | 19.1 |
| 02-05-2022 18:52 | 21.3 | 19.4 | 7 | 19.2 |
| 02-05-2022 18:53 | 21.3 | 19.4 | 7 | 19.1 |
| 02-05-2022 18:54 | 21.3 | 19.4 | 6 | 19.1 |
| 02-05-2022 18:55 | 21.3 | 19.4 | 6 | 19.1 |
| 02-05-2022 18:56 | 21.3 | 19.4 | 8 | 19.1 |
| 02-05-2022 18:57 | 21.3 | 19.4 | 7 | 19.1 |
| 02-05-2022 18:58 | 21.3 | 19.4 | 8 | 19.1 |
| 02-05-2022 18:59 | 21.3 | 19.3 | 7 | 19.0 |
| 02-05-2022 19:00 | 21.3 | 19.3 | 8 | 19.0 |
| 02-05-2022 19:01 | 21.3 | 19.3 | 7 | 19.0 |
| 02-05-2022 19:02 | 21.3 | 19.3 | 7 | 19.0 |
| 02-05-2022 19:03 | 21.3 | 19.3 | 8 | 19.0 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 02-05-2022 19:04 | 21.2 | 19.3 | 8 | 19.0 |
| 02-05-2022 19:05 | 21.2 | 19.2 | 8 | 19.0 |
| 02-05-2022 19:06 | 21.2 | 19.2 | 8 | 19.0 |
| 02-05-2022 19:07 | 21.2 | 19.2 | 6 | 18.9 |
| 02-05-2022 19:08 | 21.2 | 19.2 | 8 | 18.9 |
| 02-05-2022 19:09 | 21.1 | 19.1 | 8 | 18.9 |
| 02-05-2022 19:10 | 21.1 | 19.1 | 8 | 18.8 |
| 02-05-2022 19:11 | 21.1 | 19.1 | 8 | 18.8 |
| 02-05-2022 19:12 | 21.0 | 19.0 | 8 | 18.7 |
| 02-05-2022 19:13 | 21.0 | 19.0 | 8 | 18.7 |
| 02-05-2022 19:14 | 21.0 | 18.9 | 7 | 18.7 |
| 02-05-2022 19:15 | 20.9 | 18.9 | 8 | 18.7 |
| 02-05-2022 19:16 | 20.9 | 18.9 | 8 | 18.6 |
| 02-05-2022 19:17 | 20.9 | 18.9 | 8 | 18.7 |
| 02-05-2022 19:18 | 20.8 | 18.8 | 8 | 18.6 |
| 02-05-2022 19:19 | 20.9 | 18.8 | 8 | 18.6 |
| 02-05-2022 19:20 | 20.8 | 18.8 | 8 | 18.6 |
| 02-05-2022 19:21 | 20.8 | 18.7 | 8 | 18.5 |
| 02-05-2022 19:22 | 20.8 | 18.7 | 8 | 18.4 |
| 02-05-2022 19:23 | 20.7 | 18.7 | 8 | 18.4 |
| 02-05-2022 19:24 | 20.7 | 18.7 | 7 | 18.4 |
| 02-05-2022 19:25 | 20.7 | 18.7 | 8 | 18.4 |
| 02-05-2022 19:26 | 20.7 | 18.6 | 8 | 18.4 |
| 02-05-2022 19:27 | 20.7 | 18.6 | 8 | 18.3 |
| 02-05-2022 19:28 | 20.6 | 18.6 | 8 | 18.3 |
| 02-05-2022 19:29 | 20.6 | 18.5 | 8 | 18.3 |
| 02-05-2022 19:30 | 20.6 | 18.5 | 8 | 18.2 |
| 02-05-2022 19:31 | 20.6 | 18.5 | 7 | 18.3 |
| 02-05-2022 19:32 | 20.6 | 18.5 | 8 | 18.2 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 02-05-2022 19:33 | 20.6 | 18.5 | 8 | 18.1 |
| 02-05-2022 19:34 | 20.6 | 18.5 | 8 | 18.2 |
| 02-05-2022 19:35 | 20.6 | 18.5 | 8 | 18.1 |
| 02-05-2022 19:36 | 20.5 | 18.5 | 7 | 18.1 |
| 02-05-2022 19:37 | 20.6 | 18.4 | 6 | 18.1 |
| 02-05-2022 19:38 | 20.5 | 18.4 | 8 | 18.1 |
| 02-05-2022 19:39 | 20.6 | 18.4 | 8 | 18.0 |
| 02-05-2022 19:40 | 20.5 | 18.4 | 8 | 18.1 |
| 02-05-2022 19:41 | 20.5 | 18.4 | 8 | 18.0 |
| 02-05-2022 19:42 | 20.5 | 18.4 | 8 | 18.0 |
| 02-05-2022 19:43 | 20.4 | 18.3 | 8 | 18.0 |
| 02-05-2022 19:44 | 20.4 | 18.3 | 8 | 17.9 |
| 02-05-2022 19:45 | 20.4 | 18.3 | 8 | 18.0 |
| 02-05-2022 19:46 | 20.4 | 18.3 | 7 | 18.0 |
| 02-05-2022 19:47 | 20.4 | 18.3 | 8 | 18.0 |
| 02-05-2022 19:48 | 20.4 | 18.3 | 7 | 18.0 |
| 02-05-2022 19:49 | 20.4 | 18.3 | 8 | 18.0 |
| 02-05-2022 19:50 | 20.4 | 18.3 | 9 | 18.0 |
| 02-05-2022 19:51 | 20.4 | 18.3 | 8 | 18.0 |
| 02-05-2022 19:52 | 20.4 | 18.3 | 8 | 18.1 |
| 02-05-2022 19:53 | 20.4 | 18.3 | 8 | 18.0 |
| 02-05-2022 19:54 | 20.4 | 18.3 | 8 | 18.0 |
| 02-05-2022 19:55 | 20.3 | 18.3 | 8 | 18.0 |
| 02-05-2022 19:56 | 20.3 | 18.3 | 7 | 18.0 |
| 02-05-2022 19:57 | 20.4 | 18.3 | 8 | 18.0 |
| 02-05-2022 19:58 | 20.3 | 18.3 | 8 | 18.0 |
| 02-05-2022 19:59 | 20.3 | 18.3 | 7 | 18.0 |
| 02-05-2022 20:00 | 20.3 | 18.3 | 8 | 18.0 |
| 02-05-2022 20:01 | 20.3 | 18.4 | 8 | 18.0 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 02-05-2022 20:02 | 20.3 | 18.4 | 8 | 18.0 |
| 02-05-2022 20:03 | 20.3 | 18.4 | 8 | 18.0 |
| 02-05-2022 20:04 | 20.4 | 18.4 | 8 | 18.0 |
| 02-05-2022 20:05 | 20.4 | 18.4 | 8 | 18.0 |
| 02-05-2022 20:06 | 20.4 | 18.4 | 8 | 18.0 |
| 02-05-2022 20:07 | 20.4 | 18.4 | 8 | 18.0 |
| 02-05-2022 20:08 | 20.4 | 18.4 | 8 | 18.0 |
| 02-05-2022 20:09 | 20.4 | 18.5 | 8 | 18.0 |
| 02-05-2022 20:10 | 20.4 | 18.5 | 8 | 18.1 |
| 02-05-2022 20:11 | 20.4 | 18.5 | 8 | 18.2 |
| 02-05-2022 20:12 | 20.4 | 18.5 | 8 | 18.2 |
| 02-05-2022 20:13 | 20.4 | 18.5 | 8 | 18.1 |
| 02-05-2022 20:14 | 20.4 | 18.5 | 8 | 18.2 |
| 02-05-2022 20:15 | 20.5 | 18.6 | 8 | 18.2 |
| 02-05-2022 20:16 | 20.5 | 18.6 | 8 | 18.3 |
| 02-05-2022 20:17 | 20.5 | 18.6 | 8 | 18.2 |
| 02-05-2022 20:18 | 20.5 | 18.7 | 8 | 18.3 |
| 02-05-2022 20:19 | 20.5 | 18.7 | 8 | 18.3 |
| 02-05-2022 20:20 | 20.5 | 18.7 | 8 | 18.3 |
| 02-05-2022 20:21 | 20.5 | 18.7 | 8 | 18.4 |
| 02-05-2022 20:22 | 20.5 | 18.7 | 8 | 18.4 |
| 02-05-2022 20:23 | 20.6 | 18.7 | 7 | 18.3 |
| 02-05-2022 20:24 | 20.6 | 18.7 | 8 | 18.4 |
| 02-05-2022 20:25 | 20.6 | 18.8 | 7 | 18.5 |
| 02-05-2022 20:26 | 20.6 | 18.8 | 8 | 18.4 |
| 02-05-2022 20:27 | 20.6 | 18.8 | 8 | 18.5 |
| 02-05-2022 20:28 | 20.6 | 18.9 | 7 | 18.6 |
| 02-05-2022 20:29 | 20.6 | 18.9 | 8 | 18.5 |
| 02-05-2022 20:30 | 20.7 | 18.9 | 8 | 18.6 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 02-05-2022 20:31 | 20.7 | 18.9 | 7 | 18.6 |
| 02-05-2022 20:32 | 20.7 | 18.9 | 7 | 18.6 |
| 02-05-2022 20:33 | 20.7 | 19.0 | 7 | 18.6 |
| 02-05-2022 20:34 | 20.7 | 19.0 | 7 | 18.7 |
| 02-05-2022 20:35 | 20.7 | 19.0 | 7 | 18.7 |
| 02-05-2022 20:36 | 20.7 | 19.1 | 8 | 18.8 |
| 02-05-2022 20:37 | 20.8 | 19.1 | 8 | 18.7 |
| 02-05-2022 20:38 | 20.8 | 19.1 | 8 | 18.8 |
| 02-05-2022 20:39 | 20.8 | 19.1 | 8 | 18.8 |
| 02-05-2022 20:40 | 20.8 | 19.1 | 7 | 18.9 |
| 02-05-2022 20:41 | 20.9 | 19.2 | 8 | 18.8 |
| 02-05-2022 20:42 | 20.9 | 19.2 | 8 | 18.8 |
| 02-05-2022 20:43 | 20.9 | 19.2 | 7 | 18.9 |
| 02-05-2022 20:44 | 20.9 | 19.2 | 8 | 18.8 |
| 02-05-2022 20:45 | 20.9 | 19.2 | 8 | 18.9 |
| 02-05-2022 20:46 | 20.9 | 19.2 | 7 | 18.9 |
| 02-05-2022 20:47 | 21.0 | 19.2 | 8 | 18.9 |
| 02-05-2022 20:48 | 21.0 | 19.2 | 8 | 19.0 |
| 02-05-2022 20:49 | 21.0 | 19.2 | 8 | 18.9 |
| 02-05-2022 20:50 | 21.0 | 19.2 | 8 | 19.0 |
| 02-05-2022 20:51 | 21.0 | 19.3 | 8 | 18.9 |
| 02-05-2022 20:52 | 21.0 | 19.3 | 8 | 19.0 |
| 02-05-2022 20:53 | 21.0 | 19.3 | 8 | 18.9 |
| 02-05-2022 20:54 | 21.1 | 19.3 | 8 | 19.0 |
| 02-05-2022 20:55 | 21.1 | 19.3 | 8 | 19.0 |
| 02-05-2022 20:56 | 21.1 | 19.3 | 8 | 19.0 |
| 02-05-2022 20:57 | 21.1 | 19.3 | 7 | 19.1 |
| 02-05-2022 20:58 | 21.1 | 19.3 | 8 | 19.0 |
| 02-05-2022 20:59 | 21.1 | 19.3 | 8 | 19.0 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 02-05-2022 21:00 | 21.1 | 19.3 | 8 | 19.1 |
| 02-05-2022 21:01 | 21.1 | 19.3 | 8 | 19.0 |
| 02-05-2022 21:02 | 21.2 | 19.3 | 8 | 19.1 |
| 02-05-2022 21:03 | 21.2 | 19.4 | 7 | 19.1 |
| 02-05-2022 21:04 | 21.2 | 19.4 | 8 | 19.1 |
| 02-05-2022 21:05 | 21.2 | 19.4 | 8 | 19.1 |
| 02-05-2022 21:06 | 21.2 | 19.4 | 8 | 19.1 |
| 02-05-2022 21:07 | 21.2 | 19.4 | 8 | 19.2 |
| 02-05-2022 21:08 | 21.2 | 19.4 | 8 | 19.1 |
| 02-05-2022 21:09 | 21.2 | 19.4 | 8 | 19.2 |
| 02-05-2022 21:10 | 21.2 | 19.4 | 8 | 19.2 |
| 02-05-2022 21:11 | 21.3 | 19.4 | 8 | 19.2 |
| 02-05-2022 21:12 | 21.3 | 19.4 | 8 | 19.2 |
| 02-05-2022 21:13 | 21.3 | 19.4 | 7 | 19.2 |
| 02-05-2022 21:14 | 21.3 | 19.4 | 8 | 19.2 |
| 02-05-2022 21:15 | 21.3 | 19.5 | 8 | 19.2 |
| 02-05-2022 21:16 | 21.3 | 19.5 | 8 | 19.3 |
| 02-05-2022 21:17 | 21.3 | 19.5 | 8 | 19.3 |
| 02-05-2022 21:18 | 21.3 | 19.5 | 8 | 19.2 |
| 02-05-2022 21:19 | 21.3 | 19.5 | 8 | 19.3 |
| 02-05-2022 21:20 | 21.4 | 19.5 | 8 | 19.2 |
| 02-05-2022 21:21 | 21.4 | 19.5 | 8 | 19.3 |
| 02-05-2022 21:22 | 21.4 | 19.5 | 8 | 19.2 |
| 02-05-2022 21:23 | 21.4 | 19.5 | 8 | 19.3 |
| 02-05-2022 21:24 | 21.4 | 19.5 | 8 | 19.2 |
| 02-05-2022 21:25 | 21.4 | 19.5 | 8 | 19.3 |
| 02-05-2022 21:26 | 21.4 | 19.5 | 8 | 19.3 |
| 02-05-2022 21:27 | 21.4 | 19.5 | 8 | 19.3 |
| 02-05-2022 21:28 | 21.4 | 19.5 | 8 | 19.3 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 02-05-2022 21:29 | 21.4 | 19.5 | 8 | 19.3 |
| 02-05-2022 21:30 | 21.4 | 19.5 | 8 | 19.3 |
| 02-05-2022 21:31 | 21.5 | 19.5 | 8 | 19.3 |
| 02-05-2022 21:32 | 21.5 | 19.5 | 8 | 19.3 |
| 02-05-2022 21:33 | 21.5 | 19.5 | 8 | 19.3 |
| 02-05-2022 21:34 | 21.5 | 19.5 | 8 | 19.4 |
| 02-05-2022 21:35 | 21.5 | 19.5 | 8 | 19.4 |
| 02-05-2022 21:36 | 21.5 | 19.5 | 8 | 19.3 |
| 02-05-2022 21:37 | 21.5 | 19.5 | 8 | 19.4 |
| 02-05-2022 21:38 | 21.5 | 19.5 | 8 | 19.4 |
| 02-05-2022 21:39 | 21.5 | 19.5 | 8 | 19.4 |
| 02-05-2022 21:40 | 21.5 | 19.5 | 8 | 19.4 |
| 02-05-2022 21:41 | 21.5 | 19.5 | 8 | 19.4 |
| 02-05-2022 21:42 | 21.5 | 19.5 | 8 | 19.4 |
| 02-05-2022 21:43 | 21.6 | 19.5 | 8 | 19.4 |
| 02-05-2022 21:44 | 21.6 | 19.5 | 8 | 19.4 |
| 02-05-2022 21:45 | 21.6 | 19.6 | 8 | 19.4 |
| 02-05-2022 21:46 | 21.6 | 19.6 | 8 | 19.4 |
| 02-05-2022 21:47 | 21.6 | 19.6 | 8 | 19.4 |
| 02-05-2022 21:48 | 21.6 | 19.6 | 8 | 19.4 |
| 02-05-2022 21:49 | 21.6 | 19.6 | 8 | 19.5 |
| 02-05-2022 21:50 | 21.6 | 19.6 | 7 | 19.4 |
| 02-05-2022 21:51 | 21.6 | 19.6 | 8 | 19.5 |
| 02-05-2022 21:52 | 21.6 | 19.6 | 8 | 19.4 |
| 02-05-2022 21:53 | 21.6 | 19.6 | 8 | 19.5 |
| 02-05-2022 21:54 | 21.6 | 19.6 | 8 | 19.4 |
| 02-05-2022 21:55 | 21.6 | 19.6 | 8 | 19.4 |
| 02-05-2022 21:56 | 21.6 | 19.6 | 7 | 19.5 |
| 02-05-2022 21:57 | 21.6 | 19.6 | 8 | 19.4 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 02-05-2022 21:58 | 21.6 | 19.6 | 8 | 19.5 |
| 02-05-2022 21:59 | 21.6 | 19.6 | 8 | 19.5 |
| 02-05-2022 22:00 | 21.7 | 19.6 | 8 | 19.5 |
| 02-05-2022 22:01 | 21.7 | 19.6 | 8 | 19.4 |
| 02-05-2022 22:02 | 21.7 | 19.6 | 8 | 19.4 |
| 02-05-2022 22:03 | 21.7 | 19.6 | 8 | 19.4 |
| 02-05-2022 22:04 | 21.7 | 19.6 | 8 | 19.5 |
| 02-05-2022 22:05 | 21.7 | 19.6 | 8 | 19.5 |
| 02-05-2022 22:06 | 21.7 | 19.6 | 8 | 19.5 |
| 02-05-2022 22:07 | 21.7 | 19.6 | 8 | 19.5 |
| 02-05-2022 22:08 | 21.7 | 19.6 | 8 | 19.5 |
| 02-05-2022 22:09 | 21.7 | 19.6 | 8 | 19.5 |
| 02-05-2022 22:10 | 21.7 | 19.6 | 8 | 19.5 |
| 02-05-2022 22:11 | 21.7 | 19.6 | 8 | 19.5 |
| 02-05-2022 22:12 | 21.7 | 19.6 | 8 | 19.5 |
| 02-05-2022 22:13 | 21.7 | 19.6 | 8 | 19.5 |
| 02-05-2022 22:14 | 21.7 | 19.6 | 8 | 19.5 |
| 02-05-2022 22:15 | 21.7 | 19.6 | 8 | 19.5 |
| 02-05-2022 22:16 | 21.7 | 19.6 | 8 | 19.5 |
| 02-05-2022 22:17 | 21.7 | 19.6 | 8 | 19.5 |
| 02-05-2022 22:18 | 21.7 | 19.6 | 8 | 19.5 |
| 02-05-2022 22:19 | 21.7 | 19.6 | 8 | 19.5 |
| 02-05-2022 22:20 | 21.7 | 19.6 | 8 | 19.5 |
| 02-05-2022 22:21 | 21.7 | 19.6 | 8 | 19.5 |
| 02-05-2022 22:22 | 21.7 | 19.6 | 8 | 19.5 |
| 02-05-2022 22:23 | 21.7 | 19.6 | 8 | 19.5 |
| 02-05-2022 22:24 | 21.7 | 19.6 | 9 | 19.5 |
| 02-05-2022 22:25 | 21.7 | 19.6 | 8 | 19.5 |
| 02-05-2022 22:26 | 21.7 | 19.6 | 8 | 19.5 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 02-05-2022 22:27 | 21.7 | 19.6 | 8 | 19.5 |
| 02-05-2022 22:28 | 21.7 | 19.6 | 8 | 19.5 |
| 02-05-2022 22:29 | 21.7 | 19.6 | 8 | 19.5 |
| 02-05-2022 22:30 | 21.7 | 19.6 | 8 | 19.5 |
| 02-05-2022 22:31 | 21.7 | 19.6 | 8 | 19.5 |
| 02-05-2022 22:32 | 21.7 | 19.6 | 8 | 19.5 |
| 02-05-2022 22:33 | 21.7 | 19.6 | 8 | 19.5 |
| 02-05-2022 22:34 | 21.7 | 19.6 | 8 | 19.4 |
| 02-05-2022 22:35 | 21.7 | 19.6 | 8 | 19.5 |
| 02-05-2022 22:36 | 21.7 | 19.6 | 8 | 19.5 |
| 02-05-2022 22:37 | 21.7 | 19.6 | 8 | 19.5 |
| 02-05-2022 22:38 | 21.7 | 19.6 | 8 | 19.4 |
| 02-05-2022 22:39 | 21.7 | 19.6 | 8 | 19.5 |
| 02-05-2022 22:40 | 21.7 | 19.6 | 8 | 19.5 |
| 02-05-2022 22:41 | 21.7 | 19.6 | 8 | 19.5 |
| 02-05-2022 22:42 | 21.7 | 19.6 | 8 | 19.5 |
| 02-05-2022 22:43 | 21.7 | 19.6 | 8 | 19.5 |
| 02-05-2022 22:44 | 21.7 | 19.6 | 8 | 19.5 |
| 02-05-2022 22:45 | 21.7 | 19.6 | 8 | 19.5 |
| 02-05-2022 22:46 | 21.7 | 19.6 | 8 | 19.5 |
| 02-05-2022 22:47 | 21.7 | 19.6 | 8 | 19.4 |
| 02-05-2022 22:48 | 21.7 | 19.6 | 8 | 19.5 |
| 02-05-2022 22:49 | 21.7 | 19.6 | 8 | 19.5 |
| 02-05-2022 22:50 | 21.7 | 19.6 | 8 | 19.5 |
| 02-05-2022 22:51 | 21.7 | 19.6 | 8 | 19.5 |
| 02-05-2022 22:52 | 21.7 | 19.6 | 8 | 19.5 |
| 02-05-2022 22:53 | 21.7 | 19.6 | 8 | 19.5 |
| 02-05-2022 22:54 | 21.7 | 19.6 | 9 | 19.5 |
| 02-05-2022 22:55 | 21.7 | 19.6 | 8 | 19.5 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 02-05-2022 22:56 | 21.7 | 19.6 | 8 | 19.5 |
| 02-05-2022 22:57 | 21.7 | 19.6 | 8 | 19.5 |
| 02-05-2022 22:58 | 21.7 | 19.6 | 8 | 19.5 |
| 02-05-2022 22:59 | 21.7 | 19.6 | 8 | 19.6 |
| 02-05-2022 23:00 | 21.7 | 19.6 | 8 | 19.6 |
| 02-05-2022 23:01 | 21.7 | 19.6 | 8 | 19.6 |
| 02-05-2022 23:02 | 21.7 | 19.6 | 8 | 19.6 |
| 02-05-2022 23:03 | 21.7 | 19.6 | 8 | 19.6 |
| 02-05-2022 23:04 | 21.7 | 19.6 | 8 | 19.7 |
| 02-05-2022 23:05 | 21.8 | 19.6 | 9 | 19.7 |
| 02-05-2022 23:06 | 21.8 | 19.6 | 8 | 19.7 |
| 02-05-2022 23:07 | 21.7 | 19.6 | 8 | 19.7 |
| 02-05-2022 23:08 | 21.8 | 19.6 | 8 | 19.7 |
| 02-05-2022 23:09 | 21.8 | 19.6 | 8 | 19.7 |
| 02-05-2022 23:10 | 21.8 | 19.6 | 8 | 19.7 |
| 02-05-2022 23:11 | 21.8 | 19.6 | 8 | 19.7 |
| 02-05-2022 23:12 | 21.8 | 19.7 | 8 | 19.7 |
| 02-05-2022 23:13 | 21.8 | 19.7 | 8 | 19.7 |
| 02-05-2022 23:14 | 21.8 | 19.7 | 8 | 19.7 |
| 02-05-2022 23:15 | 21.8 | 19.7 | 8 | 19.7 |
| 02-05-2022 23:16 | 21.8 | 19.7 | 8 | 19.7 |
| 02-05-2022 23:17 | 21.8 | 19.7 | 7 | 19.8 |
| 02-05-2022 23:18 | 21.8 | 19.8 | 8 | 19.8 |
| 02-05-2022 23:19 | 21.8 | 19.8 | 8 | 19.8 |
| 02-05-2022 23:20 | 21.8 | 19.8 | 7 | 19.8 |
| 02-05-2022 23:21 | 21.8 | 19.8 | 7 | 19.8 |
| 02-05-2022 23:22 | 21.8 | 19.8 | 8 | 19.8 |
| 02-05-2022 23:23 | 21.8 | 19.8 | 8 | 19.8 |
| 02-05-2022 23:24 | 21.8 | 19.8 | 8 | 19.9 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 02-05-2022 23:25 | 21.8 | 19.8 | 7 | 19.9 |
| 02-05-2022 23:26 | 21.8 | 19.8 | 8 | 19.9 |
| 02-05-2022 23:27 | 21.9 | 19.8 | 7 | 19.8 |
| 02-05-2022 23:28 | 21.9 | 19.9 | 8 | 19.8 |
| 02-05-2022 23:29 | 21.9 | 19.9 | 8 | 19.9 |
| 02-05-2022 23:30 | 21.9 | 19.9 | 8 | 19.9 |
| 02-05-2022 23:31 | 21.9 | 19.9 | 8 | 19.9 |
| 02-05-2022 23:32 | 21.9 | 19.9 | 8 | 19.9 |
| 02-05-2022 23:33 | 21.9 | 19.9 | 8 | 19.9 |
| 02-05-2022 23:34 | 21.9 | 19.9 | 8 | 20.0 |
| 02-05-2022 23:35 | 22.0 | 19.9 | 9 | 19.9 |
| 02-05-2022 23:36 | 22.0 | 19.9 | 8 | 20.0 |
| 02-05-2022 23:37 | 22.0 | 19.9 | 8 | 20.0 |
| 02-05-2022 23:38 | 22.0 | 19.9 | 8 | 19.9 |
| 02-05-2022 23:39 | 22.0 | 19.9 | 8 | 20.0 |
| 02-05-2022 23:40 | 22.0 | 19.9 | 7 | 20.0 |
| 02-05-2022 23:41 | 22.0 | 19.9 | 8 | 20.0 |
| 02-05-2022 23:42 | 22.0 | 19.9 | 8 | 20.0 |
| 02-05-2022 23:43 | 22.0 | 19.9 | 8 | 20.0 |
| 02-05-2022 23:44 | 22.0 | 19.9 | 8 | 20.0 |
| 02-05-2022 23:45 | 22.1 | 20.0 | 8 | 20.0 |
| 02-05-2022 23:46 | 22.1 | 19.9 | 8 | 20.0 |
| 02-05-2022 23:47 | 22.1 | 20.0 | 8 | 20.1 |
| 02-05-2022 23:48 | 22.1 | 20.0 | 8 | 20.0 |
| 02-05-2022 23:49 | 22.1 | 20.0 | 8 | 20.1 |
| 02-05-2022 23:50 | 22.1 | 20.0 | 8 | 20.1 |
| 02-05-2022 23:51 | 22.1 | 20.0 | 8 | 20.1 |
| 02-05-2022 23:52 | 22.1 | 20.0 | 9 | 20.1 |
| 02-05-2022 23:53 | 22.1 | 20.0 | 8 | 20.1 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 02-05-2022 23:54 | 22.2 | 20.0 | 8 | 20.1 |
| 02-05-2022 23:55 | 22.2 | 20.0 | 8 | 20.1 |
| 02-05-2022 23:56 | 22.2 | 20.0 | 8 | 20.1 |
| 02-05-2022 23:57 | 22.2 | 20.0 | 8 | 20.1 |
| 02-05-2022 23:58 | 22.2 | 20.0 | 8 | 20.2 |
| 02-05-2022 23:59 | 22.2 | 20.0 | 8 | 20.1 |
| 03-05-2022 00:00 | 22.2 | 20.0 | 8 | 20.1 |
| 03-05-2022 00:01 | 22.2 | 20.0 | 8 | 20.1 |
| 03-05-2022 00:02 | 22.3 | 20.1 | 8 | 20.1 |
| 03-05-2022 00:03 | 22.2 | 20.1 | 8 | 20.2 |
| 03-05-2022 00:04 | 22.2 | 20.1 | 9 | 20.2 |
| 03-05-2022 00:05 | 22.3 | 20.1 | 7 | 20.2 |
| 03-05-2022 00:06 | 22.3 | 20.1 | 8 | 20.2 |
| 03-05-2022 00:07 | 22.3 | 20.1 | 8 | 20.2 |
| 03-05-2022 00:08 | 22.3 | 20.1 | 8 | 20.1 |
| 03-05-2022 00:09 | 22.3 | 20.1 | 9 | 20.2 |
| 03-05-2022 00:10 | 22.3 | 20.1 | 8 | 20.2 |
| 03-05-2022 00:11 | 22.3 | 20.1 | 8 | 20.2 |
| 03-05-2022 00:12 | 22.3 | 20.1 | 8 | 20.2 |
| 03-05-2022 00:13 | 22.3 | 20.1 | 8 | 20.2 |
| 03-05-2022 00:14 | 22.3 | 20.1 | 8 | 20.2 |
| 03-05-2022 00:15 | 22.3 | 20.1 | 8 | 20.2 |
| 03-05-2022 00:16 | 22.3 | 20.1 | 8 | 20.2 |
| 03-05-2022 00:17 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 00:18 | 22.3 | 20.1 | 8 | 20.2 |
| 03-05-2022 00:19 | 22.3 | 20.1 | 8 | 20.2 |
| 03-05-2022 00:20 | 22.3 | 20.1 | 8 | 20.2 |
| 03-05-2022 00:21 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 00:22 | 22.4 | 20.1 | 8 | 20.2 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 03-05-2022 00:23 | 22.4 | 20.1 | 8 | 20.3 |
| 03-05-2022 00:24 | 22.4 | 20.1 | 8 | 20.2 |
| 03-05-2022 00:25 | 22.4 | 20.1 | 8 | 20.2 |
| 03-05-2022 00:26 | 22.4 | 20.1 | 8 | 20.3 |
| 03-05-2022 00:27 | 22.4 | 20.1 | 8 | 20.3 |
| 03-05-2022 00:28 | 22.4 | 20.1 | 8 | 20.2 |
| 03-05-2022 00:29 | 22.4 | 20.1 | 8 | 20.3 |
| 03-05-2022 00:30 | 22.4 | 20.1 | 8 | 20.2 |
| 03-05-2022 00:31 | 22.4 | 20.1 | 8 | 20.2 |
| 03-05-2022 00:32 | 22.4 | 20.1 | 8 | 20.3 |
| 03-05-2022 00:33 | 22.4 | 20.1 | 8 | 20.3 |
| 03-05-2022 00:34 | 22.4 | 20.1 | 8 | 20.2 |
| 03-05-2022 00:35 | 22.4 | 20.1 | 8 | 20.2 |
| 03-05-2022 00:36 | 22.4 | 20.1 | 8 | 20.3 |
| 03-05-2022 00:37 | 22.4 | 20.1 | 8 | 20.3 |
| 03-05-2022 00:38 | 22.4 | 20.1 | 8 | 20.2 |
| 03-05-2022 00:39 | 22.4 | 20.1 | 8 | 20.3 |
| 03-05-2022 00:40 | 22.4 | 20.1 | 8 | 20.3 |
| 03-05-2022 00:41 | 22.4 | 20.1 | 8 | 20.3 |
| 03-05-2022 00:42 | 22.4 | 20.1 | 8 | 20.3 |
| 03-05-2022 00:43 | 22.4 | 20.1 | 8 | 20.3 |
| 03-05-2022 00:44 | 22.4 | 20.1 | 8 | 20.3 |
| 03-05-2022 00:45 | 22.4 | 20.1 | 8 | 20.3 |
| 03-05-2022 00:46 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 00:47 | 22.3 | 20.1 | 8 | 20.4 |
| 03-05-2022 00:48 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 00:49 | 22.4 | 20.1 | 8 | 20.3 |
| 03-05-2022 00:50 | 22.4 | 20.1 | 8 | 20.3 |
| 03-05-2022 00:51 | 22.4 | 20.1 | 8 | 20.4 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 03-05-2022 00:52 | 22.4 | 20.1 | 8 | 20.3 |
| 03-05-2022 00:53 | 22.4 | 20.1 | 8 | 20.3 |
| 03-05-2022 00:54 | 22.4 | 20.1 | 8 | 20.4 |
| 03-05-2022 00:55 | 22.4 | 20.1 | 7 | 20.3 |
| 03-05-2022 00:56 | 22.4 | 20.1 | 8 | 20.4 |
| 03-05-2022 00:57 | 22.4 | 20.1 | 8 | 20.3 |
| 03-05-2022 00:58 | 22.4 | 20.1 | 8 | 20.4 |
| 03-05-2022 00:59 | 22.4 | 20.1 | 8 | 20.3 |
| 03-05-2022 01:00 | 22.5 | 20.2 | 8 | 20.4 |
| 03-05-2022 01:01 | 22.5 | 20.2 | 8 | 20.4 |
| 03-05-2022 01:02 | 22.5 | 20.1 | 8 | 20.4 |
| 03-05-2022 01:03 | 22.5 | 20.1 | 8 | 20.4 |
| 03-05-2022 01:04 | 22.5 | 20.1 | 8 | 20.3 |
| 03-05-2022 01:05 | 22.5 | 20.2 | 8 | 20.4 |
| 03-05-2022 01:06 | 22.5 | 20.1 | 8 | 20.4 |
| 03-05-2022 01:07 | 22.5 | 20.1 | 8 | 20.4 |
| 03-05-2022 01:08 | 22.5 | 20.2 | 8 | 20.4 |
| 03-05-2022 01:09 | 22.5 | 20.2 | 9 | 20.4 |
| 03-05-2022 01:10 | 22.5 | 20.2 | 8 | 20.3 |
| 03-05-2022 01:11 | 22.5 | 20.1 | 8 | 20.3 |
| 03-05-2022 01:12 | 22.6 | 20.2 | 8 | 20.3 |
| 03-05-2022 01:13 | 22.5 | 20.2 | 8 | 20.4 |
| 03-05-2022 01:14 | 22.5 | 20.1 | 7 | 20.4 |
| 03-05-2022 01:15 | 22.5 | 20.2 | 8 | 20.3 |
| 03-05-2022 01:16 | 22.5 | 20.2 | 8 | 20.3 |
| 03-05-2022 01:17 | 22.5 | 20.1 | 8 | 20.3 |
| 03-05-2022 01:18 | 22.5 | 20.2 | 8 | 20.3 |
| 03-05-2022 01:19 | 22.5 | 20.2 | 8 | 20.3 |
| 03-05-2022 01:20 | 22.4 | 20.1 | 8 | 20.3 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 03-05-2022 01:21 | 22.5 | 20.2 | 8 | 20.3 |
| 03-05-2022 01:22 | 22.5 | 20.1 | 8 | 20.3 |
| 03-05-2022 01:23 | 22.5 | 20.2 | 8 | 20.4 |
| 03-05-2022 01:24 | 22.4 | 20.2 | 8 | 20.4 |
| 03-05-2022 01:25 | 22.5 | 20.2 | 8 | 20.4 |
| 03-05-2022 01:26 | 22.5 | 20.2 | 8 | 20.4 |
| 03-05-2022 01:27 | 22.5 | 20.2 | 8 | 20.3 |
| 03-05-2022 01:28 | 22.5 | 20.2 | 8 | 20.4 |
| 03-05-2022 01:29 | 22.5 | 20.2 | 8 | 20.4 |
| 03-05-2022 01:30 | 22.6 | 20.2 | 8 | 20.4 |
| 03-05-2022 01:31 | 22.5 | 20.2 | 8 | 20.3 |
| 03-05-2022 01:32 | 22.6 | 20.2 | 8 | 20.4 |
| 03-05-2022 01:33 | 22.6 | 20.2 | 8 | 20.4 |
| 03-05-2022 01:34 | 22.6 | 20.2 | 8 | 20.5 |
| 03-05-2022 01:35 | 22.6 | 20.2 | 8 | 20.4 |
| 03-05-2022 01:36 | 22.6 | 20.2 | 8 | 20.4 |
| 03-05-2022 01:37 | 22.6 | 20.2 | 8 | 20.4 |
| 03-05-2022 01:38 | 22.6 | 20.1 | 8 | 20.4 |
| 03-05-2022 01:39 | 22.6 | 20.1 | 8 | 20.4 |
| 03-05-2022 01:40 | 22.6 | 20.1 | 8 | 20.5 |
| 03-05-2022 01:41 | 22.6 | 20.1 | 8 | 20.5 |
| 03-05-2022 01:42 | 22.6 | 20.1 | 8 | 20.4 |
| 03-05-2022 01:43 | 22.5 | 20.2 | 8 | 20.4 |
| 03-05-2022 01:44 | 22.5 | 20.1 | 8 | 20.4 |
| 03-05-2022 01:45 | 22.5 | 20.1 | 8 | 20.4 |
| 03-05-2022 01:46 | 22.5 | 20.1 | 8 | 20.4 |
| 03-05-2022 01:47 | 22.5 | 20.1 | 8 | 20.4 |
| 03-05-2022 01:48 | 22.6 | 20.2 | 8 | 20.4 |
| 03-05-2022 01:49 | 22.6 | 20.1 | 8 | 20.4 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 03-05-2022 01:50 | 22.5 | 20.1 | 8 | 20.4 |
| 03-05-2022 01:51 | 22.5 | 20.1 | 8 | 20.4 |
| 03-05-2022 01:52 | 22.5 | 20.2 | 8 | 20.5 |
| 03-05-2022 01:53 | 22.6 | 20.2 | 8 | 20.5 |
| 03-05-2022 01:54 | 22.6 | 20.1 | 8 | 20.5 |
| 03-05-2022 01:55 | 22.5 | 20.1 | 8 | 20.5 |
| 03-05-2022 01:56 | 22.6 | 20.2 | 7 | 20.5 |
| 03-05-2022 01:57 | 22.6 | 20.2 | 8 | 20.4 |
| 03-05-2022 01:58 | 22.6 | 20.1 | 8 | 20.5 |
| 03-05-2022 01:59 | 22.6 | 20.1 | 8 | 20.5 |
| 03-05-2022 02:00 | 22.6 | 20.1 | 8 | 20.5 |
| 03-05-2022 02:01 | 22.6 | 20.2 | 8 | 20.4 |
| 03-05-2022 02:02 | 22.6 | 20.1 | 8 | 20.4 |
| 03-05-2022 02:03 | 22.5 | 20.1 | 8 | 20.4 |
| 03-05-2022 02:04 | 22.5 | 20.1 | 8 | 20.4 |
| 03-05-2022 02:05 | 22.5 | 20.1 | 8 | 20.4 |
| 03-05-2022 02:06 | 22.5 | 20.1 | 8 | 20.5 |
| 03-05-2022 02:07 | 22.6 | 20.1 | 8 | 20.4 |
| 03-05-2022 02:08 | 22.6 | 20.1 | 8 | 20.4 |
| 03-05-2022 02:09 | 22.6 | 20.1 | 8 | 20.4 |
| 03-05-2022 02:10 | 22.6 | 20.1 | 8 | 20.5 |
| 03-05-2022 02:11 | 22.6 | 20.1 | 8 | 20.4 |
| 03-05-2022 02:12 | 22.6 | 20.1 | 8 | 20.4 |
| 03-05-2022 02:13 | 22.6 | 20.1 | 8 | 20.4 |
| 03-05-2022 02:14 | 22.6 | 20.1 | 8 | 20.5 |
| 03-05-2022 02:15 | 22.6 | 20.1 | 8 | 20.4 |
| 03-05-2022 02:16 | 22.6 | 20.1 | 8 | 20.4 |
| 03-05-2022 02:17 | 22.6 | 20.1 | 8 | 20.4 |
| 03-05-2022 02:18 | 22.6 | 20.1 | 8 | 20.5 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 03-05-2022 02:19 | 22.6 | 20.1 | 8 | 20.4 |
| 03-05-2022 02:20 | 22.6 | 20.1 | 7 | 20.5 |
| 03-05-2022 02:21 | 22.6 | 20.1 | 8 | 20.4 |
| 03-05-2022 02:22 | 22.6 | 20.1 | 8 | 20.4 |
| 03-05-2022 02:23 | 22.5 | 20.1 | 8 | 20.4 |
| 03-05-2022 02:24 | 22.5 | 20.1 | 8 | 20.5 |
| 03-05-2022 02:25 | 22.5 | 20.1 | 8 | 20.5 |
| 03-05-2022 02:26 | 22.5 | 20.1 | 9 | 20.4 |
| 03-05-2022 02:27 | 22.5 | 20.1 | 8 | 20.4 |
| 03-05-2022 02:28 | 22.5 | 20.1 | 8 | 20.4 |
| 03-05-2022 02:29 | 22.5 | 20.1 | 8 | 20.4 |
| 03-05-2022 02:30 | 22.5 | 20.1 | 8 | 20.4 |
| 03-05-2022 02:31 | 22.5 | 20.1 | 8 | 20.4 |
| 03-05-2022 02:32 | 22.5 | 20.1 | 8 | 20.4 |
| 03-05-2022 02:33 | 22.5 | 20.1 | 8 | 20.5 |
| 03-05-2022 02:34 | 22.5 | 20.1 | 8 | 20.3 |
| 03-05-2022 02:35 | 22.5 | 20.1 | 8 | 20.4 |
| 03-05-2022 02:36 | 22.5 | 20.1 | 8 | 20.4 |
| 03-05-2022 02:37 | 22.5 | 20.1 | 8 | 20.4 |
| 03-05-2022 02:38 | 22.5 | 20.1 | 8 | 20.4 |
| 03-05-2022 02:39 | 22.5 | 20.1 | 8 | 20.4 |
| 03-05-2022 02:40 | 22.5 | 20.1 | 8 | 20.4 |
| 03-05-2022 02:41 | 22.5 | 20.1 | 7 | 20.4 |
| 03-05-2022 02:42 | 22.5 | 20.1 | 8 | 20.4 |
| 03-05-2022 02:43 | 22.5 | 20.1 | 8 | 20.4 |
| 03-05-2022 02:44 | 22.5 | 20.1 | 8 | 20.4 |
| 03-05-2022 02:45 | 22.5 | 20.1 | 8 | 20.4 |
| 03-05-2022 02:46 | 22.5 | 20.1 | 8 | 20.4 |
| 03-05-2022 02:47 | 22.5 | 20.1 | 8 | 20.4 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 03-05-2022 02:48 | 22.4 | 20.1 | 7 | 20.4 |
| 03-05-2022 02:49 | 22.4 | 20.1 | 8 | 20.4 |
| 03-05-2022 02:50 | 22.5 | 20.1 | 8 | 20.4 |
| 03-05-2022 02:51 | 22.5 | 20.1 | 8 | 20.4 |
| 03-05-2022 02:52 | 22.5 | 20.1 | 8 | 20.4 |
| 03-05-2022 02:53 | 22.5 | 20.1 | 8 | 20.4 |
| 03-05-2022 02:54 | 22.4 | 20.1 | 8 | 20.4 |
| 03-05-2022 02:55 | 22.4 | 20.1 | 8 | 20.4 |
| 03-05-2022 02:56 | 22.5 | 20.1 | 8 | 20.4 |
| 03-05-2022 02:57 | 22.4 | 20.1 | 8 | 20.4 |
| 03-05-2022 02:58 | 22.5 | 20.1 | 8 | 20.4 |
| 03-05-2022 02:59 | 22.4 | 20.1 | 8 | 20.3 |
| 03-05-2022 03:00 | 22.4 | 20.1 | 8 | 20.4 |
| 03-05-2022 03:01 | 22.5 | 20.1 | 8 | 20.4 |
| 03-05-2022 03:02 | 22.5 | 20.1 | 8 | 20.4 |
| 03-05-2022 03:03 | 22.4 | 20.1 | 8 | 20.4 |
| 03-05-2022 03:04 | 22.4 | 20.1 | 8 | 20.3 |
| 03-05-2022 03:05 | 22.4 | 20.1 | 8 | 20.3 |
| 03-05-2022 03:06 | 22.4 | 20.1 | 8 | 20.3 |
| 03-05-2022 03:07 | 22.4 | 20.1 | 8 | 20.4 |
| 03-05-2022 03:08 | 22.4 | 20.1 | 8 | 20.4 |
| 03-05-2022 03:09 | 22.4 | 20.1 | 8 | 20.3 |
| 03-05-2022 03:10 | 22.4 | 20.1 | 8 | 20.3 |
| 03-05-2022 03:11 | 22.4 | 20.1 | 8 | 20.3 |
| 03-05-2022 03:12 | 22.4 | 20.1 | 8 | 20.4 |
| 03-05-2022 03:13 | 22.4 | 20.1 | 8 | 20.4 |
| 03-05-2022 03:14 | 22.4 | 20.1 | 8 | 20.3 |
| 03-05-2022 03:15 | 22.4 | 20.1 | 8 | 20.4 |
| 03-05-2022 03:16 | 22.4 | 20.1 | 8 | 20.3 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 03-05-2022 03:17 | 22.3 | 20.1 | 8 | 20.4 |
| 03-05-2022 03:18 | 22.3 | 20.1 | 8 | 20.4 |
| 03-05-2022 03:19 | 22.4 | 20.1 | 8 | 20.4 |
| 03-05-2022 03:20 | 22.4 | 20.1 | 8 | 20.4 |
| 03-05-2022 03:21 | 22.4 | 20.1 | 8 | 20.4 |
| 03-05-2022 03:22 | 22.4 | 20.1 | 8 | 20.3 |
| 03-05-2022 03:23 | 22.4 | 20.1 | 8 | 20.3 |
| 03-05-2022 03:24 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 03:25 | 22.4 | 20.1 | 8 | 20.3 |
| 03-05-2022 03:26 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 03:27 | 22.4 | 20.1 | 8 | 20.3 |
| 03-05-2022 03:28 | 22.4 | 20.1 | 8 | 20.4 |
| 03-05-2022 03:29 | 22.4 | 20.1 | 8 | 20.3 |
| 03-05-2022 03:30 | 22.4 | 20.1 | 8 | 20.4 |
| 03-05-2022 03:31 | 22.4 | 20.1 | 8 | 20.3 |
| 03-05-2022 03:32 | 22.4 | 20.1 | 8 | 20.3 |
| 03-05-2022 03:33 | 22.4 | 20.1 | 8 | 20.3 |
| 03-05-2022 03:34 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 03:35 | 22.4 | 20.1 | 8 | 20.4 |
| 03-05-2022 03:36 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 03:37 | 22.4 | 20.1 | 8 | 20.3 |
| 03-05-2022 03:38 | 22.4 | 20.1 | 8 | 20.3 |
| 03-05-2022 03:39 | 22.4 | 20.0 | 9 | 20.4 |
| 03-05-2022 03:40 | 22.3 | 20.1 | 8 | 20.4 |
| 03-05-2022 03:41 | 22.3 | 20.1 | 8 | 20.4 |
| 03-05-2022 03:42 | 22.3 | 20.0 | 8 | 20.3 |
| 03-05-2022 03:43 | 22.3 | 20.0 | 8 | 20.4 |
| 03-05-2022 03:44 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 03:45 | 22.3 | 20.0 | 8 | 20.3 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 03-05-2022 03:46 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 03:47 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 03:48 | 22.3 | 20.0 | 8 | 20.3 |
| 03-05-2022 03:49 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 03:50 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 03:51 | 22.3 | 20.0 | 8 | 20.3 |
| 03-05-2022 03:52 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 03:53 | 22.3 | 20.0 | 8 | 20.3 |
| 03-05-2022 03:54 | 22.3 | 20.0 | 8 | 20.4 |
| 03-05-2022 03:55 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 03:56 | 22.3 | 20.1 | 8 | 20.4 |
| 03-05-2022 03:57 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 03:58 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 03:59 | 22.3 | 20.0 | 8 | 20.3 |
| 03-05-2022 04:00 | 22.3 | 20.0 | 8 | 20.3 |
| 03-05-2022 04:01 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 04:02 | 22.3 | 20.0 | 8 | 20.3 |
| 03-05-2022 04:03 | 22.4 | 20.1 | 8 | 20.3 |
| 03-05-2022 04:04 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 04:05 | 22.3 | 20.0 | 8 | 20.3 |
| 03-05-2022 04:06 | 22.3 | 20.0 | 8 | 20.3 |
| 03-05-2022 04:07 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 04:08 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 04:09 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 04:10 | 22.3 | 20.0 | 8 | 20.3 |
| 03-05-2022 04:11 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 04:12 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 04:13 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 04:14 | 22.3 | 20.1 | 8 | 20.3 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 03-05-2022 04:15 | 22.3 | 20.0 | 8 | 20.3 |
| 03-05-2022 04:16 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 04:17 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 04:18 | 22.3 | 20.0 | 8 | 20.3 |
| 03-05-2022 04:19 | 22.3 | 20.0 | 8 | 20.3 |
| 03-05-2022 04:20 | 22.3 | 20.0 | 8 | 20.3 |
| 03-05-2022 04:21 | 22.3 | 20.0 | 8 | 20.3 |
| 03-05-2022 04:22 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 04:23 | 22.3 | 20.0 | 8 | 20.3 |
| 03-05-2022 04:24 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 04:25 | 22.3 | 20.0 | 8 | 20.3 |
| 03-05-2022 04:26 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 04:27 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 04:28 | 22.3 | 20.0 | 8 | 20.3 |
| 03-05-2022 04:29 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 04:30 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 04:31 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 04:32 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 04:33 | 22.3 | 20.0 | 8 | 20.3 |
| 03-05-2022 04:34 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 04:35 | 22.3 | 20.0 | 8 | 20.3 |
| 03-05-2022 04:36 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 04:37 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 04:38 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 04:39 | 22.3 | 20.0 | 8 | 20.3 |
| 03-05-2022 04:40 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 04:41 | 22.3 | 20.0 | 8 | 20.3 |
| 03-05-2022 04:42 | 22.3 | 20.0 | 8 | 20.3 |
| 03-05-2022 04:43 | 22.3 | 20.0 | 8 | 20.3 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 03-05-2022 04:44 | 22.3 | 20.1 | 9 | 20.3 |
| 03-05-2022 04:45 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 04:46 | 22.3 | 20.0 | 8 | 20.3 |
| 03-05-2022 04:47 | 22.3 | 20.0 | 9 | 20.3 |
| 03-05-2022 04:48 | 22.3 | 20.0 | 8 | 20.3 |
| 03-05-2022 04:49 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 04:50 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 04:51 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 04:52 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 04:53 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 04:54 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 04:55 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 04:56 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 04:57 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 04:58 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 04:59 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 05:00 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 05:01 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 05:02 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 05:03 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 05:04 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 05:05 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 05:06 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 05:07 | 22.3 | 20.1 | 9 | 20.3 |
| 03-05-2022 05:08 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 05:09 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 05:10 | 22.4 | 20.1 | 8 | 20.3 |
| 03-05-2022 05:11 | 22.4 | 20.1 | 9 | 20.3 |
| 03-05-2022 05:12 | 22.3 | 20.1 | 8 | 20.3 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 03-05-2022 05:13 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 05:14 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 05:15 | 22.3 | 20.1 | 9 | 20.3 |
| 03-05-2022 05:16 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 05:17 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 05:18 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 05:19 | 22.4 | 20.1 | 8 | 20.3 |
| 03-05-2022 05:20 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 05:21 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 05:22 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 05:23 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 05:24 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 05:25 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 05:26 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 05:27 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 05:28 | 22.3 | 20.1 | 9 | 20.3 |
| 03-05-2022 05:29 | 22.4 | 20.1 | 7 | 20.3 |
| 03-05-2022 05:30 | 22.4 | 20.1 | 8 | 20.3 |
| 03-05-2022 05:31 | 22.4 | 20.1 | 8 | 20.3 |
| 03-05-2022 05:32 | 22.4 | 20.1 | 8 | 20.3 |
| 03-05-2022 05:33 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 05:34 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 05:35 | 22.4 | 20.1 | 8 | 20.3 |
| 03-05-2022 05:36 | 22.4 | 20.1 | 8 | 20.3 |
| 03-05-2022 05:37 | 22.4 | 20.1 | 8 | 20.3 |
| 03-05-2022 05:38 | 22.4 | 20.1 | 8 | 20.3 |
| 03-05-2022 05:39 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 05:40 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 05:41 | 22.3 | 20.1 | 8 | 20.3 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 03-05-2022 05:42 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 05:43 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 05:44 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 05:45 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 05:46 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 05:47 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 05:48 | 22.4 | 20.1 | 8 | 20.4 |
| 03-05-2022 05:49 | 22.4 | 20.1 | 8 | 20.3 |
| 03-05-2022 05:50 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 05:51 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 05:52 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 05:53 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 05:54 | 22.3 | 20.1 | 8 | 20.4 |
| 03-05-2022 05:55 | 22.3 | 20.1 | 8 | 20.4 |
| 03-05-2022 05:56 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 05:57 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 05:58 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 05:59 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 06:00 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 06:01 | 22.3 | 20.1 | 0 | 20.4 |
| 03-05-2022 06:02 | 22.3 | 20.1 | 8 | 20.4 |
| 03-05-2022 06:03 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 06:04 | 22.3 | 20.1 | 8 | 20.4 |
| 03-05-2022 06:05 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 06:06 | 22.3 | 20.1 | 7 | 20.3 |
| 03-05-2022 06:07 | 22.3 | 20.1 | 8 | 20.4 |
| 03-05-2022 06:08 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 06:09 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 06:10 | 22.3 | 20.1 | 6 | 20.3 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 03-05-2022 06:11 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 06:12 | 22.2 | 20.1 | 8 | 20.3 |
| 03-05-2022 06:13 | 22.2 | 20.1 | 8 | 20.4 |
| 03-05-2022 06:14 | 22.2 | 20.1 | 8 | 20.4 |
| 03-05-2022 06:15 | 22.2 | 20.1 | 8 | 20.3 |
| 03-05-2022 06:16 | 22.2 | 20.1 | 7 | 20.3 |
| 03-05-2022 06:17 | 22.2 | 20.1 | 8 | 20.3 |
| 03-05-2022 06:18 | 22.2 | 20.1 | 8 | 20.3 |
| 03-05-2022 06:19 | 22.2 | 20.1 | 8 | 20.3 |
| 03-05-2022 06:20 | 22.2 | 20.1 | 8 | 20.3 |
| 03-05-2022 06:21 | 22.2 | 20.1 | 8 | 20.4 |
| 03-05-2022 06:22 | 22.2 | 20.1 | 8 | 20.4 |
| 03-05-2022 06:23 | 22.2 | 20.1 | 8 | 20.3 |
| 03-05-2022 06:24 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 06:25 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 06:26 | 22.3 | 20.1 | 8 | 20.4 |
| 03-05-2022 06:27 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 06:28 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 06:29 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 06:30 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 06:31 | 22.3 | 20.1 | 8 | 20.4 |
| 03-05-2022 06:32 | 22.3 | 20.1 | 7 | 20.3 |
| 03-05-2022 06:33 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 06:34 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 06:35 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 06:36 | 22.3 | 20.1 | 7 | 20.3 |
| 03-05-2022 06:37 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 06:38 | 22.3 | 20.1 | 9 | 20.3 |
| 03-05-2022 06:39 | 22.3 | 20.1 | 8 | 20.3 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 03-05-2022 06:40 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 06:41 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 06:42 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 06:43 | 22.4 | 20.1 | 9 | 20.3 |
| 03-05-2022 06:44 | 22.4 | 20.1 | 8 | 20.4 |
| 03-05-2022 06:45 | 22.4 | 20.1 | 8 | 20.4 |
| 03-05-2022 06:46 | 22.4 | 20.1 | 8 | 20.4 |
| 03-05-2022 06:47 | 22.4 | 20.1 | 8 | 20.4 |
| 03-05-2022 06:48 | 22.4 | 20.1 | 8 | 20.3 |
| 03-05-2022 06:49 | 22.4 | 20.1 | 8 | 20.4 |
| 03-05-2022 06:50 | 22.4 | 20.1 | 8 | 20.3 |
| 03-05-2022 06:51 | 22.4 | 20.1 | 8 | 20.4 |
| 03-05-2022 06:52 | 22.4 | 20.1 | 8 | 20.4 |
| 03-05-2022 06:53 | 22.4 | 20.1 | 8 | 20.4 |
| 03-05-2022 06:54 | 22.4 | 20.1 | 8 | 20.4 |
| 03-05-2022 06:55 | 22.5 | 20.1 | 8 | 20.4 |
| 03-05-2022 06:56 | 22.4 | 20.1 | 8 | 20.4 |
| 03-05-2022 06:57 | 22.5 | 20.1 | 8 | 20.4 |
| 03-05-2022 06:58 | 22.5 | 20.1 | 8 | 20.4 |
| 03-05-2022 06:59 | 22.5 | 20.1 | 7 | 20.4 |
| 03-05-2022 07:00 | 22.5 | 20.1 | 7 | 20.4 |
| 03-05-2022 07:01 | 22.5 | 20.1 | 8 | 20.4 |
| 03-05-2022 07:02 | 22.5 | 20.1 | 7 | 20.4 |
| 03-05-2022 07:03 | 22.5 | 20.1 | 6 | 20.4 |
| 03-05-2022 07:04 | 22.5 | 20.1 | 8 | 20.5 |
| 03-05-2022 07:05 | 22.5 | 20.1 | 8 | 20.5 |
| 03-05-2022 07:06 | 22.5 | 20.2 | 9 | 20.4 |
| 03-05-2022 07:07 | 22.6 | 20.2 | 8 | 20.4 |
| 03-05-2022 07:08 | 22.6 | 20.2 | 8 | 20.5 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 03-05-2022 07:09 | 22.6 | 20.2 | 8 | 20.4 |
| 03-05-2022 07:10 | 22.6 | 20.2 | 8 | 20.5 |
| 03-05-2022 07:11 | 22.6 | 20.2 | 8 | 20.5 |
| 03-05-2022 07:12 | 22.7 | 20.2 | 8 | 20.4 |
| 03-05-2022 07:13 | 22.7 | 20.2 | 8 | 20.5 |
| 03-05-2022 07:14 | 22.7 | 20.2 | 8 | 20.5 |
| 03-05-2022 07:15 | 22.7 | 20.2 | 8 | 20.4 |
| 03-05-2022 07:16 | 22.7 | 20.2 | 8 | 20.4 |
| 03-05-2022 07:17 | 22.7 | 20.2 | 8 | 20.5 |
| 03-05-2022 07:18 | 22.7 | 20.2 | 8 | 20.5 |
| 03-05-2022 07:19 | 22.7 | 20.2 | 8 | 20.5 |
| 03-05-2022 07:20 | 22.7 | 20.2 | 9 | 20.5 |
| 03-05-2022 07:21 | 22.7 | 20.2 | 9 | 20.4 |
| 03-05-2022 07:22 | 22.7 | 20.2 | 9 | 20.5 |
| 03-05-2022 07:23 | 22.8 | 20.2 | 9 | 20.5 |
| 03-05-2022 07:24 | 22.8 | 20.2 | 8 | 20.5 |
| 03-05-2022 07:25 | 22.8 | 20.2 | 8 | 20.5 |
| 03-05-2022 07:26 | 22.8 | 20.2 | 8 | 20.5 |
| 03-05-2022 07:27 | 22.8 | 20.2 | 8 | 20.5 |
| 03-05-2022 07:28 | 22.8 | 20.2 | 8 | 20.5 |
| 03-05-2022 07:29 | 22.8 | 20.2 | 8 | 20.5 |
| 03-05-2022 07:30 | 22.8 | 20.2 | 8 | 20.5 |
| 03-05-2022 07:31 | 22.8 | 20.2 | 8 | 20.5 |
| 03-05-2022 07:32 | 22.8 | 20.2 | 8 | 20.5 |
| 03-05-2022 07:33 | 22.7 | 20.2 | 8 | 20.5 |
| 03-05-2022 07:34 | 22.7 | 20.2 | 8 | 20.6 |
| 03-05-2022 07:35 | 22.7 | 20.3 | 8 | 20.5 |
| 03-05-2022 07:36 | 22.7 | 20.3 | 8 | 20.5 |
| 03-05-2022 07:37 | 22.7 | 20.3 | 8 | 20.5 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 03-05-2022 07:38 | 22.8 | 20.3 | 8 | 20.6 |
| 03-05-2022 07:39 | 22.8 | 20.3 | 8 | 20.6 |
| 03-05-2022 07:40 | 22.8 | 20.3 | 7 | 20.6 |
| 03-05-2022 07:41 | 22.8 | 20.3 | 8 | 20.7 |
| 03-05-2022 07:42 | 22.8 | 20.3 | 8 | 20.7 |
| 03-05-2022 07:43 | 22.9 | 20.3 | 8 | 20.7 |
| 03-05-2022 07:44 | 22.9 | 20.3 | 8 | 20.7 |
| 03-05-2022 07:45 | 22.9 | 20.3 | 8 | 20.7 |
| 03-05-2022 07:46 | 23.0 | 20.3 | 9 | 20.7 |
| 03-05-2022 07:47 | 23.0 | 20.3 | 8 | 20.7 |
| 03-05-2022 07:48 | 23.1 | 20.3 | 8 | 20.7 |
| 03-05-2022 07:49 | 23.1 | 20.3 | 8 | 20.7 |
| 03-05-2022 07:50 | 23.2 | 20.3 | 8 | 20.6 |
| 03-05-2022 07:51 | 23.2 | 20.3 | 8 | 20.7 |
| 03-05-2022 07:52 | 23.2 | 20.3 | 8 | 20.7 |
| 03-05-2022 07:53 | 23.2 | 20.3 | 6 | 20.6 |
| 03-05-2022 07:54 | 23.2 | 20.3 | 8 | 20.7 |
| 03-05-2022 07:55 | 23.2 | 20.3 | 7 | 20.6 |
| 03-05-2022 07:56 | 23.2 | 20.3 | 8 | 20.7 |
| 03-05-2022 07:57 | 23.2 | 20.3 | 8 | 20.7 |
| 03-05-2022 07:58 | 23.2 | 20.3 | 8 | 20.6 |
| 03-05-2022 07:59 | 23.3 | 20.3 | 8 | 20.7 |
| 03-05-2022 08:00 | 23.3 | 20.3 | 8 | 20.7 |
| 03-05-2022 08:01 | 23.3 | 20.3 | 9 | 20.6 |
| 03-05-2022 08:02 | 23.3 | 20.3 | 8 | 20.6 |
| 03-05-2022 08:03 | 23.3 | 20.3 | 8 | 20.7 |
| 03-05-2022 08:04 | 23.5 | 20.3 | 8 | 20.7 |
| 03-05-2022 08:05 | 23.4 | 20.3 | 8 | 20.6 |
| 03-05-2022 08:06 | 23.4 | 20.3 | 8 | 20.7 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 03-05-2022 08:07 | 23.4 | 20.3 | 8 | 20.6 |
| 03-05-2022 08:08 | 23.4 | 20.3 | 8 | 20.6 |
| 03-05-2022 08:09 | 23.5 | 20.3 | 8 | 20.7 |
| 03-05-2022 08:10 | 23.5 | 20.3 | 8 | 20.7 |
| 03-05-2022 08:11 | 23.5 | 20.3 | 8 | 20.6 |
| 03-05-2022 08:12 | 23.5 | 20.3 | 8 | 20.7 |
| 03-05-2022 08:13 | 23.5 | 20.3 | 6 | 20.7 |
| 03-05-2022 08:14 | 23.5 | 20.3 | 8 | 20.7 |
| 03-05-2022 08:15 | 23.5 | 20.3 | 7 | 20.7 |
| 03-05-2022 08:16 | 23.6 | 20.3 | 8 | 20.7 |
| 03-05-2022 08:17 | 23.6 | 20.3 | 8 | 20.7 |
| 03-05-2022 08:18 | 23.6 | 20.3 | 8 | 20.7 |
| 03-05-2022 08:19 | 23.7 | 20.3 | 8 | 20.7 |
| 03-05-2022 08:20 | 23.6 | 20.3 | 8 | 20.7 |
| 03-05-2022 08:21 | 23.6 | 20.3 | 8 | 20.7 |
| 03-05-2022 08:22 | 23.7 | 20.3 | 8 | 20.7 |
| 03-05-2022 08:23 | 23.7 | 20.3 | 8 | 20.7 |
| 03-05-2022 08:24 | 23.7 | 20.3 | 8 | 20.7 |
| 03-05-2022 08:25 | 23.7 | 20.3 | 7 | 20.7 |
| 03-05-2022 08:26 | 23.7 | 20.3 | 8 | 20.7 |
| 03-05-2022 08:27 | 23.7 | 20.3 | 8 | 20.7 |
| 03-05-2022 08:28 | 23.7 | 20.3 | 8 | 20.6 |
| 03-05-2022 08:29 | 23.7 | 20.3 | 8 | 20.7 |
| 03-05-2022 08:30 | 23.7 | 20.3 | 8 | 20.7 |
| 03-05-2022 08:31 | 23.7 | 20.3 | 8 | 20.6 |
| 03-05-2022 08:32 | 23.7 | 20.3 | 8 | 20.6 |
| 03-05-2022 08:33 | 23.7 | 20.3 | 8 | 20.6 |
| 03-05-2022 08:34 | 23.7 | 20.3 | 8 | 20.5 |
| 03-05-2022 08:35 | 23.7 | 20.3 | 8 | 20.6 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 03-05-2022 08:36 | 23.7 | 20.2 | 8 | 20.5 |
| 03-05-2022 08:37 | 23.8 | 20.2 | 8 | 20.5 |
| 03-05-2022 08:38 | 23.7 | 20.2 | 8 | 20.6 |
| 03-05-2022 08:39 | 23.7 | 20.2 | 8 | 20.5 |
| 03-05-2022 08:40 | 23.7 | 20.2 | 8 | 20.5 |
| 03-05-2022 08:41 | 23.7 | 20.1 | 8 | 20.5 |
| 03-05-2022 08:42 | 23.7 | 20.1 | 8 | 20.5 |
| 03-05-2022 08:43 | 23.7 | 20.1 | 8 | 20.5 |
| 03-05-2022 08:44 | 23.7 | 20.1 | 8 | 20.4 |
| 03-05-2022 08:45 | 23.7 | 20.1 | 8 | 20.4 |
| 03-05-2022 08:46 | 23.7 | 20.1 | 8 | 20.3 |
| 03-05-2022 08:47 | 23.7 | 20.0 | 8 | 20.3 |
| 03-05-2022 08:48 | 23.6 | 20.0 | 8 | 20.3 |
| 03-05-2022 08:49 | 23.6 | 20.0 | 8 | 20.3 |
| 03-05-2022 08:50 | 23.6 | 20.0 | 8 | 20.2 |
| 03-05-2022 08:51 | 23.6 | 20.0 | 8 | 20.2 |
| 03-05-2022 08:52 | 23.6 | 19.9 | 8 | 20.2 |
| 03-05-2022 08:53 | 23.6 | 19.9 | 8 | 20.2 |
| 03-05-2022 08:54 | 23.5 | 19.9 | 8 | 20.2 |
| 03-05-2022 08:55 | 23.5 | 19.9 | 8 | 20.1 |
| 03-05-2022 08:56 | 23.6 | 19.9 | 8 | 20.2 |
| 03-05-2022 08:57 | 23.6 | 19.9 | 8 | 20.1 |
| 03-05-2022 08:58 | 23.6 | 19.9 | 8 | 20.1 |
| 03-05-2022 08:59 | 23.5 | 19.9 | 7 | 20.1 |
| 03-05-2022 09:00 | 23.5 | 19.9 | 8 | 20.1 |
| 03-05-2022 09:01 | 23.5 | 19.9 | 8 | 20.1 |
| 03-05-2022 09:02 | 23.6 | 19.9 | 8 | 20.1 |
| 03-05-2022 09:03 | 23.5 | 19.9 | 8 | 20.1 |
| 03-05-2022 09:04 | 23.6 | 19.8 | 9 | 20.0 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 03-05-2022 09:05 | 23.6 | 19.8 | 9 | 20.0 |
| 03-05-2022 09:06 | 23.5 | 19.8 | 8 | 20.1 |
| 03-05-2022 09:07 | 23.5 | 19.8 | 8 | 20.0 |
| 03-05-2022 09:08 | 23.5 | 19.8 | 8 | 20.0 |
| 03-05-2022 09:09 | 23.5 | 19.8 | 8 | 20.0 |
| 03-05-2022 09:10 | 23.5 | 19.8 | 8 | 20.0 |
| 03-05-2022 09:11 | 23.4 | 19.8 | 8 | 19.9 |
| 03-05-2022 09:12 | 23.4 | 19.8 | 8 | 19.9 |
| 03-05-2022 09:13 | 23.4 | 19.8 | 8 | 20.0 |
| 03-05-2022 09:14 | 23.4 | 19.8 | 8 | 19.9 |
| 03-05-2022 09:15 | 23.4 | 19.8 | 8 | 19.9 |
| 03-05-2022 09:16 | 23.3 | 19.8 | 8 | 20.0 |
| 03-05-2022 09:17 | 23.3 | 19.8 | 8 | 19.9 |
| 03-05-2022 09:18 | 23.3 | 19.8 | 8 | 19.9 |
| 03-05-2022 09:19 | 23.3 | 19.8 | 8 | 19.9 |
| 03-05-2022 09:20 | 23.3 | 19.8 | 8 | 20.0 |
| 03-05-2022 09:21 | 23.2 | 19.8 | 8 | 19.9 |
| 03-05-2022 09:22 | 23.2 | 19.8 | 8 | 19.9 |
| 03-05-2022 09:23 | 23.2 | 19.8 | 8 | 19.9 |
| 03-05-2022 09:24 | 23.2 | 19.8 | 8 | 19.9 |
| 03-05-2022 09:25 | 23.2 | 19.8 | 8 | 19.9 |
| 03-05-2022 09:26 | 23.2 | 19.8 | 8 | 19.9 |
| 03-05-2022 09:27 | 23.2 | 19.8 | 9 | 19.8 |
| 03-05-2022 09:28 | 23.2 | 19.8 | 8 | 19.8 |
| 03-05-2022 09:29 | 23.1 | 19.8 | 9 | 19.9 |
| 03-05-2022 09:30 | 23.1 | 19.8 | 8 | 19.9 |
| 03-05-2022 09:31 | 23.1 | 19.7 | 8 | 19.8 |
| 03-05-2022 09:32 | 23.2 | 19.8 | 8 | 19.9 |
| 03-05-2022 09:33 | 23.1 | 19.7 | 8 | 19.8 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 03-05-2022 09:34 | 23.1 | 19.7 | 8 | 19.8 |
| 03-05-2022 09:35 | 23.1 | 19.7 | 8 | 19.8 |
| 03-05-2022 09:36 | 23.1 | 19.7 | 8 | 19.8 |
| 03-05-2022 09:37 | 23.1 | 19.7 | 9 | 19.8 |
| 03-05-2022 09:38 | 23.1 | 19.8 | 8 | 19.9 |
| 03-05-2022 09:39 | 23.1 | 19.7 | 8 | 19.8 |
| 03-05-2022 09:40 | 23.2 | 19.7 | 8 | 19.9 |
| 03-05-2022 09:41 | 23.1 | 19.7 | 8 | 19.9 |
| 03-05-2022 09:42 | 23.2 | 19.7 | 7 | 19.9 |
| 03-05-2022 09:43 | 23.2 | 19.7 | 8 | 19.9 |
| 03-05-2022 09:44 | 23.2 | 19.7 | 8 | 19.9 |
| 03-05-2022 09:45 | 23.2 | 19.7 | 8 | 19.9 |
| 03-05-2022 09:46 | 23.2 | 19.7 | 8 | 19.8 |
| 03-05-2022 09:47 | 23.2 | 19.7 | 8 | 19.9 |
| 03-05-2022 09:48 | 23.2 | 19.7 | 7 | 19.9 |
| 03-05-2022 09:49 | 23.2 | 19.7 | 0 | 19.9 |
| 03-05-2022 09:50 | 23.2 | 19.7 | 8 | 19.9 |
| 03-05-2022 09:51 | 23.2 | 19.7 | 8 | 19.9 |
| 03-05-2022 09:52 | 23.2 | 19.7 | 8 | 19.9 |
| 03-05-2022 09:53 | 23.2 | 19.7 | 8 | 19.9 |
| 03-05-2022 09:54 | 23.2 | 19.8 | 8 | 19.8 |
| 03-05-2022 09:55 | 23.2 | 19.8 | 7 | 19.9 |
| 03-05-2022 09:56 | 23.3 | 19.8 | 8 | 19.8 |
| 03-05-2022 09:57 | 23.3 | 19.8 | 8 | 19.8 |
| 03-05-2022 09:58 | 23.3 | 19.8 | 8 | 19.8 |
| 03-05-2022 09:59 | 23.4 | 19.8 | 9 | 19.9 |
| 03-05-2022 10:00 | 23.4 | 19.8 | 8 | 19.8 |
| 03-05-2022 10:01 | 23.4 | 19.8 | 8 | 19.9 |
| 03-05-2022 10:02 | 23.4 | 19.8 | 8 | 19.8 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 03-05-2022 10:03 | 23.4 | 19.8 | 8 | 19.8 |
| 03-05-2022 10:04 | 23.4 | 19.8 | 7 | 19.9 |
| 03-05-2022 10:05 | 23.4 | 19.8 | 0 | 19.8 |
| 03-05-2022 10:06 | 23.4 | 19.8 | 8 | 19.8 |
| 03-05-2022 10:07 | 23.4 | 19.8 | 8 | 19.8 |
| 03-05-2022 10:08 | 23.4 | 19.8 | 8 | 19.8 |
| 03-05-2022 10:09 | 23.4 | 19.8 | 8 | 19.8 |
| 03-05-2022 10:10 | 23.4 | 19.8 | 8 | 19.9 |
| 03-05-2022 10:11 | 23.4 | 19.8 | 8 | 19.8 |
| 03-05-2022 10:12 | 23.4 | 19.8 | 8 | 19.8 |
| 03-05-2022 10:13 | 23.4 | 19.8 | 8 | 19.9 |
| 03-05-2022 10:14 | 23.5 | 19.8 | 8 | 19.9 |
| 03-05-2022 10:15 | 23.4 | 19.8 | 7 | 19.8 |
| 03-05-2022 10:16 | 23.5 | 19.8 | 7 | 19.8 |
| 03-05-2022 10:17 | 23.5 | 19.8 | 8 | 19.8 |
| 03-05-2022 10:18 | 23.5 | 19.8 | 8 | 19.8 |
| 03-05-2022 10:19 | 23.5 | 19.8 | 8 | 19.9 |
| 03-05-2022 10:20 | 23.5 | 19.8 | 8 | 19.8 |
| 03-05-2022 10:21 | 23.6 | 19.8 | 8 | 19.8 |
| 03-05-2022 10:22 | 23.5 | 19.8 | 8 | 19.9 |
| 03-05-2022 10:23 | 23.6 | 19.8 | 8 | 19.8 |
| 03-05-2022 10:24 | 23.6 | 19.8 | 8 | 19.8 |
| 03-05-2022 10:25 | 23.7 | 19.8 | 8 | 19.8 |
| 03-05-2022 10:26 | 23.7 | 19.8 | 8 | 19.9 |
| 03-05-2022 10:27 | 23.6 | 19.8 | 8 | 19.9 |
| 03-05-2022 10:28 | 23.7 | 19.8 | 8 | 19.8 |
| 03-05-2022 10:29 | 23.6 | 19.8 | 8 | 19.8 |
| 03-05-2022 10:30 | 23.7 | 19.8 | 8 | 19.9 |
| 03-05-2022 10:31 | 23.7 | 19.8 | 8 | 19.8 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 03-05-2022 10:32 | 23.7 | 19.8 | 8 | 19.8 |
| 03-05-2022 10:33 | 23.6 | 19.8 | 7 | 19.9 |
| 03-05-2022 10:34 | 23.6 | 19.8 | 8 | 19.9 |
| 03-05-2022 10:35 | 23.6 | 19.8 | 8 | 19.8 |
| 03-05-2022 10:36 | 23.6 | 19.8 | 7 | 19.8 |
| 03-05-2022 10:37 | 23.6 | 19.8 | 7 | 19.8 |
| 03-05-2022 10:38 | 23.7 | 19.8 | 6 | 19.9 |
| 03-05-2022 10:39 | 23.7 | 19.8 | 7 | 19.9 |
| 03-05-2022 10:40 | 23.7 | 19.8 | 8 | 19.8 |
| 03-05-2022 10:41 | 23.7 | 19.8 | 8 | 19.9 |
| 03-05-2022 10:42 | 23.7 | 19.8 | 8 | 19.9 |
| 03-05-2022 10:43 | 23.7 | 19.8 | 8 | 19.9 |
| 03-05-2022 10:44 | 23.7 | 19.8 | 8 | 19.8 |
| 03-05-2022 10:45 | 23.7 | 19.8 | 8 | 19.9 |
| 03-05-2022 10:46 | 23.7 | 19.8 | 9 | 19.9 |
| 03-05-2022 10:47 | 23.7 | 19.8 | 8 | 19.9 |
| 03-05-2022 10:48 | 23.7 | 19.8 | 7 | 19.9 |
| 03-05-2022 10:49 | 23.7 | 19.8 | 8 | 19.8 |
| 03-05-2022 10:50 | 23.7 | 19.8 | 8 | 19.8 |
| 03-05-2022 10:51 | 23.6 | 19.8 | 8 | 19.9 |
| 03-05-2022 10:52 | 23.7 | 19.8 | 8 | 19.9 |
| 03-05-2022 10:53 | 23.6 | 19.8 | 8 | 19.9 |
| 03-05-2022 10:54 | 23.6 | 19.8 | 8 | 19.8 |
| 03-05-2022 10:55 | 23.6 | 19.8 | 8 | 19.9 |
| 03-05-2022 10:56 | 23.7 | 19.8 | 8 | 19.9 |
| 03-05-2022 10:57 | 23.7 | 19.8 | 8 | 19.8 |
| 03-05-2022 10:58 | 23.6 | 19.8 | 8 | 19.9 |
| 03-05-2022 10:59 | 23.6 | 19.8 | 8 | 19.9 |
| 03-05-2022 11:00 | 23.6 | 19.8 | 8 | 19.9 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 03-05-2022 11:01 | 23.6 | 19.8 | 8 | 19.9 |
| 03-05-2022 11:02 | 23.6 | 19.8 | 8 | 19.8 |
| 03-05-2022 11:03 | 23.6 | 19.8 | 7 | 19.9 |
| 03-05-2022 11:04 | 23.6 | 19.8 | 8 | 19.9 |
| 03-05-2022 11:05 | 23.7 | 19.8 | 8 | 19.9 |
| 03-05-2022 11:06 | 23.7 | 19.8 | 7 | 19.9 |
| 03-05-2022 11:07 | 23.7 | 19.8 | 7 | 19.9 |
| 03-05-2022 11:08 | 23.7 | 19.8 | 8 | 19.9 |
| 03-05-2022 11:09 | 23.7 | 19.8 | 8 | 19.9 |
| 03-05-2022 11:10 | 23.7 | 19.8 | 8 | 19.9 |
| 03-05-2022 11:11 | 23.7 | 19.8 | 8 | 19.9 |
| 03-05-2022 11:12 | 23.8 | 19.9 | 8 | 19.9 |
| 03-05-2022 11:13 | 23.7 | 19.9 | 8 | 19.9 |
| 03-05-2022 11:14 | 23.7 | 19.9 | 7 | 19.9 |
| 03-05-2022 11:15 | 23.8 | 19.9 | 7 | 19.9 |
| 03-05-2022 11:16 | 23.7 | 19.9 | 8 | 20.0 |
| 03-05-2022 11:17 | 23.7 | 19.9 | 8 | 19.9 |
| 03-05-2022 11:18 | 23.8 | 19.9 | 8 | 19.9 |
| 03-05-2022 11:19 | 23.8 | 19.9 | 8 | 19.9 |
| 03-05-2022 11:20 | 23.8 | 19.9 | 8 | 19.9 |
| 03-05-2022 11:21 | 23.7 | 19.9 | 8 | 19.9 |
| 03-05-2022 11:22 | 23.8 | 19.9 | 9 | 19.9 |
| 03-05-2022 11:23 | 23.8 | 19.8 | 7 | 19.9 |
| 03-05-2022 11:24 | 23.8 | 19.8 | 7 | 19.9 |
| 03-05-2022 11:25 | 23.9 | 19.8 | 8 | 19.8 |
| 03-05-2022 11:26 | 23.8 | 19.8 | 8 | 19.8 |
| 03-05-2022 11:27 | 23.9 | 19.8 | 8 | 19.8 |
| 03-05-2022 11:28 | 23.8 | 19.8 | 8 | 19.8 |
| 03-05-2022 11:29 | 23.8 | 19.7 | 8 | 19.7 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 03-05-2022 11:30 | 23.8 | 19.7 | 8 | 19.7 |
| 03-05-2022 11:31 | 23.8 | 19.7 | 8 | 19.7 |
| 03-05-2022 11:32 | 23.8 | 19.7 | 8 | 19.6 |
| 03-05-2022 11:33 | 23.8 | 19.6 | 8 | 19.6 |
| 03-05-2022 11:34 | 23.7 | 19.6 | 8 | 19.6 |
| 03-05-2022 11:35 | 23.7 | 19.6 | 8 | 19.6 |
| 03-05-2022 11:36 | 23.8 | 19.5 | 8 | 19.5 |
| 03-05-2022 11:37 | 23.8 | 19.5 | 8 | 19.4 |
| 03-05-2022 11:38 | 23.7 | 19.5 | 8 | 19.5 |
| 03-05-2022 11:39 | 23.6 | 19.5 | 7 | 19.4 |
| 03-05-2022 11:40 | 23.6 | 19.4 | 8 | 19.4 |
| 03-05-2022 11:41 | 23.6 | 19.4 | 9 | 19.4 |
| 03-05-2022 11:42 | 23.5 | 19.4 | 9 | 19.3 |
| 03-05-2022 11:43 | 23.5 | 19.4 | 8 | 19.3 |
| 03-05-2022 11:44 | 23.6 | 19.3 | 8 | 19.2 |
| 03-05-2022 11:45 | 23.5 | 19.3 | 8 | 19.3 |
| 03-05-2022 11:46 | 23.5 | 19.3 | 8 | 19.2 |
| 03-05-2022 11:47 | 23.5 | 19.3 | 8 | 19.2 |
| 03-05-2022 11:48 | 23.5 | 19.3 | 8 | 19.1 |
| 03-05-2022 11:49 | 23.5 | 19.2 | 8 | 19.1 |
| 03-05-2022 11:50 | 23.4 | 19.2 | 8 | 19.1 |
| 03-05-2022 11:51 | 23.4 | 19.2 | 8 | 19.1 |
| 03-05-2022 11:52 | 23.4 | 19.2 | 8 | 19.1 |
| 03-05-2022 11:53 | 23.3 | 19.2 | 8 | 19.0 |
| 03-05-2022 11:54 | 23.3 | 19.1 | 8 | 19.0 |
| 03-05-2022 11:55 | 23.2 | 19.1 | 8 | 18.9 |
| 03-05-2022 11:56 | 23.3 | 19.1 | 8 | 18.9 |
| 03-05-2022 11:57 | 23.3 | 19.1 | 8 | 18.9 |
| 03-05-2022 11:58 | 23.3 | 19.0 | 8 | 18.9 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 03-05-2022 11:59 | 23.3 | 19.0 | 8 | 18.8 |
| 03-05-2022 12:00 | 23.4 | 19.0 | 8 | 18.9 |
| 03-05-2022 12:01 | 23.3 | 19.0 | 8 | 18.8 |
| 03-05-2022 12:02 | 23.3 | 19.0 | 8 | 18.8 |
| 03-05-2022 12:03 | 23.2 | 18.9 | 8 | 18.8 |
| 03-05-2022 12:04 | 23.1 | 18.9 | 8 | 18.8 |
| 03-05-2022 12:05 | 23.1 | 18.9 | 8 | 18.7 |
| 03-05-2022 12:06 | 23.0 | 18.9 | 8 | 18.8 |
| 03-05-2022 12:07 | 22.9 | 18.9 | 8 | 18.7 |
| 03-05-2022 12:08 | 22.9 | 18.9 | 8 | 18.7 |
| 03-05-2022 12:09 | 22.8 | 18.9 | 7 | 18.7 |
| 03-05-2022 12:10 | 22.8 | 18.9 | 7 | 18.6 |
| 03-05-2022 12:11 | 22.8 | 18.9 | 7 | 18.6 |
| 03-05-2022 12:12 | 22.8 | 18.8 | 8 | 18.6 |
| 03-05-2022 12:13 | 22.8 | 18.8 | 8 | 18.6 |
| 03-05-2022 12:14 | 22.8 | 18.8 | 8 | 18.6 |
| 03-05-2022 12:15 | 22.7 | 18.8 | 8 | 18.6 |
| 03-05-2022 12:16 | 22.6 | 18.8 | 8 | 18.5 |
| 03-05-2022 12:17 | 22.6 | 18.8 | 8 | 18.5 |
| 03-05-2022 12:18 | 22.5 | 18.7 | 8 | 18.5 |
| 03-05-2022 12:19 | 22.5 | 18.7 | 8 | 18.5 |
| 03-05-2022 12:20 | 22.5 | 18.7 | 8 | 18.4 |
| 03-05-2022 12:21 | 22.4 | 18.7 | 7 | 18.5 |
| 03-05-2022 12:22 | 22.4 | 18.7 | 8 | 18.5 |
| 03-05-2022 12:23 | 22.3 | 18.7 | 9 | 18.4 |
| 03-05-2022 12:24 | 22.3 | 18.7 | 8 | 18.4 |
| 03-05-2022 12:25 | 22.2 | 18.7 | 7 | 18.4 |
| 03-05-2022 12:26 | 22.2 | 18.7 | 8 | 18.4 |
| 03-05-2022 12:27 | 22.2 | 18.7 | 8 | 18.4 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 03-05-2022 12:28 | 22.1 | 18.7 | 8 | 18.4 |
| 03-05-2022 12:29 | 22.1 | 18.7 | 7 | 18.4 |
| 03-05-2022 12:30 | 22.1 | 18.6 | 8 | 18.4 |
| 03-05-2022 12:31 | 22.0 | 18.7 | 8 | 18.3 |
| 03-05-2022 12:32 | 22.0 | 18.6 | 8 | 18.3 |
| 03-05-2022 12:33 | 22.0 | 18.6 | 8 | 18.3 |
| 03-05-2022 12:34 | 22.0 | 18.6 | 8 | 18.3 |
| 03-05-2022 12:35 | 21.9 | 18.6 | 8 | 18.3 |
| 03-05-2022 12:36 | 21.9 | 18.6 | 8 | 18.2 |
| 03-05-2022 12:37 | 21.9 | 18.6 | 8 | 18.3 |
| 03-05-2022 12:38 | 21.8 | 18.6 | 9 | 18.2 |
| 03-05-2022 12:39 | 21.8 | 18.5 | 8 | 18.2 |
| 03-05-2022 12:40 | 21.7 | 18.5 | 8 | 18.2 |
| 03-05-2022 12:41 | 21.7 | 18.5 | 8 | 18.3 |
| 03-05-2022 12:42 | 21.7 | 18.5 | 7 | 18.2 |
| 03-05-2022 12:43 | 21.7 | 18.5 | 7 | 18.2 |
| 03-05-2022 12:44 | 21.7 | 18.5 | 8 | 18.2 |
| 03-05-2022 12:45 | 21.7 | 18.5 | 8 | 18.2 |
| 03-05-2022 12:46 | 21.7 | 18.5 | 8 | 18.3 |
| 03-05-2022 12:47 | 21.7 | 18.5 | 8 | 18.2 |
| 03-05-2022 12:48 | 21.7 | 18.5 | 8 | 18.2 |
| 03-05-2022 12:49 | 21.9 | 18.5 | 8 | 18.3 |
| 03-05-2022 12:50 | 21.8 | 18.5 | 8 | 18.3 |
| 03-05-2022 12:51 | 21.8 | 18.5 | 8 | 18.3 |
| 03-05-2022 12:52 | 21.9 | 18.5 | 8 | 18.3 |
| 03-05-2022 12:53 | 22.0 | 18.5 | 8 | 18.2 |
| 03-05-2022 12:54 | 21.9 | 18.5 | 7 | 18.1 |
| 03-05-2022 12:55 | 22.0 | 18.5 | 8 | 18.1 |
| 03-05-2022 12:56 | 22.0 | 18.5 | 6 | 18.1 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 03-05-2022 12:57 | 22.0 | 18.5 | 8 | 18.2 |
| 03-05-2022 12:58 | 22.1 | 18.5 | 8 | 18.2 |
| 03-05-2022 12:59 | 22.1 | 18.5 | 8 | 18.2 |
| 03-05-2022 13:00 | 22.1 | 18.5 | 8 | 18.2 |
| 03-05-2022 13:01 | 22.1 | 18.5 | 7 | 18.2 |
| 03-05-2022 13:02 | 22.1 | 18.5 | 7 | 18.1 |
| 03-05-2022 13:03 | 22.2 | 18.5 | 8 | 18.2 |
| 03-05-2022 13:04 | 22.2 | 18.5 | 7 | 18.1 |
| 03-05-2022 13:05 | 22.2 | 18.5 | 7 | 18.1 |
| 03-05-2022 13:06 | 22.3 | 18.5 | 8 | 18.1 |
| 03-05-2022 13:07 | 22.3 | 18.5 | 8 | 18.1 |
| 03-05-2022 13:08 | 22.3 | 18.5 | 8 | 18.1 |
| 03-05-2022 13:09 | 22.3 | 18.5 | 7 | 18.1 |
| 03-05-2022 13:10 | 22.4 | 18.5 | 8 | 18.1 |
| 03-05-2022 13:11 | 22.4 | 18.5 | 7 | 18.1 |
| 03-05-2022 13:12 | 22.4 | 18.5 | 7 | 18.1 |
| 03-05-2022 13:13 | 22.4 | 18.5 | 7 | 18.1 |
| 03-05-2022 13:14 | 22.4 | 18.5 | 8 | 18.1 |
| 03-05-2022 13:15 | 22.4 | 18.5 | 8 | 18.1 |
| 03-05-2022 13:16 | 22.4 | 18.5 | 8 | 18.1 |
| 03-05-2022 13:17 | 22.5 | 18.5 | 8 | 18.1 |
| 03-05-2022 13:18 | 22.5 | 18.5 | 6 | 18.1 |
| 03-05-2022 13:19 | 22.5 | 18.5 | 8 | 18.1 |
| 03-05-2022 13:20 | 22.5 | 18.5 | 8 | 18.1 |
| 03-05-2022 13:21 | 22.5 | 18.5 | 7 | 18.1 |
| 03-05-2022 13:22 | 22.5 | 18.5 | 7 | 18.1 |
| 03-05-2022 13:23 | 22.5 | 18.5 | 8 | 18.1 |
| 03-05-2022 13:24 | 22.5 | 18.5 | 8 | 18.1 |
| 03-05-2022 13:25 | 22.5 | 18.5 | 8 | 18.1 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 03-05-2022 13:26 | 22.5 | 18.5 | 7 | 18.1 |
| 03-05-2022 13:27 | 22.5 | 18.5 | 8 | 18.1 |
| 03-05-2022 13:28 | 22.5 | 18.5 | 7 | 18.0 |
| 03-05-2022 13:29 | 22.5 | 18.5 | 7 | 18.0 |
| 03-05-2022 13:30 | 22.5 | 18.5 | 7 | 18.0 |
| 03-05-2022 13:31 | 22.6 | 18.5 | 7 | 18.0 |
| 03-05-2022 13:32 | 22.6 | 18.5 | 8 | 18.0 |
| 03-05-2022 13:33 | 22.6 | 18.5 | 8 | 18.1 |
| 03-05-2022 13:34 | 22.6 | 18.5 | 8 | 18.0 |
| 03-05-2022 13:35 | 22.6 | 18.4 | 8 | 18.0 |
| 03-05-2022 13:36 | 22.6 | 18.4 | 8 | 18.0 |
| 03-05-2022 13:37 | 22.6 | 18.4 | 8 | 18.0 |
| 03-05-2022 13:38 | 22.6 | 18.4 | 8 | 18.0 |
| 03-05-2022 13:39 | 22.6 | 18.4 | 8 | 17.9 |
| 03-05-2022 13:40 | 22.6 | 18.4 | 8 | 17.9 |
| 03-05-2022 13:41 | 22.6 | 18.4 | 7 | 17.9 |
| 03-05-2022 13:42 | 22.6 | 18.4 | 8 | 17.9 |
| 03-05-2022 13:43 | 22.6 | 18.4 | 8 | 17.9 |
| 03-05-2022 13:44 | 22.6 | 18.4 | 8 | 17.9 |
| 03-05-2022 13:45 | 22.6 | 18.4 | 8 | 18.0 |
| 03-05-2022 13:46 | 22.7 | 18.4 | 8 | 18.0 |
| 03-05-2022 13:47 | 22.6 | 18.4 | 8 | 18.0 |
| 03-05-2022 13:48 | 22.7 | 18.4 | 8 | 17.9 |
| 03-05-2022 13:49 | 22.6 | 18.4 | 8 | 18.0 |
| 03-05-2022 13:50 | 22.7 | 18.4 | 8 | 18.0 |
| 03-05-2022 13:51 | 22.7 | 18.4 | 7 | 17.9 |
| 03-05-2022 13:52 | 22.7 | 18.4 | 8 | 17.9 |
| 03-05-2022 13:53 | 22.7 | 18.4 | 8 | 17.9 |
| 03-05-2022 13:54 | 22.8 | 18.4 | 8 | 17.9 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 03-05-2022 13:55 | 22.8 | 18.4 | 7 | 17.9 |
| 03-05-2022 13:56 | 22.8 | 18.4 | 8 | 18.0 |
| 03-05-2022 13:57 | 22.8 | 18.4 | 8 | 17.9 |
| 03-05-2022 13:58 | 22.9 | 18.4 | 7 | 17.9 |
| 03-05-2022 13:59 | 22.7 | 18.4 | 8 | 17.9 |
| 03-05-2022 14:00 | 22.8 | 18.4 | 8 | 17.9 |
| 03-05-2022 14:01 | 22.8 | 18.4 | 7 | 17.9 |
| 03-05-2022 14:02 | 22.8 | 18.4 | 0 | 17.9 |
| 03-05-2022 14:03 | 22.8 | 18.4 | 7 | 17.9 |
| 03-05-2022 14:04 | 22.8 | 18.4 | 8 | 17.8 |
| 03-05-2022 14:05 | 22.9 | 18.4 | 7 | 17.9 |
| 03-05-2022 14:06 | 22.7 | 18.3 | 8 | 17.9 |
| 03-05-2022 14:07 | 22.7 | 18.4 | 8 | 17.8 |
| 03-05-2022 14:08 | 22.8 | 18.3 | 9 | 17.9 |
| 03-05-2022 14:09 | 22.8 | 18.3 | 9 | 17.8 |
| 03-05-2022 14:10 | 22.9 | 18.3 | 7 | 17.8 |
| 03-05-2022 14:11 | 22.8 | 18.3 | 6 | 17.9 |
| 03-05-2022 14:12 | 22.8 | 18.3 | 7 | 17.9 |
| 03-05-2022 14:13 | 22.8 | 18.3 | 8 | 17.9 |
| 03-05-2022 14:14 | 22.8 | 18.4 | 8 | 17.9 |
| 03-05-2022 14:15 | 22.8 | 18.3 | 7 | 17.8 |
| 03-05-2022 14:16 | 22.7 | 18.3 | 8 | 17.9 |
| 03-05-2022 14:17 | 22.8 | 18.3 | 8 | 17.9 |
| 03-05-2022 14:18 | 22.8 | 18.3 | 8 | 18.0 |
| 03-05-2022 14:19 | 22.7 | 18.3 | 8 | 18.0 |
| 03-05-2022 14:20 | 22.8 | 18.3 | 8 | 18.0 |
| 03-05-2022 14:21 | 22.8 | 18.3 | 8 | 18.0 |
| 03-05-2022 14:22 | 22.8 | 18.3 | 8 | 18.0 |
| 03-05-2022 14:23 | 22.8 | 18.3 | 8 | 18.1 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 03-05-2022 14:24 | 22.8 | 18.3 | 8 | 18.0 |
| 03-05-2022 14:25 | 22.8 | 18.3 | 8 | 18.1 |
| 03-05-2022 14:26 | 22.8 | 18.3 | 8 | 18.1 |
| 03-05-2022 14:27 | 22.8 | 18.3 | 8 | 18.1 |
| 03-05-2022 14:28 | 22.8 | 18.3 | 7 | 18.1 |
| 03-05-2022 14:29 | 22.7 | 18.3 | 8 | 18.1 |
| 03-05-2022 14:30 | 22.7 | 18.3 | 8 | 18.1 |
| 03-05-2022 14:31 | 22.7 | 18.3 | 7 | 18.1 |
| 03-05-2022 14:32 | 22.7 | 18.3 | 8 | 18.1 |
| 03-05-2022 14:33 | 22.6 | 18.3 | 8 | 18.1 |
| 03-05-2022 14:34 | 22.7 | 18.3 | 8 | 18.1 |
| 03-05-2022 14:35 | 22.6 | 18.3 | 8 | 18.1 |
| 03-05-2022 14:36 | 22.6 | 18.3 | 7 | 18.1 |
| 03-05-2022 14:37 | 22.5 | 18.3 | 8 | 18.1 |
| 03-05-2022 14:38 | 22.5 | 18.3 | 8 | 18.1 |
| 03-05-2022 14:39 | 22.6 | 18.3 | 8 | 18.1 |
| 03-05-2022 14:40 | 22.5 | 18.3 | 8 | 18.1 |
| 03-05-2022 14:41 | 22.5 | 18.3 | 8 | 18.1 |
| 03-05-2022 14:42 | 22.5 | 18.3 | 8 | 18.1 |
| 03-05-2022 14:43 | 22.5 | 18.3 | 8 | 18.1 |
| 03-05-2022 14:44 | 22.5 | 18.3 | 8 | 18.1 |
| 03-05-2022 14:45 | 22.6 | 18.3 | 8 | 18.1 |
| 03-05-2022 14:46 | 22.5 | 18.3 | 8 | 18.1 |
| 03-05-2022 14:47 | 22.6 | 18.3 | 8 | 18.2 |
| 03-05-2022 14:48 | 22.6 | 18.3 | 8 | 18.2 |
| 03-05-2022 14:49 | 22.6 | 18.3 | 8 | 18.2 |
| 03-05-2022 14:50 | 22.5 | 18.3 | 8 | 18.2 |
| 03-05-2022 14:51 | 22.5 | 18.3 | 8 | 18.2 |
| 03-05-2022 14:52 | 22.5 | 18.3 | 8 | 18.2 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 03-05-2022 14:53 | 22.5 | 18.3 | 8 | 18.2 |
| 03-05-2022 14:54 | 22.5 | 18.3 | 8 | 18.2 |
| 03-05-2022 14:55 | 22.5 | 18.3 | 8 | 18.2 |
| 03-05-2022 14:56 | 22.4 | 18.3 | 8 | 18.2 |
| 03-05-2022 14:57 | 22.5 | 18.3 | 8 | 18.2 |
| 03-05-2022 14:58 | 22.5 | 18.3 | 8 | 18.2 |
| 03-05-2022 14:59 | 22.6 | 18.3 | 8 | 18.2 |
| 03-05-2022 15:00 | 22.5 | 18.3 | 8 | 18.2 |
| 03-05-2022 15:01 | 22.5 | 18.3 | 8 | 18.2 |
| 03-05-2022 15:02 | 22.7 | 18.3 | 8 | 18.2 |
| 03-05-2022 15:03 | 22.6 | 18.3 | 9 | 18.2 |
| 03-05-2022 15:04 | 22.7 | 18.3 | 8 | 18.2 |
| 03-05-2022 15:05 | 22.7 | 18.3 | 8 | 18.2 |
| 03-05-2022 15:06 | 22.7 | 18.3 | 8 | 18.3 |
| 03-05-2022 15:07 | 22.7 | 18.3 | 8 | 18.2 |
| 03-05-2022 15:08 | 22.5 | 18.3 | 8 | 18.2 |
| 03-05-2022 15:09 | 22.4 | 18.3 | 8 | 18.2 |
| 03-05-2022 15:10 | 22.4 | 18.3 | 7 | 18.2 |
| 03-05-2022 15:11 | 22.3 | 18.3 | 7 | 18.2 |
| 03-05-2022 15:12 | 22.3 | 18.3 | 7 | 18.3 |
| 03-05-2022 15:13 | 22.3 | 18.3 | 7 | 18.3 |
| 03-05-2022 15:14 | 22.3 | 18.3 | 0 | 18.3 |
| 03-05-2022 15:15 | 22.3 | 18.4 | 0 | 18.2 |
| 03-05-2022 15:16 | 22.3 | 18.4 | 8 | 18.2 |
| 03-05-2022 15:17 | 22.2 | 18.4 | 0 | 18.2 |
| 03-05-2022 15:18 | 22.3 | 18.5 | 8 | 18.3 |
| 03-05-2022 15:19 | 22.2 | 18.5 | 8 | 18.3 |
| 03-05-2022 15:20 | 22.2 | 18.5 | 8 | 18.2 |
| 03-05-2022 15:21 | 22.2 | 18.5 | 6 | 18.2 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 03-05-2022 15:22 | 22.2 | 18.5 | 8 | 18.3 |
| 03-05-2022 15:23 | 22.2 | 18.4 | 8 | 18.3 |
| 03-05-2022 15:24 | 22.1 | 18.4 | 8 | 18.2 |
| 03-05-2022 15:25 | 22.1 | 18.4 | 7 | 18.2 |
| 03-05-2022 15:26 | 22.1 | 18.4 | 8 | 18.2 |
| 03-05-2022 15:27 | 22.1 | 18.4 | 8 | 18.2 |
| 03-05-2022 15:28 | 22.1 | 18.4 | 7 | 18.2 |
| 03-05-2022 15:29 | 22.0 | 18.4 | 7 | 18.2 |
| 03-05-2022 15:30 | 21.9 | 18.4 | 8 | 18.2 |
| 03-05-2022 15:31 | 21.9 | 18.3 | 8 | 18.2 |
| 03-05-2022 15:32 | 21.9 | 18.3 | 8 | 18.3 |
| 03-05-2022 15:33 | 21.9 | 18.3 | 8 | 18.2 |
| 03-05-2022 15:34 | 21.8 | 18.3 | 8 | 18.3 |
| 03-05-2022 15:35 | 21.8 | 18.3 | 8 | 18.2 |
| 03-05-2022 15:36 | 21.8 | 18.3 | 6 | 18.2 |
| 03-05-2022 15:37 | 21.7 | 18.3 | 8 | 18.2 |
| 03-05-2022 15:38 | 21.7 | 18.3 | 8 | 18.2 |
| 03-05-2022 15:39 | 21.7 | 18.3 | 8 | 18.2 |
| 03-05-2022 15:40 | 21.7 | 18.3 | 8 | 18.2 |
| 03-05-2022 15:41 | 21.7 | 18.3 | 7 | 18.2 |
| 03-05-2022 15:42 | 21.7 | 18.3 | 8 | 18.2 |
| 03-05-2022 15:43 | 21.7 | 18.3 | 8 | 18.2 |
| 03-05-2022 15:44 | 21.6 | 18.3 | 8 | 18.2 |
| 03-05-2022 15:45 | 21.6 | 18.3 | 8 | 18.2 |
| 03-05-2022 15:46 | 21.6 | 18.3 | 7 | 18.2 |
| 03-05-2022 15:47 | 21.5 | 18.3 | 7 | 18.2 |
| 03-05-2022 15:48 | 21.5 | 18.3 | 7 | 18.2 |
| 03-05-2022 15:49 | 21.5 | 18.2 | 8 | 18.2 |
| 03-05-2022 15:50 | 21.5 | 18.2 | 7 | 18.2 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 03-05-2022 15:51 | 21.5 | 18.2 | 6 | 18.2 |
| 03-05-2022 15:52 | 21.4 | 18.2 | 8 | 18.1 |
| 03-05-2022 15:53 | 21.4 | 18.2 | 7 | 18.2 |
| 03-05-2022 15:54 | 21.4 | 18.2 | 8 | 18.2 |
| 03-05-2022 15:55 | 21.4 | 18.2 | 6 | 18.2 |
| 03-05-2022 15:56 | 21.3 | 18.2 | 7 | 18.2 |
| 03-05-2022 15:57 | 21.3 | 18.2 | 7 | 18.1 |
| 03-05-2022 15:58 | 21.2 | 18.2 | 8 | 18.2 |
| 03-05-2022 15:59 | 21.2 | 18.2 | 8 | 18.1 |
| 03-05-2022 16:00 | 21.2 | 18.2 | 8 | 18.2 |
| 03-05-2022 16:01 | 21.2 | 18.2 | 8 | 18.1 |
| 03-05-2022 16:02 | 21.2 | 18.2 | 6 | 18.2 |
| 03-05-2022 16:03 | 21.2 | 18.2 | 8 | 18.2 |
| 03-05-2022 16:04 | 21.2 | 18.2 | 8 | 18.2 |
| 03-05-2022 16:05 | 21.1 | 18.2 | 8 | 18.2 |
| 03-05-2022 16:06 | 21.1 | 18.2 | 7 | 18.2 |
| 03-05-2022 16:07 | 21.1 | 18.2 | 6 | 18.1 |
| 03-05-2022 16:08 | 21.1 | 18.2 | 7 | 18.2 |
| 03-05-2022 16:09 | 21.0 | 18.2 | 6 | 18.1 |
| 03-05-2022 16:10 | 21.0 | 18.2 | 7 | 18.1 |
| 03-05-2022 16:11 | 21.1 | 18.2 | 7 | 18.1 |
| 03-05-2022 16:12 | 21.0 | 18.3 | 7 | 18.1 |
| 03-05-2022 16:13 | 21.0 | 18.3 | 6 | 18.1 |
| 03-05-2022 16:14 | 21.0 | 18.3 | 8 | 18.1 |
| 03-05-2022 16:15 | 21.0 | 18.3 | 8 | 18.1 |
| 03-05-2022 16:16 | 21.0 | 18.4 | 7 | 18.2 |
| 03-05-2022 16:17 | 21.0 | 18.4 | 6 | 18.1 |
| 03-05-2022 16:18 | 21.0 | 18.4 | 7 | 18.1 |
| 03-05-2022 16:19 | 21.0 | 18.4 | 7 | 18.1 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 03-05-2022 16:20 | 21.0 | 18.4 | 7 | 18.1 |
| 03-05-2022 16:21 | 21.0 | 18.4 | 8 | 18.2 |
| 03-05-2022 16:22 | 21.0 | 18.4 | 7 | 18.1 |
| 03-05-2022 16:23 | 21.1 | 18.4 | 7 | 18.2 |
| 03-05-2022 16:24 | 21.0 | 18.4 | 7 | 18.2 |
| 03-05-2022 16:25 | 21.0 | 18.4 | 6 | 18.2 |
| 03-05-2022 16:26 | 21.0 | 18.4 | 7 | 18.2 |
| 03-05-2022 16:27 | 20.9 | 18.4 | 8 | 18.3 |
| 03-05-2022 16:28 | 20.9 | 18.5 | 8 | 18.3 |
| 03-05-2022 16:29 | 20.9 | 18.5 | 7 | 18.3 |
| 03-05-2022 16:30 | 20.9 | 18.5 | 7 | 18.3 |
| 03-05-2022 16:31 | 20.9 | 18.5 | 7 | 18.3 |
| 03-05-2022 16:32 | 20.9 | 18.5 | 7 | 18.4 |
| 03-05-2022 16:33 | 21.0 | 18.5 | 7 | 18.3 |
| 03-05-2022 16:34 | 21.0 | 18.6 | 6 | 18.4 |
| 03-05-2022 16:35 | 21.0 | 18.6 | 6 | 18.4 |
| 03-05-2022 16:36 | 21.0 | 18.6 | 7 | 18.4 |
| 03-05-2022 16:37 | 21.0 | 18.6 | 7 | 18.4 |
| 03-05-2022 16:38 | 21.0 | 18.7 | 7 | 18.5 |
| 03-05-2022 16:39 | 21.0 | 18.7 | 7 | 18.5 |
| 03-05-2022 16:40 | 21.0 | 18.7 | 7 | 18.5 |
| 03-05-2022 16:41 | 21.0 | 18.7 | 8 | 18.4 |
| 03-05-2022 16:42 | 21.0 | 18.7 | 7 | 18.5 |
| 03-05-2022 16:43 | 21.0 | 18.7 | 7 | 18.5 |
| 03-05-2022 16:44 | 21.0 | 18.7 | 8 | 18.5 |
| 03-05-2022 16:45 | 21.1 | 18.7 | 8 | 18.5 |
| 03-05-2022 16:46 | 21.0 | 18.7 | 6 | 18.5 |
| 03-05-2022 16:47 | 21.1 | 18.7 | 7 | 18.5 |
| 03-05-2022 16:48 | 21.1 | 18.8 | 7 | 18.4 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 03-05-2022 16:49 | 21.2 | 18.8 | 7 | 18.5 |
| 03-05-2022 16:50 | 21.2 | 18.8 | 7 | 18.5 |
| 03-05-2022 16:51 | 21.2 | 18.8 | 6 | 18.5 |
| 03-05-2022 16:52 | 21.2 | 18.8 | 8 | 18.5 |
| 03-05-2022 16:53 | 21.2 | 18.9 | 8 | 18.6 |
| 03-05-2022 16:54 | 21.3 | 18.9 | 7 | 18.6 |
| 03-05-2022 16:55 | 21.3 | 18.9 | 6 | 18.5 |
| 03-05-2022 16:56 | 21.3 | 18.9 | 8 | 18.6 |
| 03-05-2022 16:57 | 21.3 | 18.9 | 8 | 18.6 |
| 03-05-2022 16:58 | 21.3 | 18.9 | 6 | 18.6 |
| 03-05-2022 16:59 | 21.4 | 18.9 | 8 | 18.6 |
| 03-05-2022 17:00 | 21.5 | 18.9 | 8 | 18.6 |
| 03-05-2022 17:01 | 21.5 | 18.9 | 8 | 18.6 |
| 03-05-2022 17:02 | 21.4 | 19.0 | 8 | 18.6 |
| 03-05-2022 17:03 | 21.4 | 18.9 | 8 | 18.6 |
| 03-05-2022 17:04 | 21.4 | 18.9 | 8 | 18.6 |
| 03-05-2022 17:05 | 21.5 | 18.9 | 3 | 18.6 |
| 03-05-2022 17:06 | 21.5 | 18.9 | 5 | 18.6 |
| 03-05-2022 17:07 | 21.5 | 18.9 | 8 | 18.6 |
| 03-05-2022 17:08 | 21.5 | 18.9 | 6 | 18.6 |
| 03-05-2022 17:09 | 21.4 | 18.9 | 7 | 18.6 |
| 03-05-2022 17:10 | 21.4 | 19.0 | 7 | 18.6 |
| 03-05-2022 17:11 | 21.4 | 19.0 | 7 | 18.6 |
| 03-05-2022 17:12 | 21.4 | 19.0 | 8 | 18.6 |
| 03-05-2022 17:13 | 21.4 | 19.0 | 8 | 18.6 |
| 03-05-2022 17:14 | 21.4 | 19.0 | 8 | 18.6 |
| 03-05-2022 17:15 | 21.4 | 19.0 | 8 | 18.6 |
| 03-05-2022 17:16 | 21.4 | 18.9 | 8 | 18.6 |
| 03-05-2022 17:17 | 21.4 | 18.9 | 8 | 18.5 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 03-05-2022 17:18 | 21.4 | 18.9 | 7 | 18.6 |
| 03-05-2022 17:19 | 21.4 | 18.9 | 8 | 18.5 |
| 03-05-2022 17:20 | 21.4 | 18.9 | 8 | 18.5 |
| 03-05-2022 17:21 | 21.4 | 18.9 | 6 | 18.6 |
| 03-05-2022 17:22 | 21.5 | 18.9 | 6 | 18.5 |
| 03-05-2022 17:23 | 21.4 | 18.9 | 6 | 18.5 |
| 03-05-2022 17:24 | 21.4 | 18.9 | 6 | 18.6 |
| 03-05-2022 17:25 | 21.4 | 18.9 | 6 | 18.5 |
| 03-05-2022 17:26 | 21.4 | 18.9 | 6 | 18.6 |
| 03-05-2022 17:27 | 21.4 | 18.9 | 6 | 18.6 |
| 03-05-2022 17:28 | 21.4 | 18.9 | 6 | 18.5 |
| 03-05-2022 17:29 | 21.4 | 18.9 | 6 | 18.5 |
| 03-05-2022 17:30 | 21.4 | 18.9 | 6 | 18.5 |
| 03-05-2022 17:31 | 21.4 | 18.9 | 6 | 18.5 |
| 03-05-2022 17:32 | 21.4 | 18.9 | 7 | 18.5 |
| 03-05-2022 17:33 | 21.4 | 18.9 | 6 | 18.5 |
| 03-05-2022 17:34 | 21.4 | 18.9 | 8 | 18.5 |
| 03-05-2022 17:35 | 21.4 | 18.9 | 8 | 18.5 |
| 03-05-2022 17:36 | 21.4 | 18.9 | 5 | 18.5 |
| 03-05-2022 17:37 | 21.4 | 18.9 | 6 | 18.5 |
| 03-05-2022 17:38 | 21.4 | 18.9 | 6 | 18.5 |
| 03-05-2022 17:39 | 21.4 | 18.9 | 7 | 18.5 |
| 03-05-2022 17:40 | 21.4 | 18.9 | 8 | 18.4 |
| 03-05-2022 17:41 | 21.4 | 18.9 | 7 | 18.5 |
| 03-05-2022 17:42 | 21.4 | 18.9 | 6 | 18.5 |
| 03-05-2022 17:43 | 21.4 | 18.9 | 6 | 18.5 |
| 03-05-2022 17:44 | 21.3 | 18.9 | 6 | 18.5 |
| 03-05-2022 17:45 | 21.3 | 18.9 | 7 | 18.4 |
| 03-05-2022 17:46 | 21.4 | 18.8 | 7 | 18.5 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 03-05-2022 17:47 | 21.4 | 18.9 | 6 | 18.5 |
| 03-05-2022 17:48 | 21.4 | 18.9 | 6 | 18.5 |
| 03-05-2022 17:49 | 21.4 | 18.8 | 7 | 18.5 |
| 03-05-2022 17:50 | 21.4 | 18.8 | 6 | 18.5 |
| 03-05-2022 17:51 | 21.4 | 18.9 | 6 | 18.5 |
| 03-05-2022 17:52 | 21.4 | 18.8 | 6 | 18.4 |
| 03-05-2022 17:53 | 21.4 | 18.9 | 6 | 18.5 |
| 03-05-2022 17:54 | 21.4 | 18.9 | 6 | 18.5 |
| 03-05-2022 17:55 | 21.4 | 18.9 | 8 | 18.4 |
| 03-05-2022 17:56 | 21.4 | 18.9 | 8 | 18.5 |
| 03-05-2022 17:57 | 21.4 | 18.9 | 8 | 18.6 |
| 03-05-2022 17:58 | 21.3 | 18.9 | 7 | 18.5 |
| 03-05-2022 17:59 | 21.4 | 18.9 | 8 | 18.5 |
| 03-05-2022 18:00 | 21.4 | 18.9 | 8 | 18.5 |
| 03-05-2022 18:01 | 21.4 | 18.9 | 7 | 18.6 |
| 03-05-2022 18:02 | 21.4 | 18.9 | 7 | 18.6 |
| 03-05-2022 18:03 | 21.4 | 18.9 | 8 | 18.6 |
| 03-05-2022 18:04 | 21.4 | 18.9 | 6 | 18.6 |
| 03-05-2022 18:05 | 21.4 | 19.0 | 7 | 18.6 |
| 03-05-2022 18:06 | 21.4 | 19.0 | 7 | 18.6 |
| 03-05-2022 18:07 | 21.5 | 19.0 | 8 | 18.7 |
| 03-05-2022 18:08 | 21.5 | 19.0 | 8 | 18.7 |
| 03-05-2022 18:09 | 21.5 | 19.1 | 8 | 18.8 |
| 03-05-2022 18:10 | 21.5 | 19.1 | 7 | 18.8 |
| 03-05-2022 18:11 | 21.5 | 19.1 | 8 | 18.7 |
| 03-05-2022 18:12 | 21.5 | 19.1 | 8 | 18.8 |
| 03-05-2022 18:13 | 21.5 | 19.2 | 8 | 18.9 |
| 03-05-2022 18:14 | 21.5 | 19.2 | 7 | 18.9 |
| 03-05-2022 18:15 | 21.5 | 19.2 | 8 | 18.9 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 03-05-2022 18:16 | 21.5 | 19.2 | 8 | 18.9 |
| 03-05-2022 18:17 | 21.5 | 19.2 | 8 | 18.9 |
| 03-05-2022 18:18 | 21.6 | 19.2 | 8 | 19.0 |
| 03-05-2022 18:19 | 21.6 | 19.3 | 8 | 19.0 |
| 03-05-2022 18:20 | 21.6 | 19.3 | 8 | 19.0 |
| 03-05-2022 18:21 | 21.6 | 19.3 | 7 | 19.0 |
| 03-05-2022 18:22 | 21.6 | 19.3 | 8 | 19.1 |
| 03-05-2022 18:23 | 21.6 | 19.3 | 8 | 19.1 |
| 03-05-2022 18:24 | 21.6 | 19.3 | 8 | 19.1 |
| 03-05-2022 18:25 | 21.6 | 19.4 | 8 | 19.1 |
| 03-05-2022 18:26 | 21.6 | 19.4 | 8 | 19.2 |
| 03-05-2022 18:27 | 21.7 | 19.4 | 8 | 19.2 |
| 03-05-2022 18:28 | 21.7 | 19.4 | 6 | 19.2 |
| 03-05-2022 18:29 | 21.7 | 19.4 | 8 | 19.2 |
| 03-05-2022 18:30 | 21.7 | 19.5 | 7 | 19.2 |
| 03-05-2022 18:31 | 21.7 | 19.5 | 7 | 19.2 |
| 03-05-2022 18:32 | 21.7 | 19.5 | 6 | 19.2 |
| 03-05-2022 18:33 | 21.7 | 19.5 | 6 | 19.2 |
| 03-05-2022 18:34 | 21.7 | 19.5 | 8 | 19.2 |
| 03-05-2022 18:35 | 21.7 | 19.5 | 8 | 19.3 |
| 03-05-2022 18:36 | 21.8 | 19.5 | 8 | 19.3 |
| 03-05-2022 18:37 | 21.8 | 19.5 | 8 | 19.3 |
| 03-05-2022 18:38 | 21.8 | 19.5 | 8 | 19.4 |
| 03-05-2022 18:39 | 21.8 | 19.6 | 8 | 19.4 |
| 03-05-2022 18:40 | 21.8 | 19.6 | 8 | 19.4 |
| 03-05-2022 18:41 | 21.8 | 19.6 | 8 | 19.4 |
| 03-05-2022 18:42 | 21.8 | 19.6 | 8 | 19.4 |
| 03-05-2022 18:43 | 21.8 | 19.6 | 8 | 19.4 |
| 03-05-2022 18:44 | 21.8 | 19.6 | 8 | 19.4 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 03-05-2022 18:45 | 21.8 | 19.6 | 8 | 19.5 |
| 03-05-2022 18:46 | 21.8 | 19.6 | 8 | 19.5 |
| 03-05-2022 18:47 | 21.8 | 19.6 | 8 | 19.5 |
| 03-05-2022 18:48 | 21.8 | 19.6 | 8 | 19.5 |
| 03-05-2022 18:49 | 21.8 | 19.6 | 8 | 19.5 |
| 03-05-2022 18:50 | 21.8 | 19.6 | 8 | 19.5 |
| 03-05-2022 18:51 | 21.8 | 19.7 | 8 | 19.6 |
| 03-05-2022 18:52 | 21.9 | 19.7 | 8 | 19.5 |
| 03-05-2022 18:53 | 21.9 | 19.7 | 7 | 19.6 |
| 03-05-2022 18:54 | 21.9 | 19.7 | 8 | 19.5 |
| 03-05-2022 18:55 | 21.9 | 19.7 | 8 | 19.6 |
| 03-05-2022 18:56 | 21.9 | 19.7 | 7 | 19.5 |
| 03-05-2022 18:57 | 21.9 | 19.7 | 8 | 19.6 |
| 03-05-2022 18:58 | 21.9 | 19.7 | 8 | 19.6 |
| 03-05-2022 18:59 | 21.9 | 19.7 | 8 | 19.6 |
| 03-05-2022 19:00 | 21.9 | 19.7 | 8 | 19.7 |
| 03-05-2022 19:01 | 21.9 | 19.7 | 8 | 19.6 |
| 03-05-2022 19:02 | 21.9 | 19.8 | 8 | 19.6 |
| 03-05-2022 19:03 | 22.0 | 19.8 | 8 | 19.7 |
| 03-05-2022 19:04 | 21.9 | 19.8 | 7 | 19.6 |
| 03-05-2022 19:05 | 22.0 | 19.8 | 8 | 19.7 |
| 03-05-2022 19:06 | 22.0 | 19.8 | 7 | 19.7 |
| 03-05-2022 19:07 | 22.0 | 19.8 | 8 | 19.7 |
| 03-05-2022 19:08 | 22.0 | 19.8 | 8 | 19.7 |
| 03-05-2022 19:09 | 22.0 | 19.8 | 8 | 19.7 |
| 03-05-2022 19:10 | 22.0 | 19.8 | 8 | 19.7 |
| 03-05-2022 19:11 | 22.0 | 19.8 | 8 | 19.8 |
| 03-05-2022 19:12 | 22.0 | 19.8 | 7 | 19.8 |
| 03-05-2022 19:13 | 22.0 | 19.8 | 7 | 19.8 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 03-05-2022 19:14 | 22.0 | 19.8 | 8 | 19.8 |
| 03-05-2022 19:15 | 22.0 | 19.8 | 8 | 19.8 |
| 03-05-2022 19:16 | 22.0 | 19.8 | 8 | 19.8 |
| 03-05-2022 19:17 | 22.0 | 19.8 | 8 | 19.8 |
| 03-05-2022 19:18 | 22.0 | 19.9 | 8 | 19.9 |
| 03-05-2022 19:19 | 22.0 | 19.9 | 8 | 19.8 |
| 03-05-2022 19:20 | 22.0 | 19.9 | 8 | 19.8 |
| 03-05-2022 19:21 | 22.0 | 19.9 | 8 | 19.9 |
| 03-05-2022 19:22 | 22.1 | 19.9 | 7 | 19.9 |
| 03-05-2022 19:23 | 22.1 | 19.9 | 8 | 19.8 |
| 03-05-2022 19:24 | 22.1 | 19.9 | 8 | 19.8 |
| 03-05-2022 19:25 | 22.1 | 19.9 | 8 | 19.9 |
| 03-05-2022 19:26 | 22.1 | 19.9 | 8 | 19.9 |
| 03-05-2022 19:27 | 22.1 | 19.9 | 8 | 19.8 |
| 03-05-2022 19:28 | 22.1 | 19.9 | 8 | 19.8 |
| 03-05-2022 19:29 | 22.1 | 19.9 | 8 | 19.9 |
| 03-05-2022 19:30 | 22.1 | 19.9 | 8 | 19.8 |
| 03-05-2022 19:31 | 22.1 | 19.9 | 8 | 19.9 |
| 03-05-2022 19:32 | 22.1 | 19.8 | 8 | 19.8 |
| 03-05-2022 19:33 | 22.1 | 19.9 | 8 | 19.8 |
| 03-05-2022 19:34 | 22.1 | 19.8 | 7 | 19.8 |
| 03-05-2022 19:35 | 22.1 | 19.8 | 8 | 19.8 |
| 03-05-2022 19:36 | 22.1 | 19.8 | 8 | 19.8 |
| 03-05-2022 19:37 | 22.1 | 19.8 | 6 | 19.9 |
| 03-05-2022 19:38 | 22.1 | 19.8 | 8 | 19.8 |
| 03-05-2022 19:39 | 22.1 | 19.8 | 7 | 19.8 |
| 03-05-2022 19:40 | 22.1 | 19.8 | 8 | 19.8 |
| 03-05-2022 19:41 | 22.1 | 19.8 | 8 | 19.7 |
| 03-05-2022 19:42 | 22.1 | 19.8 | 8 | 19.7 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 03-05-2022 19:43 | 22.1 | 19.8 | 8 | 19.8 |
| 03-05-2022 19:44 | 22.1 | 19.8 | 8 | 19.7 |
| 03-05-2022 19:45 | 22.0 | 19.8 | 8 | 19.7 |
| 03-05-2022 19:46 | 22.0 | 19.7 | 8 | 19.6 |
| 03-05-2022 19:47 | 22.0 | 19.7 | 8 | 19.7 |
| 03-05-2022 19:48 | 22.0 | 19.7 | 8 | 19.6 |
| 03-05-2022 19:49 | 22.0 | 19.7 | 7 | 19.6 |
| 03-05-2022 19:50 | 22.0 | 19.7 | 8 | 19.6 |
| 03-05-2022 19:51 | 21.9 | 19.6 | 8 | 19.6 |
| 03-05-2022 19:52 | 21.9 | 19.6 | 8 | 19.5 |
| 03-05-2022 19:53 | 21.9 | 19.6 | 8 | 19.5 |
| 03-05-2022 19:54 | 21.9 | 19.6 | 8 | 19.5 |
| 03-05-2022 19:55 | 21.9 | 19.6 | 8 | 19.4 |
| 03-05-2022 19:56 | 21.9 | 19.5 | 8 | 19.5 |
| 03-05-2022 19:57 | 21.8 | 19.5 | 8 | 19.4 |
| 03-05-2022 19:58 | 21.8 | 19.5 | 8 | 19.3 |
| 03-05-2022 19:59 | 21.8 | 19.5 | 8 | 19.4 |
| 03-05-2022 20:00 | 21.8 | 19.5 | 8 | 19.4 |
| 03-05-2022 20:01 | 21.7 | 19.4 | 8 | 19.3 |
| 03-05-2022 20:02 | 21.7 | 19.4 | 8 | 19.3 |
| 03-05-2022 20:03 | 21.7 | 19.3 | 8 | 19.3 |
| 03-05-2022 20:04 | 21.6 | 19.3 | 8 | 19.3 |
| 03-05-2022 20:05 | 21.6 | 19.3 | 8 | 19.2 |
| 03-05-2022 20:06 | 21.6 | 19.3 | 8 | 19.1 |
| 03-05-2022 20:07 | 21.6 | 19.3 | 8 | 19.2 |
| 03-05-2022 20:08 | 21.6 | 19.3 | 8 | 19.1 |
| 03-05-2022 20:09 | 21.6 | 19.3 | 8 | 19.1 |
| 03-05-2022 20:10 | 21.5 | 19.2 | 8 | 19.1 |
| 03-05-2022 20:11 | 21.5 | 19.2 | 8 | 19.1 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 03-05-2022 20:12 | 21.5 | 19.2 | 8 | 19.0 |
| 03-05-2022 20:13 | 21.4 | 19.2 | 8 | 19.0 |
| 03-05-2022 20:14 | 21.4 | 19.2 | 8 | 19.0 |
| 03-05-2022 20:15 | 21.4 | 19.2 | 8 | 19.0 |
| 03-05-2022 20:16 | 21.4 | 19.2 | 8 | 19.0 |
| 03-05-2022 20:17 | 21.4 | 19.2 | 8 | 19.0 |
| 03-05-2022 20:18 | 21.3 | 19.1 | 8 | 18.9 |
| 03-05-2022 20:19 | 21.3 | 19.1 | 8 | 19.0 |
| 03-05-2022 20:20 | 21.3 | 19.1 | 8 | 19.0 |
| 03-05-2022 20:21 | 21.3 | 19.1 | 8 | 19.0 |
| 03-05-2022 20:22 | 21.3 | 19.1 | 7 | 18.9 |
| 03-05-2022 20:23 | 21.2 | 19.0 | 8 | 18.9 |
| 03-05-2022 20:24 | 21.2 | 19.0 | 8 | 18.9 |
| 03-05-2022 20:25 | 21.2 | 19.0 | 8 | 18.8 |
| 03-05-2022 20:26 | 21.2 | 19.0 | 8 | 18.9 |
| 03-05-2022 20:27 | 21.2 | 19.0 | 7 | 18.9 |
| 03-05-2022 20:28 | 21.2 | 19.0 | 7 | 18.8 |
| 03-05-2022 20:29 | 21.1 | 19.0 | 8 | 18.8 |
| 03-05-2022 20:30 | 21.1 | 18.9 | 8 | 18.8 |
| 03-05-2022 20:31 | 21.1 | 18.9 | 8 | 18.8 |
| 03-05-2022 20:32 | 21.1 | 18.9 | 8 | 18.8 |
| 03-05-2022 20:33 | 21.1 | 18.9 | 8 | 18.8 |
| 03-05-2022 20:34 | 21.1 | 18.9 | 8 | 18.7 |
| 03-05-2022 20:35 | 21.1 | 18.9 | 8 | 18.8 |
| 03-05-2022 20:36 | 21.1 | 18.9 | 8 | 18.7 |
| 03-05-2022 20:37 | 21.1 | 18.9 | 8 | 18.7 |
| 03-05-2022 20:38 | 21.1 | 18.9 | 8 | 18.7 |
| 03-05-2022 20:39 | 21.1 | 18.9 | 8 | 18.8 |
| 03-05-2022 20:40 | 21.1 | 18.9 | 8 | 18.8 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 03-05-2022 20:41 | 21.1 | 18.9 | 8 | 18.7 |
| 03-05-2022 20:42 | 21.1 | 19.0 | 8 | 18.8 |
| 03-05-2022 20:43 | 21.1 | 19.0 | 8 | 18.8 |
| 03-05-2022 20:44 | 21.3 | 19.0 | 0 | 18.8 |
| 03-05-2022 20:45 | 21.3 | 19.0 | 7 | 18.9 |
| 03-05-2022 20:46 | 21.3 | 19.1 | 6 | 18.9 |
| 03-05-2022 20:47 | 21.3 | 19.1 | 8 | 19.0 |
| 03-05-2022 20:48 | 21.3 | 19.1 | 8 | 18.9 |
| 03-05-2022 20:49 | 21.3 | 19.2 | 8 | 19.0 |
| 03-05-2022 20:50 | 21.3 | 19.2 | 3 | 19.1 |
| 03-05-2022 20:51 | 21.4 | 19.3 | 12 | 19.1 |
| 03-05-2022 20:52 | 21.5 | 19.3 | 8 | 19.2 |
| 03-05-2022 20:53 | 21.5 | 19.3 | 8 | 19.2 |
| 03-05-2022 20:54 | 21.5 | 19.4 | 8 | 19.4 |
| 03-05-2022 20:55 | 21.6 | 19.5 | 8 | 19.4 |
| 03-05-2022 20:56 | 21.6 | 19.5 | 8 | 19.5 |
| 03-05-2022 20:57 | 21.7 | 19.6 | 8 | 19.6 |
| 03-05-2022 20:58 | 21.8 | 19.7 | 8 | 19.7 |
| 03-05-2022 20:59 | 21.8 | 19.7 | 8 | 19.8 |
| 03-05-2022 21:00 | 21.9 | 19.8 | 8 | 19.8 |
| 03-05-2022 21:01 | 21.9 | 19.8 | 9 | 19.9 |
| 03-05-2022 21:02 | 22.0 | 19.9 | 8 | 20.0 |
| 03-05-2022 21:03 | 22.0 | 20.0 | 8 | 20.0 |
| 03-05-2022 21:04 | 22.1 | 20.0 | 8 | 20.1 |
| 03-05-2022 21:05 | 22.1 | 20.1 | 8 | 20.2 |
| 03-05-2022 21:06 | 22.2 | 20.1 | 8 | 20.2 |
| 03-05-2022 21:07 | 22.3 | 20.1 | 8 | 20.3 |
| 03-05-2022 21:08 | 22.3 | 20.2 | 7 | 20.4 |
| 03-05-2022 21:09 | 22.4 | 20.3 | 8 | 20.5 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 03-05-2022 21:10 | 22.4 | 20.3 | 8 | 20.5 |
| 03-05-2022 21:11 | 22.5 | 20.4 | 8 | 20.6 |
| 03-05-2022 21:12 | 22.6 | 20.5 | 8 | 20.6 |
| 03-05-2022 21:13 | 22.6 | 20.5 | 8 | 20.6 |
| 03-05-2022 21:14 | 22.6 | 20.5 | 8 | 20.7 |
| 03-05-2022 21:15 | 22.7 | 20.6 | 8 | 20.8 |
| 03-05-2022 21:16 | 22.7 | 20.6 | 9 | 20.8 |
| 03-05-2022 21:17 | 22.7 | 20.6 | 8 | 20.8 |
| 03-05-2022 21:18 | 22.8 | 20.7 | 8 | 20.9 |
| 03-05-2022 21:19 | 22.8 | 20.7 | 8 | 20.8 |
| 03-05-2022 21:20 | 22.8 | 20.7 | 9 | 20.8 |
| 03-05-2022 21:21 | 22.8 | 20.7 | 9 | 20.8 |
| 03-05-2022 21:22 | 22.9 | 20.7 | 9 | 20.9 |
| 03-05-2022 21:23 | 22.9 | 20.7 | 9 | 20.9 |
| 03-05-2022 21:24 | 22.9 | 20.7 | 9 | 20.9 |
| 03-05-2022 21:25 | 22.9 | 20.7 | 8 | 20.9 |
| 03-05-2022 21:26 | 22.9 | 20.7 | 9 | 20.8 |
| 03-05-2022 21:27 | 22.9 | 20.7 | 8 | 20.9 |
| 03-05-2022 21:28 | 22.9 | 20.7 | 8 | 20.9 |
| 03-05-2022 21:29 | 22.9 | 20.7 | 9 | 20.8 |
| 03-05-2022 21:30 | 22.9 | 20.7 | 9 | 20.9 |
| 03-05-2022 21:31 | 22.9 | 20.7 | 9 | 20.9 |
| 03-05-2022 21:32 | 22.9 | 20.7 | 9 | 20.8 |
| 03-05-2022 21:33 | 22.9 | 20.6 | 9 | 20.8 |
| 03-05-2022 21:34 | 22.9 | 20.6 | 9 | 20.8 |
| 03-05-2022 21:35 | 22.9 | 20.6 | 9 | 20.8 |
| 03-05-2022 21:36 | 22.9 | 20.5 | 9 | 20.7 |
| 03-05-2022 21:37 | 22.9 | 20.5 | 9 | 20.7 |
| 03-05-2022 21:38 | 22.9 | 20.5 | 9 | 20.7 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 03-05-2022 21:39 | 22.9 | 20.5 | 9 | 20.6 |
| 03-05-2022 21:40 | 22.9 | 20.5 | 9 | 20.6 |
| 03-05-2022 21:41 | 22.9 | 20.5 | 9 | 20.6 |
| 03-05-2022 21:42 | 22.9 | 20.5 | 9 | 20.6 |
| 03-05-2022 21:43 | 22.8 | 20.4 | 8 | 20.6 |
| 03-05-2022 21:44 | 22.8 | 20.4 | 9 | 20.5 |
| 03-05-2022 21:45 | 22.8 | 20.4 | 8 | 20.5 |
| 03-05-2022 21:46 | 22.8 | 20.3 | 9 | 20.6 |
| 03-05-2022 21:47 | 22.8 | 20.3 | 9 | 20.5 |
| 03-05-2022 21:48 | 22.8 | 20.3 | 9 | 20.5 |
| 03-05-2022 21:49 | 22.8 | 20.3 | 9 | 20.5 |
| 03-05-2022 21:50 | 22.8 | 20.3 | 9 | 20.5 |
| 03-05-2022 21:51 | 22.7 | 20.2 | 9 | 20.4 |
| 03-05-2022 21:52 | 22.7 | 20.2 | 9 | 20.4 |
| 03-05-2022 21:53 | 22.7 | 20.1 | 9 | 20.4 |
| 03-05-2022 21:54 | 22.7 | 20.1 | 8 | 20.3 |
| 03-05-2022 21:55 | 22.6 | 20.1 | 8 | 20.3 |
| 03-05-2022 21:56 | 22.6 | 20.1 | 9 | 20.3 |
| 03-05-2022 21:57 | 22.6 | 20.1 | 9 | 20.2 |
| 03-05-2022 21:58 | 22.6 | 20.1 | 8 | 20.2 |
| 03-05-2022 21:59 | 22.6 | 20.0 | 9 | 20.2 |
| 03-05-2022 22:00 | 22.5 | 20.0 | 9 | 20.2 |
| 03-05-2022 22:01 | 22.5 | 20.0 | 8 | 20.1 |
| 03-05-2022 22:02 | 22.5 | 19.9 | 8 | 20.1 |
| 03-05-2022 22:03 | 22.5 | 19.9 | 9 | 20.0 |
| 03-05-2022 22:04 | 22.5 | 19.9 | 9 | 20.0 |
| 03-05-2022 22:05 | 22.4 | 19.9 | 8 | 20.1 |
| 03-05-2022 22:06 | 22.4 | 19.9 | 9 | 20.0 |
| 03-05-2022 22:07 | 22.4 | 19.8 | 8 | 20.0 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 03-05-2022 22:08 | 22.4 | 19.8 | 9 | 19.9 |
| 03-05-2022 22:09 | 22.4 | 19.8 | 9 | 19.9 |
| 03-05-2022 22:10 | 22.3 | 19.8 | 5 | 19.9 |
| 03-05-2022 22:11 | 22.3 | 19.8 | 8 | 19.9 |
| 03-05-2022 22:12 | 22.3 | 19.8 | 8 | 19.9 |
| 03-05-2022 22:13 | 22.3 | 19.8 | 8 | 19.9 |
| 03-05-2022 22:14 | 22.3 | 19.7 | 8 | 19.8 |
| 03-05-2022 22:15 | 22.2 | 19.7 | 8 | 19.8 |
| 03-05-2022 22:16 | 22.2 | 19.7 | 8 | 19.8 |
| 03-05-2022 22:17 | 22.2 | 19.7 | 8 | 19.8 |
| 03-05-2022 22:18 | 22.2 | 19.7 | 8 | 19.8 |
| 03-05-2022 22:19 | 22.1 | 19.7 | 8 | 19.7 |
| 03-05-2022 22:20 | 22.1 | 19.6 | 8 | 19.7 |
| 03-05-2022 22:21 | 22.1 | 19.6 | 8 | 19.7 |
| 03-05-2022 22:22 | 22.1 | 19.6 | 8 | 19.7 |
| 03-05-2022 22:23 | 22.1 | 19.6 | 8 | 19.7 |
| 03-05-2022 22:24 | 22.1 | 19.6 | 8 | 19.7 |
| 03-05-2022 22:25 | 22.1 | 19.6 | 8 | 19.6 |
| 03-05-2022 22:26 | 22.0 | 19.6 | 8 | 19.6 |
| 03-05-2022 22:27 | 22.0 | 19.6 | 8 | 19.7 |
| 03-05-2022 22:28 | 22.0 | 19.6 | 8 | 19.6 |
| 03-05-2022 22:29 | 22.0 | 19.6 | 8 | 19.6 |
| 03-05-2022 22:30 | 22.0 | 19.6 | 9 | 19.6 |
| 03-05-2022 22:31 | 22.0 | 19.6 | 8 | 19.6 |
| 03-05-2022 22:32 | 22.0 | 19.5 | 8 | 19.6 |
| 03-05-2022 22:33 | 22.0 | 19.5 | 8 | 19.6 |
| 03-05-2022 22:34 | 21.9 | 19.5 | 8 | 19.5 |
| 03-05-2022 22:35 | 21.9 | 19.5 | 8 | 19.6 |
| 03-05-2022 22:36 | 21.9 | 19.5 | 8 | 19.5 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 03-05-2022 22:37 | 21.9 | 19.5 | 8 | 19.5 |
| 03-05-2022 22:38 | 21.9 | 19.5 | 8 | 19.5 |
| 03-05-2022 22:39 | 21.9 | 19.5 | 8 | 19.5 |
| 03-05-2022 22:40 | 21.9 | 19.5 | 8 | 19.5 |
| 03-05-2022 22:41 | 21.9 | 19.5 | 8 | 19.5 |
| 03-05-2022 22:42 | 21.9 | 19.5 | 8 | 19.5 |
| 03-05-2022 22:43 | 21.8 | 19.5 | 8 | 19.5 |
| 03-05-2022 22:44 | 21.8 | 19.5 | 8 | 19.4 |
| 03-05-2022 22:45 | 21.8 | 19.5 | 8 | 19.5 |
| 03-05-2022 22:46 | 21.8 | 19.5 | 8 | 19.4 |
| 03-05-2022 22:47 | 21.8 | 19.5 | 8 | 19.5 |
| 03-05-2022 22:48 | 21.8 | 19.5 | 9 | 19.5 |
| 03-05-2022 22:49 | 21.9 | 19.5 | 8 | 19.5 |
| 03-05-2022 22:50 | 21.9 | 19.5 | 8 | 19.5 |
| 03-05-2022 22:51 | 21.8 | 19.5 | 8 | 19.5 |
| 03-05-2022 22:52 | 21.9 | 19.5 | 8 | 19.5 |
| 03-05-2022 22:53 | 21.9 | 19.5 | 8 | 19.5 |
| 03-05-2022 22:54 | 21.9 | 19.6 | 8 | 19.5 |
| 03-05-2022 22:55 | 21.9 | 19.6 | 9 | 19.6 |
| 03-05-2022 22:56 | 21.9 | 19.6 | 8 | 19.6 |
| 03-05-2022 22:57 | 21.9 | 19.6 | 8 | 19.6 |
| 03-05-2022 22:58 | 21.9 | 19.6 | 8 | 19.6 |
| 03-05-2022 22:59 | 21.9 | 19.6 | 8 | 19.7 |
| 03-05-2022 23:00 | 21.9 | 19.6 | 8 | 19.6 |
| 03-05-2022 23:01 | 22.0 | 19.6 | 8 | 19.7 |
| 03-05-2022 23:02 | 22.0 | 19.7 | 8 | 19.7 |
| 03-05-2022 23:03 | 22.0 | 19.7 | 8 | 19.7 |
| 03-05-2022 23:04 | 22.0 | 19.7 | 8 | 19.7 |
| 03-05-2022 23:05 | 22.0 | 19.7 | 8 | 19.7 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 03-05-2022 23:06 | 22.0 | 19.8 | 8 | 19.7 |
| 03-05-2022 23:07 | 22.0 | 19.8 | 8 | 19.8 |
| 03-05-2022 23:08 | 22.0 | 19.8 | 8 | 19.8 |
| 03-05-2022 23:09 | 22.0 | 19.8 | 8 | 19.8 |
| 03-05-2022 23:10 | 22.0 | 19.8 | 8 | 19.8 |
| 03-05-2022 23:11 | 22.0 | 19.8 | 8 | 19.8 |
| 03-05-2022 23:12 | 22.1 | 19.8 | 8 | 19.8 |
| 03-05-2022 23:13 | 22.1 | 19.8 | 8 | 19.9 |
| 03-05-2022 23:14 | 22.1 | 19.8 | 8 | 19.9 |
| 03-05-2022 23:15 | 22.1 | 19.8 | 8 | 19.9 |
| 03-05-2022 23:16 | 22.1 | 19.8 | 8 | 19.8 |
| 03-05-2022 23:17 | 22.1 | 19.9 | 8 | 19.9 |
| 03-05-2022 23:18 | 22.1 | 19.9 | 8 | 19.9 |
| 03-05-2022 23:19 | 22.1 | 19.9 | 8 | 19.9 |
| 03-05-2022 23:20 | 22.1 | 19.9 | 9 | 19.9 |
| 03-05-2022 23:21 | 22.1 | 19.9 | 8 | 19.9 |
| 03-05-2022 23:22 | 22.1 | 19.9 | 8 | 19.9 |
| 03-05-2022 23:23 | 22.1 | 19.9 | 8 | 20.0 |
| 03-05-2022 23:24 | 22.1 | 19.9 | 8 | 20.0 |
| 03-05-2022 23:25 | 22.1 | 19.9 | 8 | 20.0 |
| 03-05-2022 23:26 | 22.2 | 19.9 | 8 | 20.0 |
| 03-05-2022 23:27 | 22.2 | 19.9 | 8 | 19.9 |
| 03-05-2022 23:28 | 22.2 | 19.9 | 8 | 20.0 |
| 03-05-2022 23:29 | 22.2 | 20.0 | 8 | 20.0 |
| 03-05-2022 23:30 | 22.2 | 19.9 | 8 | 20.0 |
| 03-05-2022 23:31 | 22.2 | 20.0 | 8 | 20.0 |
| 03-05-2022 23:32 | 22.2 | 19.9 | 8 | 20.0 |
| 03-05-2022 23:33 | 22.2 | 19.9 | 8 | 20.0 |
| 03-05-2022 23:34 | 22.2 | 20.0 | 8 | 20.0 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 03-05-2022 23:35 | 22.2 | 19.9 | 8 | 20.0 |
| 03-05-2022 23:36 | 22.2 | 19.9 | 8 | 20.0 |
| 03-05-2022 23:37 | 22.3 | 20.0 | 8 | 20.1 |
| 03-05-2022 23:38 | 22.3 | 20.0 | 8 | 20.1 |
| 03-05-2022 23:39 | 22.3 | 20.0 | 8 | 20.0 |
| 03-05-2022 23:40 | 22.3 | 20.0 | 8 | 20.1 |
| 03-05-2022 23:41 | 22.3 | 20.0 | 9 | 20.0 |
| 03-05-2022 23:42 | 22.3 | 20.0 | 8 | 20.1 |
| 03-05-2022 23:43 | 22.3 | 20.0 | 9 | 20.1 |
| 03-05-2022 23:44 | 22.3 | 20.0 | 8 | 20.0 |
| 03-05-2022 23:45 | 22.3 | 20.0 | 8 | 20.1 |
| 03-05-2022 23:46 | 22.3 | 20.0 | 9 | 20.1 |
| 03-05-2022 23:47 | 22.3 | 20.0 | 8 | 20.1 |
| 03-05-2022 23:48 | 22.3 | 20.0 | 8 | 20.2 |
| 03-05-2022 23:49 | 22.3 | 20.0 | 8 | 20.1 |
| 03-05-2022 23:50 | 22.3 | 20.0 | 8 | 20.1 |
| 03-05-2022 23:51 | 22.3 | 20.0 | 8 | 20.1 |
| 03-05-2022 23:52 | 22.3 | 20.0 | 8 | 20.1 |
| 03-05-2022 23:53 | 22.3 | 20.0 | 8 | 20.1 |
| 03-05-2022 23:54 | 22.3 | 20.0 | 8 | 20.1 |
| 03-05-2022 23:55 | 22.3 | 20.0 | 8 | 20.1 |
| 03-05-2022 23:56 | 22.4 | 20.0 | 8 | 20.1 |
| 03-05-2022 23:57 | 22.4 | 20.0 | 8 | 20.1 |
| 03-05-2022 23:58 | 22.4 | 20.1 | 9 | 20.2 |
| 03-05-2022 23:59 | 22.4 | 20.0 | 8 | 20.1 |
| 04-05-2022 00:00 | 22.4 | 20.1 | 8 | 20.2 |
| 04-05-2022 00:01 | 22.3 | 20.1 | 8 | 20.1 |
| 04-05-2022 00:02 | 22.3 | 20.1 | 8 | 20.2 |
| 04-05-2022 00:03 | 22.3 | 20.1 | 8 | 20.2 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 04-05-2022 00:04 | 22.3 | 20.1 | 8 | 20.2 |
| 04-05-2022 00:05 | 22.3 | 20.1 | 8 | 20.2 |
| 04-05-2022 00:06 | 22.3 | 20.1 | 9 | 20.2 |
| 04-05-2022 00:07 | 22.3 | 20.1 | 8 | 20.2 |
| 04-05-2022 00:08 | 22.3 | 20.1 | 8 | 20.2 |
| 04-05-2022 00:09 | 22.3 | 20.1 | 9 | 20.2 |
| 04-05-2022 00:10 | 22.3 | 20.1 | 8 | 20.2 |
| 04-05-2022 00:11 | 22.4 | 20.1 | 8 | 20.2 |
| 04-05-2022 00:12 | 22.4 | 20.1 | 8 | 20.2 |
| 04-05-2022 00:13 | 22.4 | 20.1 | 8 | 20.2 |
| 04-05-2022 00:14 | 22.4 | 20.1 | 8 | 20.2 |
| 04-05-2022 00:15 | 22.4 | 20.1 | 8 | 20.2 |
| 04-05-2022 00:16 | 22.4 | 20.1 | 8 | 20.2 |
| 04-05-2022 00:17 | 22.4 | 20.1 | 8 | 20.2 |
| 04-05-2022 00:18 | 22.4 | 20.1 | 8 | 20.2 |
| 04-05-2022 00:19 | 22.4 | 20.1 | 8 | 20.2 |
| 04-05-2022 00:20 | 22.4 | 20.1 | 8 | 20.2 |
| 04-05-2022 00:21 | 22.4 | 20.1 | 8 | 20.2 |
| 04-05-2022 00:22 | 22.4 | 20.1 | 8 | 20.2 |
| 04-05-2022 00:23 | 22.4 | 20.1 | 8 | 20.2 |
| 04-05-2022 00:24 | 22.4 | 20.1 | 8 | 20.2 |
| 04-05-2022 00:25 | 22.4 | 20.1 | 8 | 20.2 |
| 04-05-2022 00:26 | 22.4 | 20.1 | 8 | 20.3 |
| 04-05-2022 00:27 | 22.4 | 20.1 | 8 | 20.2 |
| 04-05-2022 00:28 | 22.4 | 20.1 | 8 | 20.2 |
| 04-05-2022 00:29 | 22.4 | 20.1 | 8 | 20.3 |
| 04-05-2022 00:30 | 22.4 | 20.1 | 8 | 20.2 |
| 04-05-2022 00:31 | 22.4 | 20.1 | 8 | 20.2 |
| 04-05-2022 00:32 | 22.4 | 20.1 | 8 | 20.2 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 04-05-2022 00:33 | 22.4 | 20.1 | 8 | 20.3 |
| 04-05-2022 00:34 | 22.5 | 20.1 | 8 | 20.3 |
| 04-05-2022 00:35 | 22.5 | 20.1 | 8 | 20.3 |
| 04-05-2022 00:36 | 22.5 | 20.1 | 8 | 20.2 |
| 04-05-2022 00:37 | 22.5 | 20.1 | 8 | 20.3 |
| 04-05-2022 00:38 | 22.5 | 20.1 | 8 | 20.3 |
| 04-05-2022 00:39 | 22.5 | 20.1 | 8 | 20.3 |
| 04-05-2022 00:40 | 22.5 | 20.1 | 8 | 20.3 |
| 04-05-2022 00:41 | 22.5 | 20.1 | 8 | 20.2 |
| 04-05-2022 00:42 | 22.5 | 20.1 | 8 | 20.3 |
| 04-05-2022 00:43 | 22.5 | 20.1 | 8 | 20.3 |
| 04-05-2022 00:44 | 22.5 | 20.1 | 8 | 20.3 |
| 04-05-2022 00:45 | 22.5 | 20.1 | 8 | 20.2 |
| 04-05-2022 00:46 | 22.5 | 20.1 | 8 | 20.2 |
| 04-05-2022 00:47 | 22.5 | 20.1 | 8 | 20.3 |
| 04-05-2022 00:48 | 22.5 | 20.1 | 8 | 20.3 |
| 04-05-2022 00:49 | 22.6 | 20.1 | 8 | 20.3 |
| 04-05-2022 00:50 | 22.6 | 20.1 | 8 | 20.3 |
| 04-05-2022 00:51 | 22.6 | 20.1 | 8 | 20.3 |
| 04-05-2022 00:52 | 22.6 | 20.1 | 9 | 20.3 |
| 04-05-2022 00:53 | 22.6 | 20.1 | 8 | 20.3 |
| 04-05-2022 00:54 | 22.6 | 20.1 | 9 | 20.3 |
| 04-05-2022 00:55 | 22.6 | 20.1 | 9 | 20.3 |
| 04-05-2022 00:56 | 22.7 | 20.1 | 8 | 20.4 |
| 04-05-2022 00:57 | 22.7 | 20.1 | 8 | 20.3 |
| 04-05-2022 00:58 | 22.7 | 20.1 | 8 | 20.4 |
| 04-05-2022 00:59 | 22.7 | 20.1 | 8 | 20.4 |
| 04-05-2022 01:00 | 22.7 | 20.1 | 8 | 20.3 |
| 04-05-2022 01:01 | 22.7 | 20.1 | 8 | 20.3 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 04-05-2022 01:02 | 22.7 | 20.1 | 9 | 20.3 |
| 04-05-2022 01:03 | 22.7 | 20.1 | 9 | 20.3 |
| 04-05-2022 01:04 | 22.7 | 20.1 | 9 | 20.3 |
| 04-05-2022 01:05 | 22.7 | 20.1 | 9 | 20.3 |
| 04-05-2022 01:06 | 22.7 | 20.1 | 8 | 20.3 |
| 04-05-2022 01:07 | 22.7 | 20.1 | 8 | 20.4 |
| 04-05-2022 01:08 | 22.7 | 20.1 | 8 | 20.3 |
| 04-05-2022 01:09 | 22.7 | 20.1 | 9 | 20.3 |
| 04-05-2022 01:10 | 22.7 | 20.1 | 8 | 20.4 |
| 04-05-2022 01:11 | 22.7 | 20.1 | 9 | 20.3 |
| 04-05-2022 01:12 | 22.7 | 20.1 | 9 | 20.3 |
| 04-05-2022 01:13 | 22.7 | 20.1 | 9 | 20.3 |
| 04-05-2022 01:14 | 22.7 | 20.1 | 9 | 20.4 |
| 04-05-2022 01:15 | 22.7 | 20.1 | 8 | 20.4 |
| 04-05-2022 01:16 | 22.7 | 20.1 | 8 | 20.4 |
| 04-05-2022 01:17 | 22.7 | 20.1 | 9 | 20.4 |
| 04-05-2022 01:18 | 22.7 | 20.1 | 8 | 20.4 |
| 04-05-2022 01:19 | 22.7 | 20.1 | 8 | 20.3 |
| 04-05-2022 01:20 | 22.7 | 20.1 | 8 | 20.3 |
| 04-05-2022 01:21 | 22.7 | 20.1 | 8 | 20.3 |
| 04-05-2022 01:22 | 22.7 | 20.1 | 8 | 20.4 |
| 04-05-2022 01:23 | 22.7 | 20.1 | 8 | 20.4 |
| 04-05-2022 01:24 | 22.7 | 20.1 | 8 | 20.4 |
| 04-05-2022 01:25 | 22.7 | 20.1 | 8 | 20.4 |
| 04-05-2022 01:26 | 22.7 | 20.1 | 8 | 20.4 |
| 04-05-2022 01:27 | 22.7 | 20.1 | 9 | 20.4 |
| 04-05-2022 01:28 | 22.7 | 20.1 | 8 | 20.4 |
| 04-05-2022 01:29 | 22.7 | 20.2 | 9 | 20.3 |
| 04-05-2022 01:30 | 22.7 | 20.1 | 8 | 20.4 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 04-05-2022 01:31 | 22.7 | 20.2 | 8 | 20.3 |
| 04-05-2022 01:32 | 22.7 | 20.2 | 8 | 20.4 |
| 04-05-2022 01:33 | 22.7 | 20.1 | 8 | 20.3 |
| 04-05-2022 01:34 | 22.6 | 20.1 | 8 | 20.4 |
| 04-05-2022 01:35 | 22.6 | 20.1 | 8 | 20.4 |
| 04-05-2022 01:36 | 22.6 | 20.1 | 8 | 20.4 |
| 04-05-2022 01:37 | 22.7 | 20.2 | 8 | 20.4 |
| 04-05-2022 01:38 | 22.7 | 20.2 | 8 | 20.4 |
| 04-05-2022 01:39 | 22.7 | 20.1 | 8 | 20.4 |
| 04-05-2022 01:40 | 22.7 | 20.1 | 9 | 20.4 |
| 04-05-2022 01:41 | 22.6 | 20.2 | 8 | 20.4 |
| 04-05-2022 01:42 | 22.7 | 20.2 | 8 | 20.4 |
| 04-05-2022 01:43 | 22.7 | 20.2 | 8 | 20.4 |
| 04-05-2022 01:44 | 22.7 | 20.2 | 8 | 20.4 |
| 04-05-2022 01:45 | 22.7 | 20.2 | 8 | 20.4 |
| 04-05-2022 01:46 | 22.7 | 20.2 | 8 | 20.4 |
| 04-05-2022 01:47 | 22.7 | 20.1 | 8 | 20.4 |
| 04-05-2022 01:48 | 22.6 | 20.1 | 8 | 20.3 |
| 04-05-2022 01:49 | 22.6 | 20.2 | 8 | 20.4 |
| 04-05-2022 01:50 | 22.6 | 20.1 | 8 | 20.4 |
| 04-05-2022 01:51 | 22.6 | 20.2 | 8 | 20.4 |
| 04-05-2022 01:52 | 22.6 | 20.2 | 8 | 20.4 |
| 04-05-2022 01:53 | 22.6 | 20.2 | 8 | 20.5 |
| 04-05-2022 01:54 | 22.6 | 20.2 | 8 | 20.4 |
| 04-05-2022 01:55 | 22.6 | 20.2 | 8 | 20.4 |
| 04-05-2022 01:56 | 22.6 | 20.2 | 8 | 20.4 |
| 04-05-2022 01:57 | 22.6 | 20.2 | 8 | 20.4 |
| 04-05-2022 01:58 | 22.6 | 20.2 | 8 | 20.4 |
| 04-05-2022 01:59 | 22.6 | 20.2 | 9 | 20.5 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 04-05-2022 02:00 | 22.7 | 20.2 | 9 | 20.4 |
| 04-05-2022 02:01 | 22.7 | 20.2 | 8 | 20.4 |
| 04-05-2022 02:02 | 22.7 | 20.2 | 8 | 20.4 |
| 04-05-2022 02:03 | 22.7 | 20.2 | 9 | 20.4 |
| 04-05-2022 02:04 | 22.7 | 20.2 | 9 | 20.4 |
| 04-05-2022 02:05 | 22.7 | 20.2 | 8 | 20.4 |
| 04-05-2022 02:06 | 22.7 | 20.2 | 9 | 20.5 |
| 04-05-2022 02:07 | 22.7 | 20.2 | 8 | 20.4 |
| 04-05-2022 02:08 | 22.7 | 20.2 | 8 | 20.5 |
| 04-05-2022 02:09 | 22.7 | 20.2 | 8 | 20.4 |
| 04-05-2022 02:10 | 22.7 | 20.2 | 8 | 20.4 |
| 04-05-2022 02:11 | 22.7 | 20.2 | 8 | 20.4 |
| 04-05-2022 02:12 | 22.6 | 20.2 | 8 | 20.5 |
| 04-05-2022 02:13 | 22.6 | 20.2 | 8 | 20.4 |
| 04-05-2022 02:14 | 22.6 | 20.2 | 8 | 20.4 |
| 04-05-2022 02:15 | 22.6 | 20.2 | 8 | 20.4 |
| 04-05-2022 02:16 | 22.6 | 20.2 | 8 | 20.4 |
| 04-05-2022 02:17 | 22.6 | 20.2 | 8 | 20.5 |
| 04-05-2022 02:18 | 22.6 | 20.2 | 8 | 20.5 |
| 04-05-2022 02:19 | 22.6 | 20.2 | 8 | 20.5 |
| 04-05-2022 02:20 | 22.6 | 20.2 | 8 | 20.5 |
| 04-05-2022 02:21 | 22.6 | 20.2 | 8 | 20.4 |
| 04-05-2022 02:22 | 22.6 | 20.2 | 8 | 20.5 |
| 04-05-2022 02:23 | 22.6 | 20.2 | 8 | 20.5 |
| 04-05-2022 02:24 | 22.6 | 20.2 | 8 | 20.4 |
| 04-05-2022 02:25 | 22.6 | 20.2 | 8 | 20.5 |
| 04-05-2022 02:26 | 22.6 | 20.2 | 8 | 20.5 |
| 04-05-2022 02:27 | 22.6 | 20.2 | 8 | 20.4 |
| 04-05-2022 02:28 | 22.6 | 20.2 | 8 | 20.4 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 04-05-2022 02:29 | 22.6 | 20.2 | 8 | 20.4 |
| 04-05-2022 02:30 | 22.6 | 20.2 | 8 | 20.4 |
| 04-05-2022 02:31 | 22.6 | 20.2 | 8 | 20.5 |
| 04-05-2022 02:32 | 22.6 | 20.2 | 8 | 20.4 |
| 04-05-2022 02:33 | 22.6 | 20.2 | 8 | 20.5 |
| 04-05-2022 02:34 | 22.6 | 20.2 | 8 | 20.4 |
| 04-05-2022 02:35 | 22.6 | 20.2 | 8 | 20.5 |
| 04-05-2022 02:36 | 22.6 | 20.2 | 8 | 20.5 |
| 04-05-2022 02:37 | 22.6 | 20.2 | 8 | 20.4 |
| 04-05-2022 02:38 | 22.6 | 20.2 | 8 | 20.4 |
| 04-05-2022 02:39 | 22.6 | 20.2 | 8 | 20.4 |
| 04-05-2022 02:40 | 22.6 | 20.2 | 9 | 20.5 |
| 04-05-2022 02:41 | 22.6 | 20.2 | 8 | 20.4 |
| 04-05-2022 02:42 | 22.6 | 20.2 | 8 | 20.4 |
| 04-05-2022 02:43 | 22.6 | 20.2 | 8 | 20.5 |
| 04-05-2022 02:44 | 22.6 | 20.2 | 8 | 20.4 |
| 04-05-2022 02:45 | 22.6 | 20.2 | 8 | 20.4 |
| 04-05-2022 02:46 | 22.6 | 20.2 | 8 | 20.4 |
| 04-05-2022 02:47 | 22.6 | 20.2 | 8 | 20.5 |
| 04-05-2022 02:48 | 22.6 | 20.2 | 8 | 20.5 |
| 04-05-2022 02:49 | 22.6 | 20.2 | 9 | 20.4 |
| 04-05-2022 02:50 | 22.6 | 20.2 | 8 | 20.5 |
| 04-05-2022 02:51 | 22.6 | 20.2 | 8 | 20.4 |
| 04-05-2022 02:52 | 22.6 | 20.2 | 8 | 20.4 |
| 04-05-2022 02:53 | 22.6 | 20.2 | 8 | 20.4 |
| 04-05-2022 02:54 | 22.6 | 20.2 | 8 | 20.5 |
| 04-05-2022 02:55 | 22.6 | 20.2 | 8 | 20.4 |
| 04-05-2022 02:56 | 22.6 | 20.2 | 8 | 20.4 |
| 04-05-2022 02:57 | 22.6 | 20.2 | 8 | 20.4 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 04-05-2022 02:58 | 22.6 | 20.2 | 8 | 20.4 |
| 04-05-2022 02:59 | 22.6 | 20.2 | 9 | 20.4 |
| 04-05-2022 03:00 | 22.6 | 20.2 | 9 | 20.4 |
| 04-05-2022 03:01 | 22.6 | 20.2 | 8 | 20.4 |
| 04-05-2022 03:02 | 22.7 | 20.2 | 9 | 20.4 |
| 04-05-2022 03:03 | 22.7 | 20.2 | 9 | 20.4 |
| 04-05-2022 03:04 | 22.7 | 20.2 | 8 | 20.5 |
| 04-05-2022 03:05 | 22.7 | 20.2 | 9 | 20.4 |
| 04-05-2022 03:06 | 22.7 | 20.2 | 8 | 20.4 |
| 04-05-2022 03:07 | 22.7 | 20.2 | 8 | 20.4 |
| 04-05-2022 03:08 | 22.7 | 20.2 | 8 | 20.5 |
| 04-05-2022 03:09 | 22.7 | 20.2 | 9 | 20.4 |
| 04-05-2022 03:10 | 22.7 | 20.2 | 9 | 20.4 |
| 04-05-2022 03:11 | 22.7 | 20.2 | 9 | 20.5 |
| 04-05-2022 03:12 | 22.7 | 20.2 | 9 | 20.4 |
| 04-05-2022 03:13 | 22.7 | 20.2 | 9 | 20.5 |
| 04-05-2022 03:14 | 22.7 | 20.2 | 9 | 20.4 |
| 04-05-2022 03:15 | 22.7 | 20.2 | 9 | 20.4 |
| 04-05-2022 03:16 | 22.7 | 20.2 | 9 | 20.4 |
| 04-05-2022 03:17 | 22.7 | 20.2 | 8 | 20.5 |
| 04-05-2022 03:18 | 22.7 | 20.2 | 8 | 20.5 |
| 04-05-2022 03:19 | 22.7 | 20.2 | 8 | 20.5 |
| 04-05-2022 03:20 | 22.7 | 20.2 | 9 | 20.4 |
| 04-05-2022 03:21 | 22.7 | 20.2 | 8 | 20.5 |
| 04-05-2022 03:22 | 22.7 | 20.2 | 8 | 20.5 |
| 04-05-2022 03:23 | 22.7 | 20.2 | 9 | 20.5 |
| 04-05-2022 03:24 | 22.7 | 20.2 | 9 | 20.5 |
| 04-05-2022 03:25 | 22.7 | 20.2 | 9 | 20.4 |
| 04-05-2022 03:26 | 22.7 | 20.2 | 8 | 20.5 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 04-05-2022 03:27 | 22.7 | 20.2 | 8 | 20.5 |
| 04-05-2022 03:28 | 22.6 | 20.2 | 8 | 20.5 |
| 04-05-2022 03:29 | 22.7 | 20.2 | 9 | 20.4 |
| 04-05-2022 03:30 | 22.6 | 20.2 | 9 | 20.5 |
| 04-05-2022 03:31 | 22.6 | 20.2 | 8 | 20.4 |
| 04-05-2022 03:32 | 22.6 | 20.2 | 8 | 20.5 |
| 04-05-2022 03:33 | 22.6 | 20.2 | 9 | 20.4 |
| 04-05-2022 03:34 | 22.6 | 20.2 | 9 | 20.4 |
| 04-05-2022 03:35 | 22.6 | 20.2 | 9 | 20.4 |
| 04-05-2022 03:36 | 22.6 | 20.2 | 8 | 20.4 |
| 04-05-2022 03:37 | 22.6 | 20.2 | 8 | 20.4 |
| 04-05-2022 03:38 | 22.6 | 20.2 | 9 | 20.5 |
| 04-05-2022 03:39 | 22.6 | 20.2 | 8 | 20.5 |
| 04-05-2022 03:40 | 22.6 | 20.2 | 9 | 20.4 |
| 04-05-2022 03:41 | 22.6 | 20.2 | 9 | 20.5 |
| 04-05-2022 03:42 | 22.6 | 20.2 | 8 | 20.5 |
| 04-05-2022 03:43 | 22.6 | 20.2 | 9 | 20.4 |
| 04-05-2022 03:44 | 22.6 | 20.2 | 8 | 20.5 |
| 04-05-2022 03:45 | 22.6 | 20.2 | 8 | 20.5 |
| 04-05-2022 03:46 | 22.6 | 20.2 | 8 | 20.4 |
| 04-05-2022 03:47 | 22.6 | 20.2 | 9 | 20.4 |
| 04-05-2022 03:48 | 22.6 | 20.2 | 8 | 20.4 |
| 04-05-2022 03:49 | 22.6 | 20.2 | 8 | 20.4 |
| 04-05-2022 03:50 | 22.6 | 20.2 | 8 | 20.4 |
| 04-05-2022 03:51 | 22.6 | 20.2 | 8 | 20.4 |
| 04-05-2022 03:52 | 22.6 | 20.2 | 8 | 20.4 |
| 04-05-2022 03:53 | 22.6 | 20.2 | 7 | 20.4 |
| 04-05-2022 03:54 | 22.6 | 20.2 | 8 | 20.4 |
| 04-05-2022 03:55 | 22.6 | 20.2 | 8 | 20.4 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 04-05-2022 03:56 | 22.6 | 20.2 | 9 | 20.4 |
| 04-05-2022 03:57 | 22.6 | 20.2 | 8 | 20.4 |
| 04-05-2022 03:58 | 22.6 | 20.2 | 9 | 20.4 |
| 04-05-2022 03:59 | 22.6 | 20.2 | 9 | 20.5 |
| 04-05-2022 04:00 | 22.6 | 20.2 | 8 | 20.4 |
| 04-05-2022 04:01 | 22.6 | 20.2 | 8 | 20.5 |
| 04-05-2022 04:02 | 22.6 | 20.2 | 8 | 20.5 |
| 04-05-2022 04:03 | 22.6 | 20.2 | 9 | 20.4 |
| 04-05-2022 04:04 | 22.6 | 20.2 | 8 | 20.4 |
| 04-05-2022 04:05 | 22.6 | 20.2 | 9 | 20.4 |
| 04-05-2022 04:06 | 22.6 | 20.2 | 8 | 20.5 |
| 04-05-2022 04:07 | 22.6 | 20.2 | 9 | 20.5 |
| 04-05-2022 04:08 | 22.6 | 20.2 | 9 | 20.4 |
| 04-05-2022 04:09 | 22.6 | 20.2 | 8 | 20.4 |
| 04-05-2022 04:10 | 22.6 | 20.2 | 9 | 20.4 |
| 04-05-2022 04:11 | 22.6 | 20.2 | 8 | 20.4 |
| 04-05-2022 04:12 | 22.6 | 20.2 | 7 | 20.5 |
| 04-05-2022 04:13 | 22.6 | 20.2 | 8 | 20.4 |
| 04-05-2022 04:14 | 22.6 | 20.2 | 8 | 20.4 |
| 04-05-2022 04:15 | 22.6 | 20.2 | 9 | 20.5 |
| 04-05-2022 04:16 | 22.5 | 20.2 | 9 | 20.4 |
| 04-05-2022 04:17 | 22.5 | 20.2 | 9 | 20.4 |
| 04-05-2022 04:18 | 22.6 | 20.2 | 9 | 20.4 |
| 04-05-2022 04:19 | 22.6 | 20.2 | 9 | 20.4 |
| 04-05-2022 04:20 | 22.6 | 20.2 | 8 | 20.4 |
| 04-05-2022 04:21 | 22.6 | 20.2 | 8 | 20.5 |
| 04-05-2022 04:22 | 22.6 | 20.2 | 9 | 20.5 |
| 04-05-2022 04:23 | 22.6 | 20.2 | 8 | 20.5 |
| 04-05-2022 04:24 | 22.6 | 20.2 | 9 | 20.5 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 04-05-2022 04:25 | 22.6 | 20.2 | 9 | 20.4 |
| 04-05-2022 04:26 | 22.6 | 20.2 | 8 | 20.5 |
| 04-05-2022 04:27 | 22.5 | 20.2 | 8 | 20.5 |
| 04-05-2022 04:28 | 22.6 | 20.2 | 8 | 20.4 |
| 04-05-2022 04:29 | 22.6 | 20.2 | 9 | 20.5 |
| 04-05-2022 04:30 | 22.6 | 20.2 | 9 | 20.5 |
| 04-05-2022 04:31 | 22.6 | 20.2 | 8 | 20.5 |
| 04-05-2022 04:32 | 22.5 | 20.2 | 8 | 20.4 |
| 04-05-2022 04:33 | 22.5 | 20.2 | 8 | 20.5 |
| 04-05-2022 04:34 | 22.5 | 20.2 | 7 | 20.4 |
| 04-05-2022 04:35 | 22.5 | 20.2 | 8 | 20.4 |
| 04-05-2022 04:36 | 22.5 | 20.2 | 8 | 20.5 |
| 04-05-2022 04:37 | 22.5 | 20.2 | 8 | 20.4 |
| 04-05-2022 04:38 | 22.5 | 20.2 | 8 | 20.4 |
| 04-05-2022 04:39 | 22.5 | 20.2 | 9 | 20.5 |
| 04-05-2022 04:40 | 22.5 | 20.2 | 8 | 20.4 |
| 04-05-2022 04:41 | 22.5 | 20.2 | 8 | 20.4 |
| 04-05-2022 04:42 | 22.4 | 20.2 | 8 | 20.5 |
| 04-05-2022 04:43 | 22.4 | 20.2 | 8 | 20.5 |
| 04-05-2022 04:44 | 22.4 | 20.2 | 8 | 20.4 |
| 04-05-2022 04:45 | 22.4 | 20.2 | 4 | 20.4 |
| 04-05-2022 04:46 | 22.4 | 20.2 | 8 | 20.4 |
| 04-05-2022 04:47 | 22.4 | 20.2 | 8 | 20.4 |
| 04-05-2022 04:48 | 22.4 | 20.2 | 8 | 20.4 |
| 04-05-2022 04:49 | 22.4 | 20.2 | 8 | 20.4 |
| 04-05-2022 04:50 | 22.4 | 20.3 | 9 | 20.5 |
| 04-05-2022 04:51 | 22.4 | 20.3 | 0 | 20.4 |
| 04-05-2022 04:52 | 22.4 | 20.3 | 8 | 20.4 |
| 04-05-2022 04:53 | 22.4 | 20.2 | 8 | 20.4 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 04-05-2022 04:54 | 22.4 | 20.3 | 8 | 20.4 |
| 04-05-2022 04:55 | 22.4 | 20.3 | 8 | 20.4 |
| 04-05-2022 04:56 | 22.4 | 20.2 | 8 | 20.4 |
| 04-05-2022 04:57 | 22.4 | 20.2 | 8 | 20.5 |
| 04-05-2022 04:58 | 22.4 | 20.2 | 8 | 20.4 |
| 04-05-2022 04:59 | 22.4 | 20.2 | 8 | 20.5 |
| 04-05-2022 05:00 | 22.4 | 20.2 | 8 | 20.4 |
| 04-05-2022 05:01 | 22.4 | 20.2 | 8 | 20.4 |
| 04-05-2022 05:02 | 22.4 | 20.2 | 8 | 20.4 |
| 04-05-2022 05:03 | 22.4 | 20.2 | 8 | 20.4 |
| 04-05-2022 05:04 | 22.4 | 20.2 | 7 | 20.4 |
| 04-05-2022 05:05 | 22.4 | 20.2 | 8 | 20.4 |
| 04-05-2022 05:06 | 22.4 | 20.2 | 8 | 20.4 |
| 04-05-2022 05:07 | 22.4 | 20.2 | 8 | 20.4 |
| 04-05-2022 05:08 | 22.4 | 20.2 | 8 | 20.4 |
| 04-05-2022 05:09 | 22.4 | 20.2 | 8 | 20.4 |
| 04-05-2022 05:10 | 22.4 | 20.2 | 8 | 20.4 |
| 04-05-2022 05:11 | 22.4 | 20.2 | 8 | 20.4 |
| 04-05-2022 05:12 | 22.4 | 20.2 | 8 | 20.4 |
| 04-05-2022 05:13 | 22.4 | 20.2 | 9 | 20.4 |
| 04-05-2022 05:14 | 22.4 | 20.2 | 8 | 20.4 |
| 04-05-2022 05:15 | 22.4 | 20.2 | 8 | 20.4 |
| 04-05-2022 05:16 | 22.4 | 20.2 | 8 | 20.4 |
| 04-05-2022 05:17 | 22.4 | 20.2 | 8 | 20.4 |
| 04-05-2022 05:18 | 22.4 | 20.2 | 8 | 20.4 |
| 04-05-2022 05:19 | 22.4 | 20.2 | 8 | 20.4 |
| 04-05-2022 05:20 | 22.4 | 20.2 | 8 | 20.4 |
| 04-05-2022 05:21 | 22.4 | 20.2 | 8 | 20.4 |
| 04-05-2022 05:22 | 22.4 | 20.2 | 8 | 20.4 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 04-05-2022 05:23 | 22.4 | 20.2 | 8 | 20.4 |
| 04-05-2022 05:24 | 22.4 | 20.2 | 8 | 20.4 |
| 04-05-2022 05:25 | 22.4 | 20.2 | 8 | 20.4 |
| 04-05-2022 05:26 | 22.4 | 20.2 | 8 | 20.4 |
| 04-05-2022 05:27 | 22.4 | 20.2 | 8 | 20.3 |
| 04-05-2022 05:28 | 22.4 | 20.2 | 8 | 20.4 |
| 04-05-2022 05:29 | 22.4 | 20.2 | 8 | 20.3 |
| 04-05-2022 05:30 | 22.4 | 20.1 | 8 | 20.4 |
| 04-05-2022 05:31 | 22.4 | 20.2 | 8 | 20.3 |
| 04-05-2022 05:32 | 22.4 | 20.1 | 8 | 20.4 |
| 04-05-2022 05:33 | 22.4 | 20.2 | 8 | 20.3 |
| 04-05-2022 05:34 | 22.4 | 20.2 | 8 | 20.4 |
| 04-05-2022 05:35 | 22.4 | 20.2 | 8 | 20.4 |
| 04-05-2022 05:36 | 22.4 | 20.2 | 9 | 20.4 |
| 04-05-2022 05:37 | 22.4 | 20.2 | 8 | 20.4 |
| 04-05-2022 05:38 | 22.4 | 20.2 | 8 | 20.4 |
| 04-05-2022 05:39 | 22.4 | 20.1 | 8 | 20.4 |
| 04-05-2022 05:40 | 22.4 | 20.2 | 9 | 20.4 |
| 04-05-2022 05:41 | 22.4 | 20.2 | 8 | 20.4 |
| 04-05-2022 05:42 | 22.4 | 20.2 | 8 | 20.4 |
| 04-05-2022 05:43 | 22.4 | 20.2 | 8 | 20.3 |
| 04-05-2022 05:44 | 22.4 | 20.2 | 9 | 20.4 |
| 04-05-2022 05:45 | 22.4 | 20.2 | 8 | 20.4 |
| 04-05-2022 05:46 | 22.4 | 20.2 | 8 | 20.4 |
| 04-05-2022 05:47 | 22.4 | 20.2 | 9 | 20.3 |
| 04-05-2022 05:48 | 22.4 | 20.2 | 8 | 20.4 |
| 04-05-2022 05:49 | 22.4 | 20.2 | 9 | 20.4 |
| 04-05-2022 05:50 | 22.4 | 20.1 | 8 | 20.4 |
| 04-05-2022 05:51 | 22.4 | 20.2 | 7 | 20.4 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 04-05-2022 05:52 | 22.4 | 20.1 | 8 | 20.4 |
| 04-05-2022 05:53 | 22.3 | 20.1 | 8 | 20.4 |
| 04-05-2022 05:54 | 22.3 | 20.2 | 8 | 20.4 |
| 04-05-2022 05:55 | 22.4 | 20.1 | 8 | 20.4 |
| 04-05-2022 05:56 | 22.3 | 20.1 | 8 | 20.4 |
| 04-05-2022 05:57 | 22.3 | 20.1 | 8 | 20.3 |
| 04-05-2022 05:58 | 22.4 | 20.1 | 8 | 20.4 |
| 04-05-2022 05:59 | 22.4 | 20.1 | 8 | 20.4 |
| 04-05-2022 06:00 | 22.4 | 20.1 | 8 | 20.4 |
| 04-05-2022 06:01 | 22.4 | 20.1 | 8 | 20.4 |
| 04-05-2022 06:02 | 22.4 | 20.1 | 8 | 20.3 |
| 04-05-2022 06:03 | 22.4 | 20.1 | 8 | 20.3 |
| 04-05-2022 06:04 | 22.4 | 20.2 | 8 | 20.3 |
| 04-05-2022 06:05 | 22.4 | 20.2 | 8 | 20.4 |
| 04-05-2022 06:06 | 22.3 | 20.2 | 8 | 20.3 |
| 04-05-2022 06:07 | 22.3 | 20.2 | 8 | 20.4 |
| 04-05-2022 06:08 | 22.3 | 20.2 | 8 | 20.3 |
| 04-05-2022 06:09 | 22.3 | 20.2 | 8 | 20.3 |
| 04-05-2022 06:10 | 22.3 | 20.2 | 9 | 20.4 |
| 04-05-2022 06:11 | 22.3 | 20.2 | 8 | 20.4 |
| 04-05-2022 06:12 | 22.3 | 20.2 | 8 | 20.4 |
| 04-05-2022 06:13 | 22.3 | 20.2 | 8 | 20.3 |
| 04-05-2022 06:14 | 22.3 | 20.2 | 8 | 20.4 |
| 04-05-2022 06:15 | 22.3 | 20.2 | 8 | 20.4 |
| 04-05-2022 06:16 | 22.3 | 20.2 | 8 | 20.4 |
| 04-05-2022 06:17 | 22.3 | 20.2 | 8 | 20.3 |
| 04-05-2022 06:18 | 22.3 | 20.2 | 8 | 20.4 |
| 04-05-2022 06:19 | 22.3 | 20.1 | 8 | 20.3 |
| 04-05-2022 06:20 | 22.3 | 20.2 | 8 | 20.4 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 04-05-2022 06:21 | 22.3 | 20.2 | 8 | 20.4 |
| 04-05-2022 06:22 | 22.3 | 20.1 | 8 | 20.4 |
| 04-05-2022 06:23 | 22.3 | 20.2 | 8 | 20.4 |
| 04-05-2022 06:24 | 22.3 | 20.2 | 8 | 20.3 |
| 04-05-2022 06:25 | 22.3 | 20.1 | 8 | 20.4 |
| 04-05-2022 06:26 | 22.3 | 20.1 | 8 | 20.4 |
| 04-05-2022 06:27 | 22.3 | 20.1 | 8 | 20.3 |
| 04-05-2022 06:28 | 22.3 | 20.1 | 8 | 20.4 |
| 04-05-2022 06:29 | 22.3 | 20.1 | 8 | 20.4 |
| 04-05-2022 06:30 | 22.3 | 20.1 | 8 | 20.3 |
| 04-05-2022 06:31 | 22.3 | 20.1 | 8 | 20.4 |
| 04-05-2022 06:32 | 22.3 | 20.2 | 8 | 20.4 |
| 04-05-2022 06:33 | 22.3 | 20.2 | 8 | 20.4 |
| 04-05-2022 06:34 | 22.3 | 20.1 | 8 | 20.4 |
| 04-05-2022 06:35 | 22.3 | 20.2 | 7 | 20.4 |
| 04-05-2022 06:36 | 22.3 | 20.2 | 8 | 20.4 |
| 04-05-2022 06:37 | 22.3 | 20.2 | 6 | 20.4 |
| 04-05-2022 06:38 | 22.3 | 20.1 | 8 | 20.3 |
| 04-05-2022 06:39 | 22.3 | 20.1 | 8 | 20.4 |
| 04-05-2022 06:40 | 22.3 | 20.2 | 8 | 20.4 |
| 04-05-2022 06:41 | 22.3 | 20.1 | 9 | 20.3 |
| 04-05-2022 06:42 | 22.3 | 20.1 | 8 | 20.4 |
| 04-05-2022 06:43 | 22.3 | 20.1 | 8 | 20.4 |
| 04-05-2022 06:44 | 22.4 | 20.2 | 9 | 20.4 |
| 04-05-2022 06:45 | 22.4 | 20.1 | 8 | 20.3 |
| 04-05-2022 06:46 | 22.4 | 20.2 | 9 | 20.4 |
| 04-05-2022 06:47 | 22.4 | 20.2 | 8 | 20.4 |
| 04-05-2022 06:48 | 22.4 | 20.2 | 8 | 20.4 |
| 04-05-2022 06:49 | 22.4 | 20.2 | 8 | 20.4 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 04-05-2022 06:50 | 22.4 | 20.1 | 8 | 20.4 |
| 04-05-2022 06:51 | 22.4 | 20.2 | 8 | 20.3 |
| 04-05-2022 06:52 | 22.4 | 20.2 | 8 | 20.4 |
| 04-05-2022 06:53 | 22.4 | 20.2 | 8 | 20.4 |
| 04-05-2022 06:54 | 22.3 | 20.2 | 8 | 20.4 |
| 04-05-2022 06:55 | 22.3 | 20.2 | 8 | 20.4 |
| 04-05-2022 06:56 | 22.3 | 20.2 | 8 | 20.4 |
| 04-05-2022 06:57 | 22.3 | 20.2 | 9 | 20.4 |
| 04-05-2022 06:58 | 22.3 | 20.2 | 8 | 20.4 |
| 04-05-2022 06:59 | 22.4 | 20.2 | 8 | 20.4 |
| 04-05-2022 07:00 | 22.4 | 20.2 | 8 | 20.4 |
| 04-05-2022 07:01 | 22.4 | 20.2 | 8 | 20.4 |
| 04-05-2022 07:02 | 22.5 | 20.2 | 8 | 20.4 |
| 04-05-2022 07:03 | 22.5 | 20.2 | 7 | 20.4 |
| 04-05-2022 07:04 | 22.6 | 20.2 | 8 | 20.4 |
| 04-05-2022 07:05 | 22.6 | 20.2 | 8 | 20.4 |
| 04-05-2022 07:06 | 22.6 | 20.2 | 7 | 20.4 |
| 04-05-2022 07:07 | 22.6 | 20.2 | 8 | 20.4 |
| 04-05-2022 07:08 | 22.7 | 20.2 | 8 | 20.4 |
| 04-05-2022 07:09 | 22.7 | 20.2 | 8 | 20.4 |
| 04-05-2022 07:10 | 22.8 | 20.2 | 9 | 20.4 |
| 04-05-2022 07:11 | 22.8 | 20.2 | 9 | 20.4 |
| 04-05-2022 07:12 | 22.8 | 20.2 | 8 | 20.4 |
| 04-05-2022 07:13 | 22.7 | 20.2 | 9 | 20.5 |
| 04-05-2022 07:14 | 22.8 | 20.2 | 8 | 20.4 |
| 04-05-2022 07:15 | 22.8 | 20.2 | 8 | 20.5 |
| 04-05-2022 07:16 | 22.8 | 20.2 | 8 | 20.4 |
| 04-05-2022 07:17 | 22.8 | 20.2 | 8 | 20.5 |
| 04-05-2022 07:18 | 22.8 | 20.2 | 8 | 20.5 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 04-05-2022 07:19 | 22.8 | 20.2 | 8 | 20.5 |
| 04-05-2022 07:20 | 22.8 | 20.2 | 7 | 20.5 |
| 04-05-2022 07:21 | 22.8 | 20.2 | 8 | 20.5 |
| 04-05-2022 07:22 | 22.8 | 20.2 | 9 | 20.5 |
| 04-05-2022 07:23 | 22.8 | 20.2 | 6 | 20.5 |
| 04-05-2022 07:24 | 22.8 | 20.3 | 8 | 20.4 |
| 04-05-2022 07:25 | 22.8 | 20.3 | 8 | 20.5 |
| 04-05-2022 07:26 | 22.8 | 20.3 | 8 | 20.5 |
| 04-05-2022 07:27 | 22.9 | 20.3 | 8 | 20.5 |
| 04-05-2022 07:28 | 22.8 | 20.3 | 9 | 20.5 |
| 04-05-2022 07:29 | 22.9 | 20.3 | 7 | 20.5 |
| 04-05-2022 07:30 | 22.9 | 20.3 | 8 | 20.5 |
| 04-05-2022 07:31 | 22.9 | 20.3 | 8 | 20.6 |
| 04-05-2022 07:32 | 22.9 | 20.3 | 8 | 20.5 |
| 04-05-2022 07:33 | 22.9 | 20.3 | 8 | 20.5 |
| 04-05-2022 07:34 | 22.9 | 20.3 | 8 | 20.6 |
| 04-05-2022 07:35 | 22.9 | 20.3 | 8 | 20.5 |
| 04-05-2022 07:36 | 22.9 | 20.3 | 8 | 20.5 |
| 04-05-2022 07:37 | 22.9 | 20.3 | 7 | 20.5 |
| 04-05-2022 07:38 | 22.9 | 20.3 | 8 | 20.5 |
| 04-05-2022 07:39 | 22.9 | 20.2 | 8 | 20.5 |
| 04-05-2022 07:40 | 22.9 | 20.3 | 7 | 20.5 |
| 04-05-2022 07:41 | 22.9 | 20.3 | 9 | 20.6 |
| 04-05-2022 07:42 | 23.0 | 20.3 | 8 | 20.5 |
| 04-05-2022 07:43 | 23.1 | 20.3 | 9 | 20.6 |
| 04-05-2022 07:44 | 23.1 | 20.3 | 8 | 20.5 |
| 04-05-2022 07:45 | 23.2 | 20.3 | 9 | 20.6 |
| 04-05-2022 07:46 | 23.2 | 20.3 | 9 | 20.6 |
| 04-05-2022 07:47 | 23.2 | 20.3 | 9 | 20.6 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 04-05-2022 07:48 | 23.2 | 20.3 | 8 | 20.5 |
| 04-05-2022 07:49 | 23.3 | 20.3 | 9 | 20.6 |
| 04-05-2022 07:50 | 23.3 | 20.3 | 9 | 20.6 |
| 04-05-2022 07:51 | 23.4 | 20.3 | 9 | 20.6 |
| 04-05-2022 07:52 | 23.4 | 20.3 | 9 | 20.6 |
| 04-05-2022 07:53 | 23.5 | 20.3 | 9 | 20.7 |
| 04-05-2022 07:54 | 23.5 | 20.3 | 9 | 20.6 |
| 04-05-2022 07:55 | 23.6 | 20.4 | 9 | 20.7 |
| 04-05-2022 07:56 | 23.5 | 20.3 | 8 | 20.7 |
| 04-05-2022 07:57 | 23.5 | 20.4 | 8 | 20.6 |
| 04-05-2022 07:58 | 23.6 | 20.4 | 8 | 20.7 |
| 04-05-2022 07:59 | 23.6 | 20.3 | 8 | 20.7 |
| 04-05-2022 08:00 | 23.6 | 20.4 | 9 | 20.7 |
| 04-05-2022 08:01 | 23.6 | 20.4 | 8 | 20.7 |
| 04-05-2022 08:02 | 23.7 | 20.4 | 9 | 20.7 |
| 04-05-2022 08:03 | 23.7 | 20.4 | 9 | 20.7 |
| 04-05-2022 08:04 | 23.7 | 20.4 | 9 | 20.7 |
| 04-05-2022 08:05 | 23.7 | 20.4 | 8 | 20.7 |
| 04-05-2022 08:06 | 23.8 | 20.4 | 9 | 20.7 |
| 04-05-2022 08:07 | 23.8 | 20.4 | 8 | 20.7 |
| 04-05-2022 08:08 | 23.7 | 20.4 | 8 | 20.7 |
| 04-05-2022 08:09 | 23.7 | 20.4 | 9 | 20.7 |
| 04-05-2022 08:10 | 23.7 | 20.4 | 8 | 20.7 |
| 04-05-2022 08:11 | 23.7 | 20.4 | 8 | 20.7 |
| 04-05-2022 08:12 | 23.7 | 20.3 | 8 | 20.7 |
| 04-05-2022 08:13 | 23.7 | 20.3 | 8 | 20.7 |
| 04-05-2022 08:14 | 23.8 | 20.3 | 8 | 20.7 |
| 04-05-2022 08:15 | 23.8 | 20.3 | 8 | 20.6 |
| 04-05-2022 08:16 | 23.8 | 20.3 | 9 | 20.6 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 04-05-2022 08:17 | 23.8 | 20.3 | 8 | 20.7 |
| 04-05-2022 08:18 | 23.8 | 20.3 | 8 | 20.6 |
| 04-05-2022 08:19 | 23.8 | 20.3 | 9 | 20.6 |
| 04-05-2022 08:20 | 23.8 | 20.3 | 8 | 20.5 |
| 04-05-2022 08:21 | 23.7 | 20.2 | 9 | 20.5 |
| 04-05-2022 08:22 | 23.7 | 20.2 | 9 | 20.5 |
| 04-05-2022 08:23 | 23.7 | 20.2 | 9 | 20.5 |
| 04-05-2022 08:24 | 23.6 | 20.2 | 9 | 20.5 |
| 04-05-2022 08:25 | 23.7 | 20.2 | 8 | 20.4 |
| 04-05-2022 08:26 | 23.6 | 20.1 | 8 | 20.3 |
| 04-05-2022 08:27 | 23.7 | 20.1 | 8 | 20.4 |
| 04-05-2022 08:28 | 23.7 | 20.1 | 9 | 20.3 |
| 04-05-2022 08:29 | 23.6 | 20.1 | 7 | 20.3 |
| 04-05-2022 08:30 | 23.6 | 20.1 | 8 | 20.3 |
| 04-05-2022 08:31 | 23.7 | 20.1 | 8 | 20.3 |
| 04-05-2022 08:32 | 23.7 | 20.0 | 8 | 20.2 |
| 04-05-2022 08:33 | 23.7 | 20.0 | 9 | 20.2 |
| 04-05-2022 08:34 | 23.7 | 20.0 | 8 | 20.2 |
| 04-05-2022 08:35 | 23.7 | 20.0 | 9 | 20.2 |
| 04-05-2022 08:36 | 23.7 | 19.9 | 8 | 20.2 |
| 04-05-2022 08:37 | 23.8 | 19.9 | 9 | 20.1 |
| 04-05-2022 08:38 | 23.9 | 19.9 | 9 | 20.1 |
| 04-05-2022 08:39 | 23.9 | 19.9 | 9 | 20.0 |
| 04-05-2022 08:40 | 23.9 | 19.9 | 9 | 20.0 |
| 04-05-2022 08:41 | 23.9 | 19.9 | 9 | 20.0 |
| 04-05-2022 08:42 | 23.9 | 19.9 | 9 | 20.0 |
| 04-05-2022 08:43 | 23.9 | 19.9 | 9 | 20.0 |
| 04-05-2022 08:44 | 23.9 | 19.9 | 9 | 20.0 |
| 04-05-2022 08:45 | 23.7 | 19.8 | 9 | 20.0 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 04-05-2022 08:46 | 23.8 | 19.8 | 8 | 19.9 |
| 04-05-2022 08:47 | 23.8 | 19.8 | 8 | 19.9 |
| 04-05-2022 08:48 | 23.8 | 19.8 | 8 | 19.9 |
| 04-05-2022 08:49 | 23.8 | 19.8 | 8 | 19.9 |
| 04-05-2022 08:50 | 23.7 | 19.8 | 8 | 19.8 |
| 04-05-2022 08:51 | 23.7 | 19.8 | 9 | 19.9 |
| 04-05-2022 08:52 | 23.7 | 19.8 | 8 | 19.8 |
| 04-05-2022 08:53 | 23.7 | 19.8 | 9 | 19.8 |
| 04-05-2022 08:54 | 23.6 | 19.8 | 8 | 19.7 |
| 04-05-2022 08:55 | 23.5 | 19.8 | 8 | 19.8 |
| 04-05-2022 08:56 | 23.5 | 19.7 | 8 | 19.8 |
| 04-05-2022 08:57 | 23.5 | 19.7 | 8 | 19.7 |
| 04-05-2022 08:58 | 23.5 | 19.7 | 8 | 19.7 |
| 04-05-2022 08:59 | 23.6 | 19.7 | 8 | 19.8 |
| 04-05-2022 09:00 | 23.6 | 19.7 | 7 | 19.7 |
| 04-05-2022 09:01 | 23.5 | 19.7 | 8 | 19.7 |
| 04-05-2022 09:02 | 23.6 | 19.7 | 9 | 19.7 |
| 04-05-2022 09:03 | 23.6 | 19.6 | 8 | 19.7 |
| 04-05-2022 09:04 | 23.6 | 19.6 | 9 | 19.7 |
| 04-05-2022 09:05 | 23.5 | 19.6 | 8 | 19.6 |
| 04-05-2022 09:06 | 23.4 | 19.6 | 8 | 19.6 |
| 04-05-2022 09:07 | 23.4 | 19.6 | 8 | 19.6 |
| 04-05-2022 09:08 | 23.4 | 19.6 | 8 | 19.6 |
| 04-05-2022 09:09 | 23.3 | 19.6 | 8 | 19.6 |
| 04-05-2022 09:10 | 23.3 | 19.6 | 8 | 19.6 |
| 04-05-2022 09:11 | 23.2 | 19.6 | 8 | 19.6 |
| 04-05-2022 09:12 | 23.2 | 19.6 | 8 | 19.5 |
| 04-05-2022 09:13 | 23.2 | 19.6 | 8 | 19.6 |
| 04-05-2022 09:14 | 23.2 | 19.6 | 8 | 19.5 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 04-05-2022 09:15 | 23.1 | 19.6 | 8 | 19.5 |
| 04-05-2022 09:16 | 23.1 | 19.6 | 8 | 19.5 |
| 04-05-2022 09:17 | 23.1 | 19.6 | 8 | 19.5 |
| 04-05-2022 09:18 | 23.0 | 19.6 | 7 | 19.5 |
| 04-05-2022 09:19 | 23.1 | 19.6 | 7 | 19.5 |
| 04-05-2022 09:20 | 23.0 | 19.6 | 8 | 19.5 |
| 04-05-2022 09:21 | 23.0 | 19.6 | 7 | 19.5 |
| 04-05-2022 09:22 | 23.0 | 19.6 | 7 | 19.5 |
| 04-05-2022 09:23 | 23.0 | 19.6 | 6 | 19.5 |
| 04-05-2022 09:24 | 23.0 | 19.6 | 8 | 19.5 |
| 04-05-2022 09:25 | 23.0 | 19.5 | 7 | 19.5 |
| 04-05-2022 09:26 | 23.0 | 19.5 | 7 | 19.4 |
| 04-05-2022 09:27 | 23.0 | 19.5 | 6 | 19.4 |
| 04-05-2022 09:28 | 23.0 | 19.5 | 7 | 19.4 |
| 04-05-2022 09:29 | 23.0 | 19.5 | 7 | 19.4 |
| 04-05-2022 09:30 | 23.1 | 19.5 | 8 | 19.5 |
| 04-05-2022 09:31 | 23.0 | 19.5 | 9 | 19.5 |
| 04-05-2022 09:32 | 22.9 | 19.5 | 8 | 19.4 |
| 04-05-2022 09:33 | 23.0 | 19.5 | 8 | 19.4 |
| 04-05-2022 09:34 | 23.0 | 19.5 | 8 | 19.4 |
| 04-05-2022 09:35 | 23.0 | 19.5 | 8 | 19.4 |
| 04-05-2022 09:36 | 23.0 | 19.5 | 8 | 19.4 |
| 04-05-2022 09:37 | 23.0 | 19.5 | 8 | 19.4 |
| 04-05-2022 09:38 | 23.0 | 19.5 | 5 | 19.3 |
| 04-05-2022 09:39 | 23.0 | 19.5 | 8 | 19.3 |
| 04-05-2022 09:40 | 23.0 | 19.5 | 6 | 19.4 |
| 04-05-2022 09:41 | 23.0 | 19.5 | 6 | 19.4 |
| 04-05-2022 09:42 | 23.0 | 19.5 | 6 | 19.4 |
| 04-05-2022 09:43 | 23.1 | 19.5 | 9 | 19.4 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 04-05-2022 09:44 | 23.1 | 19.5 | 4 | 19.4 |
| 04-05-2022 09:45 | 23.1 | 19.5 | 7 | 19.3 |
| 04-05-2022 09:46 | 23.2 | 19.5 | 8 | 19.3 |
| 04-05-2022 09:47 | 23.2 | 19.5 | 8 | 19.3 |
| 04-05-2022 09:48 | 23.1 | 19.5 | 7 | 19.3 |
| 04-05-2022 09:49 | 23.1 | 19.5 | 0 | 19.3 |
| 04-05-2022 09:50 | 23.1 | 19.5 | 8 | 19.4 |
| 04-05-2022 09:51 | 23.1 | 19.5 | 8 | 19.3 |
| 04-05-2022 09:52 | 23.1 | 19.5 | 8 | 19.4 |
| 04-05-2022 09:53 | 23.1 | 19.6 | 8 | 19.3 |
| 04-05-2022 09:54 | 23.1 | 19.6 | 8 | 19.3 |
| 04-05-2022 09:55 | 23.1 | 19.6 | 8 | 19.3 |
| 04-05-2022 09:56 | 23.2 | 19.6 | 8 | 19.3 |
| 04-05-2022 09:57 | 23.2 | 19.6 | 8 | 19.3 |
| 04-05-2022 09:58 | 23.2 | 19.6 | 8 | 19.3 |
| 04-05-2022 09:59 | 23.2 | 19.6 | 6 | 19.3 |
| 04-05-2022 10:00 | 23.2 | 19.6 | 8 | 19.3 |
| 04-05-2022 10:01 | 23.3 | 19.6 | 6 | 19.3 |
| 04-05-2022 10:02 | 23.3 | 19.6 | 4 | 19.3 |
| 04-05-2022 10:03 | 23.2 | 19.6 | 8 | 19.3 |
| 04-05-2022 10:04 | 23.2 | 19.6 | 8 | 19.3 |
| 04-05-2022 10:05 | 23.2 | 19.6 | 6 | 19.3 |
| 04-05-2022 10:06 | 23.2 | 19.6 | 8 | 19.3 |
| 04-05-2022 10:07 | 23.3 | 19.6 | 8 | 19.3 |
| 04-05-2022 10:08 | 23.2 | 19.6 | 6 | 19.4 |
| 04-05-2022 10:09 | 23.3 | 19.6 | 8 | 19.3 |
| 04-05-2022 10:10 | 23.3 | 19.6 | 7 | 19.4 |
| 04-05-2022 10:11 | 23.3 | 19.6 | 7 | 19.3 |
| 04-05-2022 10:12 | 23.3 | 19.6 | 7 | 19.3 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 04-05-2022 10:13 | 23.3 | 19.6 | 7 | 19.3 |
| 04-05-2022 10:14 | 23.3 | 19.6 | 8 | 19.3 |
| 04-05-2022 10:15 | 23.3 | 19.6 | 8 | 19.3 |
| 04-05-2022 10:16 | 23.4 | 19.6 | 8 | 19.3 |
| 04-05-2022 10:17 | 23.4 | 19.6 | 8 | 19.3 |
| 04-05-2022 10:18 | 23.4 | 19.5 | 8 | 19.3 |
| 04-05-2022 10:19 | 23.3 | 19.5 | 7 | 19.3 |
| 04-05-2022 10:20 | 23.4 | 19.6 | 8 | 19.3 |
| 04-05-2022 10:21 | 23.4 | 19.5 | 8 | 19.3 |
| 04-05-2022 10:22 | 23.4 | 19.5 | 8 | 19.3 |
| 04-05-2022 10:23 | 23.4 | 19.5 | 8 | 19.3 |
| 04-05-2022 10:24 | 23.4 | 19.6 | 8 | 19.3 |
| 04-05-2022 10:25 | 23.4 | 19.5 | 8 | 19.3 |
| 04-05-2022 10:26 | 23.4 | 19.5 | 8 | 19.3 |
| 04-05-2022 10:27 | 23.5 | 19.5 | 8 | 19.3 |
| 04-05-2022 10:28 | 23.5 | 19.5 | 8 | 19.2 |
| 04-05-2022 10:29 | 23.5 | 19.5 | 8 | 19.3 |
| 04-05-2022 10:30 | 23.5 | 19.5 | 8 | 19.3 |
| 04-05-2022 10:31 | 23.5 | 19.5 | 8 | 19.2 |
| 04-05-2022 10:32 | 23.5 | 19.5 | 8 | 19.2 |
| 04-05-2022 10:33 | 23.5 | 19.5 | 8 | 19.2 |
| 04-05-2022 10:34 | 23.5 | 19.5 | 6 | 19.3 |
| 04-05-2022 10:35 | 23.5 | 19.5 | 8 | 19.2 |
| 04-05-2022 10:36 | 23.5 | 19.5 | 8 | 19.1 |
| 04-05-2022 10:37 | 23.4 | 19.4 | 8 | 19.2 |
| 04-05-2022 10:38 | 23.4 | 19.4 | 7 | 19.1 |
| 04-05-2022 10:39 | 23.4 | 19.4 | 8 | 19.1 |
| 04-05-2022 10:40 | 23.3 | 19.3 | 7 | 19.1 |
| 04-05-2022 10:41 | 23.3 | 19.3 | 7 | 19.1 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 04-05-2022 10:42 | 23.2 | 19.3 | 8 | 19.0 |
| 04-05-2022 10:43 | 23.1 | 19.3 | 7 | 19.0 |
| 04-05-2022 10:44 | 23.1 | 19.3 | 8 | 18.9 |
| 04-05-2022 10:45 | 23.0 | 19.3 | 7 | 18.9 |
| 04-05-2022 10:46 | 23.1 | 19.2 | 8 | 18.9 |
| 04-05-2022 10:47 | 23.0 | 19.2 | 8 | 18.8 |
| 04-05-2022 10:48 | 23.0 | 19.2 | 8 | 18.9 |
| 04-05-2022 10:49 | 23.0 | 19.2 | 8 | 18.8 |
| 04-05-2022 10:50 | 23.0 | 19.2 | 8 | 18.8 |
| 04-05-2022 10:51 | 23.0 | 19.1 | 8 | 18.7 |
| 04-05-2022 10:52 | 23.0 | 19.1 | 8 | 18.7 |
| 04-05-2022 10:53 | 23.0 | 19.1 | 8 | 18.7 |
| 04-05-2022 10:54 | 23.0 | 19.1 | 7 | 18.7 |
| 04-05-2022 10:55 | 23.0 | 19.0 | 6 | 18.6 |
| 04-05-2022 10:56 | 23.1 | 19.0 | 8 | 18.6 |
| 04-05-2022 10:57 | 23.0 | 19.0 | 8 | 18.6 |
| 04-05-2022 10:58 | 23.1 | 19.0 | 7 | 18.6 |
| 04-05-2022 10:59 | 23.1 | 18.9 | 8 | 18.6 |
| 04-05-2022 11:00 | 23.1 | 18.9 | 8 | 18.6 |
| 04-05-2022 11:01 | 23.1 | 18.9 | 8 | 18.6 |
| 04-05-2022 11:02 | 23.1 | 18.9 | 8 | 18.6 |
| 04-05-2022 11:03 | 23.0 | 18.9 | 8 | 18.6 |
| 04-05-2022 11:04 | 23.0 | 18.9 | 8 | 18.5 |
| 04-05-2022 11:05 | 23.0 | 18.9 | 8 | 18.5 |
| 04-05-2022 11:06 | 23.0 | 18.9 | 7 | 18.4 |
| 04-05-2022 11:07 | 23.0 | 18.9 | 8 | 18.4 |
| 04-05-2022 11:08 | 23.0 | 18.9 | 8 | 18.4 |
| 04-05-2022 11:09 | 22.9 | 18.9 | 8 | 18.4 |
| 04-05-2022 11:10 | 22.9 | 18.8 | 8 | 18.5 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 04-05-2022 11:11 | 22.9 | 18.8 | 6 | 18.4 |
| 04-05-2022 11:12 | 22.9 | 18.8 | 7 | 18.5 |
| 04-05-2022 11:13 | 22.9 | 18.8 | 8 | 18.4 |
| 04-05-2022 11:14 | 22.9 | 18.8 | 8 | 18.4 |
| 04-05-2022 11:15 | 23.0 | 18.8 | 8 | 18.4 |
| 04-05-2022 11:16 | 22.9 | 18.8 | 8 | 18.4 |
| 04-05-2022 11:17 | 22.9 | 18.8 | 7 | 18.4 |
| 04-05-2022 11:18 | 23.0 | 18.8 | 7 | 18.4 |
| 04-05-2022 11:19 | 23.0 | 18.8 | 8 | 18.4 |
| 04-05-2022 11:20 | 23.0 | 18.8 | 7 | 18.4 |
| 04-05-2022 11:21 | 23.0 | 18.8 | 7 | 18.3 |
| 04-05-2022 11:22 | 23.0 | 18.8 | 8 | 18.3 |
| 04-05-2022 11:23 | 23.0 | 18.8 | 8 | 18.3 |
| 04-05-2022 11:24 | 23.0 | 18.8 | 8 | 18.4 |
| 04-05-2022 11:25 | 22.9 | 18.8 | 7 | 18.4 |
| 04-05-2022 11:26 | 22.9 | 18.8 | 8 | 18.4 |
| 04-05-2022 11:27 | 22.9 | 18.8 | 6 | 18.3 |
| 04-05-2022 11:28 | 22.9 | 18.8 | 6 | 18.3 |
| 04-05-2022 11:29 | 22.9 | 18.8 | 8 | 18.3 |
| 04-05-2022 11:30 | 22.9 | 18.8 | 8 | 18.4 |
| 04-05-2022 11:31 | 23.0 | 18.8 | 7 | 18.3 |
| 04-05-2022 11:32 | 23.0 | 18.8 | 7 | 18.3 |
| 04-05-2022 11:33 | 23.0 | 18.8 | 8 | 18.3 |
| 04-05-2022 11:34 | 23.0 | 18.8 | 8 | 18.3 |
| 04-05-2022 11:35 | 22.9 | 18.8 | 6 | 18.3 |
| 04-05-2022 11:36 | 22.9 | 18.8 | 6 | 18.3 |
| 04-05-2022 11:37 | 22.9 | 18.8 | 8 | 18.3 |
| 04-05-2022 11:38 | 22.9 | 18.8 | 8 | 18.3 |
| 04-05-2022 11:39 | 22.9 | 18.8 | 8 | 18.3 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 04-05-2022 11:40 | 22.9 | 18.8 | 8 | 18.3 |
| 04-05-2022 11:41 | 22.9 | 18.8 | 6 | 18.3 |
| 04-05-2022 11:42 | 22.9 | 18.8 | 8 | 18.4 |
| 04-05-2022 11:43 | 22.9 | 18.8 | 8 | 18.3 |
| 04-05-2022 11:44 | 23.0 | 18.8 | 7 | 18.3 |
| 04-05-2022 11:45 | 22.8 | 18.8 | 6 | 18.2 |
| 04-05-2022 11:46 | 22.8 | 18.8 | 6 | 18.3 |
| 04-05-2022 11:47 | 22.7 | 18.8 | 0 | 18.3 |
| 04-05-2022 11:48 | 22.7 | 18.8 | 7 | 18.3 |
| 04-05-2022 11:49 | 22.7 | 18.8 | 7 | 18.3 |
| 04-05-2022 11:50 | 22.7 | 18.8 | 8 | 18.3 |
| 04-05-2022 11:51 | 22.7 | 18.8 | 8 | 18.3 |
| 04-05-2022 11:52 | 22.7 | 18.8 | 8 | 18.2 |
| 04-05-2022 11:53 | 22.7 | 18.7 | 8 | 18.2 |
| 04-05-2022 11:54 | 22.6 | 18.7 | 7 | 18.2 |
| 04-05-2022 11:55 | 22.7 | 18.7 | 4 | 18.2 |
| 04-05-2022 11:56 | 22.6 | 18.7 | 6 | 18.2 |
| 04-05-2022 11:57 | 22.7 | 18.7 | 6 | 18.2 |
| 04-05-2022 11:58 | 22.6 | 18.7 | 7 | 18.1 |
| 04-05-2022 11:59 | 22.5 | 18.7 | 8 | 18.1 |
| 04-05-2022 12:00 | 22.5 | 18.7 | 7 | 18.1 |
| 04-05-2022 12:01 | 22.6 | 18.7 | 8 | 18.1 |
| 04-05-2022 12:02 | 22.5 | 18.7 | 7 | 18.1 |
| 04-05-2022 12:03 | 22.5 | 18.7 | 7 | 18.1 |
| 04-05-2022 12:04 | 22.4 | 18.7 | 6 | 18.1 |
| 04-05-2022 12:05 | 22.4 | 18.7 | 7 | 18.0 |
| 04-05-2022 12:06 | 22.4 | 18.7 | 8 | 18.0 |
| 04-05-2022 12:07 | 22.4 | 18.6 | 3 | 18.0 |
| 04-05-2022 12:08 | 22.4 | 18.6 | 7 | 18.0 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 04-05-2022 12:09 | 22.3 | 18.6 | 8 | 18.0 |
| 04-05-2022 12:10 | 22.3 | 18.6 | 7 | 18.0 |
| 04-05-2022 12:11 | 22.3 | 18.6 | 8 | 17.9 |
| 04-05-2022 12:12 | 22.3 | 18.6 | 8 | 18.0 |
| 04-05-2022 12:13 | 22.2 | 18.5 | 7 | 17.9 |
| 04-05-2022 12:14 | 22.2 | 18.5 | 7 | 17.9 |
| 04-05-2022 12:15 | 22.2 | 18.5 | 8 | 17.9 |
| 04-05-2022 12:16 | 22.1 | 18.5 | 8 | 18.0 |
| 04-05-2022 12:17 | 22.1 | 18.5 | 7 | 17.9 |
| 04-05-2022 12:18 | 22.1 | 18.5 | 8 | 17.9 |
| 04-05-2022 12:19 | 22.0 | 18.5 | 7 | 17.9 |
| 04-05-2022 12:20 | 22.0 | 18.5 | 7 | 17.9 |
| 04-05-2022 12:21 | 22.0 | 18.5 | 7 | 17.9 |
| 04-05-2022 12:22 | 21.9 | 18.5 | 7 | 17.8 |
| 04-05-2022 12:23 | 21.9 | 18.5 | 7 | 17.8 |
| 04-05-2022 12:24 | 21.9 | 18.5 | 7 | 17.9 |
| 04-05-2022 12:25 | 21.9 | 18.5 | 7 | 17.8 |
| 04-05-2022 12:26 | 21.8 | 18.5 | 8 | 17.8 |
| 04-05-2022 12:27 | 21.8 | 18.4 | 8 | 17.8 |
| 04-05-2022 12:28 | 21.7 | 18.4 | 7 | 17.8 |
| 04-05-2022 12:29 | 21.7 | 18.4 | 8 | 17.8 |
| 04-05-2022 12:30 | 21.7 | 18.4 | 6 | 17.8 |
| 04-05-2022 12:31 | 21.6 | 18.4 | 8 | 17.7 |
| 04-05-2022 12:32 | 21.6 | 18.4 | 7 | 17.7 |
| 04-05-2022 12:33 | 21.6 | 18.4 | 8 | 17.7 |
| 04-05-2022 12:34 | 21.6 | 18.4 | 8 | 17.8 |
| 04-05-2022 12:35 | 21.6 | 18.4 | 7 | 17.8 |
| 04-05-2022 12:36 | 21.5 | 18.4 | 7 | 17.8 |
| 04-05-2022 12:37 | 21.5 | 18.4 | 8 | 17.7 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 04-05-2022 12:38 | 21.5 | 18.4 | 8 | 17.7 |
| 04-05-2022 12:39 | 21.5 | 18.4 | 7 | 17.7 |
| 04-05-2022 12:40 | 21.5 | 18.4 | 7 | 17.7 |
| 04-05-2022 12:41 | 21.4 | 18.4 | 8 | 17.7 |
| 04-05-2022 12:42 | 21.4 | 18.4 | 8 | 17.7 |
| 04-05-2022 12:43 | 21.4 | 18.4 | 8 | 17.7 |
| 04-05-2022 12:44 | 21.4 | 18.4 | 7 | 17.7 |
| 04-05-2022 12:45 | 21.4 | 18.3 | 8 | 17.7 |
| 04-05-2022 12:46 | 21.4 | 18.4 | 5 | 17.6 |
| 04-05-2022 12:47 | 21.4 | 18.3 | 8 | 17.6 |
| 04-05-2022 12:48 | 21.4 | 18.3 | 7 | 17.7 |
| 04-05-2022 12:49 | 21.4 | 18.3 | 6 | 17.7 |
| 04-05-2022 12:50 | 21.4 | 18.3 | 8 | 17.6 |
| 04-05-2022 12:51 | 21.4 | 18.3 | 7 | 17.6 |
| 04-05-2022 12:52 | 21.5 | 18.3 | 6 | 17.7 |
| 04-05-2022 12:53 | 21.5 | 18.3 | 8 | 17.7 |
| 04-05-2022 12:54 | 21.5 | 18.3 | 6 | 17.7 |
| 04-05-2022 12:55 | 21.5 | 18.3 | 7 | 17.6 |
| 04-05-2022 12:56 | 21.5 | 18.3 | 7 | 17.7 |
| 04-05-2022 12:57 | 21.6 | 18.3 | 3 | 17.6 |
| 04-05-2022 12:58 | 21.6 | 18.3 | 8 | 17.6 |
| 04-05-2022 12:59 | 21.6 | 18.3 | 7 | 17.6 |
| 04-05-2022 13:00 | 21.6 | 18.3 | 7 | 17.6 |
| 04-05-2022 13:01 | 21.7 | 18.3 | 6 | 17.6 |
| 04-05-2022 13:02 | 21.8 | 18.4 | 8 | 17.6 |
| 04-05-2022 13:03 | 21.8 | 18.3 | 7 | 17.6 |
| 04-05-2022 13:04 | 21.8 | 18.3 | 8 | 17.6 |
| 04-05-2022 13:05 | 21.8 | 18.3 | 8 | 17.6 |
| 04-05-2022 13:06 | 21.8 | 18.3 | 8 | 17.6 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 04-05-2022 13:07 | 21.8 | 18.3 | 8 | 17.6 |
| 04-05-2022 13:08 | 21.8 | 18.3 | 8 | 17.6 |
| 04-05-2022 13:09 | 21.9 | 18.3 | 8 | 17.6 |
| 04-05-2022 13:10 | 21.8 | 18.3 | 8 | 17.6 |
| 04-05-2022 13:11 | 21.8 | 18.3 | 8 | 17.6 |
| 04-05-2022 13:12 | 21.9 | 18.3 | 7 | 17.6 |
| 04-05-2022 13:13 | 21.9 | 18.3 | 7 | 17.6 |
| 04-05-2022 13:14 | 21.9 | 18.3 | 7 | 17.6 |
| 04-05-2022 13:15 | 21.9 | 18.3 | 8 | 17.6 |
| 04-05-2022 13:16 | 21.9 | 18.3 | 6 | 17.6 |
| 04-05-2022 13:17 | 21.9 | 18.3 | 6 | 17.6 |
| 04-05-2022 13:18 | 22.0 | 18.3 | 7 | 17.7 |
| 04-05-2022 13:19 | 21.9 | 18.3 | 8 | 17.7 |
| 04-05-2022 13:20 | 22.0 | 18.3 | 8 | 17.7 |
| 04-05-2022 13:21 | 22.0 | 18.3 | 7 | 17.6 |
| 04-05-2022 13:22 | 22.0 | 18.3 | 8 | 17.7 |
| 04-05-2022 13:23 | 22.0 | 18.3 | 7 | 17.6 |
| 04-05-2022 13:24 | 22.1 | 18.3 | 8 | 17.6 |
| 04-05-2022 13:25 | 22.0 | 18.3 | 7 | 17.6 |
| 04-05-2022 13:26 | 21.9 | 18.3 | 6 | 17.6 |
| 04-05-2022 13:27 | 21.9 | 18.3 | 7 | 17.6 |
| 04-05-2022 13:28 | 22.0 | 18.3 | 8 | 17.6 |
| 04-05-2022 13:29 | 22.1 | 18.3 | 7 | 17.7 |
| 04-05-2022 13:30 | 22.0 | 18.3 | 7 | 17.7 |
| 04-05-2022 13:31 | 22.0 | 18.3 | 8 | 17.7 |
| 04-05-2022 13:32 | 22.0 | 18.3 | 6 | 17.7 |
| 04-05-2022 13:33 | 22.0 | 18.3 | 7 | 17.7 |
| 04-05-2022 13:34 | 22.0 | 18.3 | 7 | 17.8 |
| 04-05-2022 13:35 | 22.0 | 18.3 | 7 | 17.8 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 04-05-2022 13:36 | 22.0 | 18.3 | 7 | 17.8 |
| 04-05-2022 13:37 | 22.1 | 18.3 | 8 | 17.8 |
| 04-05-2022 13:38 | 22.1 | 18.3 | 7 | 17.8 |
| 04-05-2022 13:39 | 22.1 | 18.3 | 8 | 17.9 |
| 04-05-2022 13:40 | 22.0 | 18.3 | 8 | 17.7 |
| 04-05-2022 13:41 | 22.1 | 18.3 | 7 | 17.9 |
| 04-05-2022 13:42 | 22.1 | 18.3 | 7 | 17.9 |
| 04-05-2022 13:43 | 22.1 | 18.3 | 8 | 17.8 |
| 04-05-2022 13:44 | 22.1 | 18.3 | 8 | 17.7 |
| 04-05-2022 13:45 | 22.1 | 18.3 | 7 | 17.8 |
| 04-05-2022 13:46 | 22.1 | 18.3 | 8 | 17.8 |
| 04-05-2022 13:47 | 22.0 | 18.3 | 7 | 17.8 |
| 04-05-2022 13:48 | 22.1 | 18.3 | 6 | 17.8 |
| 04-05-2022 13:49 | 22.0 | 18.3 | 7 | 17.7 |
| 04-05-2022 13:50 | 22.0 | 18.3 | 4 | 17.7 |
| 04-05-2022 13:51 | 22.0 | 18.3 | 6 | 17.8 |
| 04-05-2022 13:52 | 22.0 | 18.3 | 6 | 17.7 |
| 04-05-2022 13:53 | 22.0 | 18.3 | 6 | 17.8 |
| 04-05-2022 13:54 | 22.0 | 18.3 | 7 | 17.7 |
| 04-05-2022 13:55 | 22.1 | 18.3 | 6 | 17.7 |
| 04-05-2022 13:56 | 22.1 | 18.3 | 8 | 17.7 |
| 04-05-2022 13:57 | 22.0 | 18.3 | 8 | 17.8 |
| 04-05-2022 13:58 | 22.0 | 18.3 | 7 | 17.7 |
| 04-05-2022 13:59 | 22.0 | 18.3 | 7 | 17.7 |
| 04-05-2022 14:00 | 22.0 | 18.3 | 7 | 17.7 |
| 04-05-2022 14:01 | 21.9 | 18.3 | 7 | 17.6 |
| 04-05-2022 14:02 | 21.9 | 18.3 | 7 | 17.7 |
| 04-05-2022 14:03 | 21.9 | 18.3 | 6 | 17.7 |
| 04-05-2022 14:04 | 21.9 | 18.3 | 6 | 17.7 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 04-05-2022 14:05 | 21.9 | 18.3 | 8 | 17.7 |
| 04-05-2022 14:06 | 21.9 | 18.3 | 6 | 17.7 |
| 04-05-2022 14:07 | 22.0 | 18.3 | 8 | 17.7 |
| 04-05-2022 14:08 | 22.0 | 18.3 | 7 | 17.7 |
| 04-05-2022 14:09 | 22.0 | 18.3 | 7 | 17.6 |
| 04-05-2022 14:10 | 21.9 | 18.3 | 7 | 17.7 |
| 04-05-2022 14:11 | 22.0 | 18.2 | 9 | 17.7 |
| 04-05-2022 14:12 | 22.0 | 18.2 | 7 | 17.7 |
| 04-05-2022 14:13 | 22.0 | 18.2 | 7 | 17.6 |
| 04-05-2022 14:14 | 22.0 | 18.2 | 7 | 17.7 |
| 04-05-2022 14:15 | 22.0 | 18.2 | 6 | 17.7 |
| 04-05-2022 14:16 | 22.0 | 18.2 | 6 | 17.7 |
| 04-05-2022 14:17 | 22.0 | 18.2 | 7 | 17.7 |
| 04-05-2022 14:18 | 22.0 | 18.2 | 6 | 17.8 |
| 04-05-2022 14:19 | 22.0 | 18.2 | 7 | 17.8 |
| 04-05-2022 14:20 | 22.0 | 18.2 | 8 | 17.8 |
| 04-05-2022 14:21 | 22.0 | 18.2 | 8 | 17.8 |
| 04-05-2022 14:22 | 22.1 | 18.2 | 3 | 17.9 |
| 04-05-2022 14:23 | 22.1 | 18.2 | 0 | 18.0 |
| 04-05-2022 14:24 | 22.1 | 18.2 | 7 | 18.0 |
| 04-05-2022 14:25 | 22.1 | 18.2 | 6 | 17.9 |
| 04-05-2022 14:26 | 22.1 | 18.2 | 7 | 17.9 |
| 04-05-2022 14:27 | 22.1 | 18.2 | 8 | 17.9 |
| 04-05-2022 14:28 | 22.1 | 18.2 | 8 | 17.9 |
| 04-05-2022 14:29 | 22.1 | 18.2 | 7 | 17.9 |
| 04-05-2022 14:30 | 22.1 | 18.2 | 7 | 18.0 |
| 04-05-2022 14:31 | 22.1 | 18.2 | 7 | 18.1 |
| 04-05-2022 14:32 | 22.1 | 18.2 | 7 | 18.1 |
| 04-05-2022 14:33 | 22.0 | 18.2 | 7 | 18.1 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 04-05-2022 14:34 | 22.0 | 18.2 | 7 | 18.1 |
| 04-05-2022 14:35 | 22.0 | 18.2 | 7 | 18.1 |
| 04-05-2022 14:36 | 22.0 | 18.2 | 6 | 18.0 |
| 04-05-2022 14:37 | 22.0 | 18.2 | 7 | 18.1 |
| 04-05-2022 14:38 | 22.0 | 18.2 | 7 | 18.1 |
| 04-05-2022 14:39 | 22.0 | 18.2 | 6 | 18.1 |
| 04-05-2022 14:40 | 22.0 | 18.2 | 6 | 18.2 |
| 04-05-2022 14:41 | 22.0 | 18.2 | 6 | 18.2 |
| 04-05-2022 14:42 | 21.9 | 18.2 | 7 | 18.1 |
| 04-05-2022 14:43 | 22.0 | 18.2 | 8 | 18.3 |
| 04-05-2022 14:44 | 21.9 | 18.2 | 7 | 18.2 |
| 04-05-2022 14:45 | 21.9 | 18.2 | 7 | 18.3 |
| 04-05-2022 14:46 | 22.0 | 18.2 | 7 | 18.3 |
| 04-05-2022 14:47 | 22.0 | 18.2 | 7 | 18.3 |
| 04-05-2022 14:48 | 22.0 | 18.2 | 7 | 18.3 |
| 04-05-2022 14:49 | 22.0 | 18.2 | 6 | 18.4 |
| 04-05-2022 14:50 | 22.0 | 18.3 | 6 | 18.3 |
| 04-05-2022 14:51 | 22.0 | 18.3 | 6 | 18.3 |
| 04-05-2022 14:52 | 22.0 | 18.3 | 6 | 18.4 |
| 04-05-2022 14:53 | 22.0 | 18.3 | 6 | 18.4 |
| 04-05-2022 14:54 | 22.1 | 18.3 | 6 | 18.4 |
| 04-05-2022 14:55 | 22.1 | 18.3 | 7 | 18.4 |
| 04-05-2022 14:56 | 22.2 | 18.3 | 6 | 18.4 |
| 04-05-2022 14:57 | 22.1 | 18.4 | 7 | 18.4 |
| 04-05-2022 14:58 | 22.1 | 18.4 | 6 | 18.4 |
| 04-05-2022 14:59 | 22.0 | 18.4 | 6 | 18.4 |
| 04-05-2022 15:00 | 22.0 | 18.5 | 6 | 18.5 |
| 04-05-2022 15:01 | 22.0 | 18.5 | 7 | 18.5 |
| 04-05-2022 15:02 | 22.1 | 18.5 | 8 | 18.5 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 04-05-2022 15:03 | 22.1 | 18.5 | 7 | 18.6 |
| 04-05-2022 15:04 | 22.1 | 18.5 | 7 | 18.6 |
| 04-05-2022 15:05 | 22.2 | 18.5 | 7 | 18.6 |
| 04-05-2022 15:06 | 22.2 | 18.6 | 6 | 18.7 |
| 04-05-2022 15:07 | 22.2 | 18.6 | 7 | 18.7 |
| 04-05-2022 15:08 | 22.2 | 18.6 | 6 | 18.8 |
| 04-05-2022 15:09 | 22.2 | 18.7 | 6 | 18.7 |
| 04-05-2022 15:10 | 22.2 | 18.7 | 5 | 18.8 |
| 04-05-2022 15:11 | 22.3 | 18.7 | 7 | 18.8 |
| 04-05-2022 15:12 | 22.2 | 18.7 | 7 | 18.8 |
| 04-05-2022 15:13 | 22.3 | 18.7 | 6 | 18.8 |
| 04-05-2022 15:14 | 22.3 | 18.7 | 4 | 18.9 |
| 04-05-2022 15:15 | 22.3 | 18.7 | 6 | 18.8 |
| 04-05-2022 15:16 | 22.3 | 18.7 | 6 | 18.9 |
| 04-05-2022 15:17 | 22.4 | 18.8 | 8 | 18.8 |
| 04-05-2022 15:18 | 22.4 | 18.8 | 7 | 18.9 |
| 04-05-2022 15:19 | 22.4 | 18.8 | 7 | 18.9 |
| 04-05-2022 15:20 | 22.4 | 18.8 | 7 | 18.9 |
| 04-05-2022 15:21 | 22.4 | 18.8 | 7 | 18.9 |
| 04-05-2022 15:22 | 22.4 | 18.9 | 6 | 18.9 |
| 04-05-2022 15:23 | 22.4 | 18.9 | 7 | 19.0 |
| 04-05-2022 15:24 | 22.5 | 18.9 | 7 | 18.9 |
| 04-05-2022 15:25 | 22.5 | 18.9 | 6 | 19.0 |
| 04-05-2022 15:26 | 22.4 | 18.9 | 6 | 19.0 |
| 04-05-2022 15:27 | 22.5 | 18.9 | 6 | 19.1 |
| 04-05-2022 15:28 | 22.5 | 18.9 | 6 | 19.0 |
| 04-05-2022 15:29 | 22.5 | 18.9 | 6 | 19.0 |
| 04-05-2022 15:30 | 22.5 | 18.9 | 7 | 19.0 |
| 04-05-2022 15:31 | 22.5 | 18.9 | 6 | 19.1 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 04-05-2022 15:32 | 22.5 | 18.9 | 7 | 19.1 |
| 04-05-2022 15:33 | 22.5 | 18.9 | 6 | 19.0 |
| 04-05-2022 15:34 | 22.6 | 19.0 | 5 | 19.1 |
| 04-05-2022 15:35 | 22.6 | 19.0 | 7 | 19.1 |
| 04-05-2022 15:36 | 22.6 | 19.0 | 8 | 19.1 |
| 04-05-2022 15:37 | 22.6 | 19.0 | 7 | 19.1 |
| 04-05-2022 15:38 | 22.7 | 19.0 | 6 | 19.1 |
| 04-05-2022 15:39 | 22.6 | 19.0 | 6 | 19.1 |
| 04-05-2022 15:40 | 22.6 | 19.0 | 6 | 19.2 |
| 04-05-2022 15:41 | 22.6 | 19.0 | 6 | 19.1 |
| 04-05-2022 15:42 | 22.7 | 19.0 | 7 | 19.2 |
| 04-05-2022 15:43 | 22.7 | 19.0 | 6 | 19.2 |
| 04-05-2022 15:44 | 22.7 | 19.1 | 7 | 19.2 |
| 04-05-2022 15:45 | 22.7 | 19.1 | 6 | 19.2 |
| 04-05-2022 15:46 | 22.7 | 19.0 | 4 | 19.3 |
| 04-05-2022 15:47 | 22.7 | 19.1 | 3 | 19.3 |
| 04-05-2022 15:48 | 22.7 | 19.1 | 6 | 19.2 |
| 04-05-2022 15:49 | 22.8 | 19.1 | 6 | 19.2 |
| 04-05-2022 15:50 | 22.8 | 19.1 | 6 | 19.3 |
| 04-05-2022 15:51 | 22.8 | 19.1 | 6 | 19.3 |
| 04-05-2022 15:52 | 22.7 | 19.2 | 6 | 19.3 |
| 04-05-2022 15:53 | 22.8 | 19.2 | 6 | 19.3 |
| 04-05-2022 15:54 | 22.8 | 19.2 | 6 | 19.2 |
| 04-05-2022 15:55 | 22.8 | 19.2 | 7 | 19.2 |
| 04-05-2022 15:56 | 22.8 | 19.2 | 6 | 19.2 |
| 04-05-2022 15:57 | 22.8 | 19.2 | 8 | 19.3 |
| 04-05-2022 15:58 | 22.9 | 19.2 | 8 | 19.3 |
| 04-05-2022 15:59 | 22.9 | 19.2 | 8 | 19.3 |
| 04-05-2022 16:00 | 23.0 | 19.2 | 8 | 19.3 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 04-05-2022 16:01 | 23.0 | 19.2 | 6 | 19.3 |
| 04-05-2022 16:02 | 22.9 | 19.2 | 7 | 19.3 |
| 04-05-2022 16:03 | 23.0 | 19.2 | 8 | 19.3 |
| 04-05-2022 16:04 | 23.0 | 19.2 | 7 | 19.2 |
| 04-05-2022 16:05 | 23.0 | 19.2 | 7 | 19.2 |
| 04-05-2022 16:06 | 22.9 | 19.2 | 5 | 19.3 |
| 04-05-2022 16:07 | 22.9 | 19.2 | 6 | 19.3 |
| 04-05-2022 16:08 | 22.9 | 19.2 | 6 | 19.3 |
| 04-05-2022 16:09 | 22.8 | 19.2 | 6 | 19.3 |
| 04-05-2022 16:10 | 22.9 | 19.2 | 6 | 19.3 |
| 04-05-2022 16:11 | 22.9 | 19.2 | 0 | 19.3 |
| 04-05-2022 16:12 | 23.1 | 19.2 | 0 | 19.4 |
| 04-05-2022 16:13 | 23.0 | 19.2 | 6 | 19.4 |
| 04-05-2022 16:14 | 23.0 | 19.2 | 6 | 19.4 |
| 04-05-2022 16:15 | 23.0 | 19.2 | 6 | 19.5 |
| 04-05-2022 16:16 | 23.0 | 19.2 | 6 | 19.4 |
| 04-05-2022 16:17 | 23.1 | 19.3 | 5 | 19.5 |
| 04-05-2022 16:18 | 23.1 | 19.3 | 6 | 19.6 |
| 04-05-2022 16:19 | 23.2 | 19.4 | 7 | 19.7 |
| 04-05-2022 16:20 | 23.2 | 19.4 | 7 | 19.7 |
| 04-05-2022 16:21 | 23.3 | 19.5 | 7 | 19.8 |
| 04-05-2022 16:22 | 23.3 | 19.5 | 6 | 20.0 |
| 04-05-2022 16:23 | 23.3 | 19.6 | 6 | 20.1 |
| 04-05-2022 16:24 | 23.4 | 19.7 | 6 | 20.2 |
| 04-05-2022 16:25 | 23.5 | 19.8 | 4 | 20.3 |
| 04-05-2022 16:26 | 23.5 | 19.9 | 5 | 20.3 |
| 04-05-2022 16:27 | 23.6 | 19.9 | 6 | 20.5 |
| 04-05-2022 16:28 | 23.6 | 20.0 | 6 | 20.5 |
| 04-05-2022 16:29 | 23.7 | 20.0 | 7 | 20.5 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 04-05-2022 16:30 | 23.7 | 20.1 | 7 | 20.7 |
| 04-05-2022 16:31 | 23.8 | 20.1 | 6 | 20.7 |
| 04-05-2022 16:32 | 23.9 | 20.2 | 7 | 20.7 |
| 04-05-2022 16:33 | 23.9 | 20.3 | 6 | 20.7 |
| 04-05-2022 16:34 | 23.9 | 20.3 | 7 | 20.9 |
| 04-05-2022 16:35 | 24.0 | 20.3 | 0 | 20.8 |
| 04-05-2022 16:36 | 24.1 | 20.4 | 3 | 20.9 |
| 04-05-2022 16:37 | 24.1 | 20.4 | 0 | 20.9 |
| 04-05-2022 16:38 | 24.2 | 20.5 | 6 | 20.9 |
| 04-05-2022 16:39 | 24.2 | 20.5 | 6 | 20.9 |
| 04-05-2022 16:40 | 24.3 | 20.5 | 7 | 21.0 |
| 04-05-2022 16:41 | 24.3 | 20.6 | 8 | 21.1 |
| 04-05-2022 16:42 | 24.3 | 20.6 | 7 | 21.1 |
| 04-05-2022 16:43 | 24.4 | 20.7 | 8 | 21.1 |
| 04-05-2022 16:44 | 24.4 | 20.7 | 8 | 21.3 |
| 04-05-2022 16:45 | 24.5 | 20.7 | 7 | 21.3 |
| 04-05-2022 16:46 | 24.5 | 20.8 | 8 | 21.2 |
| 04-05-2022 16:47 | 24.5 | 20.8 | 8 | 21.3 |
| 04-05-2022 16:48 | 24.6 | 20.9 | 7 | 21.4 |
| 04-05-2022 16:49 | 24.6 | 20.9 | 8 | 21.3 |
| 04-05-2022 16:50 | 24.6 | 20.9 | 8 | 21.3 |
| 04-05-2022 16:51 | 24.7 | 21.0 | 8 | 21.4 |
| 04-05-2022 16:52 | 24.7 | 20.9 | 8 | 21.4 |
| 04-05-2022 16:53 | 24.8 | 21.0 | 0 | 21.5 |
| 04-05-2022 16:54 | 24.8 | 21.0 | 7 | 21.4 |
| 04-05-2022 16:55 | 24.8 | 21.0 | 8 | 21.5 |
| 04-05-2022 16:56 | 24.9 | 21.0 | 0 | 21.5 |
| 04-05-2022 16:57 | 25.0 | 21.0 | 0 | 21.6 |
| 04-05-2022 16:58 | 25.0 | 21.0 | 7 | 21.5 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 04-05-2022 16:59 | 25.0 | 21.1 | 8 | 21.6 |
| 04-05-2022 17:00 | 25.0 | 21.1 | 8 | 21.7 |
| 04-05-2022 17:01 | 25.1 | 21.1 | 8 | 21.7 |
| 04-05-2022 17:02 | 25.1 | 21.2 | 7 | 21.8 |
| 04-05-2022 17:03 | 25.1 | 21.2 | 7 | 21.8 |
| 04-05-2022 17:04 | 25.1 | 21.2 | 8 | 21.8 |
| 04-05-2022 17:05 | 25.1 | 21.2 | 8 | 21.8 |
| 04-05-2022 17:06 | 25.1 | 21.3 | 8 | 21.8 |
| 04-05-2022 17:07 | 25.1 | 21.3 | 8 | 21.9 |
| 04-05-2022 17:08 | 25.1 | 21.4 | 8 | 21.9 |
| 04-05-2022 17:09 | 25.1 | 21.4 | 8 | 21.9 |
| 04-05-2022 17:10 | 25.1 | 21.4 | 8 | 22.0 |
| 04-05-2022 17:11 | 25.1 | 21.4 | 8 | 21.9 |
| 04-05-2022 17:12 | 25.1 | 21.4 | 8 | 21.9 |
| 04-05-2022 17:13 | 25.1 | 21.4 | 8 | 22.0 |
| 04-05-2022 17:14 | 25.1 | 21.4 | 8 | 21.9 |
| 04-05-2022 17:15 | 25.1 | 21.4 | 8 | 21.8 |
| 04-05-2022 17:16 | 25.1 | 21.4 | 8 | 21.9 |
| 04-05-2022 17:17 | 25.0 | 21.3 | 8 | 21.9 |
| 04-05-2022 17:18 | 25.0 | 21.3 | 8 | 21.8 |
| 04-05-2022 17:19 | 25.0 | 21.3 | 9 | 21.8 |
| 04-05-2022 17:20 | 24.9 | 21.2 | 8 | 21.8 |
| 04-05-2022 17:21 | 24.9 | 21.2 | 8 | 21.6 |
| 04-05-2022 17:22 | 24.9 | 21.2 | 8 | 21.6 |
| 04-05-2022 17:23 | 24.9 | 21.1 | 8 | 21.6 |
| 04-05-2022 17:24 | 24.9 | 21.0 | 8 | 21.5 |
| 04-05-2022 17:25 | 24.8 | 20.9 | 7 | 21.4 |
| 04-05-2022 17:26 | 24.7 | 20.9 | 8 | 21.4 |
| 04-05-2022 17:27 | 24.7 | 20.9 | 7 | 21.3 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 04-05-2022 17:28 | 24.6 | 20.8 | 8 | 21.2 |
| 04-05-2022 17:29 | 24.6 | 20.7 | 9 | 21.2 |
| 04-05-2022 17:30 | 24.6 | 20.7 | 8 | 21.1 |
| 04-05-2022 17:31 | 24.5 | 20.5 | 8 | 20.9 |
| 04-05-2022 17:32 | 24.5 | 20.5 | 9 | 21.0 |
| 04-05-2022 17:33 | 24.5 | 20.4 | 9 | 20.8 |
| 04-05-2022 17:34 | 24.5 | 20.3 | 9 | 20.7 |
| 04-05-2022 17:35 | 24.4 | 20.2 | 9 | 20.7 |
| 04-05-2022 17:36 | 24.3 | 20.2 | 9 | 20.7 |
| 04-05-2022 17:37 | 24.3 | 20.1 | 9 | 20.6 |
| 04-05-2022 17:38 | 24.3 | 20.1 | 9 | 20.5 |
| 04-05-2022 17:39 | 24.2 | 20.0 | 9 | 20.3 |
| 04-05-2022 17:40 | 24.2 | 19.9 | 9 | 20.3 |
| 04-05-2022 17:41 | 24.1 | 19.9 | 9 | 20.3 |
| 04-05-2022 17:42 | 24.0 | 19.8 | 9 | 20.2 |
| 04-05-2022 17:43 | 23.9 | 19.7 | 9 | 20.1 |
| 04-05-2022 17:44 | 23.9 | 19.7 | 8 | 20.0 |
| 04-05-2022 17:45 | 23.7 | 19.6 | 8 | 20.0 |
| 04-05-2022 17:46 | 23.6 | 19.6 | 9 | 19.9 |
| 04-05-2022 17:47 | 23.6 | 19.5 | 8 | 19.8 |
| 04-05-2022 17:48 | 23.6 | 19.5 | 8 | 19.8 |
| 04-05-2022 17:49 | 23.4 | 19.5 | 8 | 19.8 |
| 04-05-2022 17:50 | 23.4 | 19.4 | 8 | 19.7 |
| 04-05-2022 17:51 | 23.3 | 19.4 | 8 | 19.6 |
| 04-05-2022 17:52 | 23.4 | 19.3 | 9 | 19.6 |
| 04-05-2022 17:53 | 23.3 | 19.3 | 9 | 19.6 |
| 04-05-2022 17:54 | 23.2 | 19.2 | 9 | 19.5 |
| 04-05-2022 17:55 | 23.2 | 19.2 | 9 | 19.4 |
| 04-05-2022 17:56 | 23.1 | 19.2 | 9 | 19.4 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 04-05-2022 17:57 | 23.1 | 19.2 | 9 | 19.4 |
| 04-05-2022 17:58 | 23.0 | 19.2 | 8 | 19.4 |
| 04-05-2022 17:59 | 22.9 | 19.1 | 8 | 19.3 |
| 04-05-2022 18:00 | 22.9 | 19.1 | 8 | 19.3 |
| 04-05-2022 18:01 | 22.9 | 19.1 | 9 | 19.4 |
| 04-05-2022 18:02 | 22.8 | 19.1 | 8 | 19.3 |
| 04-05-2022 18:03 | 22.7 | 19.0 | 8 | 19.3 |
| 04-05-2022 18:04 | 22.6 | 19.0 | 8 | 19.3 |
| 04-05-2022 18:05 | 22.6 | 19.0 | 9 | 19.2 |
| 04-05-2022 18:06 | 22.6 | 19.0 | 8 | 19.3 |
| 04-05-2022 18:07 | 22.5 | 19.0 | 9 | 19.3 |
| 04-05-2022 18:08 | 22.4 | 19.0 | 9 | 19.2 |
| 04-05-2022 18:09 | 22.3 | 19.0 | 8 | 19.2 |
| 04-05-2022 18:10 | 22.4 | 19.0 | 9 | 19.2 |
| 04-05-2022 18:11 | 22.4 | 19.0 | 8 | 19.3 |
| 04-05-2022 18:12 | 22.5 | 19.0 | 8 | 19.2 |
| 04-05-2022 18:13 | 22.5 | 19.0 | 8 | 19.2 |
| 04-05-2022 18:14 | 22.5 | 19.0 | 8 | 19.2 |
| 04-05-2022 18:15 | 22.5 | 19.1 | 7 | 19.2 |
| 04-05-2022 18:16 | 22.5 | 19.1 | 9 | 19.2 |
| 04-05-2022 18:17 | 22.4 | 19.1 | 8 | 19.2 |
| 04-05-2022 18:18 | 22.4 | 19.1 | 8 | 19.3 |
| 04-05-2022 18:19 | 22.4 | 19.2 | 8 | 19.3 |
| 04-05-2022 18:20 | 22.5 | 19.2 | 8 | 19.3 |
| 04-05-2022 18:21 | 22.5 | 19.2 | 8 | 19.3 |
| 04-05-2022 18:22 | 22.5 | 19.2 | 8 | 19.3 |
| 04-05-2022 18:23 | 22.5 | 19.2 | 8 | 19.3 |
| 04-05-2022 18:24 | 22.5 | 19.2 | 6 | 19.3 |
| 04-05-2022 18:25 | 22.4 | 19.3 | 7 | 19.4 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 04-05-2022 18:26 | 22.4 | 19.3 | 8 | 19.5 |
| 04-05-2022 18:27 | 22.4 | 19.3 | 8 | 19.5 |
| 04-05-2022 18:28 | 22.4 | 19.3 | 8 | 19.5 |
| 04-05-2022 18:29 | 22.4 | 19.3 | 8 | 19.5 |
| 04-05-2022 18:30 | 22.4 | 19.3 | 8 | 19.6 |
| 04-05-2022 18:31 | 22.5 | 19.3 | 0 | 19.6 |
| 04-05-2022 18:32 | 22.4 | 19.4 | 8 | 19.7 |
| 04-05-2022 18:33 | 22.4 | 19.4 | 9 | 19.6 |
| 04-05-2022 18:34 | 22.4 | 19.4 | 8 | 19.7 |
| 04-05-2022 18:35 | 22.4 | 19.5 | 8 | 19.8 |
| 04-05-2022 18:36 | 22.4 | 19.5 | 8 | 19.8 |
| 04-05-2022 18:37 | 22.5 | 19.5 | 8 | 19.9 |
| 04-05-2022 18:38 | 22.5 | 19.6 | 8 | 20.0 |
| 04-05-2022 18:39 | 22.5 | 19.6 | 9 | 20.0 |
| 04-05-2022 18:40 | 22.5 | 19.7 | 8 | 20.1 |
| 04-05-2022 18:41 | 22.5 | 19.8 | 8 | 20.1 |
| 04-05-2022 18:42 | 22.6 | 19.8 | 8 | 20.2 |
| 04-05-2022 18:43 | 22.6 | 19.8 | 8 | 20.3 |
| 04-05-2022 18:44 | 22.7 | 19.9 | 8 | 20.4 |
| 04-05-2022 18:45 | 22.7 | 19.9 | 8 | 20.4 |
| 04-05-2022 18:46 | 22.7 | 20.0 | 8 | 20.5 |
| 04-05-2022 18:47 | 22.8 | 20.1 | 8 | 20.5 |
| 04-05-2022 18:48 | 22.8 | 20.1 | 8 | 20.6 |
| 04-05-2022 18:49 | 22.9 | 20.2 | 7 | 20.7 |
| 04-05-2022 18:50 | 22.9 | 20.2 | 9 | 20.8 |
| 04-05-2022 18:51 | 23.0 | 20.3 | 8 | 20.8 |
| 04-05-2022 18:52 | 23.1 | 20.3 | 0 | 20.9 |
| 04-05-2022 18:53 | 23.1 | 20.4 | 7 | 20.9 |
| 04-05-2022 18:54 | 23.1 | 20.5 | 8 | 20.9 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 04-05-2022 18:55 | 23.1 | 20.5 | 8 | 21.0 |
| 04-05-2022 18:56 | 23.2 | 20.5 | 8 | 21.0 |
| 04-05-2022 18:57 | 23.2 | 20.6 | 8 | 21.1 |
| 04-05-2022 18:58 | 23.2 | 20.7 | 8 | 21.1 |
| 04-05-2022 18:59 | 23.3 | 20.7 | 8 | 21.1 |
| 04-05-2022 19:00 | 23.3 | 20.7 | 8 | 21.2 |
| 04-05-2022 19:01 | 23.4 | 20.8 | 8 | 21.3 |
| 04-05-2022 19:02 | 23.4 | 20.8 | 8 | 21.3 |
| 04-05-2022 19:03 | 23.4 | 20.9 | 8 | 21.4 |
| 04-05-2022 19:04 | 23.5 | 20.9 | 8 | 21.4 |
| 04-05-2022 19:05 | 23.5 | 20.9 | 8 | 21.5 |
| 04-05-2022 19:06 | 23.5 | 21.0 | 8 | 21.5 |
| 04-05-2022 19:07 | 23.6 | 21.0 | 8 | 21.5 |
| 04-05-2022 19:08 | 23.6 | 21.0 | 8 | 21.5 |
| 04-05-2022 19:09 | 23.6 | 21.1 | 8 | 21.5 |
| 04-05-2022 19:10 | 23.6 | 21.1 | 8 | 21.5 |
| 04-05-2022 19:11 | 23.6 | 21.1 | 8 | 21.6 |
| 04-05-2022 19:12 | 23.7 | 21.1 | 8 | 21.6 |
| 04-05-2022 19:13 | 23.7 | 21.1 | 8 | 21.6 |
| 04-05-2022 19:14 | 23.7 | 21.1 | 8 | 21.5 |
| 04-05-2022 19:15 | 23.7 | 21.1 | 8 | 21.5 |
| 04-05-2022 19:16 | 23.7 | 21.1 | 8 | 21.6 |
| 04-05-2022 19:17 | 23.7 | 21.1 | 8 | 21.6 |
| 04-05-2022 19:18 | 23.7 | 21.1 | 8 | 21.5 |
| 04-05-2022 19:19 | 23.7 | 21.1 | 8 | 21.5 |
| 04-05-2022 19:20 | 23.7 | 21.0 | 8 | 21.5 |
| 04-05-2022 19:21 | 23.6 | 21.0 | 8 | 21.4 |
| 04-05-2022 19:22 | 23.6 | 21.0 | 8 | 21.4 |
| 04-05-2022 19:23 | 23.6 | 21.0 | 8 | 21.4 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 04-05-2022 19:24 | 23.6 | 20.9 | 8 | 21.4 |
| 04-05-2022 19:25 | 23.6 | 21.0 | 9 | 21.4 |
| 04-05-2022 19:26 | 23.6 | 20.9 | 8 | 21.3 |
| 04-05-2022 19:27 | 23.6 | 20.9 | 8 | 21.3 |
| 04-05-2022 19:28 | 23.5 | 20.8 | 8 | 21.2 |
| 04-05-2022 19:29 | 23.6 | 20.8 | 8 | 21.2 |
| 04-05-2022 19:30 | 23.5 | 20.8 | 8 | 21.2 |
| 04-05-2022 19:31 | 23.5 | 20.7 | 9 | 21.2 |
| 04-05-2022 19:32 | 23.5 | 20.7 | 8 | 21.2 |
| 04-05-2022 19:33 | 23.5 | 20.7 | 9 | 21.1 |
| 04-05-2022 19:34 | 23.5 | 20.7 | 8 | 21.1 |
| 04-05-2022 19:35 | 23.5 | 20.6 | 8 | 21.1 |
| 04-05-2022 19:36 | 23.5 | 20.6 | 8 | 21.1 |
| 04-05-2022 19:37 | 23.5 | 20.5 | 8 | 21.0 |
| 04-05-2022 19:38 | 23.5 | 20.5 | 9 | 21.0 |
| 04-05-2022 19:39 | 23.4 | 20.5 | 9 | 20.9 |
| 04-05-2022 19:40 | 23.4 | 20.5 | 8 | 20.9 |
| 04-05-2022 19:41 | 23.4 | 20.5 | 8 | 20.9 |
| 04-05-2022 19:42 | 23.4 | 20.5 | 9 | 20.9 |
| 04-05-2022 19:43 | 23.3 | 20.4 | 8 | 20.9 |
| 04-05-2022 19:44 | 23.4 | 20.4 | 9 | 20.9 |
| 04-05-2022 19:45 | 23.3 | 20.4 | 9 | 20.9 |
| 04-05-2022 19:46 | 23.4 | 20.3 | 9 | 20.8 |
| 04-05-2022 19:47 | 23.3 | 20.3 | 9 | 20.7 |
| 04-05-2022 19:48 | 23.3 | 20.3 | 8 | 20.8 |
| 04-05-2022 19:49 | 23.3 | 20.3 | 0 | 20.7 |
| 04-05-2022 19:50 | 23.3 | 20.3 | 11 | 20.8 |
| 04-05-2022 19:51 | 23.3 | 20.3 | 9 | 20.8 |
| 04-05-2022 19:52 | 23.3 | 20.3 | 9 | 20.8 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 04-05-2022 19:53 | 23.3 | 20.3 | 9 | 20.8 |
| 04-05-2022 19:54 | 23.3 | 20.3 | 9 | 20.9 |
| 04-05-2022 19:55 | 23.3 | 20.3 | 9 | 20.9 |
| 04-05-2022 19:56 | 23.3 | 20.3 | 8 | 21.0 |
| 04-05-2022 19:57 | 23.3 | 20.4 | 8 | 21.1 |
| 04-05-2022 19:58 | 23.4 | 20.5 | 9 | 21.1 |
| 04-05-2022 19:59 | 23.4 | 20.5 | 8 | 21.2 |
| 04-05-2022 20:00 | 23.4 | 20.6 | 9 | 21.2 |
| 04-05-2022 20:01 | 23.5 | 20.7 | 9 | 21.3 |
| 04-05-2022 20:02 | 23.5 | 20.7 | 8 | 21.4 |
| 04-05-2022 20:03 | 23.5 | 20.8 | 8 | 21.5 |
| 04-05-2022 20:04 | 23.6 | 20.8 | 9 | 21.5 |
| 04-05-2022 20:05 | 23.6 | 20.9 | 9 | 21.5 |
| 04-05-2022 20:06 | 23.7 | 21.0 | 8 | 21.6 |
| 04-05-2022 20:07 | 23.7 | 21.0 | 9 | 21.7 |
| 04-05-2022 20:08 | 23.7 | 21.0 | 9 | 21.7 |
| 04-05-2022 20:09 | 23.8 | 21.1 | 0 | 21.7 |
| 04-05-2022 20:10 | 23.8 | 21.1 | 6 | 21.7 |
| 04-05-2022 20:11 | 23.8 | 21.2 | 7 | 21.8 |
| 04-05-2022 20:12 | 23.8 | 21.2 | 8 | 21.9 |
| 04-05-2022 20:13 | 23.9 | 21.2 | 8 | 21.9 |
| 04-05-2022 20:14 | 23.9 | 21.2 | 8 | 21.9 |
| 04-05-2022 20:15 | 23.9 | 21.3 | 8 | 21.9 |
| 04-05-2022 20:16 | 23.9 | 21.3 | 8 | 21.9 |
| 04-05-2022 20:17 | 23.9 | 21.3 | 8 | 21.9 |
| 04-05-2022 20:18 | 23.9 | 21.3 | 8 | 21.9 |
| 04-05-2022 20:19 | 24.0 | 21.3 | 8 | 21.9 |
| 04-05-2022 20:20 | 23.9 | 21.3 | 8 | 21.9 |
| 04-05-2022 20:21 | 24.0 | 21.3 | 8 | 21.9 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 04-05-2022 20:22 | 24.0 | 21.3 | 8 | 21.9 |
| 04-05-2022 20:23 | 24.0 | 21.3 | 8 | 21.8 |
| 04-05-2022 20:24 | 23.9 | 21.3 | 8 | 21.8 |
| 04-05-2022 20:25 | 23.9 | 21.3 | 8 | 21.8 |
| 04-05-2022 20:26 | 23.9 | 21.2 | 8 | 21.8 |
| 04-05-2022 20:27 | 23.9 | 21.2 | 8 | 21.8 |
| 04-05-2022 20:28 | 23.9 | 21.2 | 8 | 21.7 |
| 04-05-2022 20:29 | 23.9 | 21.2 | 8 | 21.7 |
| 04-05-2022 20:30 | 23.9 | 21.1 | 8 | 21.6 |
| 04-05-2022 20:31 | 23.9 | 21.1 | 8 | 21.6 |
| 04-05-2022 20:32 | 23.8 | 21.1 | 8 | 21.6 |
| 04-05-2022 20:33 | 23.8 | 21.0 | 8 | 21.6 |
| 04-05-2022 20:34 | 23.8 | 21.0 | 8 | 21.5 |
| 04-05-2022 20:35 | 23.8 | 20.9 | 8 | 21.4 |
| 04-05-2022 20:36 | 23.8 | 21.0 | 8 | 21.5 |
| 04-05-2022 20:37 | 23.8 | 20.9 | 8 | 21.4 |
| 04-05-2022 20:38 | 23.8 | 20.9 | 8 | 21.4 |
| 04-05-2022 20:39 | 23.7 | 20.9 | 9 | 21.3 |
| 04-05-2022 20:40 | 23.7 | 20.8 | 9 | 21.3 |
| 04-05-2022 20:41 | 23.7 | 20.8 | 8 | 21.3 |
| 04-05-2022 20:42 | 23.7 | 20.7 | 8 | 21.3 |
| 04-05-2022 20:43 | 23.7 | 20.7 | 8 | 21.2 |
| 04-05-2022 20:44 | 23.7 | 20.7 | 8 | 21.2 |
| 04-05-2022 20:45 | 23.6 | 20.7 | 8 | 21.1 |
| 04-05-2022 20:46 | 23.6 | 20.7 | 9 | 21.2 |
| 04-05-2022 20:47 | 23.6 | 20.6 | 8 | 21.2 |
| 04-05-2022 20:48 | 23.6 | 20.6 | 8 | 21.1 |
| 04-05-2022 20:49 | 23.6 | 20.6 | 8 | 21.1 |
| 04-05-2022 20:50 | 23.5 | 20.5 | 8 | 21.0 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 04-05-2022 20:51 | 23.5 | 20.5 | 9 | 21.0 |
| 04-05-2022 20:52 | 23.5 | 20.5 | 8 | 21.0 |
| 04-05-2022 20:53 | 23.5 | 20.5 | 8 | 20.9 |
| 04-05-2022 20:54 | 23.6 | 20.5 | 0 | 21.0 |
| 04-05-2022 20:55 | 23.6 | 20.4 | 8 | 21.1 |
| 04-05-2022 20:56 | 23.5 | 20.4 | 8 | 20.9 |
| 04-05-2022 20:57 | 23.5 | 20.4 | 8 | 21.0 |
| 04-05-2022 20:58 | 23.5 | 20.4 | 8 | 21.0 |
| 04-05-2022 20:59 | 23.5 | 20.4 | 8 | 21.0 |
| 04-05-2022 21:00 | 23.5 | 20.5 | 7 | 21.1 |
| 04-05-2022 21:01 | 23.5 | 20.5 | 8 | 21.1 |
| 04-05-2022 21:02 | 23.5 | 20.5 | 8 | 21.2 |
| 04-05-2022 21:03 | 23.6 | 20.6 | 8 | 21.2 |
| 04-05-2022 21:04 | 23.6 | 20.7 | 8 | 21.3 |
| 04-05-2022 21:05 | 23.6 | 20.7 | 8 | 21.4 |
| 04-05-2022 21:06 | 23.7 | 20.7 | 8 | 21.5 |
| 04-05-2022 21:07 | 23.7 | 20.8 | 8 | 21.5 |
| 04-05-2022 21:08 | 23.7 | 20.9 | 8 | 21.5 |
| 04-05-2022 21:09 | 23.8 | 20.9 | 8 | 21.6 |
| 04-05-2022 21:10 | 23.8 | 21.0 | 8 | 21.6 |
| 04-05-2022 21:11 | 23.8 | 21.0 | 8 | 21.7 |
| 04-05-2022 21:12 | 23.9 | 21.1 | 8 | 21.8 |
| 04-05-2022 21:13 | 23.9 | 21.1 | 8 | 21.8 |
| 04-05-2022 21:14 | 23.9 | 21.2 | 8 | 21.8 |
| 04-05-2022 21:15 | 23.9 | 21.2 | 8 | 21.8 |
| 04-05-2022 21:16 | 24.0 | 21.2 | 7 | 21.8 |
| 04-05-2022 21:17 | 24.0 | 21.2 | 9 | 21.8 |
| 04-05-2022 21:18 | 24.0 | 21.2 | 8 | 21.8 |
| 04-05-2022 21:19 | 24.0 | 21.2 | 8 | 21.8 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 04-05-2022 21:20 | 24.0 | 21.2 | 8 | 21.8 |
| 04-05-2022 21:21 | 24.0 | 21.2 | 9 | 21.8 |
| 04-05-2022 21:22 | 24.0 | 21.2 | 8 | 21.8 |
| 04-05-2022 21:23 | 24.0 | 21.2 | 8 | 21.8 |
| 04-05-2022 21:24 | 24.0 | 21.2 | 8 | 21.8 |
| 04-05-2022 21:25 | 24.0 | 21.2 | 8 | 21.7 |
| 04-05-2022 21:26 | 24.0 | 21.2 | 9 | 21.7 |
| 04-05-2022 21:27 | 24.0 | 21.2 | 8 | 21.7 |
| 04-05-2022 21:28 | 24.0 | 21.2 | 9 | 21.7 |
| 04-05-2022 21:29 | 24.0 | 21.2 | 9 | 21.6 |
| 04-05-2022 21:30 | 23.9 | 21.1 | 9 | 21.6 |
| 04-05-2022 21:31 | 24.0 | 21.1 | 9 | 21.5 |
| 04-05-2022 21:32 | 23.9 | 21.0 | 9 | 21.5 |
| 04-05-2022 21:33 | 23.9 | 21.0 | 9 | 21.6 |
| 04-05-2022 21:34 | 23.9 | 21.0 | 9 | 21.5 |
| 04-05-2022 21:35 | 23.9 | 20.9 | 9 | 21.4 |
| 04-05-2022 21:36 | 23.9 | 20.9 | 8 | 21.4 |
| 04-05-2022 21:37 | 23.8 | 20.9 | 8 | 21.4 |
| 04-05-2022 21:38 | 23.8 | 20.9 | 8 | 21.4 |
| 04-05-2022 21:39 | 23.8 | 20.8 | 9 | 21.4 |
| 04-05-2022 21:40 | 23.8 | 20.8 | 9 | 21.4 |
| 04-05-2022 21:41 | 23.8 | 20.7 | 0 | 21.4 |
| 04-05-2022 21:42 | 23.8 | 20.7 | 10 | 21.3 |
| 04-05-2022 21:43 | 23.7 | 20.7 | 9 | 21.2 |
| 04-05-2022 21:44 | 23.7 | 20.7 | 8 | 21.3 |
| 04-05-2022 21:45 | 23.7 | 20.7 | 9 | 21.4 |
| 04-05-2022 21:46 | 23.8 | 20.7 | 8 | 21.3 |
| 04-05-2022 21:47 | 23.8 | 20.7 | 8 | 21.4 |
| 04-05-2022 21:48 | 23.8 | 20.8 | 8 | 21.5 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 04-05-2022 21:49 | 23.8 | 20.8 | 8 | 21.4 |
| 04-05-2022 21:50 | 23.8 | 20.8 | 8 | 21.5 |
| 04-05-2022 21:51 | 23.8 | 20.9 | 8 | 21.5 |
| 04-05-2022 21:52 | 23.8 | 20.9 | 8 | 21.5 |
| 04-05-2022 21:53 | 23.9 | 21.0 | 9 | 21.6 |
| 04-05-2022 21:54 | 23.9 | 21.0 | 9 | 21.6 |
| 04-05-2022 21:55 | 23.9 | 21.0 | 8 | 21.6 |
| 04-05-2022 21:56 | 23.9 | 21.0 | 9 | 21.6 |
| 04-05-2022 21:57 | 23.9 | 21.0 | 8 | 21.6 |
| 04-05-2022 21:58 | 23.9 | 21.1 | 9 | 21.7 |
| 04-05-2022 21:59 | 23.9 | 21.1 | 9 | 21.7 |
| 04-05-2022 22:00 | 23.8 | 21.1 | 9 | 21.8 |
| 04-05-2022 22:01 | 23.8 | 21.1 | 9 | 21.7 |
| 04-05-2022 22:02 | 23.8 | 21.1 | 9 | 21.7 |
| 04-05-2022 22:03 | 23.8 | 21.2 | 9 | 21.7 |
| 04-05-2022 22:04 | 23.8 | 21.1 | 9 | 21.7 |
| 04-05-2022 22:05 | 23.8 | 21.1 | 9 | 21.6 |
| 04-05-2022 22:06 | 23.8 | 21.1 | 9 | 21.7 |
| 04-05-2022 22:07 | 23.8 | 21.1 | 9 | 21.6 |
| 04-05-2022 22:08 | 23.8 | 21.1 | 8 | 21.6 |
| 04-05-2022 22:09 | 23.8 | 21.1 | 9 | 21.7 |
| 04-05-2022 22:10 | 23.8 | 21.1 | 9 | 21.5 |
| 04-05-2022 22:11 | 23.8 | 21.0 | 9 | 21.6 |
| 04-05-2022 22:12 | 23.8 | 21.0 | 9 | 21.5 |
| 04-05-2022 22:13 | 23.8 | 21.0 | 9 | 21.5 |
| 04-05-2022 22:14 | 23.8 | 21.0 | 9 | 21.5 |
| 04-05-2022 22:15 | 23.7 | 20.9 | 9 | 21.5 |
| 04-05-2022 22:16 | 23.7 | 20.9 | 9 | 21.4 |
| 04-05-2022 22:17 | 23.7 | 21.0 | 9 | 21.5 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 04-05-2022 22:18 | 23.7 | 20.9 | 9 | 21.4 |
| 04-05-2022 22:19 | 23.7 | 20.9 | 9 | 21.3 |
| 04-05-2022 22:20 | 23.6 | 20.9 | 9 | 21.3 |
| 04-05-2022 22:21 | 23.6 | 20.8 | 10 | 21.3 |
| 04-05-2022 22:22 | 23.6 | 20.8 | 9 | 21.3 |
| 04-05-2022 22:23 | 23.6 | 20.8 | 9 | 21.3 |
| 04-05-2022 22:24 | 23.6 | 20.7 | 9 | 21.2 |
| 04-05-2022 22:25 | 23.5 | 20.7 | 9 | 21.2 |
| 04-05-2022 22:26 | 23.5 | 20.7 | 9 | 21.2 |
| 04-05-2022 22:27 | 23.5 | 20.7 | 9 | 21.1 |
| 04-05-2022 22:28 | 23.5 | 20.6 | 9 | 21.1 |
| 04-05-2022 22:29 | 23.5 | 20.6 | 9 | 21.1 |
| 04-05-2022 22:30 | 23.4 | 20.5 | 9 | 21.0 |
| 04-05-2022 22:31 | 23.4 | 20.5 | 9 | 21.0 |
| 04-05-2022 22:32 | 23.4 | 20.5 | 9 | 20.9 |
| 04-05-2022 22:33 | 23.4 | 20.5 | 9 | 20.9 |
| 04-05-2022 22:34 | 23.4 | 20.5 | 9 | 20.9 |
| 04-05-2022 22:35 | 23.4 | 20.4 | 8 | 20.9 |
| 04-05-2022 22:36 | 23.4 | 20.4 | 8 | 20.8 |
| 04-05-2022 22:37 | 23.4 | 20.3 | 9 | 20.8 |
| 04-05-2022 22:38 | 23.4 | 20.3 | 8 | 20.8 |
| 04-05-2022 22:39 | 23.4 | 20.3 | 9 | 20.7 |
| 04-05-2022 22:40 | 23.3 | 20.3 | 9 | 20.8 |
| 04-05-2022 22:41 | 23.3 | 20.3 | 9 | 20.7 |
| 04-05-2022 22:42 | 23.3 | 20.2 | 9 | 20.6 |
| 04-05-2022 22:43 | 23.3 | 20.2 | 9 | 20.7 |
| 04-05-2022 22:44 | 23.3 | 20.2 | 9 | 20.6 |
| 04-05-2022 22:45 | 23.3 | 20.2 | 9 | 20.6 |
| 04-05-2022 22:46 | 23.2 | 20.2 | 9 | 20.5 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 04-05-2022 22:47 | 23.2 | 20.1 | 9 | 20.5 |
| 04-05-2022 22:48 | 23.1 | 20.1 | 9 | 20.6 |
| 04-05-2022 22:49 | 23.1 | 20.1 | 9 | 20.5 |
| 04-05-2022 22:50 | 23.1 | 20.1 | 8 | 20.5 |
| 04-05-2022 22:51 | 23.1 | 20.1 | 9 | 20.5 |
| 04-05-2022 22:52 | 23.0 | 20.1 | 9 | 20.5 |
| 04-05-2022 22:53 | 23.0 | 20.1 | 9 | 20.4 |
| 04-05-2022 22:54 | 23.0 | 20.1 | 9 | 20.4 |
| 04-05-2022 22:55 | 22.9 | 20.1 | 9 | 20.5 |
| 04-05-2022 22:56 | 22.9 | 20.0 | 9 | 20.4 |
| 04-05-2022 22:57 | 22.9 | 20.0 | 9 | 20.4 |
| 04-05-2022 22:58 | 22.8 | 20.0 | 9 | 20.4 |
| 04-05-2022 22:59 | 22.8 | 20.0 | 8 | 20.4 |
| 04-05-2022 23:00 | 22.9 | 20.0 | 8 | 20.4 |
| 04-05-2022 23:01 | 22.8 | 20.0 | 9 | 20.4 |
| 04-05-2022 23:02 | 22.8 | 19.9 | 9 | 20.3 |
| 04-05-2022 23:03 | 22.8 | 19.9 | 9 | 20.3 |
| 04-05-2022 23:04 | 22.8 | 19.9 | 9 | 20.3 |
| 04-05-2022 23:05 | 22.7 | 19.9 | 8 | 20.3 |
| 04-05-2022 23:06 | 22.7 | 19.9 | 9 | 20.3 |
| 04-05-2022 23:07 | 22.7 | 19.9 | 9 | 20.2 |
| 04-05-2022 23:08 | 22.7 | 19.9 | 8 | 20.3 |
| 04-05-2022 23:09 | 22.7 | 19.9 | 9 | 20.2 |
| 04-05-2022 23:10 | 22.7 | 19.9 | 9 | 20.2 |
| 04-05-2022 23:11 | 22.7 | 19.9 | 8 | 20.2 |
| 04-05-2022 23:12 | 22.7 | 19.9 | 9 | 20.2 |
| 04-05-2022 23:13 | 22.7 | 19.9 | 9 | 20.2 |
| 04-05-2022 23:14 | 22.7 | 19.9 | 7 | 20.2 |
| 04-05-2022 23:15 | 22.6 | 19.9 | 9 | 20.2 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 04-05-2022 23:16 | 22.6 | 19.9 | 9 | 20.1 |
| 04-05-2022 23:17 | 22.6 | 19.9 | 9 | 20.2 |
| 04-05-2022 23:18 | 22.5 | 19.9 | 8 | 20.1 |
| 04-05-2022 23:19 | 22.6 | 19.9 | 9 | 20.1 |
| 04-05-2022 23:20 | 22.6 | 19.8 | 8 | 20.1 |
| 04-05-2022 23:21 | 22.6 | 19.8 | 8 | 20.1 |
| 04-05-2022 23:22 | 22.6 | 19.8 | 8 | 20.1 |
| 04-05-2022 23:23 | 22.6 | 19.8 | 8 | 20.1 |
| 04-05-2022 23:24 | 22.5 | 19.8 | 8 | 20.1 |
| 04-05-2022 23:25 | 22.5 | 19.8 | 9 | 20.1 |
| 04-05-2022 23:26 | 22.5 | 19.8 | 9 | 20.1 |
| 04-05-2022 23:27 | 22.5 | 19.8 | 8 | 20.0 |
| 04-05-2022 23:28 | 22.4 | 19.8 | 9 | 20.1 |
| 04-05-2022 23:29 | 22.4 | 19.8 | 9 | 20.1 |
| 04-05-2022 23:30 | 22.4 | 19.8 | 8 | 20.0 |
| 04-05-2022 23:31 | 22.4 | 19.8 | 9 | 20.1 |
| 04-05-2022 23:32 | 22.4 | 19.8 | 8 | 20.0 |
| 04-05-2022 23:33 | 22.4 | 19.8 | 8 | 20.1 |
| 04-05-2022 23:34 | 22.3 | 19.8 | 8 | 20.1 |
| 04-05-2022 23:35 | 22.4 | 19.8 | 8 | 20.1 |
| 04-05-2022 23:36 | 22.3 | 19.8 | 8 | 20.1 |
| 04-05-2022 23:37 | 22.4 | 19.9 | 8 | 20.2 |
| 04-05-2022 23:38 | 22.4 | 19.9 | 9 | 20.1 |
| 04-05-2022 23:39 | 22.4 | 19.9 | 9 | 20.1 |
| 04-05-2022 23:40 | 22.4 | 19.9 | 8 | 20.2 |
| 04-05-2022 23:41 | 22.4 | 19.9 | 9 | 20.1 |
| 04-05-2022 23:42 | 22.4 | 19.9 | 8 | 20.2 |
| 04-05-2022 23:43 | 22.4 | 19.9 | 8 | 20.2 |
| 04-05-2022 23:44 | 22.4 | 19.9 | 8 | 20.2 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 04-05-2022 23:45 | 22.4 | 19.9 | 8 | 20.2 |
| 04-05-2022 23:46 | 22.4 | 20.0 | 8 | 20.3 |
| 04-05-2022 23:47 | 22.5 | 20.0 | 8 | 20.3 |
| 04-05-2022 23:48 | 22.5 | 20.0 | 9 | 20.3 |
| 04-05-2022 23:49 | 22.5 | 20.0 | 8 | 20.4 |
| 04-05-2022 23:50 | 22.5 | 20.1 | 8 | 20.4 |
| 04-05-2022 23:51 | 22.5 | 20.1 | 8 | 20.4 |
| 04-05-2022 23:52 | 22.5 | 20.1 | 8 | 20.4 |
| 04-05-2022 23:53 | 22.5 | 20.1 | 8 | 20.5 |
| 04-05-2022 23:54 | 22.5 | 20.1 | 8 | 20.5 |
| 04-05-2022 23:55 | 22.5 | 20.1 | 8 | 20.5 |
| 04-05-2022 23:56 | 22.6 | 20.1 | 8 | 20.5 |
| 04-05-2022 23:57 | 22.5 | 20.2 | 8 | 20.5 |
| 04-05-2022 23:58 | 22.6 | 20.2 | 8 | 20.5 |
| 04-05-2022 23:59 | 22.6 | 20.2 | 8 | 20.5 |
| 05-05-2022 00:00 | 22.6 | 20.2 | 8 | 20.6 |
| 05-05-2022 00:01 | 22.6 | 20.2 | 8 | 20.6 |
| 05-05-2022 00:02 | 22.6 | 20.3 | 8 | 20.6 |
| 05-05-2022 00:03 | 22.6 | 20.2 | 8 | 20.6 |
| 05-05-2022 00:04 | 22.6 | 20.2 | 8 | 20.6 |
| 05-05-2022 00:05 | 22.7 | 20.2 | 9 | 20.6 |
| 05-05-2022 00:06 | 22.7 | 20.3 | 8 | 20.6 |
| 05-05-2022 00:07 | 22.7 | 20.3 | 8 | 20.6 |
| 05-05-2022 00:08 | 22.7 | 20.3 | 8 | 20.7 |
| 05-05-2022 00:09 | 22.7 | 20.3 | 8 | 20.6 |
| 05-05-2022 00:10 | 22.7 | 20.3 | 8 | 20.7 |
| 05-05-2022 00:11 | 22.7 | 20.3 | 8 | 20.7 |
| 05-05-2022 00:12 | 22.7 | 20.3 | 8 | 20.8 |
| 05-05-2022 00:13 | 22.7 | 20.3 | 8 | 20.7 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 05-05-2022 00:14 | 22.7 | 20.4 | 8 | 20.7 |
| 05-05-2022 00:15 | 22.8 | 20.4 | 8 | 20.7 |
| 05-05-2022 00:16 | 22.8 | 20.4 | 8 | 20.7 |
| 05-05-2022 00:17 | 22.8 | 20.4 | 8 | 20.8 |
| 05-05-2022 00:18 | 22.8 | 20.4 | 9 | 20.8 |
| 05-05-2022 00:19 | 22.8 | 20.4 | 8 | 20.8 |
| 05-05-2022 00:20 | 22.8 | 20.4 | 8 | 20.8 |
| 05-05-2022 00:21 | 22.8 | 20.4 | 8 | 20.8 |
| 05-05-2022 00:22 | 22.8 | 20.4 | 9 | 20.8 |
| 05-05-2022 00:23 | 22.9 | 20.4 | 9 | 20.8 |
| 05-05-2022 00:24 | 22.9 | 20.5 | 8 | 20.9 |
| 05-05-2022 00:25 | 22.9 | 20.5 | 8 | 20.8 |
| 05-05-2022 00:26 | 22.9 | 20.5 | 8 | 20.9 |
| 05-05-2022 00:27 | 22.8 | 20.5 | 8 | 20.9 |
| 05-05-2022 00:28 | 22.9 | 20.5 | 8 | 20.8 |
| 05-05-2022 00:29 | 22.9 | 20.5 | 8 | 20.8 |
| 05-05-2022 00:30 | 22.9 | 20.5 | 8 | 20.9 |
| 05-05-2022 00:31 | 22.9 | 20.5 | 8 | 20.9 |
| 05-05-2022 00:32 | 22.9 | 20.5 | 8 | 20.9 |
| 05-05-2022 00:33 | 23.0 | 20.5 | 9 | 20.8 |
| 05-05-2022 00:34 | 22.9 | 20.5 | 8 | 20.8 |
| 05-05-2022 00:35 | 22.9 | 20.5 | 8 | 20.8 |
| 05-05-2022 00:36 | 23.0 | 20.5 | 8 | 20.8 |
| 05-05-2022 00:37 | 23.0 | 20.5 | 8 | 20.9 |
| 05-05-2022 00:38 | 23.0 | 20.5 | 8 | 20.8 |
| 05-05-2022 00:39 | 23.0 | 20.5 | 8 | 20.8 |
| 05-05-2022 00:40 | 23.0 | 20.5 | 8 | 20.8 |
| 05-05-2022 00:41 | 23.0 | 20.5 | 8 | 20.9 |
| 05-05-2022 00:42 | 23.0 | 20.5 | 8 | 20.8 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 05-05-2022 00:43 | 23.0 | 20.5 | 9 | 20.8 |
| 05-05-2022 00:44 | 23.0 | 20.5 | 8 | 20.9 |
| 05-05-2022 00:45 | 23.0 | 20.5 | 8 | 20.8 |
| 05-05-2022 00:46 | 23.0 | 20.5 | 8 | 20.8 |
| 05-05-2022 00:47 | 23.0 | 20.4 | 8 | 20.7 |
| 05-05-2022 00:48 | 22.9 | 20.4 | 8 | 20.8 |
| 05-05-2022 00:49 | 22.9 | 20.4 | 9 | 20.7 |
| 05-05-2022 00:50 | 22.9 | 20.4 | 9 | 20.8 |
| 05-05-2022 00:51 | 22.9 | 20.4 | 8 | 20.7 |
| 05-05-2022 00:52 | 22.9 | 20.4 | 8 | 20.7 |
| 05-05-2022 00:53 | 22.9 | 20.4 | 8 | 20.8 |
| 05-05-2022 00:54 | 22.9 | 20.3 | 8 | 20.7 |
| 05-05-2022 00:55 | 22.9 | 20.3 | 9 | 20.8 |
| 05-05-2022 00:56 | 22.9 | 20.3 | 9 | 20.7 |
| 05-05-2022 00:57 | 22.9 | 20.3 | 9 | 20.7 |
| 05-05-2022 00:58 | 22.9 | 20.3 | 8 | 20.6 |
| 05-05-2022 00:59 | 22.9 | 20.3 | 8 | 20.7 |
| 05-05-2022 01:00 | 22.9 | 20.3 | 9 | 20.6 |
| 05-05-2022 01:01 | 22.8 | 20.3 | 9 | 20.6 |
| 05-05-2022 01:02 | 22.8 | 20.3 | 9 | 20.5 |
| 05-05-2022 01:03 | 22.8 | 20.3 | 9 | 20.6 |
| 05-05-2022 01:04 | 22.8 | 20.2 | 8 | 20.6 |
| 05-05-2022 01:05 | 22.8 | 20.2 | 9 | 20.6 |
| 05-05-2022 01:06 | 22.7 | 20.2 | 8 | 20.5 |
| 05-05-2022 01:07 | 22.7 | 20.1 | 9 | 20.4 |
| 05-05-2022 01:08 | 22.7 | 20.1 | 8 | 20.4 |
| 05-05-2022 01:09 | 22.7 | 20.1 | 8 | 20.4 |
| 05-05-2022 01:10 | 22.7 | 20.1 | 8 | 20.3 |
| 05-05-2022 01:11 | 22.6 | 20.1 | 9 | 20.4 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 05-05-2022 01:12 | 22.6 | 20.1 | 8 | 20.3 |
| 05-05-2022 01:13 | 22.6 | 20.0 | 9 | 20.3 |
| 05-05-2022 01:14 | 22.6 | 20.0 | 9 | 20.3 |
| 05-05-2022 01:15 | 22.5 | 20.0 | 9 | 20.3 |
| 05-05-2022 01:16 | 22.5 | 20.0 | 8 | 20.2 |
| 05-05-2022 01:17 | 22.5 | 19.9 | 8 | 20.2 |
| 05-05-2022 01:18 | 22.5 | 19.9 | 8 | 20.2 |
| 05-05-2022 01:19 | 22.4 | 19.9 | 8 | 20.1 |
| 05-05-2022 01:20 | 22.4 | 19.9 | 8 | 20.1 |
| 05-05-2022 01:21 | 22.4 | 19.9 | 8 | 20.1 |
| 05-05-2022 01:22 | 22.4 | 19.9 | 8 | 20.1 |
| 05-05-2022 01:23 | 22.4 | 19.8 | 9 | 20.1 |
| 05-05-2022 01:24 | 22.4 | 19.8 | 9 | 20.1 |
| 05-05-2022 01:25 | 22.3 | 19.8 | 9 | 20.1 |
| 05-05-2022 01:26 | 22.4 | 19.8 | 9 | 20.1 |
| 05-05-2022 01:27 | 22.4 | 19.8 | 9 | 20.1 |
| 05-05-2022 01:28 | 22.4 | 19.8 | 9 | 20.0 |
| 05-05-2022 01:29 | 22.4 | 19.8 | 9 | 19.9 |
| 05-05-2022 01:30 | 22.3 | 19.8 | 9 | 19.9 |
| 05-05-2022 01:31 | 22.3 | 19.8 | 9 | 20.0 |
| 05-05-2022 01:32 | 22.3 | 19.8 | 9 | 20.0 |
| 05-05-2022 01:33 | 22.3 | 19.7 | 8 | 19.9 |
| 05-05-2022 01:34 | 22.3 | 19.7 | 9 | 19.9 |
| 05-05-2022 01:35 | 22.2 | 19.7 | 9 | 20.0 |
| 05-05-2022 01:36 | 22.2 | 19.7 | 8 | 20.0 |
| 05-05-2022 01:37 | 22.2 | 19.7 | 8 | 19.9 |
| 05-05-2022 01:38 | 22.2 | 19.7 | 8 | 19.9 |
| 05-05-2022 01:39 | 22.2 | 19.7 | 9 | 19.9 |
| 05-05-2022 01:40 | 22.2 | 19.7 | 9 | 19.9 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 05-05-2022 01:41 | 22.2 | 19.7 | 8 | 20.0 |
| 05-05-2022 01:42 | 22.2 | 19.7 | 8 | 19.9 |
| 05-05-2022 01:43 | 22.2 | 19.7 | 8 | 19.9 |
| 05-05-2022 01:44 | 22.2 | 19.7 | 8 | 19.8 |
| 05-05-2022 01:45 | 22.2 | 19.7 | 8 | 19.9 |
| 05-05-2022 01:46 | 22.2 | 19.7 | 9 | 19.9 |
| 05-05-2022 01:47 | 22.2 | 19.7 | 9 | 19.8 |
| 05-05-2022 01:48 | 22.1 | 19.6 | 8 | 19.8 |
| 05-05-2022 01:49 | 22.1 | 19.6 | 9 | 19.8 |
| 05-05-2022 01:50 | 22.1 | 19.6 | 9 | 19.8 |
| 05-05-2022 01:51 | 22.1 | 19.6 | 9 | 19.8 |
| 05-05-2022 01:52 | 22.1 | 19.6 | 8 | 19.8 |
| 05-05-2022 01:53 | 22.1 | 19.6 | 8 | 19.8 |
| 05-05-2022 01:54 | 22.1 | 19.6 | 8 | 19.8 |
| 05-05-2022 01:55 | 22.1 | 19.6 | 9 | 19.7 |
| 05-05-2022 01:56 | 22.1 | 19.6 | 8 | 19.8 |
| 05-05-2022 01:57 | 22.1 | 19.7 | 8 | 19.8 |
| 05-05-2022 01:58 | 22.1 | 19.6 | 9 | 19.8 |
| 05-05-2022 01:59 | 22.1 | 19.6 | 8 | 19.8 |
| 05-05-2022 02:00 | 22.1 | 19.6 | 8 | 19.8 |
| 05-05-2022 02:01 | 22.1 | 19.6 | 9 | 19.7 |
| 05-05-2022 02:02 | 22.1 | 19.6 | 9 | 19.8 |
| 05-05-2022 02:03 | 22.1 | 19.6 | 8 | 19.8 |
| 05-05-2022 02:04 | 22.1 | 19.6 | 9 | 19.7 |
| 05-05-2022 02:05 | 22.1 | 19.6 | 8 | 19.8 |
| 05-05-2022 02:06 | 22.0 | 19.6 | 8 | 19.8 |
| 05-05-2022 02:07 | 22.0 | 19.6 | 9 | 19.7 |
| 05-05-2022 02:08 | 22.1 | 19.6 | 8 | 19.8 |
| 05-05-2022 02:09 | 22.0 | 19.7 | 8 | 19.7 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 05-05-2022 02:10 | 22.0 | 19.6 | 8 | 19.7 |
| 05-05-2022 02:11 | 22.0 | 19.6 | 9 | 19.7 |
| 05-05-2022 02:12 | 22.0 | 19.6 | 8 | 19.7 |
| 05-05-2022 02:13 | 22.0 | 19.6 | 8 | 19.7 |
| 05-05-2022 02:14 | 22.0 | 19.6 | 9 | 19.7 |
| 05-05-2022 02:15 | 22.0 | 19.6 | 9 | 19.7 |
| 05-05-2022 02:16 | 22.0 | 19.6 | 8 | 19.7 |
| 05-05-2022 02:17 | 22.0 | 19.6 | 8 | 19.7 |
| 05-05-2022 02:18 | 22.0 | 19.6 | 8 | 19.7 |
| 05-05-2022 02:19 | 22.0 | 19.6 | 8 | 19.7 |
| 05-05-2022 02:20 | 22.0 | 19.6 | 9 | 19.7 |
| 05-05-2022 02:21 | 22.0 | 19.6 | 8 | 19.7 |
| 05-05-2022 02:22 | 22.0 | 19.6 | 9 | 19.7 |
| 05-05-2022 02:23 | 22.0 | 19.6 | 8 | 19.7 |
| 05-05-2022 02:24 | 22.0 | 19.6 | 8 | 19.6 |
| 05-05-2022 02:25 | 22.0 | 19.6 | 9 | 19.7 |
| 05-05-2022 02:26 | 22.0 | 19.6 | 9 | 19.7 |
| 05-05-2022 02:27 | 21.9 | 19.6 | 9 | 19.6 |
| 05-05-2022 02:28 | 21.9 | 19.6 | 8 | 19.6 |
| 05-05-2022 02:29 | 21.9 | 19.6 | 8 | 19.7 |
| 05-05-2022 02:30 | 21.9 | 19.6 | 8 | 19.7 |
| 05-05-2022 02:31 | 21.9 | 19.6 | 8 | 19.7 |
| 05-05-2022 02:32 | 21.9 | 19.6 | 9 | 19.6 |
| 05-05-2022 02:33 | 21.9 | 19.6 | 9 | 19.6 |
| 05-05-2022 02:34 | 21.9 | 19.6 | 8 | 19.7 |
| 05-05-2022 02:35 | 21.9 | 19.6 | 9 | 19.6 |
| 05-05-2022 02:36 | 21.9 | 19.5 | 8 | 19.6 |
| 05-05-2022 02:37 | 21.9 | 19.5 | 9 | 19.6 |
| 05-05-2022 02:38 | 21.9 | 19.5 | 8 | 19.6 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 05-05-2022 02:39 | 21.9 | 19.5 | 9 | 19.6 |
| 05-05-2022 02:40 | 21.9 | 19.5 | 8 | 19.6 |
| 05-05-2022 02:41 | 21.9 | 19.5 | 9 | 19.6 |
| 05-05-2022 02:42 | 21.9 | 19.5 | 8 | 19.6 |
| 05-05-2022 02:43 | 21.9 | 19.5 | 8 | 19.6 |
| 05-05-2022 02:44 | 21.9 | 19.5 | 8 | 19.6 |
| 05-05-2022 02:45 | 21.8 | 19.5 | 9 | 19.5 |
| 05-05-2022 02:46 | 21.8 | 19.5 | 8 | 19.5 |
| 05-05-2022 02:47 | 21.8 | 19.5 | 9 | 19.6 |
| 05-05-2022 02:48 | 21.8 | 19.5 | 9 | 19.6 |
| 05-05-2022 02:49 | 21.8 | 19.5 | 8 | 19.5 |
| 05-05-2022 02:50 | 21.8 | 19.5 | 9 | 19.6 |
| 05-05-2022 02:51 | 21.8 | 19.5 | 8 | 19.6 |
| 05-05-2022 02:52 | 21.8 | 19.5 | 8 | 19.6 |
| 05-05-2022 02:53 | 21.8 | 19.5 | 8 | 19.5 |
| 05-05-2022 02:54 | 21.8 | 19.5 | 8 | 19.6 |
| 05-05-2022 02:55 | 21.8 | 19.5 | 8 | 19.5 |
| 05-05-2022 02:56 | 21.8 | 19.5 | 9 | 19.6 |
| 05-05-2022 02:57 | 21.8 | 19.5 | 8 | 19.5 |
| 05-05-2022 02:58 | 21.8 | 19.5 | 8 | 19.5 |
| 05-05-2022 02:59 | 21.8 | 19.5 | 8 | 19.5 |
| 05-05-2022 03:00 | 21.8 | 19.5 | 9 | 19.5 |
| 05-05-2022 03:01 | 21.8 | 19.5 | 9 | 19.5 |
| 05-05-2022 03:02 | 21.8 | 19.5 | 8 | 19.5 |
| 05-05-2022 03:03 | 21.8 | 19.5 | 8 | 19.5 |
| 05-05-2022 03:04 | 21.8 | 19.5 | 8 | 19.5 |
| 05-05-2022 03:05 | 21.8 | 19.5 | 9 | 19.5 |
| 05-05-2022 03:06 | 21.7 | 19.5 | 10 | 19.5 |
| 05-05-2022 03:07 | 21.7 | 19.5 | 8 | 19.4 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 05-05-2022 03:08 | 21.7 | 19.5 | 8 | 19.4 |
| 05-05-2022 03:09 | 21.7 | 19.5 | 9 | 19.5 |
| 05-05-2022 03:10 | 21.7 | 19.5 | 8 | 19.5 |
| 05-05-2022 03:11 | 21.7 | 19.5 | 9 | 19.5 |
| 05-05-2022 03:12 | 21.7 | 19.4 | 8 | 19.5 |
| 05-05-2022 03:13 | 21.7 | 19.5 | 8 | 19.5 |
| 05-05-2022 03:14 | 21.7 | 19.5 | 9 | 19.4 |
| 05-05-2022 03:15 | 21.7 | 19.5 | 8 | 19.4 |
| 05-05-2022 03:16 | 21.7 | 19.5 | 8 | 19.4 |
| 05-05-2022 03:17 | 21.7 | 19.5 | 9 | 19.5 |
| 05-05-2022 03:18 | 21.7 | 19.4 | 9 | 19.5 |
| 05-05-2022 03:19 | 21.7 | 19.4 | 8 | 19.4 |
| 05-05-2022 03:20 | 21.7 | 19.4 | 8 | 19.4 |
| 05-05-2022 03:21 | 21.7 | 19.4 | 8 | 19.5 |
| 05-05-2022 03:22 | 21.7 | 19.4 | 8 | 19.4 |
| 05-05-2022 03:23 | 21.7 | 19.4 | 9 | 19.4 |
| 05-05-2022 03:24 | 21.6 | 19.4 | 8 | 19.4 |
| 05-05-2022 03:25 | 21.6 | 19.4 | 8 | 19.4 |
| 05-05-2022 03:26 | 21.6 | 19.4 | 8 | 19.5 |
| 05-05-2022 03:27 | 21.7 | 19.4 | 8 | 19.5 |
| 05-05-2022 03:28 | 21.6 | 19.4 | 8 | 19.4 |
| 05-05-2022 03:29 | 21.6 | 19.4 | 8 | 19.5 |
| 05-05-2022 03:30 | 21.6 | 19.4 | 8 | 19.5 |
| 05-05-2022 03:31 | 21.6 | 19.4 | 9 | 19.5 |
| 05-05-2022 03:32 | 21.6 | 19.4 | 8 | 19.5 |
| 05-05-2022 03:33 | 21.6 | 19.4 | 8 | 19.6 |
| 05-05-2022 03:34 | 21.6 | 19.5 | 8 | 19.5 |
| 05-05-2022 03:35 | 21.6 | 19.5 | 8 | 19.5 |
| 05-05-2022 03:36 | 21.6 | 19.5 | 8 | 19.6 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 05-05-2022 03:37 | 21.6 | 19.5 | 8 | 19.6 |
| 05-05-2022 03:38 | 21.7 | 19.5 | 8 | 19.6 |
| 05-05-2022 03:39 | 21.7 | 19.5 | 8 | 19.7 |
| 05-05-2022 03:40 | 21.7 | 19.5 | 8 | 19.7 |
| 05-05-2022 03:41 | 21.7 | 19.6 | 8 | 19.6 |
| 05-05-2022 03:42 | 21.7 | 19.6 | 8 | 19.7 |
| 05-05-2022 03:43 | 21.8 | 19.6 | 8 | 19.7 |
| 05-05-2022 03:44 | 21.8 | 19.6 | 8 | 19.7 |
| 05-05-2022 03:45 | 21.8 | 19.6 | 8 | 19.8 |
| 05-05-2022 03:46 | 21.8 | 19.7 | 8 | 19.8 |
| 05-05-2022 03:47 | 21.8 | 19.7 | 8 | 19.8 |
| 05-05-2022 03:48 | 21.8 | 19.7 | 8 | 19.8 |
| 05-05-2022 03:49 | 21.8 | 19.7 | 8 | 19.8 |
| 05-05-2022 03:50 | 21.9 | 19.7 | 8 | 19.8 |
| 05-05-2022 03:51 | 21.9 | 19.7 | 9 | 19.9 |
| 05-05-2022 03:52 | 21.9 | 19.8 | 9 | 19.9 |
| 05-05-2022 03:53 | 21.9 | 19.8 | 8 | 19.9 |
| 05-05-2022 03:54 | 21.9 | 19.8 | 8 | 19.9 |
| 05-05-2022 03:55 | 21.9 | 19.8 | 8 | 19.9 |
| 05-05-2022 03:56 | 21.9 | 19.8 | 8 | 19.9 |
| 05-05-2022 03:57 | 21.9 | 19.8 | 8 | 19.9 |
| 05-05-2022 03:58 | 22.0 | 19.8 | 8 | 19.9 |
| 05-05-2022 03:59 | 22.0 | 19.8 | 8 | 19.9 |
| 05-05-2022 04:00 | 22.0 | 19.8 | 8 | 20.0 |
| 05-05-2022 04:01 | 22.0 | 19.8 | 8 | 19.9 |
| 05-05-2022 04:02 | 22.0 | 19.9 | 8 | 20.0 |
| 05-05-2022 04:03 | 22.0 | 19.9 | 8 | 20.0 |
| 05-05-2022 04:04 | 22.0 | 19.9 | 9 | 20.0 |
| 05-05-2022 04:05 | 22.1 | 19.9 | 8 | 20.1 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 05-05-2022 04:06 | 22.0 | 19.9 | 8 | 20.0 |
| 05-05-2022 04:07 | 22.1 | 19.9 | 8 | 20.1 |
| 05-05-2022 04:08 | 22.1 | 19.9 | 8 | 20.1 |
| 05-05-2022 04:09 | 22.1 | 19.9 | 8 | 20.1 |
| 05-05-2022 04:10 | 22.1 | 19.9 | 8 | 20.0 |
| 05-05-2022 04:11 | 22.1 | 19.9 | 9 | 20.0 |
| 05-05-2022 04:12 | 22.1 | 19.9 | 8 | 20.1 |
| 05-05-2022 04:13 | 22.1 | 19.9 | 8 | 20.1 |
| 05-05-2022 04:14 | 22.1 | 19.9 | 8 | 20.1 |
| 05-05-2022 04:15 | 22.1 | 19.9 | 8 | 20.1 |
| 05-05-2022 04:16 | 22.2 | 20.0 | 8 | 20.1 |
| 05-05-2022 04:17 | 22.1 | 20.0 | 8 | 20.2 |
| 05-05-2022 04:18 | 22.2 | 20.0 | 8 | 20.1 |
| 05-05-2022 04:19 | 22.2 | 20.0 | 9 | 20.1 |
| 05-05-2022 04:20 | 22.2 | 20.0 | 9 | 20.2 |
| 05-05-2022 04:21 | 22.2 | 20.0 | 8 | 20.1 |
| 05-05-2022 04:22 | 22.2 | 20.0 | 9 | 20.2 |
| 05-05-2022 04:23 | 22.2 | 20.0 | 8 | 20.2 |
| 05-05-2022 04:24 | 22.2 | 20.0 | 9 | 20.2 |
| 05-05-2022 04:25 | 22.2 | 20.0 | 8 | 20.1 |
| 05-05-2022 04:26 | 22.2 | 20.0 | 9 | 20.2 |
| 05-05-2022 04:27 | 22.3 | 20.0 | 9 | 20.1 |
| 05-05-2022 04:28 | 22.3 | 20.0 | 8 | 20.2 |
| 05-05-2022 04:29 | 22.3 | 20.0 | 8 | 20.2 |
| 05-05-2022 04:30 | 22.3 | 20.0 | 8 | 20.2 |
| 05-05-2022 04:31 | 22.3 | 20.0 | 9 | 20.2 |
| 05-05-2022 04:32 | 22.3 | 20.0 | 8 | 20.2 |
| 05-05-2022 04:33 | 22.3 | 20.0 | 8 | 20.2 |
| 05-05-2022 04:34 | 22.3 | 20.1 | 8 | 20.3 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 05-05-2022 04:35 | 22.3 | 20.1 | 9 | 20.3 |
| 05-05-2022 04:36 | 22.3 | 20.1 | 9 | 20.3 |
| 05-05-2022 04:37 | 22.3 | 20.1 | 9 | 20.3 |
| 05-05-2022 04:38 | 22.3 | 20.1 | 9 | 20.3 |
| 05-05-2022 04:39 | 22.3 | 20.1 | 9 | 20.3 |
| 05-05-2022 04:40 | 22.3 | 20.1 | 9 | 20.3 |
| 05-05-2022 04:41 | 22.3 | 20.1 | 8 | 20.3 |
| 05-05-2022 04:42 | 22.3 | 20.1 | 9 | 20.3 |
| 05-05-2022 04:43 | 22.4 | 20.1 | 8 | 20.3 |
| 05-05-2022 04:44 | 22.4 | 20.1 | 8 | 20.3 |
| 05-05-2022 04:45 | 22.4 | 20.1 | 8 | 20.3 |
| 05-05-2022 04:46 | 22.4 | 20.1 | 9 | 20.4 |
| 05-05-2022 04:47 | 22.4 | 20.1 | 8 | 20.3 |
| 05-05-2022 04:48 | 22.4 | 20.1 | 8 | 20.3 |
| 05-05-2022 04:49 | 22.4 | 20.1 | 8 | 20.4 |
| 05-05-2022 04:50 | 22.4 | 20.1 | 8 | 20.3 |
| 05-05-2022 04:51 | 22.4 | 20.1 | 8 | 20.3 |
| 05-05-2022 04:52 | 22.4 | 20.1 | 9 | 20.3 |
| 05-05-2022 04:53 | 22.4 | 20.1 | 9 | 20.3 |
| 05-05-2022 04:54 | 22.4 | 20.1 | 8 | 20.4 |
| 05-05-2022 04:55 | 22.4 | 20.1 | 9 | 20.3 |
| 05-05-2022 04:56 | 22.4 | 20.1 | 8 | 20.3 |
| 05-05-2022 04:57 | 22.4 | 20.1 | 8 | 20.3 |
| 05-05-2022 04:58 | 22.5 | 20.1 | 8 | 20.3 |
| 05-05-2022 04:59 | 22.4 | 20.1 | 9 | 20.3 |
| 05-05-2022 05:00 | 22.4 | 20.1 | 8 | 20.4 |
| 05-05-2022 05:01 | 22.4 | 20.1 | 8 | 20.4 |
| 05-05-2022 05:02 | 22.4 | 20.1 | 9 | 20.4 |
| 05-05-2022 05:03 | 22.4 | 20.1 | 9 | 20.4 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 05-05-2022 05:04 | 22.4 | 20.1 | 8 | 20.4 |
| 05-05-2022 05:05 | 22.4 | 20.1 | 8 | 20.3 |
| 05-05-2022 05:06 | 22.4 | 20.1 | 8 | 20.4 |
| 05-05-2022 05:07 | 22.4 | 20.1 | 8 | 20.4 |
| 05-05-2022 05:08 | 22.5 | 20.1 | 8 | 20.4 |
| 05-05-2022 05:09 | 22.5 | 20.1 | 8 | 20.3 |
| 05-05-2022 05:10 | 22.5 | 20.1 | 8 | 20.4 |
| 05-05-2022 05:11 | 22.4 | 20.1 | 8 | 20.4 |
| 05-05-2022 05:12 | 22.5 | 20.1 | 8 | 20.4 |
| 05-05-2022 05:13 | 22.5 | 20.1 | 8 | 20.4 |
| 05-05-2022 05:14 | 22.5 | 20.1 | 8 | 20.4 |
| 05-05-2022 05:15 | 22.5 | 20.1 | 9 | 20.4 |
| 05-05-2022 05:16 | 22.5 | 20.1 | 8 | 20.4 |
| 05-05-2022 05:17 | 22.5 | 20.1 | 9 | 20.4 |
| 05-05-2022 05:18 | 22.5 | 20.1 | 8 | 20.4 |
| 05-05-2022 05:19 | 22.5 | 20.1 | 8 | 20.4 |
| 05-05-2022 05:20 | 22.5 | 20.1 | 8 | 20.4 |
| 05-05-2022 05:21 | 22.5 | 20.1 | 9 | 20.4 |
| 05-05-2022 05:22 | 22.5 | 20.1 | 8 | 20.4 |
| 05-05-2022 05:23 | 22.5 | 20.2 | 8 | 20.4 |
| 05-05-2022 05:24 | 22.5 | 20.1 | 8 | 20.4 |
| 05-05-2022 05:25 | 22.5 | 20.1 | 9 | 20.4 |
| 05-05-2022 05:26 | 22.5 | 20.2 | 9 | 20.4 |
| 05-05-2022 05:27 | 22.5 | 20.2 | 8 | 20.4 |
| 05-05-2022 05:28 | 22.5 | 20.1 | 8 | 20.4 |
| 05-05-2022 05:29 | 22.5 | 20.2 | 9 | 20.5 |
| 05-05-2022 05:30 | 22.5 | 20.1 | 8 | 20.5 |
| 05-05-2022 05:31 | 22.5 | 20.1 | 8 | 20.4 |
| 05-05-2022 05:32 | 22.5 | 20.2 | 8 | 20.4 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 05-05-2022 05:33 | 22.5 | 20.2 | 8 | 20.5 |
| 05-05-2022 05:34 | 22.5 | 20.2 | 8 | 20.4 |
| 05-05-2022 05:35 | 22.5 | 20.2 | 9 | 20.4 |
| 05-05-2022 05:36 | 22.5 | 20.2 | 9 | 20.4 |
| 05-05-2022 05:37 | 22.5 | 20.2 | 9 | 20.5 |
| 05-05-2022 05:38 | 22.5 | 20.2 | 9 | 20.5 |
| 05-05-2022 05:39 | 22.5 | 20.2 | 9 | 20.5 |
| 05-05-2022 05:40 | 22.6 | 20.2 | 9 | 20.4 |
| 05-05-2022 05:41 | 22.6 | 20.2 | 8 | 20.4 |
| 05-05-2022 05:42 | 22.5 | 20.2 | 8 | 20.5 |
| 05-05-2022 05:43 | 22.5 | 20.2 | 8 | 20.5 |
| 05-05-2022 05:44 | 22.5 | 20.2 | 9 | 20.4 |
| 05-05-2022 05:45 | 22.5 | 20.2 | 8 | 20.5 |
| 05-05-2022 05:46 | 22.6 | 20.2 | 8 | 20.4 |
| 05-05-2022 05:47 | 22.5 | 20.2 | 8 | 20.5 |
| 05-05-2022 05:48 | 22.5 | 20.2 | 8 | 20.4 |
| 05-05-2022 05:49 | 22.5 | 20.2 | 9 | 20.4 |
| 05-05-2022 05:50 | 22.5 | 20.2 | 8 | 20.5 |
| 05-05-2022 05:51 | 22.5 | 20.2 | 9 | 20.5 |
| 05-05-2022 05:52 | 22.5 | 20.2 | 8 | 20.5 |
| 05-05-2022 05:53 | 22.5 | 20.2 | 8 | 20.4 |
| 05-05-2022 05:54 | 22.5 | 20.2 | 8 | 20.4 |
| 05-05-2022 05:55 | 22.5 | 20.2 | 8 | 20.5 |
| 05-05-2022 05:56 | 22.5 | 20.2 | 8 | 20.5 |
| 05-05-2022 05:57 | 22.5 | 20.2 | 8 | 20.5 |
| 05-05-2022 05:58 | 22.5 | 20.2 | 8 | 20.5 |
| 05-05-2022 05:59 | 22.5 | 20.2 | 9 | 20.5 |
| 05-05-2022 06:00 | 22.5 | 20.2 | 8 | 20.5 |
| 05-05-2022 06:01 | 22.6 | 20.2 | 8 | 20.4 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 05-05-2022 06:02 | 22.6 | 20.2 | 9 | 20.5 |
| 05-05-2022 06:03 | 22.6 | 20.2 | 8 | 20.5 |
| 05-05-2022 06:04 | 22.6 | 20.2 | 9 | 20.5 |
| 05-05-2022 06:05 | 22.6 | 20.2 | 9 | 20.5 |
| 05-05-2022 06:06 | 22.6 | 20.2 | 8 | 20.5 |
| 05-05-2022 06:07 | 22.6 | 20.2 | 9 | 20.5 |
| 05-05-2022 06:08 | 22.6 | 20.2 | 8 | 20.5 |
| 05-05-2022 06:09 | 22.6 | 20.2 | 0 | 20.5 |
| 05-05-2022 06:10 | 22.6 | 20.2 | 9 | 20.5 |
| 05-05-2022 06:11 | 22.6 | 20.2 | 8 | 20.5 |
| 05-05-2022 06:12 | 22.6 | 20.2 | 8 | 20.5 |
| 05-05-2022 06:13 | 22.6 | 20.2 | 8 | 20.5 |
| 05-05-2022 06:14 | 22.6 | 20.2 | 9 | 20.5 |
| 05-05-2022 06:15 | 22.6 | 20.2 | 8 | 20.5 |
| 05-05-2022 06:16 | 22.6 | 20.2 | 8 | 20.5 |
| 05-05-2022 06:17 | 22.6 | 20.2 | 8 | 20.5 |
| 05-05-2022 06:18 | 22.6 | 20.2 | 8 | 20.5 |
| 05-05-2022 06:19 | 22.6 | 20.2 | 8 | 20.5 |
| 05-05-2022 06:20 | 22.6 | 20.2 | 9 | 20.5 |
| 05-05-2022 06:21 | 22.6 | 20.2 | 9 | 20.5 |
| 05-05-2022 06:22 | 22.6 | 20.2 | 9 | 20.5 |
| 05-05-2022 06:23 | 22.6 | 20.2 | 8 | 20.5 |
| 05-05-2022 06:24 | 22.6 | 20.2 | 8 | 20.5 |
| 05-05-2022 06:25 | 22.6 | 20.2 | 8 | 20.5 |
| 05-05-2022 06:26 | 22.6 | 20.2 | 8 | 20.5 |
| 05-05-2022 06:27 | 22.6 | 20.2 | 8 | 20.5 |
| 05-05-2022 06:28 | 22.6 | 20.2 | 8 | 20.5 |
| 05-05-2022 06:29 | 22.6 | 20.2 | 8 | 20.4 |
| 05-05-2022 06:30 | 22.6 | 20.2 | 9 | 20.4 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 05-05-2022 06:31 | 22.6 | 20.2 | 8 | 20.5 |
| 05-05-2022 06:32 | 22.6 | 20.2 | 9 | 20.5 |
| 05-05-2022 06:33 | 22.6 | 20.2 | 9 | 20.5 |
| 05-05-2022 06:34 | 22.6 | 20.2 | 9 | 20.5 |
| 05-05-2022 06:35 | 22.6 | 20.2 | 8 | 20.5 |
| 05-05-2022 06:36 | 22.6 | 20.2 | 9 | 20.5 |
| 05-05-2022 06:37 | 22.6 | 20.2 | 8 | 20.5 |
| 05-05-2022 06:38 | 22.6 | 20.2 | 9 | 20.5 |
| 05-05-2022 06:39 | 22.6 | 20.2 | 8 | 20.5 |
| 05-05-2022 06:40 | 22.6 | 20.2 | 8 | 20.5 |
| 05-05-2022 06:41 | 22.6 | 20.2 | 8 | 20.5 |
| 05-05-2022 06:42 | 22.6 | 20.2 | 9 | 20.5 |
| 05-05-2022 06:43 | 22.6 | 20.2 | 8 | 20.5 |
| 05-05-2022 06:44 | 22.6 | 20.2 | 8 | 20.5 |
| 05-05-2022 06:45 | 22.6 | 20.2 | 9 | 20.5 |
| 05-05-2022 06:46 | 22.6 | 20.2 | 9 | 20.5 |
| 05-05-2022 06:47 | 22.7 | 20.2 | 8 | 20.5 |
| 05-05-2022 06:48 | 22.7 | 20.2 | 9 | 20.5 |
| 05-05-2022 06:49 | 22.7 | 20.2 | 9 | 20.5 |
| 05-05-2022 06:50 | 22.6 | 20.2 | 9 | 20.5 |
| 05-05-2022 06:51 | 22.7 | 20.2 | 9 | 20.4 |
| 05-05-2022 06:52 | 22.7 | 20.2 | 8 | 20.5 |
| 05-05-2022 06:53 | 22.7 | 20.2 | 8 | 20.5 |
| 05-05-2022 06:54 | 22.7 | 20.2 | 8 | 20.5 |
| 05-05-2022 06:55 | 22.7 | 20.2 | 8 | 20.5 |
| 05-05-2022 06:56 | 22.7 | 20.2 | 8 | 20.5 |
| 05-05-2022 06:57 | 22.7 | 20.2 | 8 | 20.6 |
| 05-05-2022 06:58 | 22.7 | 20.2 | 8 | 20.5 |
| 05-05-2022 06:59 | 22.7 | 20.2 | 8 | 20.4 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 05-05-2022 07:00 | 22.8 | 20.2 | 9 | 20.5 |
| 05-05-2022 07:01 | 22.8 | 20.2 | 9 | 20.5 |
| 05-05-2022 07:02 | 22.8 | 20.2 | 7 | 20.5 |
| 05-05-2022 07:03 | 22.8 | 20.2 | 8 | 20.6 |
| 05-05-2022 07:04 | 22.9 | 20.2 | 9 | 20.6 |
| 05-05-2022 07:05 | 22.9 | 20.2 | 9 | 20.5 |
| 05-05-2022 07:06 | 22.9 | 20.2 | 8 | 20.6 |
| 05-05-2022 07:07 | 22.9 | 20.2 | 9 | 20.6 |
| 05-05-2022 07:08 | 22.9 | 20.2 | 9 | 20.6 |
| 05-05-2022 07:09 | 22.9 | 20.2 | 9 | 20.5 |
| 05-05-2022 07:10 | 22.9 | 20.2 | 8 | 20.6 |
| 05-05-2022 07:11 | 22.9 | 20.2 | 9 | 20.5 |
| 05-05-2022 07:12 | 22.9 | 20.2 | 9 | 20.5 |
| 05-05-2022 07:13 | 22.9 | 20.2 | 9 | 20.6 |
| 05-05-2022 07:14 | 22.9 | 20.2 | 8 | 20.5 |
| 05-05-2022 07:15 | 22.9 | 20.2 | 9 | 20.5 |
| 05-05-2022 07:16 | 22.9 | 20.2 | 9 | 20.5 |
| 05-05-2022 07:17 | 22.9 | 20.2 | 8 | 20.5 |
| 05-05-2022 07:18 | 22.9 | 20.2 | 9 | 20.5 |
| 05-05-2022 07:19 | 22.8 | 20.2 | 9 | 20.6 |
| 05-05-2022 07:20 | 22.9 | 20.3 | 9 | 20.5 |
| 05-05-2022 07:21 | 22.9 | 20.2 | 8 | 20.6 |
| 05-05-2022 07:22 | 22.9 | 20.2 | 9 | 20.5 |
| 05-05-2022 07:23 | 22.9 | 20.3 | 9 | 20.5 |
| 05-05-2022 07:24 | 22.8 | 20.3 | 9 | 20.5 |
| 05-05-2022 07:25 | 22.9 | 20.3 | 9 | 20.5 |
| 05-05-2022 07:26 | 22.9 | 20.3 | 9 | 20.6 |
| 05-05-2022 07:27 | 22.8 | 20.3 | 9 | 20.6 |
| 05-05-2022 07:28 | 22.8 | 20.3 | 9 | 20.5 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 05-05-2022 07:29 | 22.8 | 20.3 | 9 | 20.6 |
| 05-05-2022 07:30 | 22.8 | 20.3 | 9 | 20.6 |
| 05-05-2022 07:31 | 22.8 | 20.3 | 9 | 20.5 |
| 05-05-2022 07:32 | 22.8 | 20.3 | 9 | 20.5 |
| 05-05-2022 07:33 | 22.8 | 20.3 | 9 | 20.5 |
| 05-05-2022 07:34 | 22.8 | 20.3 | 9 | 20.5 |
| 05-05-2022 07:35 | 22.8 | 20.3 | 9 | 20.6 |
| 05-05-2022 07:36 | 22.9 | 20.3 | 10 | 20.6 |
| 05-05-2022 07:37 | 22.9 | 20.3 | 10 | 20.6 |
| 05-05-2022 07:38 | 22.9 | 20.3 | 10 | 20.6 |
| 05-05-2022 07:39 | 22.9 | 20.3 | 7 | 20.6 |
| 05-05-2022 07:40 | 22.9 | 20.3 | 9 | 20.6 |
| 05-05-2022 07:41 | 22.9 | 20.3 | 7 | 20.6 |
| 05-05-2022 07:42 | 22.9 | 20.3 | 8 | 20.5 |
| 05-05-2022 07:43 | 23.0 | 20.3 | 9 | 20.6 |
| 05-05-2022 07:44 | 22.9 | 20.3 | 8 | 20.6 |
| 05-05-2022 07:45 | 23.0 | 20.3 | 8 | 20.6 |
| 05-05-2022 07:46 | 23.0 | 20.3 | 9 | 20.6 |
| 05-05-2022 07:47 | 23.1 | 20.3 | 7 | 20.6 |
| 05-05-2022 07:48 | 23.1 | 20.3 | 9 | 20.7 |
| 05-05-2022 07:49 | 23.1 | 20.3 | 8 | 20.7 |
| 05-05-2022 07:50 | 23.2 | 20.3 | 8 | 20.7 |
| 05-05-2022 07:51 | 23.2 | 20.3 | 9 | 20.6 |
| 05-05-2022 07:52 | 23.3 | 20.3 | 9 | 20.7 |
| 05-05-2022 07:53 | 23.3 | 20.3 | 9 | 20.6 |
| 05-05-2022 07:54 | 23.3 | 20.3 | 8 | 20.6 |
| 05-05-2022 07:55 | 23.4 | 20.3 | 9 | 20.6 |
| 05-05-2022 07:56 | 23.4 | 20.3 | 9 | 20.6 |
| 05-05-2022 07:57 | 23.4 | 20.3 | 9 | 20.7 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 05-05-2022 07:58 | 23.4 | 20.3 | 9 | 20.7 |
| 05-05-2022 07:59 | 23.5 | 20.3 | 9 | 20.6 |
| 05-05-2022 08:00 | 23.6 | 20.3 | 8 | 20.7 |
| 05-05-2022 08:01 | 23.5 | 20.3 | 8 | 20.6 |
| 05-05-2022 08:02 | 23.5 | 20.3 | 8 | 20.7 |
| 05-05-2022 08:03 | 23.5 | 20.3 | 8 | 20.7 |
| 05-05-2022 08:04 | 23.5 | 20.3 | 8 | 20.7 |
| 05-05-2022 08:05 | 23.5 | 20.3 | 8 | 20.7 |
| 05-05-2022 08:06 | 23.6 | 20.3 | 8 | 20.7 |
| 05-05-2022 08:07 | 23.6 | 20.3 | 8 | 20.7 |
| 05-05-2022 08:08 | 23.6 | 20.3 | 8 | 20.7 |
| 05-05-2022 08:09 | 23.6 | 20.3 | 9 | 20.7 |
| 05-05-2022 08:10 | 23.6 | 20.3 | 9 | 20.6 |
| 05-05-2022 08:11 | 23.6 | 20.3 | 8 | 20.6 |
| 05-05-2022 08:12 | 23.6 | 20.3 | 8 | 20.7 |
| 05-05-2022 08:13 | 23.7 | 20.3 | 8 | 20.7 |
| 05-05-2022 08:14 | 23.7 | 20.3 | 8 | 20.7 |
| 05-05-2022 08:15 | 23.6 | 20.3 | 8 | 20.7 |
| 05-05-2022 08:16 | 23.6 | 20.3 | 8 | 20.7 |
| 05-05-2022 08:17 | 23.6 | 20.3 | 8 | 20.7 |
| 05-05-2022 08:18 | 23.7 | 20.3 | 7 | 20.6 |
| 05-05-2022 08:19 | 23.7 | 20.3 | 8 | 20.7 |
| 05-05-2022 08:20 | 23.6 | 20.3 | 9 | 20.6 |
| 05-05-2022 08:21 | 23.7 | 20.3 | 8 | 20.7 |
| 05-05-2022 08:22 | 23.7 | 20.3 | 8 | 20.6 |
| 05-05-2022 08:23 | 23.7 | 20.2 | 7 | 20.6 |
| 05-05-2022 08:24 | 23.7 | 20.2 | 9 | 20.5 |
| 05-05-2022 08:25 | 23.7 | 20.2 | 9 | 20.5 |
| 05-05-2022 08:26 | 23.7 | 20.2 | 9 | 20.5 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 05-05-2022 08:27 | 23.7 | 20.2 | 8 | 20.5 |
| 05-05-2022 08:28 | 23.7 | 20.2 | 8 | 20.5 |
| 05-05-2022 08:29 | 23.7 | 20.2 | 9 | 20.4 |
| 05-05-2022 08:30 | 23.7 | 20.2 | 9 | 20.4 |
| 05-05-2022 08:31 | 23.8 | 20.1 | 8 | 20.4 |
| 05-05-2022 08:32 | 23.7 | 20.1 | 7 | 20.4 |
| 05-05-2022 08:33 | 23.7 | 20.1 | 8 | 20.4 |
| 05-05-2022 08:34 | 23.7 | 20.1 | 9 | 20.3 |
| 05-05-2022 08:35 | 23.7 | 20.1 | 8 | 20.3 |
| 05-05-2022 08:36 | 23.7 | 20.0 | 9 | 20.3 |
| 05-05-2022 08:37 | 23.7 | 20.0 | 8 | 20.2 |
| 05-05-2022 08:38 | 23.7 | 20.0 | 8 | 20.2 |
| 05-05-2022 08:39 | 23.6 | 20.0 | 8 | 20.2 |
| 05-05-2022 08:40 | 23.6 | 19.9 | 8 | 20.2 |
| 05-05-2022 08:41 | 23.6 | 19.9 | 7 | 20.2 |
| 05-05-2022 08:42 | 23.6 | 19.9 | 8 | 20.2 |
| 05-05-2022 08:43 | 23.6 | 19.9 | 8 | 20.2 |
| 05-05-2022 08:44 | 23.6 | 19.9 | 8 | 20.2 |
| 05-05-2022 08:45 | 23.5 | 19.9 | 8 | 20.2 |
| 05-05-2022 08:46 | 23.5 | 19.9 | 8 | 20.1 |
| 05-05-2022 08:47 | 23.6 | 19.8 | 7 | 20.1 |
| 05-05-2022 08:48 | 23.6 | 19.8 | 8 | 20.0 |
| 05-05-2022 08:49 | 23.6 | 19.8 | 8 | 20.0 |
| 05-05-2022 08:50 | 23.6 | 19.8 | 8 | 20.0 |
| 05-05-2022 08:51 | 23.7 | 19.8 | 8 | 20.0 |
| 05-05-2022 08:52 | 23.6 | 19.8 | 8 | 20.0 |
| 05-05-2022 08:53 | 23.6 | 19.8 | 8 | 19.9 |
| 05-05-2022 08:54 | 23.6 | 19.8 | 8 | 20.0 |
| 05-05-2022 08:55 | 23.6 | 19.8 | 7 | 20.0 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 05-05-2022 08:56 | 23.5 | 19.8 | 8 | 19.9 |
| 05-05-2022 08:57 | 23.5 | 19.7 | 8 | 19.9 |
| 05-05-2022 08:58 | 23.5 | 19.7 | 8 | 19.9 |
| 05-05-2022 08:59 | 23.5 | 19.7 | 8 | 19.9 |
| 05-05-2022 09:00 | 23.5 | 19.7 | 8 | 19.9 |
| 05-05-2022 09:01 | 23.4 | 19.7 | 9 | 19.8 |
| 05-05-2022 09:02 | 23.4 | 19.7 | 9 | 19.9 |
| 05-05-2022 09:03 | 23.4 | 19.7 | 8 | 19.9 |
| 05-05-2022 09:04 | 23.3 | 19.7 | 9 | 19.9 |
| 05-05-2022 09:05 | 23.3 | 19.7 | 8 | 19.8 |
| 05-05-2022 09:06 | 23.2 | 19.7 | 8 | 19.9 |
| 05-05-2022 09:07 | 23.2 | 19.7 | 8 | 19.8 |
| 05-05-2022 09:08 | 23.2 | 19.6 | 9 | 19.8 |
| 05-05-2022 09:09 | 23.2 | 19.6 | 7 | 19.8 |
| 05-05-2022 09:10 | 23.2 | 19.6 | 9 | 19.8 |
| 05-05-2022 09:11 | 23.2 | 19.6 | 8 | 19.8 |
| 05-05-2022 09:12 | 23.1 | 19.6 | 8 | 19.8 |
| 05-05-2022 09:13 | 23.1 | 19.6 | 9 | 19.8 |
| 05-05-2022 09:14 | 23.1 | 19.6 | 8 | 19.8 |
| 05-05-2022 09:15 | 23.1 | 19.6 | 8 | 19.8 |
| 05-05-2022 09:16 | 23.1 | 19.6 | 8 | 19.7 |
| 05-05-2022 09:17 | 23.1 | 19.6 | 8 | 19.8 |
| 05-05-2022 09:18 | 23.1 | 19.6 | 8 | 19.7 |
| 05-05-2022 09:19 | 23.0 | 19.6 | 9 | 19.7 |
| 05-05-2022 09:20 | 23.1 | 19.6 | 8 | 19.6 |
| 05-05-2022 09:21 | 23.0 | 19.6 | 8 | 19.7 |
| 05-05-2022 09:22 | 23.0 | 19.6 | 8 | 19.7 |
| 05-05-2022 09:23 | 23.0 | 19.6 | 9 | 19.7 |
| 05-05-2022 09:24 | 23.0 | 19.6 | 8 | 19.7 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 05-05-2022 09:25 | 23.0 | 19.6 | 9 | 19.7 |
| 05-05-2022 09:26 | 23.0 | 19.6 | 8 | 19.7 |
| 05-05-2022 09:27 | 23.0 | 19.6 | 9 | 19.7 |
| 05-05-2022 09:28 | 23.0 | 19.6 | 8 | 19.7 |
| 05-05-2022 09:29 | 23.0 | 19.6 | 8 | 19.7 |
| 05-05-2022 09:30 | 22.9 | 19.6 | 8 | 19.7 |
| 05-05-2022 09:31 | 23.0 | 19.6 | 8 | 19.7 |
| 05-05-2022 09:32 | 23.0 | 19.6 | 8 | 19.7 |
| 05-05-2022 09:33 | 23.0 | 19.6 | 8 | 19.6 |
| 05-05-2022 09:34 | 23.0 | 19.6 | 8 | 19.6 |
| 05-05-2022 09:35 | 23.1 | 19.6 | 8 | 19.7 |
| 05-05-2022 09:36 | 23.0 | 19.5 | 8 | 19.7 |
| 05-05-2022 09:37 | 23.0 | 19.6 | 9 | 19.7 |
| 05-05-2022 09:38 | 23.0 | 19.6 | 8 | 19.8 |
| 05-05-2022 09:39 | 23.1 | 19.5 | 8 | 19.7 |
| 05-05-2022 09:40 | 23.1 | 19.6 | 8 | 19.8 |
| 05-05-2022 09:41 | 23.1 | 19.5 | 8 | 19.8 |
| 05-05-2022 09:42 | 23.1 | 19.6 | 8 | 19.7 |
| 05-05-2022 09:43 | 23.1 | 19.5 | 9 | 19.8 |
| 05-05-2022 09:44 | 23.1 | 19.5 | 8 | 19.7 |
| 05-05-2022 09:45 | 23.2 | 19.6 | 8 | 19.8 |
| 05-05-2022 09:46 | 23.2 | 19.6 | 8 | 19.7 |
| 05-05-2022 09:47 | 23.2 | 19.6 | 8 | 19.8 |
| 05-05-2022 09:48 | 23.2 | 19.6 | 8 | 19.7 |
| 05-05-2022 09:49 | 23.2 | 19.5 | 8 | 19.7 |
| 05-05-2022 09:50 | 23.2 | 19.5 | 9 | 19.7 |
| 05-05-2022 09:51 | 23.3 | 19.6 | 6 | 19.7 |
| 05-05-2022 09:52 | 23.2 | 19.5 | 8 | 19.7 |
| 05-05-2022 09:53 | 23.3 | 19.6 | 8 | 19.7 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 05-05-2022 09:54 | 23.3 | 19.6 | 8 | 19.7 |
| 05-05-2022 09:55 | 23.3 | 19.6 | 8 | 19.7 |
| 05-05-2022 09:56 | 23.3 | 19.6 | 8 | 19.6 |
| 05-05-2022 09:57 | 23.3 | 19.6 | 8 | 19.6 |
| 05-05-2022 09:58 | 23.4 | 19.6 | 9 | 19.7 |
| 05-05-2022 09:59 | 23.3 | 19.6 | 8 | 19.7 |
| 05-05-2022 10:00 | 23.4 | 19.6 | 8 | 19.6 |
| 05-05-2022 10:01 | 23.4 | 19.6 | 8 | 19.6 |
| 05-05-2022 10:02 | 23.3 | 19.6 | 7 | 19.6 |
| 05-05-2022 10:03 | 23.4 | 19.6 | 8 | 19.6 |
| 05-05-2022 10:04 | 23.4 | 19.6 | 8 | 19.6 |
| 05-05-2022 10:05 | 23.5 | 19.6 | 8 | 19.7 |
| 05-05-2022 10:06 | 23.4 | 19.6 | 8 | 19.6 |
| 05-05-2022 10:07 | 23.5 | 19.6 | 8 | 19.6 |
| 05-05-2022 10:08 | 23.5 | 19.6 | 8 | 19.6 |
| 05-05-2022 10:09 | 23.4 | 19.6 | 8 | 19.7 |
| 05-05-2022 10:10 | 23.4 | 19.6 | 8 | 19.6 |
| 05-05-2022 10:11 | 23.4 | 19.6 | 8 | 19.6 |
| 05-05-2022 10:12 | 23.5 | 19.6 | 8 | 19.6 |
| 05-05-2022 10:13 | 23.5 | 19.6 | 8 | 19.7 |
| 05-05-2022 10:14 | 23.5 | 19.6 | 8 | 19.6 |
| 05-05-2022 10:15 | 23.5 | 19.6 | 8 | 19.7 |
| 05-05-2022 10:16 | 23.5 | 19.6 | 8 | 19.6 |
| 05-05-2022 10:17 | 23.5 | 19.6 | 8 | 19.6 |
| 05-05-2022 10:18 | 23.6 | 19.6 | 8 | 19.7 |
| 05-05-2022 10:19 | 23.6 | 19.6 | 8 | 19.7 |
| 05-05-2022 10:20 | 23.5 | 19.6 | 8 | 19.6 |
| 05-05-2022 10:21 | 23.5 | 19.6 | 8 | 19.6 |
| 05-05-2022 10:22 | 23.5 | 19.6 | 8 | 19.6 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 05-05-2022 10:23 | 23.5 | 19.6 | 8 | 19.7 |
| 05-05-2022 10:24 | 23.5 | 19.6 | 8 | 19.6 |
| 05-05-2022 10:25 | 23.5 | 19.6 | 8 | 19.7 |
| 05-05-2022 10:26 | 23.5 | 19.6 | 8 | 19.7 |
| 05-05-2022 10:27 | 23.5 | 19.6 | 9 | 19.6 |
| 05-05-2022 10:28 | 23.5 | 19.6 | 8 | 19.7 |
| 05-05-2022 10:29 | 23.6 | 19.6 | 8 | 19.6 |
| 05-05-2022 10:30 | 23.7 | 19.6 | 8 | 19.6 |
| 05-05-2022 10:31 | 23.6 | 19.6 | 8 | 19.7 |
| 05-05-2022 10:32 | 23.6 | 19.6 | 9 | 19.6 |
| 05-05-2022 10:33 | 23.6 | 19.6 | 8 | 19.7 |
| 05-05-2022 10:34 | 23.6 | 19.6 | 9 | 19.6 |
| 05-05-2022 10:35 | 23.6 | 19.6 | 8 | 19.7 |
| 05-05-2022 10:36 | 23.6 | 19.6 | 9 | 19.6 |
| 05-05-2022 10:37 | 23.6 | 19.6 | 8 | 19.7 |
| 05-05-2022 10:38 | 23.6 | 19.6 | 8 | 19.7 |
| 05-05-2022 10:39 | 23.6 | 19.6 | 8 | 19.7 |
| 05-05-2022 10:40 | 23.6 | 19.6 | 8 | 19.7 |
| 05-05-2022 10:41 | 23.7 | 19.6 | 6 | 19.6 |
| 05-05-2022 10:42 | 23.6 | 19.6 | 8 | 19.7 |
| 05-05-2022 10:43 | 23.6 | 19.6 | 8 | 19.7 |
| 05-05-2022 10:44 | 23.5 | 19.6 | 8 | 19.6 |
| 05-05-2022 10:45 | 23.5 | 19.6 | 8 | 19.7 |
| 05-05-2022 10:46 | 23.5 | 19.6 | 9 | 19.6 |
| 05-05-2022 10:47 | 23.5 | 19.6 | 8 | 19.7 |
| 05-05-2022 10:48 | 23.6 | 19.6 | 8 | 19.7 |
| 05-05-2022 10:49 | 23.5 | 19.6 | 8 | 19.6 |
| 05-05-2022 10:50 | 23.5 | 19.6 | 8 | 19.7 |
| 05-05-2022 10:51 | 23.6 | 19.6 | 8 | 19.6 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 05-05-2022 10:52 | 23.5 | 19.6 | 7 | 19.6 |
| 05-05-2022 10:53 | 23.6 | 19.6 | 9 | 19.7 |
| 05-05-2022 10:54 | 23.6 | 19.6 | 8 | 19.7 |
| 05-05-2022 10:55 | 23.7 | 19.6 | 8 | 19.7 |
| 05-05-2022 10:56 | 23.5 | 19.6 | 8 | 19.7 |
| 05-05-2022 10:57 | 23.6 | 19.6 | 8 | 19.7 |
| 05-05-2022 10:58 | 23.6 | 19.6 | 8 | 19.7 |
| 05-05-2022 10:59 | 23.6 | 19.6 | 8 | 19.7 |
| 05-05-2022 11:00 | 23.6 | 19.6 | 7 | 19.7 |
| 05-05-2022 11:01 | 23.6 | 19.6 | 7 | 19.7 |
| 05-05-2022 11:02 | 23.7 | 19.6 | 8 | 19.6 |
| 05-05-2022 11:03 | 23.7 | 19.6 | 8 | 19.7 |
| 05-05-2022 11:04 | 23.7 | 19.6 | 7 | 19.6 |
| 05-05-2022 11:05 | 23.7 | 19.6 | 8 | 19.7 |
| 05-05-2022 11:06 | 23.7 | 19.6 | 8 | 19.7 |
| 05-05-2022 11:07 | 23.7 | 19.6 | 8 | 19.7 |
| 05-05-2022 11:08 | 23.7 | 19.6 | 8 | 19.7 |
| 05-05-2022 11:09 | 23.7 | 19.6 | 8 | 19.7 |
| 05-05-2022 11:10 | 23.7 | 19.6 | 8 | 19.7 |
| 05-05-2022 11:11 | 23.7 | 19.6 | 8 | 19.7 |
| 05-05-2022 11:12 | 23.7 | 19.6 | 8 | 19.6 |
| 05-05-2022 11:13 | 23.7 | 19.6 | 8 | 19.7 |
| 05-05-2022 11:14 | 23.7 | 19.6 | 8 | 19.7 |
| 05-05-2022 11:15 | 23.7 | 19.6 | 8 | 19.6 |
| 05-05-2022 11:16 | 23.7 | 19.6 | 8 | 19.7 |
| 05-05-2022 11:17 | 23.7 | 19.6 | 8 | 19.7 |
| 05-05-2022 11:18 | 23.7 | 19.6 | 8 | 19.7 |
| 05-05-2022 11:19 | 23.7 | 19.6 | 8 | 19.7 |
| 05-05-2022 11:20 | 23.7 | 19.6 | 8 | 19.7 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 05-05-2022 11:21 | 23.6 | 19.6 | 8 | 19.7 |
| 05-05-2022 11:22 | 23.6 | 19.6 | 8 | 19.7 |
| 05-05-2022 11:23 | 23.6 | 19.6 | 8 | 19.7 |
| 05-05-2022 11:24 | 23.6 | 19.6 | 6 | 19.6 |
| 05-05-2022 11:25 | 23.6 | 19.6 | 7 | 19.7 |
| 05-05-2022 11:26 | 23.6 | 19.6 | 8 | 19.7 |
| 05-05-2022 11:27 | 23.7 | 19.6 | 8 | 19.6 |
| 05-05-2022 11:28 | 23.6 | 19.6 | 7 | 19.7 |
| 05-05-2022 11:29 | 23.6 | 19.6 | 6 | 19.7 |
| 05-05-2022 11:30 | 23.6 | 19.7 | 7 | 19.7 |
| 05-05-2022 11:31 | 23.6 | 19.6 | 7 | 19.7 |
| 05-05-2022 11:32 | 23.6 | 19.6 | 8 | 19.7 |
| 05-05-2022 11:33 | 23.6 | 19.7 | 7 | 19.7 |
| 05-05-2022 11:34 | 23.7 | 19.6 | 8 | 19.7 |
| 05-05-2022 11:35 | 23.6 | 19.6 | 8 | 19.6 |
| 05-05-2022 11:36 | 23.6 | 19.7 | 8 | 19.7 |
| 05-05-2022 11:37 | 23.6 | 19.6 | 7 | 19.7 |
| 05-05-2022 11:38 | 23.6 | 19.7 | 8 | 19.7 |
| 05-05-2022 11:39 | 23.6 | 19.6 | 7 | 19.7 |
| 05-05-2022 11:40 | 23.6 | 19.7 | 8 | 19.7 |
| 05-05-2022 11:41 | 23.7 | 19.7 | 8 | 19.7 |
| 05-05-2022 11:42 | 23.7 | 19.7 | 7 | 19.7 |
| 05-05-2022 11:43 | 23.7 | 19.7 | 8 | 19.7 |
| 05-05-2022 11:44 | 23.7 | 19.7 | 8 | 19.7 |
| 05-05-2022 11:45 | 23.7 | 19.7 | 8 | 19.7 |
| 05-05-2022 11:46 | 23.6 | 19.7 | 8 | 19.7 |
| 05-05-2022 11:47 | 23.7 | 19.7 | 8 | 19.7 |
| 05-05-2022 11:48 | 23.6 | 19.7 | 8 | 19.8 |
| 05-05-2022 11:49 | 23.7 | 19.7 | 8 | 19.7 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 05-05-2022 11:50 | 23.6 | 19.7 | 8 | 19.8 |
| 05-05-2022 11:51 | 23.6 | 19.7 | 8 | 19.7 |
| 05-05-2022 11:52 | 23.6 | 19.7 | 7 | 19.8 |
| 05-05-2022 11:53 | 23.6 | 19.7 | 8 | 19.8 |
| 05-05-2022 11:54 | 23.5 | 19.7 | 8 | 19.7 |
| 05-05-2022 11:55 | 23.6 | 19.7 | 8 | 19.8 |
| 05-05-2022 11:56 | 23.6 | 19.7 | 8 | 19.8 |
| 05-05-2022 11:57 | 23.7 | 19.7 | 7 | 19.8 |
| 05-05-2022 11:58 | 23.7 | 19.7 | 8 | 19.8 |
| 05-05-2022 11:59 | 23.7 | 19.7 | 8 | 19.8 |
| 05-05-2022 12:00 | 23.7 | 19.7 | 8 | 19.7 |
| 05-05-2022 12:01 | 23.7 | 19.7 | 8 | 19.7 |
| 05-05-2022 12:02 | 23.7 | 19.7 | 8 | 19.7 |
| 05-05-2022 12:03 | 23.7 | 19.7 | 7 | 19.8 |
| 05-05-2022 12:04 | 23.6 | 19.7 | 8 | 19.7 |
| 05-05-2022 12:05 | 23.6 | 19.7 | 8 | 19.8 |
| 05-05-2022 12:06 | 23.6 | 19.7 | 8 | 19.8 |
| 05-05-2022 12:07 | 23.6 | 19.7 | 7 | 19.7 |
| 05-05-2022 12:08 | 23.6 | 19.7 | 7 | 19.7 |
| 05-05-2022 12:09 | 23.5 | 19.7 | 8 | 19.7 |
| 05-05-2022 12:10 | 23.5 | 19.7 | 8 | 19.7 |
| 05-05-2022 12:11 | 23.4 | 19.7 | 8 | 19.7 |
| 05-05-2022 12:12 | 23.4 | 19.7 | 8 | 19.7 |
| 05-05-2022 12:13 | 23.4 | 19.7 | 8 | 19.6 |
| 05-05-2022 12:14 | 23.4 | 19.6 | 8 | 19.6 |
| 05-05-2022 12:15 | 23.4 | 19.6 | 8 | 19.6 |
| 05-05-2022 12:16 | 23.4 | 19.6 | 7 | 19.5 |
| 05-05-2022 12:17 | 23.3 | 19.6 | 8 | 19.5 |
| 05-05-2022 12:18 | 23.3 | 19.5 | 8 | 19.5 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 05-05-2022 12:19 | 23.3 | 19.5 | 8 | 19.5 |
| 05-05-2022 12:20 | 23.3 | 19.5 | 8 | 19.5 |
| 05-05-2022 12:21 | 23.3 | 19.5 | 8 | 19.5 |
| 05-05-2022 12:22 | 23.2 | 19.5 | 8 | 19.4 |
| 05-05-2022 12:23 | 23.2 | 19.5 | 8 | 19.4 |
| 05-05-2022 12:24 | 23.1 | 19.4 | 8 | 19.4 |
| 05-05-2022 12:25 | 23.1 | 19.4 | 7 | 19.4 |
| 05-05-2022 12:26 | 23.1 | 19.4 | 8 | 19.3 |
| 05-05-2022 12:27 | 23.0 | 19.4 | 8 | 19.3 |
| 05-05-2022 12:28 | 22.9 | 19.4 | 8 | 19.3 |
| 05-05-2022 12:29 | 22.9 | 19.4 | 8 | 19.4 |
| 05-05-2022 12:30 | 22.9 | 19.3 | 8 | 19.3 |
| 05-05-2022 12:31 | 22.9 | 19.3 | 8 | 19.3 |
| 05-05-2022 12:32 | 22.8 | 19.3 | 8 | 19.3 |
| 05-05-2022 12:33 | 22.8 | 19.3 | 7 | 19.2 |
| 05-05-2022 12:34 | 22.8 | 19.3 | 8 | 19.3 |
| 05-05-2022 12:35 | 22.7 | 19.3 | 8 | 19.3 |
| 05-05-2022 12:36 | 22.7 | 19.3 | 8 | 19.2 |
| 05-05-2022 12:37 | 22.7 | 19.3 | 8 | 19.2 |
| 05-05-2022 12:38 | 22.6 | 19.3 | 8 | 19.2 |
| 05-05-2022 12:39 | 22.7 | 19.3 | 8 | 19.2 |
| 05-05-2022 12:40 | 22.7 | 19.3 | 8 | 19.2 |
| 05-05-2022 12:41 | 22.6 | 19.3 | 8 | 19.2 |
| 05-05-2022 12:42 | 22.6 | 19.3 | 8 | 19.2 |
| 05-05-2022 12:43 | 22.7 | 19.3 | 8 | 19.1 |
| 05-05-2022 12:44 | 22.6 | 19.2 | 7 | 19.1 |
| 05-05-2022 12:45 | 22.6 | 19.2 | 8 | 19.2 |
| 05-05-2022 12:46 | 22.5 | 19.2 | 8 | 19.1 |
| 05-05-2022 12:47 | 22.6 | 19.2 | 8 | 19.1 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 05-05-2022 12:48 | 22.6 | 19.2 | 8 | 19.1 |
| 05-05-2022 12:49 | 22.6 | 19.2 | 8 | 19.2 |
| 05-05-2022 12:50 | 22.7 | 19.2 | 8 | 19.0 |
| 05-05-2022 12:51 | 22.7 | 19.2 | 8 | 19.0 |
| 05-05-2022 12:52 | 22.7 | 19.2 | 8 | 19.0 |
| 05-05-2022 12:53 | 22.7 | 19.2 | 8 | 19.0 |
| 05-05-2022 12:54 | 22.7 | 19.2 | 8 | 19.0 |
| 05-05-2022 12:55 | 22.7 | 19.2 | 8 | 19.0 |
| 05-05-2022 12:56 | 22.7 | 19.2 | 7 | 19.1 |
| 05-05-2022 12:57 | 22.7 | 19.2 | 8 | 19.1 |
| 05-05-2022 12:58 | 22.7 | 19.2 | 8 | 19.0 |
| 05-05-2022 12:59 | 22.7 | 19.2 | 7 | 19.1 |
| 05-05-2022 13:00 | 22.7 | 19.2 | 6 | 19.1 |
| 05-05-2022 13:01 | 22.8 | 19.2 | 8 | 19.1 |
| 05-05-2022 13:02 | 22.8 | 19.2 | 8 | 19.0 |
| 05-05-2022 13:03 | 22.8 | 19.2 | 7 | 19.1 |
| 05-05-2022 13:04 | 22.8 | 19.2 | 8 | 19.1 |
| 05-05-2022 13:05 | 22.9 | 19.2 | 8 | 19.0 |
| 05-05-2022 13:06 | 22.8 | 19.2 | 8 | 19.0 |
| 05-05-2022 13:07 | 22.9 | 19.2 | 0 | 19.0 |
| 05-05-2022 13:08 | 22.9 | 19.2 | 7 | 19.0 |
| 05-05-2022 13:09 | 22.9 | 19.2 | 7 | 19.0 |
| 05-05-2022 13:10 | 22.8 | 19.2 | 7 | 19.0 |
| 05-05-2022 13:11 | 22.9 | 19.2 | 7 | 19.1 |
| 05-05-2022 13:12 | 22.9 | 19.2 | 8 | 19.1 |
| 05-05-2022 13:13 | 22.9 | 19.1 | 8 | 19.0 |
| 05-05-2022 13:14 | 22.9 | 19.1 | 7 | 19.0 |
| 05-05-2022 13:15 | 22.9 | 19.1 | 8 | 19.0 |
| 05-05-2022 13:16 | 23.0 | 19.1 | 7 | 19.0 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 05-05-2022 13:17 | 23.0 | 19.1 | 8 | 19.0 |
| 05-05-2022 13:18 | 22.9 | 19.0 | 7 | 19.0 |
| 05-05-2022 13:19 | 22.9 | 19.0 | 8 | 19.0 |
| 05-05-2022 13:20 | 22.9 | 19.0 | 7 | 19.0 |
| 05-05-2022 13:21 | 23.0 | 19.0 | 7 | 19.0 |
| 05-05-2022 13:22 | 23.1 | 19.0 | 7 | 18.9 |
| 05-05-2022 13:23 | 23.0 | 19.0 | 6 | 18.9 |
| 05-05-2022 13:24 | 23.0 | 19.0 | 7 | 19.0 |
| 05-05-2022 13:25 | 23.0 | 19.0 | 7 | 19.0 |
| 05-05-2022 13:26 | 23.0 | 19.0 | 8 | 19.0 |
| 05-05-2022 13:27 | 23.0 | 19.0 | 8 | 19.0 |
| 05-05-2022 13:28 | 23.0 | 19.0 | 7 | 19.0 |
| 05-05-2022 13:29 | 23.1 | 19.0 | 7 | 19.0 |
| 05-05-2022 13:30 | 23.1 | 18.9 | 8 | 19.0 |
| 05-05-2022 13:31 | 23.1 | 19.0 | 8 | 19.0 |
| 05-05-2022 13:32 | 23.1 | 18.9 | 8 | 18.9 |
| 05-05-2022 13:33 | 23.1 | 18.9 | 7 | 18.9 |
| 05-05-2022 13:34 | 23.1 | 18.9 | 6 | 19.0 |
| 05-05-2022 13:35 | 23.1 | 18.9 | 7 | 19.0 |
| 05-05-2022 13:36 | 23.0 | 18.9 | 7 | 19.0 |
| 05-05-2022 13:37 | 23.0 | 18.9 | 7 | 19.0 |
| 05-05-2022 13:38 | 23.1 | 18.9 | 7 | 18.9 |
| 05-05-2022 13:39 | 23.1 | 18.9 | 8 | 19.0 |
| 05-05-2022 13:40 | 23.1 | 18.9 | 8 | 19.0 |
| 05-05-2022 13:41 | 23.1 | 18.9 | 7 | 19.0 |
| 05-05-2022 13:42 | 23.0 | 18.9 | 7 | 18.9 |
| 05-05-2022 13:43 | 23.1 | 18.9 | 7 | 18.9 |
| 05-05-2022 13:44 | 23.1 | 19.0 | 7 | 18.9 |
| 05-05-2022 13:45 | 23.1 | 18.9 | 6 | 19.0 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 05-05-2022 13:46 | 23.1 | 18.9 | 6 | 19.0 |
| 05-05-2022 13:47 | 23.2 | 18.9 | 6 | 19.0 |
| 05-05-2022 13:48 | 23.1 | 18.9 | 7 | 19.0 |
| 05-05-2022 13:49 | 23.1 | 18.9 | 8 | 19.0 |
| 05-05-2022 13:50 | 23.1 | 18.9 | 6 | 19.0 |
| 05-05-2022 13:51 | 23.1 | 18.9 | 7 | 19.1 |
| 05-05-2022 13:52 | 23.0 | 18.9 | 7 | 19.1 |
| 05-05-2022 13:53 | 23.1 | 18.9 | 7 | 19.1 |
| 05-05-2022 13:54 | 23.0 | 18.9 | 7 | 19.0 |
| 05-05-2022 13:55 | 23.0 | 18.9 | 6 | 19.0 |
| 05-05-2022 13:56 | 23.1 | 18.9 | 8 | 19.0 |
| 05-05-2022 13:57 | 23.1 | 18.9 | 6 | 19.0 |
| 05-05-2022 13:58 | 23.0 | 18.9 | 8 | 19.0 |
| 05-05-2022 13:59 | 23.0 | 18.9 | 8 | 19.0 |
| 05-05-2022 14:00 | 22.9 | 18.9 | 7 | 19.0 |
| 05-05-2022 14:01 | 22.9 | 18.9 | 8 | 19.0 |
| 05-05-2022 14:02 | 22.9 | 18.9 | 7 | 18.9 |
| 05-05-2022 14:03 | 22.9 | 18.9 | 8 | 19.0 |
| 05-05-2022 14:04 | 22.9 | 18.9 | 7 | 18.9 |
| 05-05-2022 14:05 | 22.9 | 18.9 | 8 | 18.9 |
| 05-05-2022 14:06 | 23.0 | 18.9 | 7 | 18.9 |
| 05-05-2022 14:07 | 23.0 | 18.9 | 8 | 18.9 |
| 05-05-2022 14:08 | 23.0 | 18.9 | 6 | 18.9 |
| 05-05-2022 14:09 | 23.0 | 18.9 | 8 | 18.9 |
| 05-05-2022 14:10 | 23.0 | 18.9 | 8 | 18.9 |
| 05-05-2022 14:11 | 23.0 | 18.9 | 7 | 19.0 |
| 05-05-2022 14:12 | 23.1 | 18.9 | 6 | 18.9 |
| 05-05-2022 14:13 | 23.0 | 18.9 | 8 | 18.9 |
| 05-05-2022 14:14 | 23.1 | 18.9 | 8 | 18.9 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 05-05-2022 14:15 | 23.1 | 18.9 | 8 | 18.9 |
| 05-05-2022 14:16 | 23.0 | 18.9 | 7 | 19.0 |
| 05-05-2022 14:17 | 23.0 | 18.9 | 8 | 19.0 |
| 05-05-2022 14:18 | 23.0 | 18.9 | 7 | 19.0 |
| 05-05-2022 14:19 | 23.1 | 18.9 | 7 | 19.0 |
| 05-05-2022 14:20 | 23.1 | 18.9 | 7 | 19.0 |
| 05-05-2022 14:21 | 23.1 | 18.9 | 7 | 19.0 |
| 05-05-2022 14:22 | 23.1 | 18.9 | 8 | 19.0 |
| 05-05-2022 14:23 | 23.1 | 19.0 | 7 | 19.1 |
| 05-05-2022 14:24 | 23.1 | 19.0 | 8 | 19.1 |
| 05-05-2022 14:25 | 23.1 | 19.0 | 6 | 19.1 |
| 05-05-2022 14:26 | 23.1 | 19.0 | 6 | 19.1 |
| 05-05-2022 14:27 | 23.1 | 19.0 | 8 | 19.2 |
| 05-05-2022 14:28 | 23.1 | 19.1 | 7 | 19.2 |
| 05-05-2022 14:29 | 23.1 | 19.1 | 8 | 19.2 |
| 05-05-2022 14:30 | 23.1 | 19.1 | 7 | 19.2 |
| 05-05-2022 14:31 | 23.1 | 19.2 | 7 | 19.3 |
| 05-05-2022 14:32 | 23.2 | 19.2 | 7 | 19.3 |
| 05-05-2022 14:33 | 23.2 | 19.2 | 8 | 19.3 |
| 05-05-2022 14:34 | 23.2 | 19.2 | 7 | 19.3 |
| 05-05-2022 14:35 | 23.1 | 19.2 | 7 | 19.3 |
| 05-05-2022 14:36 | 23.2 | 19.3 | 8 | 19.3 |
| 05-05-2022 14:37 | 23.2 | 19.3 | 7 | 19.3 |
| 05-05-2022 14:38 | 23.2 | 19.3 | 7 | 19.4 |
| 05-05-2022 14:39 | 23.2 | 19.3 | 8 | 19.4 |
| 05-05-2022 14:40 | 23.2 | 19.3 | 8 | 19.4 |
| 05-05-2022 14:41 | 23.2 | 19.4 | 7 | 19.4 |
| 05-05-2022 14:42 | 23.2 | 19.4 | 7 | 19.5 |
| 05-05-2022 14:43 | 23.2 | 19.4 | 7 | 19.5 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 05-05-2022 14:44 | 23.2 | 19.4 | 7 | 19.5 |
| 05-05-2022 14:45 | 23.2 | 19.5 | 7 | 19.5 |
| 05-05-2022 14:46 | 23.3 | 19.5 | 8 | 19.5 |
| 05-05-2022 14:47 | 23.3 | 19.5 | 8 | 19.5 |
| 05-05-2022 14:48 | 23.3 | 19.5 | 8 | 19.5 |
| 05-05-2022 14:49 | 23.4 | 19.5 | 8 | 19.6 |
| 05-05-2022 14:50 | 23.4 | 19.5 | 8 | 19.6 |
| 05-05-2022 14:51 | 23.4 | 19.5 | 7 | 19.6 |
| 05-05-2022 14:52 | 23.4 | 19.5 | 7 | 19.6 |
| 05-05-2022 14:53 | 23.4 | 19.5 | 8 | 19.6 |
| 05-05-2022 14:54 | 23.4 | 19.5 | 7 | 19.6 |
| 05-05-2022 14:55 | 23.4 | 19.6 | 8 | 19.6 |
| 05-05-2022 14:56 | 23.4 | 19.6 | 6 | 19.6 |
| 05-05-2022 14:57 | 23.4 | 19.6 | 8 | 19.6 |
| 05-05-2022 14:58 | 23.5 | 19.6 | 8 | 19.6 |
| 05-05-2022 14:59 | 23.5 | 19.6 | 6 | 19.6 |
| 05-05-2022 15:00 | 23.5 | 19.6 | 8 | 19.6 |
| 05-05-2022 15:01 | 23.5 | 19.6 | 8 | 19.6 |
| 05-05-2022 15:02 | 23.5 | 19.6 | 8 | 19.6 |
| 05-05-2022 15:03 | 23.5 | 19.6 | 7 | 19.7 |
| 05-05-2022 15:04 | 23.4 | 19.6 | 8 | 19.7 |
| 05-05-2022 15:05 | 23.4 | 19.6 | 8 | 19.6 |
| 05-05-2022 15:06 | 23.4 | 19.6 | 7 | 19.6 |
| 05-05-2022 15:07 | 23.4 | 19.6 | 7 | 19.7 |
| 05-05-2022 15:08 | 23.4 | 19.6 | 7 | 19.7 |
| 05-05-2022 15:09 | 23.3 | 19.6 | 8 | 19.6 |
| 05-05-2022 15:10 | 23.3 | 19.6 | 8 | 19.6 |
| 05-05-2022 15:11 | 23.3 | 19.6 | 8 | 19.6 |
| 05-05-2022 15:12 | 23.3 | 19.6 | 8 | 19.7 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 05-05-2022 15:13 | 23.3 | 19.6 | 7 | 19.6 |
| 05-05-2022 15:14 | 23.3 | 19.6 | 8 | 19.6 |
| 05-05-2022 15:15 | 23.2 | 19.6 | 8 | 19.6 |
| 05-05-2022 15:16 | 23.2 | 19.6 | 8 | 19.7 |
| 05-05-2022 15:17 | 23.3 | 19.6 | 7 | 19.6 |
| 05-05-2022 15:18 | 23.3 | 19.6 | 7 | 19.7 |
| 05-05-2022 15:19 | 23.2 | 19.6 | 8 | 19.7 |
| 05-05-2022 15:20 | 23.2 | 19.6 | 7 | 19.7 |
| 05-05-2022 15:21 | 23.2 | 19.6 | 8 | 19.7 |
| 05-05-2022 15:22 | 23.2 | 19.6 | 8 | 19.6 |
| 05-05-2022 15:23 | 23.2 | 19.6 | 8 | 19.7 |
| 05-05-2022 15:24 | 23.2 | 19.6 | 8 | 19.7 |
| 05-05-2022 15:25 | 23.2 | 19.6 | 8 | 19.7 |
| 05-05-2022 15:26 | 23.1 | 19.6 | 7 | 19.6 |
| 05-05-2022 15:27 | 23.1 | 19.6 | 8 | 19.7 |
| 05-05-2022 15:28 | 23.1 | 19.6 | 7 | 19.6 |
| 05-05-2022 15:29 | 23.1 | 19.6 | 8 | 19.6 |
| 05-05-2022 15:30 | 23.1 | 19.6 | 7 | 19.7 |
| 05-05-2022 15:31 | 23.0 | 19.6 | 8 | 19.6 |
| 05-05-2022 15:32 | 23.0 | 19.6 | 7 | 19.6 |
| 05-05-2022 15:33 | 23.0 | 19.6 | 8 | 19.6 |
| 05-05-2022 15:34 | 22.9 | 19.6 | 8 | 19.6 |
| 05-05-2022 15:35 | 22.9 | 19.6 | 8 | 19.6 |
| 05-05-2022 15:36 | 23.0 | 19.6 | 8 | 19.6 |
| 05-05-2022 15:37 | 22.9 | 19.6 | 8 | 19.6 |
| 05-05-2022 15:38 | 22.9 | 19.6 | 8 | 19.6 |
| 05-05-2022 15:39 | 22.9 | 19.5 | 8 | 19.6 |
| 05-05-2022 15:40 | 22.9 | 19.6 | 8 | 19.6 |
| 05-05-2022 15:41 | 22.9 | 19.5 | 8 | 19.6 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 05-05-2022 15:42 | 22.9 | 19.5 | 8 | 19.6 |
| 05-05-2022 15:43 | 22.9 | 19.5 | 7 | 19.6 |
| 05-05-2022 15:44 | 22.9 | 19.5 | 8 | 19.5 |
| 05-05-2022 15:45 | 22.9 | 19.5 | 8 | 19.5 |
| 05-05-2022 15:46 | 22.9 | 19.5 | 8 | 19.6 |
| 05-05-2022 15:47 | 22.9 | 19.5 | 7 | 19.6 |
| 05-05-2022 15:48 | 22.9 | 19.5 | 8 | 19.5 |
| 05-05-2022 15:49 | 22.9 | 19.5 | 8 | 19.5 |
| 05-05-2022 15:50 | 22.9 | 19.5 | 8 | 19.6 |
| 05-05-2022 15:51 | 22.9 | 19.5 | 8 | 19.5 |
| 05-05-2022 15:52 | 22.9 | 19.5 | 8 | 19.5 |
| 05-05-2022 15:53 | 22.9 | 19.5 | 7 | 19.5 |
| 05-05-2022 15:54 | 22.9 | 19.5 | 8 | 19.5 |
| 05-05-2022 15:55 | 22.9 | 19.5 | 8 | 19.5 |
| 05-05-2022 15:56 | 22.9 | 19.5 | 8 | 19.5 |
| 05-05-2022 15:57 | 22.8 | 19.5 | 8 | 19.5 |
| 05-05-2022 15:58 | 22.8 | 19.5 | 8 | 19.5 |
| 05-05-2022 15:59 | 22.8 | 19.5 | 8 | 19.5 |
| 05-05-2022 16:00 | 22.8 | 19.5 | 8 | 19.5 |
| 05-05-2022 16:01 | 22.7 | 19.5 | 8 | 19.5 |
| 05-05-2022 16:02 | 22.7 | 19.5 | 8 | 19.5 |
| 05-05-2022 16:03 | 22.7 | 19.5 | 8 | 19.5 |
| 05-05-2022 16:04 | 22.7 | 19.5 | 8 | 19.5 |
| 05-05-2022 16:05 | 22.7 | 19.5 | 8 | 19.5 |
| 05-05-2022 16:06 | 22.7 | 19.5 | 8 | 19.5 |
| 05-05-2022 16:07 | 22.6 | 19.5 | 8 | 19.5 |
| 05-05-2022 16:08 | 22.6 | 19.5 | 8 | 19.5 |
| 05-05-2022 16:09 | 22.6 | 19.5 | 8 | 19.5 |
| 05-05-2022 16:10 | 22.7 | 19.5 | 7 | 19.6 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 05-05-2022 16:11 | 22.6 | 19.5 | 7 | 19.5 |
| 05-05-2022 16:12 | 22.6 | 19.5 | 8 | 19.5 |
| 05-05-2022 16:13 | 22.6 | 19.5 | 8 | 19.5 |
| 05-05-2022 16:14 | 22.6 | 19.5 | 8 | 19.5 |
| 05-05-2022 16:15 | 22.6 | 19.5 | 8 | 19.6 |
| 05-05-2022 16:16 | 22.6 | 19.5 | 8 | 19.5 |
| 05-05-2022 16:17 | 22.6 | 19.5 | 8 | 19.6 |
| 05-05-2022 16:18 | 22.6 | 19.5 | 8 | 19.5 |
| 05-05-2022 16:19 | 22.6 | 19.5 | 7 | 19.5 |
| 05-05-2022 16:20 | 22.6 | 19.5 | 8 | 19.6 |
| 05-05-2022 16:21 | 22.6 | 19.5 | 8 | 19.6 |
| 05-05-2022 16:22 | 22.6 | 19.5 | 7 | 19.5 |
| 05-05-2022 16:23 | 22.6 | 19.5 | 8 | 19.6 |
| 05-05-2022 16:24 | 22.6 | 19.5 | 8 | 19.5 |
| 05-05-2022 16:25 | 22.5 | 19.5 | 7 | 19.5 |
| 05-05-2022 16:26 | 22.6 | 19.5 | 8 | 19.5 |
| 05-05-2022 16:27 | 22.5 | 19.5 | 8 | 19.5 |
| 05-05-2022 16:28 | 22.5 | 19.5 | 8 | 19.6 |
| 05-05-2022 16:29 | 22.5 | 19.5 | 8 | 19.6 |
| 05-05-2022 16:30 | 22.5 | 19.5 | 8 | 19.5 |
| 05-05-2022 16:31 | 22.5 | 19.5 | 7 | 19.5 |
| 05-05-2022 16:32 | 22.5 | 19.5 | 8 | 19.5 |
| 05-05-2022 16:33 | 22.6 | 19.5 | 8 | 19.6 |
| 05-05-2022 16:34 | 22.6 | 19.5 | 8 | 19.6 |
| 05-05-2022 16:35 | 22.5 | 19.5 | 7 | 19.6 |
| 05-05-2022 16:36 | 22.5 | 19.6 | 8 | 19.6 |
| 05-05-2022 16:37 | 22.5 | 19.6 | 6 | 19.5 |
| 05-05-2022 16:38 | 22.4 | 19.6 | 7 | 19.6 |
| 05-05-2022 16:39 | 22.4 | 19.6 | 7 | 19.6 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 05-05-2022 16:40 | 22.5 | 19.6 | 8 | 19.6 |
| 05-05-2022 16:41 | 22.4 | 19.6 | 8 | 19.6 |
| 05-05-2022 16:42 | 22.4 | 19.6 | 8 | 19.6 |
| 05-05-2022 16:43 | 22.4 | 19.6 | 7 | 19.6 |
| 05-05-2022 16:44 | 22.4 | 19.6 | 7 | 19.5 |
| 05-05-2022 16:45 | 22.4 | 19.6 | 8 | 19.6 |
| 05-05-2022 16:46 | 22.4 | 19.6 | 8 | 19.6 |
| 05-05-2022 16:47 | 22.4 | 19.6 | 7 | 19.6 |
| 05-05-2022 16:48 | 22.4 | 19.6 | 8 | 19.6 |
| 05-05-2022 16:49 | 22.4 | 19.6 | 7 | 19.6 |
| 05-05-2022 16:50 | 22.4 | 19.6 | 7 | 19.6 |
| 05-05-2022 16:51 | 22.4 | 19.6 | 8 | 19.6 |
| 05-05-2022 16:52 | 22.4 | 19.6 | 8 | 19.6 |
| 05-05-2022 16:53 | 22.4 | 19.6 | 8 | 19.7 |
| 05-05-2022 16:54 | 22.4 | 19.6 | 8 | 19.7 |
| 05-05-2022 16:55 | 22.4 | 19.6 | 8 | 19.6 |
| 05-05-2022 16:56 | 22.4 | 19.6 | 8 | 19.7 |
| 05-05-2022 16:57 | 22.4 | 19.6 | 8 | 19.6 |
| 05-05-2022 16:58 | 22.4 | 19.6 | 8 | 19.6 |
| 05-05-2022 16:59 | 22.4 | 19.6 | 8 | 19.6 |
| 05-05-2022 17:00 | 22.4 | 19.5 | 8 | 19.6 |
| 05-05-2022 17:01 | 22.4 | 19.5 | 8 | 19.7 |
| 05-05-2022 17:02 | 22.4 | 19.6 | 8 | 19.6 |
| 05-05-2022 17:03 | 22.4 | 19.5 | 8 | 19.6 |
| 05-05-2022 17:04 | 22.4 | 19.5 | 8 | 19.6 |
| 05-05-2022 17:05 | 22.4 | 19.5 | 7 | 19.5 |
| 05-05-2022 17:06 | 22.4 | 19.5 | 8 | 19.5 |
| 05-05-2022 17:07 | 22.3 | 19.5 | 8 | 19.5 |
| 05-05-2022 17:08 | 22.3 | 19.5 | 8 | 19.6 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 05-05-2022 17:09 | 22.3 | 19.5 | 7 | 19.6 |
| 05-05-2022 17:10 | 22.4 | 19.5 | 8 | 19.5 |
| 05-05-2022 17:11 | 22.3 | 19.5 | 7 | 19.5 |
| 05-05-2022 17:12 | 22.3 | 19.5 | 8 | 19.5 |
| 05-05-2022 17:13 | 22.3 | 19.5 | 7 | 19.6 |
| 05-05-2022 17:14 | 22.3 | 19.5 | 6 | 19.5 |
| 05-05-2022 17:15 | 22.3 | 19.5 | 8 | 19.5 |
| 05-05-2022 17:16 | 22.3 | 19.5 | 8 | 19.6 |
| 05-05-2022 17:17 | 22.3 | 19.5 | 7 | 19.5 |
| 05-05-2022 17:18 | 22.3 | 19.5 | 8 | 19.5 |
| 05-05-2022 17:19 | 22.3 | 19.5 | 7 | 19.5 |
| 05-05-2022 17:20 | 22.3 | 19.5 | 7 | 19.5 |
| 05-05-2022 17:21 | 22.3 | 19.5 | 8 | 19.5 |
| 05-05-2022 17:22 | 22.3 | 19.5 | 8 | 19.6 |
| 05-05-2022 17:23 | 22.3 | 19.5 | 8 | 19.5 |
| 05-05-2022 17:24 | 22.3 | 19.5 | 8 | 19.5 |
| 05-05-2022 17:25 | 22.3 | 19.5 | 7 | 19.5 |
| 05-05-2022 17:26 | 22.3 | 19.5 | 7 | 19.5 |
| 05-05-2022 17:27 | 22.2 | 19.5 | 8 | 19.5 |
| 05-05-2022 17:28 | 22.2 | 19.5 | 7 | 19.6 |
| 05-05-2022 17:29 | 22.2 | 19.5 | 7 | 19.6 |
| 05-05-2022 17:30 | 22.2 | 19.5 | 8 | 19.6 |
| 05-05-2022 17:31 | 22.2 | 19.5 | 8 | 19.6 |
| 05-05-2022 17:32 | 22.2 | 19.5 | 8 | 19.6 |
| 05-05-2022 17:33 | 22.3 | 19.5 | 8 | 19.6 |
| 05-05-2022 17:34 | 22.2 | 19.5 | 8 | 19.6 |
| 05-05-2022 17:35 | 22.3 | 19.5 | 7 | 19.6 |
| 05-05-2022 17:36 | 22.3 | 19.5 | 8 | 19.6 |
| 05-05-2022 17:37 | 22.3 | 19.5 | 7 | 19.7 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 05-05-2022 17:38 | 22.3 | 19.5 | 7 | 19.6 |
| 05-05-2022 17:39 | 22.2 | 19.5 | 8 | 19.6 |
| 05-05-2022 17:40 | 22.2 | 19.5 | 8 | 19.6 |
| 05-05-2022 17:41 | 22.2 | 19.5 | 8 | 19.6 |
| 05-05-2022 17:42 | 22.2 | 19.5 | 8 | 19.6 |
| 05-05-2022 17:43 | 22.2 | 19.5 | 8 | 19.6 |
| 05-05-2022 17:44 | 22.2 | 19.5 | 8 | 19.6 |
| 05-05-2022 17:45 | 22.2 | 19.5 | 8 | 19.6 |
| 05-05-2022 17:46 | 22.2 | 19.5 | 8 | 19.6 |
| 05-05-2022 17:47 | 22.2 | 19.5 | 8 | 19.6 |
| 05-05-2022 17:48 | 22.1 | 19.5 | 8 | 19.6 |
| 05-05-2022 17:49 | 22.1 | 19.5 | 8 | 19.6 |
| 05-05-2022 17:50 | 22.1 | 19.5 | 8 | 19.6 |
| 05-05-2022 17:51 | 22.2 | 19.5 | 8 | 19.6 |
| 05-05-2022 17:52 | 22.2 | 19.5 | 7 | 19.6 |
| 05-05-2022 17:53 | 22.2 | 19.5 | 7 | 19.5 |
| 05-05-2022 17:54 | 22.1 | 19.5 | 8 | 19.6 |
| 05-05-2022 17:55 | 22.1 | 19.5 | 8 | 19.6 |
| 05-05-2022 17:56 | 22.1 | 19.5 | 7 | 19.5 |
| 05-05-2022 17:57 | 22.1 | 19.5 | 8 | 19.5 |
| 05-05-2022 17:58 | 22.1 | 19.5 | 8 | 19.5 |
| 05-05-2022 17:59 | 22.1 | 19.5 | 7 | 19.5 |
| 05-05-2022 18:00 | 22.1 | 19.5 | 7 | 19.5 |
| 05-05-2022 18:01 | 22.1 | 19.5 | 7 | 19.5 |
| 05-05-2022 18:02 | 22.0 | 19.5 | 8 | 19.5 |
| 05-05-2022 18:03 | 22.1 | 19.5 | 8 | 19.5 |
| 05-05-2022 18:04 | 22.1 | 19.5 | 7 | 19.5 |
| 05-05-2022 18:05 | 22.1 | 19.5 | 7 | 19.5 |
| 05-05-2022 18:06 | 22.0 | 19.5 | 7 | 19.5 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 05-05-2022 18:07 | 22.1 | 19.5 | 8 | 19.5 |
| 05-05-2022 18:08 | 22.1 | 19.5 | 8 | 19.5 |
| 05-05-2022 18:09 | 22.1 | 19.5 | 9 | 19.5 |
| 05-05-2022 18:10 | 22.1 | 19.5 | 8 | 19.5 |
| 05-05-2022 18:11 | 22.0 | 19.5 | 7 | 19.5 |
| 05-05-2022 18:12 | 22.1 | 19.5 | 8 | 19.5 |
| 05-05-2022 18:13 | 22.1 | 19.5 | 7 | 19.4 |
| 05-05-2022 18:14 | 22.1 | 19.5 | 7 | 19.5 |
| 05-05-2022 18:15 | 22.1 | 19.5 | 8 | 19.5 |
| 05-05-2022 18:16 | 22.0 | 19.5 | 8 | 19.4 |
| 05-05-2022 18:17 | 22.0 | 19.5 | 8 | 19.5 |
| 05-05-2022 18:18 | 22.1 | 19.5 | 8 | 19.5 |
| 05-05-2022 18:19 | 22.0 | 19.5 | 7 | 19.4 |
| 05-05-2022 18:20 | 22.1 | 19.5 | 8 | 19.5 |
| 05-05-2022 18:21 | 22.1 | 19.5 | 8 | 19.5 |
| 05-05-2022 18:22 | 22.1 | 19.5 | 8 | 19.5 |
| 05-05-2022 18:23 | 22.1 | 19.5 | 8 | 19.5 |
| 05-05-2022 18:24 | 22.0 | 19.5 | 8 | 19.5 |
| 05-05-2022 18:25 | 22.1 | 19.5 | 8 | 19.5 |
| 05-05-2022 18:26 | 22.0 | 19.5 | 8 | 19.4 |
| 05-05-2022 18:27 | 22.0 | 19.5 | 8 | 19.5 |
| 05-05-2022 18:28 | 22.0 | 19.5 | 8 | 19.5 |
| 05-05-2022 18:29 | 22.0 | 19.5 | 8 | 19.5 |
| 05-05-2022 18:30 | 22.0 | 19.5 | 8 | 19.5 |
| 05-05-2022 18:31 | 22.0 | 19.5 | 8 | 19.5 |
| 05-05-2022 18:32 | 22.0 | 19.5 | 8 | 19.4 |
| 05-05-2022 18:33 | 22.0 | 19.5 | 8 | 19.4 |
| 05-05-2022 18:34 | 22.0 | 19.5 | 8 | 19.5 |
| 05-05-2022 18:35 | 22.0 | 19.5 | 7 | 19.5 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 05-05-2022 18:36 | 22.0 | 19.5 | 8 | 19.5 |
| 05-05-2022 18:37 | 22.0 | 19.5 | 8 | 19.5 |
| 05-05-2022 18:38 | 22.0 | 19.4 | 8 | 19.5 |
| 05-05-2022 18:39 | 22.0 | 19.5 | 8 | 19.5 |
| 05-05-2022 18:40 | 22.0 | 19.5 | 7 | 19.4 |
| 05-05-2022 18:41 | 22.0 | 19.5 | 8 | 19.5 |
| 05-05-2022 18:42 | 22.0 | 19.5 | 0 | 19.5 |
| 05-05-2022 18:43 | 22.0 | 19.5 | 8 | 19.4 |
| 05-05-2022 18:44 | 22.0 | 19.5 | 8 | 19.5 |
| 05-05-2022 18:45 | 22.0 | 19.5 | 8 | 19.4 |
| 05-05-2022 18:46 | 22.0 | 19.5 | 8 | 19.4 |
| 05-05-2022 18:47 | 22.0 | 19.5 | 7 | 19.4 |
| 05-05-2022 18:48 | 22.0 | 19.5 | 8 | 19.5 |
| 05-05-2022 18:49 | 22.0 | 19.5 | 8 | 19.5 |
| 05-05-2022 18:50 | 22.0 | 19.5 | 8 | 19.5 |
| 05-05-2022 18:51 | 22.0 | 19.5 | 8 | 19.4 |
| 05-05-2022 18:52 | 22.0 | 19.5 | 8 | 19.5 |
| 05-05-2022 18:53 | 22.0 | 19.5 | 7 | 19.4 |
| 05-05-2022 18:54 | 22.0 | 19.5 | 8 | 19.4 |
| 05-05-2022 18:55 | 22.0 | 19.5 | 8 | 19.5 |
| 05-05-2022 18:56 | 22.0 | 19.5 | 8 | 19.4 |
| 05-05-2022 18:57 | 22.0 | 19.5 | 8 | 19.4 |
| 05-05-2022 18:58 | 22.0 | 19.5 | 8 | 19.5 |
| 05-05-2022 18:59 | 22.0 | 19.5 | 8 | 19.5 |
| 05-05-2022 19:00 | 22.0 | 19.5 | 8 | 19.4 |
| 05-05-2022 19:01 | 22.0 | 19.5 | 8 | 19.4 |
| 05-05-2022 19:02 | 22.0 | 19.5 | 8 | 19.5 |
| 05-05-2022 19:03 | 22.0 | 19.5 | 8 | 19.4 |
| 05-05-2022 19:04 | 22.0 | 19.5 | 8 | 19.4 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 05-05-2022 19:05 | 22.0 | 19.5 | 0 | 19.4 |
| 05-05-2022 19:06 | 22.0 | 19.5 | 7 | 19.4 |
| 05-05-2022 19:07 | 22.0 | 19.5 | 8 | 19.5 |
| 05-05-2022 19:08 | 22.0 | 19.5 | 8 | 19.4 |
| 05-05-2022 19:09 | 22.0 | 19.5 | 8 | 19.4 |
| 05-05-2022 19:10 | 22.0 | 19.5 | 8 | 19.5 |
| 05-05-2022 19:11 | 22.0 | 19.5 | 8 | 19.4 |
| 05-05-2022 19:12 | 22.0 | 19.5 | 8 | 19.5 |
| 05-05-2022 19:13 | 22.0 | 19.5 | 8 | 19.4 |
| 05-05-2022 19:14 | 22.0 | 19.5 | 8 | 19.5 |
| 05-05-2022 19:15 | 22.0 | 19.5 | 8 | 19.4 |
| 05-05-2022 19:16 | 22.0 | 19.5 | 8 | 19.5 |
| 05-05-2022 19:17 | 22.0 | 19.5 | 8 | 19.5 |
| 05-05-2022 19:18 | 22.0 | 19.6 | 8 | 19.5 |
| 05-05-2022 19:19 | 22.0 | 19.5 | 8 | 19.5 |
| 05-05-2022 19:20 | 22.0 | 19.5 | 8 | 19.5 |
| 05-05-2022 19:21 | 22.0 | 19.5 | 8 | 19.4 |
| 05-05-2022 19:22 | 22.0 | 19.5 | 8 | 19.4 |
| 05-05-2022 19:23 | 22.0 | 19.5 | 8 | 19.4 |
| 05-05-2022 19:24 | 22.0 | 19.5 | 8 | 19.4 |
| 05-05-2022 19:25 | 22.0 | 19.5 | 8 | 19.5 |
| 05-05-2022 19:26 | 22.0 | 19.5 | 8 | 19.5 |
| 05-05-2022 19:27 | 22.0 | 19.5 | 8 | 19.4 |
| 05-05-2022 19:28 | 22.0 | 19.5 | 8 | 19.4 |
| 05-05-2022 19:29 | 22.0 | 19.5 | 8 | 19.5 |
| 05-05-2022 19:30 | 22.0 | 19.5 | 8 | 19.5 |
| 05-05-2022 19:31 | 22.0 | 19.5 | 8 | 19.5 |
| 05-05-2022 19:32 | 22.0 | 19.5 | 8 | 19.5 |
| 05-05-2022 19:33 | 22.0 | 19.5 | 8 | 19.5 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 05-05-2022 19:34 | 22.0 | 19.5 | 8 | 19.4 |
| 05-05-2022 19:35 | 22.0 | 19.5 | 8 | 19.5 |
| 05-05-2022 19:36 | 22.0 | 19.5 | 8 | 19.5 |
| 05-05-2022 19:37 | 22.0 | 19.5 | 8 | 19.5 |
| 05-05-2022 19:38 | 22.0 | 19.5 | 8 | 19.5 |
| 05-05-2022 19:39 | 22.0 | 19.5 | 8 | 19.5 |
| 05-05-2022 19:40 | 22.0 | 19.5 | 8 | 19.5 |
| 05-05-2022 19:41 | 22.0 | 19.6 | 8 | 19.5 |
| 05-05-2022 19:42 | 22.0 | 19.5 | 8 | 19.5 |
| 05-05-2022 19:43 | 22.0 | 19.5 | 8 | 19.5 |
| 05-05-2022 19:44 | 22.0 | 19.5 | 8 | 19.5 |
| 05-05-2022 19:45 | 22.0 | 19.6 | 8 | 19.5 |
| 05-05-2022 19:46 | 22.0 | 19.6 | 8 | 19.5 |
| 05-05-2022 19:47 | 22.0 | 19.6 | 6 | 19.5 |
| 05-05-2022 19:48 | 22.0 | 19.6 | 8 | 19.5 |
| 05-05-2022 19:49 | 22.0 | 19.6 | 8 | 19.5 |
| 05-05-2022 19:50 | 22.0 | 19.5 | 8 | 19.5 |
| 05-05-2022 19:51 | 22.0 | 19.5 | 8 | 19.5 |
| 05-05-2022 19:52 | 22.0 | 19.6 | 8 | 19.5 |
| 05-05-2022 19:53 | 22.0 | 19.5 | 8 | 19.5 |
| 05-05-2022 19:54 | 22.0 | 19.5 | 6 | 19.5 |
| 05-05-2022 19:55 | 21.9 | 19.5 | 8 | 19.5 |
| 05-05-2022 19:56 | 22.0 | 19.5 | 8 | 19.5 |
| 05-05-2022 19:57 | 22.0 | 19.5 | 8 | 19.5 |
| 05-05-2022 19:58 | 22.0 | 19.5 | 8 | 19.4 |
| 05-05-2022 19:59 | 22.0 | 19.5 | 7 | 19.5 |
| 05-05-2022 20:00 | 22.0 | 19.5 | 8 | 19.6 |
| 05-05-2022 20:01 | 22.0 | 19.5 | 8 | 19.5 |
| 05-05-2022 20:02 | 22.0 | 19.5 | 8 | 19.5 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 05-05-2022 20:03 | 22.0 | 19.5 | 8 | 19.5 |
| 05-05-2022 20:04 | 22.0 | 19.5 | 6 | 19.5 |
| 05-05-2022 20:05 | 22.0 | 19.5 | 8 | 19.4 |
| 05-05-2022 20:06 | 21.9 | 19.5 | 8 | 19.5 |
| 05-05-2022 20:07 | 21.9 | 19.5 | 8 | 19.5 |
| 05-05-2022 20:08 | 21.9 | 19.5 | 8 | 19.5 |
| 05-05-2022 20:09 | 21.9 | 19.5 | 8 | 19.5 |
| 05-05-2022 20:10 | 21.9 | 19.5 | 8 | 19.5 |
| 05-05-2022 20:11 | 22.0 | 19.5 | 7 | 19.5 |
| 05-05-2022 20:12 | 21.9 | 19.5 | 8 | 19.6 |
| 05-05-2022 20:13 | 21.9 | 19.5 | 8 | 19.6 |
| 05-05-2022 20:14 | 22.0 | 19.5 | 8 | 19.6 |
| 05-05-2022 20:15 | 21.9 | 19.5 | 8 | 19.6 |
| 05-05-2022 20:16 | 22.0 | 19.5 | 8 | 19.5 |
| 05-05-2022 20:17 | 21.9 | 19.5 | 8 | 19.5 |
| 05-05-2022 20:18 | 22.0 | 19.5 | 8 | 19.5 |
| 05-05-2022 20:19 | 22.0 | 19.5 | 6 | 19.5 |
| 05-05-2022 20:20 | 21.9 | 19.5 | 8 | 19.6 |
| 05-05-2022 20:21 | 21.9 | 19.5 | 8 | 19.6 |
| 05-05-2022 20:22 | 21.9 | 19.5 | 8 | 19.5 |
| 05-05-2022 20:23 | 21.9 | 19.5 | 6 | 19.6 |
| 05-05-2022 20:24 | 21.9 | 19.5 | 8 | 19.6 |
| 05-05-2022 20:25 | 21.9 | 19.5 | 8 | 19.5 |
| 05-05-2022 20:26 | 22.0 | 19.5 | 7 | 19.5 |
| 05-05-2022 20:27 | 22.0 | 19.5 | 8 | 19.5 |
| 05-05-2022 20:28 | 21.9 | 19.5 | 8 | 19.5 |
| 05-05-2022 20:29 | 21.9 | 19.5 | 8 | 19.5 |
| 05-05-2022 20:30 | 22.0 | 19.5 | 8 | 19.5 |
| 05-05-2022 20:31 | 21.9 | 19.5 | 8 | 19.5 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 05-05-2022 20:32 | 21.9 | 19.5 | 8 | 19.5 |
| 05-05-2022 20:33 | 21.9 | 19.5 | 8 | 19.5 |
| 05-05-2022 20:34 | 21.9 | 19.5 | 8 | 19.5 |
| 05-05-2022 20:35 | 21.9 | 19.5 | 8 | 19.5 |
| 05-05-2022 20:36 | 21.9 | 19.5 | 8 | 19.5 |
| 05-05-2022 20:37 | 21.9 | 19.5 | 8 | 19.4 |
| 05-05-2022 20:38 | 21.9 | 19.5 | 7 | 19.5 |
| 05-05-2022 20:39 | 21.9 | 19.5 | 8 | 19.5 |
| 05-05-2022 20:40 | 21.9 | 19.5 | 8 | 19.5 |
| 05-05-2022 20:41 | 21.9 | 19.5 | 8 | 19.5 |
| 05-05-2022 20:42 | 21.9 | 19.5 | 8 | 19.5 |
| 05-05-2022 20:43 | 21.9 | 19.5 | 8 | 19.5 |
| 05-05-2022 20:44 | 21.9 | 19.5 | 8 | 19.5 |
| 05-05-2022 20:45 | 21.9 | 19.5 | 8 | 19.5 |
| 05-05-2022 20:46 | 21.9 | 19.5 | 8 | 19.5 |
| 05-05-2022 20:47 | 21.9 | 19.5 | 7 | 19.5 |
| 05-05-2022 20:48 | 21.9 | 19.5 | 7 | 19.5 |
| 05-05-2022 20:49 | 21.9 | 19.5 | 7 | 19.5 |
| 05-05-2022 20:50 | 21.9 | 19.5 | 8 | 19.5 |
| 05-05-2022 20:51 | 21.9 | 19.5 | 8 | 19.5 |
| 05-05-2022 20:52 | 21.9 | 19.5 | 8 | 19.4 |
| 05-05-2022 20:53 | 21.9 | 19.5 | 8 | 19.5 |
| 05-05-2022 20:54 | 21.9 | 19.5 | 8 | 19.5 |
| 05-05-2022 20:55 | 21.9 | 19.5 | 8 | 19.5 |
| 05-05-2022 20:56 | 21.9 | 19.5 | 8 | 19.4 |
| 05-05-2022 20:57 | 21.9 | 19.5 | 8 | 19.5 |
| 05-05-2022 20:58 | 21.9 | 19.5 | 8 | 19.5 |
| 05-05-2022 20:59 | 21.9 | 19.5 | 8 | 19.4 |
| 05-05-2022 21:00 | 21.9 | 19.5 | 8 | 19.4 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 05-05-2022 21:01 | 21.9 | 19.5 | 8 | 19.5 |
| 05-05-2022 21:02 | 21.9 | 19.5 | 8 | 19.5 |
| 05-05-2022 21:03 | 21.9 | 19.5 | 8 | 19.5 |
| 05-05-2022 21:04 | 21.9 | 19.5 | 8 | 19.5 |
| 05-05-2022 21:05 | 21.9 | 19.5 | 8 | 19.4 |
| 05-05-2022 21:06 | 21.9 | 19.5 | 8 | 19.5 |
| 05-05-2022 21:07 | 21.9 | 19.5 | 8 | 19.5 |
| 05-05-2022 21:08 | 21.9 | 19.5 | 8 | 19.5 |
| 05-05-2022 21:09 | 21.9 | 19.5 | 8 | 19.5 |
| 05-05-2022 21:10 | 21.9 | 19.5 | 6 | 19.4 |
| 05-05-2022 21:11 | 21.9 | 19.5 | 7 | 19.4 |
| 05-05-2022 21:12 | 21.9 | 19.5 | 8 | 19.4 |
| 05-05-2022 21:13 | 21.9 | 19.5 | 8 | 19.5 |
| 05-05-2022 21:14 | 21.9 | 19.5 | 7 | 19.5 |
| 05-05-2022 21:15 | 21.9 | 19.5 | 8 | 19.4 |
| 05-05-2022 21:16 | 21.9 | 19.5 | 8 | 19.5 |
| 05-05-2022 21:17 | 21.9 | 19.5 | 8 | 19.5 |
| 05-05-2022 21:18 | 21.9 | 19.5 | 8 | 19.5 |
| 05-05-2022 21:19 | 21.9 | 19.5 | 8 | 19.5 |
| 05-05-2022 21:20 | 21.9 | 19.5 | 8 | 19.5 |
| 05-05-2022 21:21 | 21.9 | 19.5 | 8 | 19.5 |
| 05-05-2022 21:22 | 21.9 | 19.5 | 7 | 19.5 |
| 05-05-2022 21:23 | 21.9 | 19.5 | 8 | 19.5 |
| 05-05-2022 21:24 | 21.9 | 19.5 | 8 | 19.4 |
| 05-05-2022 21:25 | 21.9 | 19.5 | 8 | 19.4 |
| 05-05-2022 21:26 | 21.9 | 19.5 | 8 | 19.4 |
| 05-05-2022 21:27 | 21.9 | 19.5 | 8 | 19.5 |
| 05-05-2022 21:28 | 21.9 | 19.5 | 8 | 19.4 |
| 05-05-2022 21:29 | 21.9 | 19.5 | 8 | 19.4 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 05-05-2022 21:30 | 21.9 | 19.5 | 8 | 19.4 |
| 05-05-2022 21:31 | 21.9 | 19.5 | 8 | 19.5 |
| 05-05-2022 21:32 | 21.9 | 19.5 | 8 | 19.4 |
| 05-05-2022 21:33 | 21.9 | 19.5 | 8 | 19.4 |
| 05-05-2022 21:34 | 21.8 | 19.5 | 7 | 19.4 |
| 05-05-2022 21:35 | 21.8 | 19.5 | 7 | 19.5 |
| 05-05-2022 21:36 | 21.8 | 19.5 | 8 | 19.4 |
| 05-05-2022 21:37 | 21.8 | 19.5 | 8 | 19.4 |
| 05-05-2022 21:38 | 21.8 | 19.5 | 7 | 19.4 |
| 05-05-2022 21:39 | 21.8 | 19.5 | 8 | 19.4 |
| 05-05-2022 21:40 | 21.8 | 19.5 | 8 | 19.4 |
| 05-05-2022 21:41 | 21.8 | 19.5 | 7 | 19.4 |
| 05-05-2022 21:42 | 21.8 | 19.5 | 8 | 19.4 |
| 05-05-2022 21:43 | 21.8 | 19.5 | 8 | 19.4 |
| 05-05-2022 21:44 | 21.8 | 19.5 | 8 | 19.4 |
| 05-05-2022 21:45 | 21.8 | 19.5 | 7 | 19.4 |
| 05-05-2022 21:46 | 21.8 | 19.5 | 8 | 19.4 |
| 05-05-2022 21:47 | 21.8 | 19.5 | 8 | 19.4 |
| 05-05-2022 21:48 | 21.8 | 19.5 | 8 | 19.4 |
| 05-05-2022 21:49 | 21.8 | 19.5 | 7 | 19.4 |
| 05-05-2022 21:50 | 21.8 | 19.5 | 7 | 19.4 |
| 05-05-2022 21:51 | 21.8 | 19.5 | 8 | 19.4 |
| 05-05-2022 21:52 | 21.8 | 19.5 | 8 | 19.4 |
| 05-05-2022 21:53 | 21.8 | 19.5 | 8 | 19.4 |
| 05-05-2022 21:54 | 21.8 | 19.5 | 8 | 19.4 |
| 05-05-2022 21:55 | 21.8 | 19.5 | 8 | 19.4 |
| 05-05-2022 21:56 | 21.8 | 19.5 | 8 | 19.4 |
| 05-05-2022 21:57 | 21.8 | 19.5 | 8 | 19.4 |
| 05-05-2022 21:58 | 21.8 | 19.5 | 8 | 19.4 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 05-05-2022 21:59 | 21.8 | 19.5 | 7 | 19.4 |
| 05-05-2022 22:00 | 21.8 | 19.5 | 7 | 19.5 |
| 05-05-2022 22:01 | 21.8 | 19.5 | 6 | 19.5 |
| 05-05-2022 22:02 | 21.8 | 19.5 | 8 | 19.4 |
| 05-05-2022 22:03 | 21.8 | 19.5 | 8 | 19.5 |
| 05-05-2022 22:04 | 21.8 | 19.5 | 7 | 19.5 |
| 05-05-2022 22:05 | 21.8 | 19.5 | 8 | 19.5 |
| 05-05-2022 22:06 | 21.8 | 19.5 | 8 | 19.5 |
| 05-05-2022 22:07 | 21.8 | 19.6 | 5 | 19.5 |
| 05-05-2022 22:08 | 21.8 | 19.6 | 7 | 19.6 |
| 05-05-2022 22:09 | 21.8 | 19.6 | 8 | 19.6 |
| 05-05-2022 22:10 | 21.9 | 19.6 | 8 | 19.6 |
| 05-05-2022 22:11 | 21.9 | 19.6 | 7 | 19.6 |
| 05-05-2022 22:12 | 21.9 | 19.6 | 7 | 19.6 |
| 05-05-2022 22:13 | 21.9 | 19.6 | 8 | 19.7 |
| 05-05-2022 22:14 | 21.9 | 19.7 | 8 | 19.6 |
| 05-05-2022 22:15 | 21.9 | 19.7 | 7 | 19.7 |
| 05-05-2022 22:16 | 21.9 | 19.7 | 8 | 19.7 |
| 05-05-2022 22:17 | 21.9 | 19.7 | 8 | 19.7 |
| 05-05-2022 22:18 | 22.0 | 19.8 | 8 | 19.8 |
| 05-05-2022 22:19 | 22.0 | 19.8 | 8 | 19.8 |
| 05-05-2022 22:20 | 22.0 | 19.8 | 8 | 19.9 |
| 05-05-2022 22:21 | 22.0 | 19.8 | 8 | 19.8 |
| 05-05-2022 22:22 | 22.0 | 19.8 | 8 | 19.8 |
| 05-05-2022 22:23 | 22.0 | 19.9 | 7 | 19.9 |
| 05-05-2022 22:24 | 22.1 | 19.9 | 7 | 19.9 |
| 05-05-2022 22:25 | 22.1 | 19.9 | 7 | 20.0 |
| 05-05-2022 22:26 | 22.1 | 19.9 | 7 | 20.0 |
| 05-05-2022 22:27 | 22.1 | 19.9 | 8 | 20.0 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 05-05-2022 22:28 | 22.2 | 19.9 | 8 | 20.1 |
| 05-05-2022 22:29 | 22.2 | 20.0 | 7 | 20.1 |
| 05-05-2022 22:30 | 22.2 | 20.0 | 8 | 20.1 |
| 05-05-2022 22:31 | 22.2 | 20.0 | 8 | 20.1 |
| 05-05-2022 22:32 | 22.2 | 20.0 | 8 | 20.2 |
| 05-05-2022 22:33 | 22.3 | 20.1 | 8 | 20.1 |
| 05-05-2022 22:34 | 22.3 | 20.1 | 8 | 20.2 |
| 05-05-2022 22:35 | 22.3 | 20.1 | 8 | 20.2 |
| 05-05-2022 22:36 | 22.3 | 20.1 | 8 | 20.2 |
| 05-05-2022 22:37 | 22.4 | 20.1 | 8 | 20.2 |
| 05-05-2022 22:38 | 22.4 | 20.1 | 8 | 20.3 |
| 05-05-2022 22:39 | 22.4 | 20.1 | 8 | 20.3 |
| 05-05-2022 22:40 | 22.4 | 20.1 | 8 | 20.3 |
| 05-05-2022 22:41 | 22.4 | 20.2 | 8 | 20.4 |
| 05-05-2022 22:42 | 22.4 | 20.2 | 8 | 20.4 |
| 05-05-2022 22:43 | 22.5 | 20.2 | 8 | 20.3 |
| 05-05-2022 22:44 | 22.5 | 20.2 | 8 | 20.4 |
| 05-05-2022 22:45 | 22.5 | 20.2 | 8 | 20.4 |
| 05-05-2022 22:46 | 22.5 | 20.3 | 8 | 20.4 |
| 05-05-2022 22:47 | 22.5 | 20.3 | 8 | 20.4 |
| 05-05-2022 22:48 | 22.5 | 20.2 | 8 | 20.5 |
| 05-05-2022 22:49 | 22.5 | 20.3 | 8 | 20.5 |
| 05-05-2022 22:50 | 22.6 | 20.3 | 8 | 20.5 |
| 05-05-2022 22:51 | 22.6 | 20.3 | 8 | 20.5 |
| 05-05-2022 22:52 | 22.6 | 20.3 | 8 | 20.5 |
| 05-05-2022 22:53 | 22.6 | 20.3 | 8 | 20.5 |
| 05-05-2022 22:54 | 22.6 | 20.6 | 8 | 20.5 |
| 05-05-2022 22:55 | 22.6 | 20.7 | 8 | 20.5 |
| 05-05-2022 22:56 | 22.7 | 20.7 | 8 | 20.5 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 05-05-2022 22:57 | 22.7 | 20.6 | 8 | 20.5 |
| 05-05-2022 22:58 | 22.7 | 20.5 | 8 | 20.5 |
| 05-05-2022 22:59 | 22.7 | 20.5 | 8 | 20.5 |
| 05-05-2022 23:00 | 22.7 | 20.5 | 8 | 20.5 |
| 05-05-2022 23:01 | 22.7 | 20.4 | 7 | 20.5 |
| 05-05-2022 23:02 | 22.7 | 20.4 | 8 | 20.5 |
| 05-05-2022 23:03 | 22.8 | 20.4 | 8 | 20.5 |
| 05-05-2022 23:04 | 22.7 | 20.3 | 6 | 20.5 |
| 05-05-2022 23:05 | 22.7 | 20.3 | 8 | 20.5 |
| 05-05-2022 23:06 | 22.7 | 20.3 | 8 | 20.4 |
| 05-05-2022 23:07 | 22.7 | 20.3 | 8 | 20.5 |
| 05-05-2022 23:08 | 22.7 | 20.3 | 8 | 20.5 |
| 05-05-2022 23:09 | 22.8 | 20.2 | 7 | 20.4 |
| 05-05-2022 23:10 | 22.7 | 20.3 | 8 | 20.4 |
| 05-05-2022 23:11 | 22.7 | 20.3 | 8 | 20.4 |
| 05-05-2022 23:12 | 22.7 | 20.3 | 7 | 20.4 |
| 05-05-2022 23:13 | 22.7 | 20.2 | 8 | 20.4 |
| 05-05-2022 23:14 | 22.7 | 20.2 | 8 | 20.4 |
| 05-05-2022 23:15 | 22.7 | 20.2 | 8 | 20.4 |
| 05-05-2022 23:16 | 22.7 | 20.2 | 8 | 20.4 |
| 05-05-2022 23:17 | 22.7 | 20.2 | 7 | 20.3 |
| 05-05-2022 23:18 | 22.7 | 20.2 | 8 | 20.3 |
| 05-05-2022 23:19 | 22.7 | 20.1 | 8 | 20.3 |
| 05-05-2022 23:20 | 22.7 | 20.1 | 9 | 20.3 |
| 05-05-2022 23:21 | 22.7 | 20.1 | 8 | 20.3 |
| 05-05-2022 23:22 | 22.7 | 20.1 | 8 | 20.3 |
| 05-05-2022 23:23 | 22.7 | 20.1 | 8 | 20.3 |
| 05-05-2022 23:24 | 22.7 | 20.1 | 8 | 20.3 |
| 05-05-2022 23:25 | 22.7 | 20.1 | 8 | 20.3 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 05-05-2022 23:26 | 22.7 | 20.1 | 8 | 20.2 |
| 05-05-2022 23:27 | 22.7 | 20.1 | 7 | 20.2 |
| 05-05-2022 23:28 | 22.7 | 20.0 | 8 | 20.2 |
| 05-05-2022 23:29 | 22.6 | 20.0 | 8 | 20.2 |
| 05-05-2022 23:30 | 22.7 | 20.0 | 8 | 20.1 |
| 05-05-2022 23:31 | 22.6 | 20.0 | 8 | 20.1 |
| 05-05-2022 23:32 | 22.6 | 20.0 | 8 | 20.1 |
| 05-05-2022 23:33 | 22.6 | 19.9 | 8 | 20.1 |
| 05-05-2022 23:34 | 22.6 | 19.9 | 8 | 20.1 |
| 05-05-2022 23:35 | 22.5 | 19.9 | 8 | 20.0 |
| 05-05-2022 23:36 | 22.5 | 19.9 | 7 | 20.1 |
| 05-05-2022 23:37 | 22.5 | 19.9 | 8 | 20.0 |
| 05-05-2022 23:38 | 22.5 | 19.9 | 8 | 20.0 |
| 05-05-2022 23:39 | 22.5 | 19.8 | 8 | 19.9 |
| 05-05-2022 23:40 | 22.5 | 19.8 | 8 | 19.9 |
| 05-05-2022 23:41 | 22.4 | 19.8 | 8 | 19.9 |
| 05-05-2022 23:42 | 22.4 | 19.8 | 8 | 20.0 |
| 05-05-2022 23:43 | 22.4 | 19.8 | 7 | 19.9 |
| 05-05-2022 23:44 | 22.4 | 19.8 | 6 | 19.9 |
| 05-05-2022 23:45 | 22.4 | 19.8 | 8 | 19.8 |
| 05-05-2022 23:46 | 22.4 | 19.8 | 8 | 19.8 |
| 05-05-2022 23:47 | 22.4 | 19.8 | 8 | 19.8 |
| 05-05-2022 23:48 | 22.4 | 19.7 | 8 | 19.8 |
| 05-05-2022 23:49 | 22.4 | 19.7 | 8 | 19.8 |
| 05-05-2022 23:50 | 22.4 | 19.7 | 7 | 19.8 |
| 05-05-2022 23:51 | 22.4 | 19.7 | 8 | 19.8 |
| 05-05-2022 23:52 | 22.4 | 19.7 | 7 | 19.8 |
| 05-05-2022 23:53 | 22.3 | 19.7 | 8 | 19.8 |
| 05-05-2022 23:54 | 22.3 | 19.7 | 8 | 19.7 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 05-05-2022 23:55 | 22.3 | 19.7 | 8 | 19.8 |
| 05-05-2022 23:56 | 22.3 | 19.7 | 8 | 19.7 |
| 05-05-2022 23:57 | 22.3 | 19.6 | 8 | 19.8 |
| 05-05-2022 23:58 | 22.3 | 19.6 | 7 | 19.7 |
| 05-05-2022 23:59 | 22.3 | 19.6 | 8 | 19.8 |
| 06-05-2022 00:00 | 22.3 | 19.6 | 8 | 19.7 |
| 06-05-2022 00:01 | 22.3 | 19.6 | 8 | 19.7 |
| 06-05-2022 00:02 | 22.2 | 19.6 | 8 | 19.8 |
| 06-05-2022 00:03 | 22.2 | 19.6 | 8 | 19.7 |
| 06-05-2022 00:04 | 22.2 | 19.6 | 7 | 19.7 |
| 06-05-2022 00:05 | 22.2 | 19.6 | 8 | 19.7 |
| 06-05-2022 00:06 | 22.2 | 19.6 | 8 | 19.6 |
| 06-05-2022 00:07 | 22.2 | 19.6 | 8 | 19.7 |
| 06-05-2022 00:08 | 22.2 | 19.6 | 8 | 19.7 |
| 06-05-2022 00:09 | 22.1 | 19.6 | 8 | 19.6 |
| 06-05-2022 00:10 | 22.2 | 19.6 | 8 | 19.6 |
| 06-05-2022 00:11 | 22.2 | 19.6 | 8 | 19.6 |
| 06-05-2022 00:12 | 22.1 | 19.6 | 8 | 19.6 |
| 06-05-2022 00:13 | 22.2 | 19.6 | 8 | 19.6 |
| 06-05-2022 00:14 | 22.2 | 19.6 | 8 | 19.6 |
| 06-05-2022 00:15 | 22.2 | 19.5 | 8 | 19.6 |
| 06-05-2022 00:16 | 22.1 | 19.5 | 8 | 19.6 |
| 06-05-2022 00:17 | 22.1 | 19.5 | 8 | 19.5 |
| 06-05-2022 00:18 | 22.1 | 19.5 | 8 | 19.5 |
| 06-05-2022 00:19 | 22.1 | 19.5 | 8 | 19.5 |
| 06-05-2022 00:20 | 22.2 | 19.5 | 8 | 19.5 |
| 06-05-2022 00:21 | 22.1 | 19.5 | 8 | 19.5 |
| 06-05-2022 00:22 | 22.1 | 19.5 | 8 | 19.5 |
| 06-05-2022 00:23 | 22.1 | 19.5 | 8 | 19.5 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 06-05-2022 00:24 | 22.1 | 19.5 | 8 | 19.5 |
| 06-05-2022 00:25 | 22.1 | 19.5 | 8 | 19.5 |
| 06-05-2022 00:26 | 22.1 | 19.5 | 8 | 19.4 |
| 06-05-2022 00:27 | 22.1 | 19.5 | 8 | 19.4 |
| 06-05-2022 00:28 | 22.0 | 19.5 | 8 | 19.4 |
| 06-05-2022 00:29 | 22.1 | 19.5 | 7 | 19.4 |
| 06-05-2022 00:30 | 22.1 | 19.5 | 8 | 19.4 |
| 06-05-2022 00:31 | 22.1 | 19.5 | 8 | 19.4 |
| 06-05-2022 00:32 | 22.1 | 19.5 | 8 | 19.4 |
| 06-05-2022 00:33 | 22.1 | 19.5 | 8 | 19.4 |
| 06-05-2022 00:34 | 22.0 | 19.5 | 8 | 19.4 |
| 06-05-2022 00:35 | 22.0 | 19.5 | 8 | 19.4 |
| 06-05-2022 00:36 | 22.0 | 19.5 | 8 | 19.4 |
| 06-05-2022 00:37 | 22.0 | 19.5 | 7 | 19.4 |
| 06-05-2022 00:38 | 22.1 | 19.5 | 9 | 19.3 |
| 06-05-2022 00:39 | 22.0 | 19.4 | 8 | 19.4 |
| 06-05-2022 00:40 | 22.0 | 19.4 | 8 | 19.3 |
| 06-05-2022 00:41 | 22.0 | 19.4 | 7 | 19.4 |
| 06-05-2022 00:42 | 22.0 | 19.4 | 8 | 19.3 |
| 06-05-2022 00:43 | 22.0 | 19.4 | 8 | 19.3 |
| 06-05-2022 00:44 | 22.0 | 19.4 | 8 | 19.3 |
| 06-05-2022 00:45 | 22.0 | 19.4 | 8 | 19.3 |
| 06-05-2022 00:46 | 21.9 | 19.4 | 8 | 19.3 |
| 06-05-2022 00:47 | 21.9 | 19.4 | 8 | 19.3 |
| 06-05-2022 00:48 | 21.9 | 19.4 | 8 | 19.4 |
| 06-05-2022 00:49 | 21.9 | 19.4 | 8 | 19.3 |
| 06-05-2022 00:50 | 21.9 | 19.4 | 8 | 19.2 |
| 06-05-2022 00:51 | 21.9 | 19.4 | 8 | 19.2 |
| 06-05-2022 00:52 | 21.9 | 19.4 | 8 | 19.3 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 06-05-2022 00:53 | 21.9 | 19.4 | 8 | 19.2 |
| 06-05-2022 00:54 | 21.9 | 19.4 | 8 | 19.3 |
| 06-05-2022 00:55 | 21.9 | 19.4 | 8 | 19.2 |
| 06-05-2022 00:56 | 21.9 | 19.4 | 8 | 19.2 |
| 06-05-2022 00:57 | 22.0 | 19.4 | 9 | 19.3 |
| 06-05-2022 00:58 | 22.0 | 19.4 | 8 | 19.2 |
| 06-05-2022 00:59 | 21.9 | 19.4 | 8 | 19.3 |
| 06-05-2022 01:00 | 21.9 | 19.4 | 8 | 19.2 |
| 06-05-2022 01:01 | 21.9 | 19.4 | 8 | 19.3 |
| 06-05-2022 01:02 | 21.9 | 19.4 | 8 | 19.2 |
| 06-05-2022 01:03 | 21.9 | 19.4 | 8 | 19.3 |
| 06-05-2022 01:04 | 21.9 | 19.4 | 8 | 19.2 |
| 06-05-2022 01:05 | 21.9 | 19.3 | 8 | 19.2 |
| 06-05-2022 01:06 | 21.9 | 19.3 | 8 | 19.3 |
| 06-05-2022 01:07 | 21.9 | 19.3 | 8 | 19.3 |
| 06-05-2022 01:08 | 21.9 | 19.4 | 8 | 19.2 |
| 06-05-2022 01:09 | 21.9 | 19.3 | 8 | 19.2 |
| 06-05-2022 01:10 | 21.9 | 19.3 | 8 | 19.2 |
| 06-05-2022 01:11 | 21.9 | 19.3 | 8 | 19.2 |
| 06-05-2022 01:12 | 21.9 | 19.3 | 8 | 19.2 |
| 06-05-2022 01:13 | 21.9 | 19.3 | 8 | 19.3 |
| 06-05-2022 01:14 | 21.9 | 19.3 | 8 | 19.2 |
| 06-05-2022 01:15 | 21.9 | 19.3 | 8 | 19.2 |
| 06-05-2022 01:16 | 21.9 | 19.3 | 8 | 19.2 |
| 06-05-2022 01:17 | 21.9 | 19.3 | 8 | 19.2 |
| 06-05-2022 01:18 | 21.9 | 19.3 | 8 | 19.2 |
| 06-05-2022 01:19 | 21.9 | 19.3 | 9 | 19.2 |
| 06-05-2022 01:20 | 21.9 | 19.3 | 8 | 19.3 |
| 06-05-2022 01:21 | 21.9 | 19.3 | 8 | 19.1 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 06-05-2022 01:22 | 21.9 | 19.3 | 8 | 19.2 |
| 06-05-2022 01:23 | 21.9 | 19.3 | 8 | 19.2 |
| 06-05-2022 01:24 | 21.9 | 19.3 | 8 | 19.2 |
| 06-05-2022 01:25 | 21.8 | 19.3 | 8 | 19.2 |
| 06-05-2022 01:26 | 21.9 | 19.3 | 8 | 19.2 |
| 06-05-2022 01:27 | 21.9 | 19.3 | 8 | 19.1 |
| 06-05-2022 01:28 | 21.9 | 19.3 | 8 | 19.2 |
| 06-05-2022 01:29 | 21.9 | 19.3 | 8 | 19.2 |
| 06-05-2022 01:30 | 21.8 | 19.3 | 8 | 19.1 |
| 06-05-2022 01:31 | 21.8 | 19.3 | 8 | 19.2 |
| 06-05-2022 01:32 | 21.8 | 19.3 | 8 | 19.2 |
| 06-05-2022 01:33 | 21.8 | 19.3 | 8 | 19.1 |
| 06-05-2022 01:34 | 21.8 | 19.3 | 8 | 19.2 |
| 06-05-2022 01:35 | 21.8 | 19.3 | 8 | 19.1 |
| 06-05-2022 01:36 | 21.8 | 19.3 | 8 | 19.2 |
| 06-05-2022 01:37 | 21.8 | 19.3 | 8 | 19.2 |
| 06-05-2022 01:38 | 21.8 | 19.3 | 8 | 19.2 |
| 06-05-2022 01:39 | 21.8 | 19.3 | 8 | 19.1 |
| 06-05-2022 01:40 | 21.8 | 19.3 | 8 | 19.2 |
| 06-05-2022 01:41 | 21.8 | 19.3 | 8 | 19.1 |
| 06-05-2022 01:42 | 21.8 | 19.3 | 8 | 19.2 |
| 06-05-2022 01:43 | 21.8 | 19.3 | 8 | 19.1 |
| 06-05-2022 01:44 | 21.8 | 19.3 | 8 | 19.2 |
| 06-05-2022 01:45 | 21.8 | 19.3 | 8 | 19.1 |
| 06-05-2022 01:46 | 21.8 | 19.3 | 8 | 19.1 |
| 06-05-2022 01:47 | 21.8 | 19.3 | 8 | 19.1 |
| 06-05-2022 01:48 | 21.8 | 19.3 | 8 | 19.1 |
| 06-05-2022 01:49 | 21.8 | 19.3 | 8 | 19.1 |
| 06-05-2022 01:50 | 21.8 | 19.3 | 8 | 19.2 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 06-05-2022 01:51 | 21.9 | 19.3 | 8 | 19.2 |
| 06-05-2022 01:52 | 21.9 | 19.3 | 8 | 19.1 |
| 06-05-2022 01:53 | 21.8 | 19.3 | 9 | 19.1 |
| 06-05-2022 01:54 | 21.8 | 19.3 | 8 | 19.1 |
| 06-05-2022 01:55 | 21.8 | 19.3 | 8 | 19.2 |
| 06-05-2022 01:56 | 21.8 | 19.3 | 8 | 19.1 |
| 06-05-2022 01:57 | 21.8 | 19.3 | 8 | 19.2 |
| 06-05-2022 01:58 | 21.8 | 19.3 | 8 | 19.1 |
| 06-05-2022 01:59 | 21.8 | 19.3 | 8 | 19.1 |
| 06-05-2022 02:00 | 21.7 | 19.3 | 8 | 19.1 |
| 06-05-2022 02:01 | 21.7 | 19.3 | 8 | 19.1 |
| 06-05-2022 02:02 | 21.7 | 19.3 | 8 | 19.1 |
| 06-05-2022 02:03 | 21.7 | 19.3 | 8 | 19.1 |
| 06-05-2022 02:04 | 21.7 | 19.3 | 8 | 19.1 |
| 06-05-2022 02:05 | 21.6 | 19.3 | 8 | 19.1 |
| 06-05-2022 02:06 | 21.7 | 19.3 | 8 | 19.1 |
| 06-05-2022 02:07 | 21.7 | 19.3 | 8 | 19.2 |
| 06-05-2022 02:08 | 21.7 | 19.3 | 8 | 19.1 |
| 06-05-2022 02:09 | 21.7 | 19.3 | 8 | 19.1 |
| 06-05-2022 02:10 | 21.7 | 19.3 | 7 | 19.2 |
| 06-05-2022 02:11 | 21.7 | 19.4 | 8 | 19.2 |
| 06-05-2022 02:12 | 21.7 | 19.4 | 8 | 19.2 |
| 06-05-2022 02:13 | 21.7 | 19.4 | 8 | 19.2 |
| 06-05-2022 02:14 | 21.7 | 19.4 | 8 | 19.2 |
| 06-05-2022 02:15 | 21.7 | 19.4 | 8 | 19.3 |
| 06-05-2022 02:16 | 21.7 | 19.4 | 8 | 19.3 |
| 06-05-2022 02:17 | 21.8 | 19.5 | 8 | 19.3 |
| 06-05-2022 02:18 | 21.8 | 19.5 | 8 | 19.4 |
| 06-05-2022 02:19 | 21.8 | 19.5 | 7 | 19.4 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 06-05-2022 02:20 | 21.8 | 19.5 | 8 | 19.4 |
| 06-05-2022 02:21 | 21.8 | 19.5 | 8 | 19.4 |
| 06-05-2022 02:22 | 21.8 | 19.5 | 8 | 19.4 |
| 06-05-2022 02:23 | 21.8 | 19.5 | 8 | 19.4 |
| 06-05-2022 02:24 | 21.8 | 19.5 | 8 | 19.4 |
| 06-05-2022 02:25 | 21.8 | 19.6 | 8 | 19.4 |
| 06-05-2022 02:26 | 21.9 | 19.6 | 8 | 19.5 |
| 06-05-2022 02:27 | 21.9 | 19.6 | 8 | 19.5 |
| 06-05-2022 02:28 | 21.9 | 19.6 | 8 | 19.5 |
| 06-05-2022 02:29 | 21.9 | 19.6 | 8 | 19.4 |
| 06-05-2022 02:30 | 21.9 | 19.6 | 8 | 19.5 |
| 06-05-2022 02:31 | 21.9 | 19.6 | 8 | 19.5 |
| 06-05-2022 02:32 | 21.9 | 19.6 | 8 | 19.4 |
| 06-05-2022 02:33 | 21.9 | 19.6 | 8 | 19.5 |
| 06-05-2022 02:34 | 21.9 | 19.6 | 8 | 19.5 |
| 06-05-2022 02:35 | 21.9 | 19.6 | 8 | 19.5 |
| 06-05-2022 02:36 | 21.9 | 19.6 | 8 | 19.5 |
| 06-05-2022 02:37 | 21.9 | 19.6 | 7 | 19.5 |
| 06-05-2022 02:38 | 21.9 | 19.7 | 8 | 19.5 |
| 06-05-2022 02:39 | 21.9 | 19.7 | 8 | 19.5 |
| 06-05-2022 02:40 | 22.0 | 19.7 | 8 | 19.5 |
| 06-05-2022 02:41 | 22.0 | 19.7 | 8 | 19.6 |
| 06-05-2022 02:42 | 22.0 | 19.7 | 8 | 19.6 |
| 06-05-2022 02:43 | 22.0 | 19.7 | 8 | 19.6 |
| 06-05-2022 02:44 | 22.0 | 19.7 | 8 | 19.6 |
| 06-05-2022 02:45 | 22.0 | 19.7 | 8 | 19.6 |
| 06-05-2022 02:46 | 22.0 | 19.7 | 8 | 19.6 |
| 06-05-2022 02:47 | 22.0 | 19.7 | 8 | 19.6 |
| 06-05-2022 02:48 | 22.0 | 19.8 | 8 | 19.6 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 06-05-2022 02:49 | 22.0 | 19.8 | 8 | 19.6 |
| 06-05-2022 02:50 | 22.0 | 19.8 | 8 | 19.7 |
| 06-05-2022 02:51 | 22.1 | 19.8 | 8 | 19.6 |
| 06-05-2022 02:52 | 22.1 | 19.8 | 8 | 19.7 |
| 06-05-2022 02:53 | 22.1 | 19.8 | 8 | 19.7 |
| 06-05-2022 02:54 | 22.1 | 19.8 | 7 | 19.6 |
| 06-05-2022 02:55 | 22.1 | 19.8 | 8 | 19.7 |
| 06-05-2022 02:56 | 22.1 | 19.8 | 8 | 19.7 |
| 06-05-2022 02:57 | 22.1 | 19.8 | 7 | 19.7 |
| 06-05-2022 02:58 | 22.2 | 19.8 | 7 | 19.7 |
| 06-05-2022 02:59 | 22.2 | 19.8 | 7 | 19.7 |
| 06-05-2022 03:00 | 22.2 | 19.8 | 7 | 19.7 |
| 06-05-2022 03:01 | 22.2 | 19.8 | 8 | 19.7 |
| 06-05-2022 03:02 | 22.2 | 19.8 | 8 | 19.8 |
| 06-05-2022 03:03 | 22.2 | 19.8 | 8 | 19.8 |
| 06-05-2022 03:04 | 22.2 | 19.8 | 8 | 19.7 |
| 06-05-2022 03:05 | 22.2 | 19.8 | 7 | 19.8 |
| 06-05-2022 03:06 | 22.2 | 19.8 | 8 | 19.7 |
| 06-05-2022 03:07 | 22.2 | 19.8 | 8 | 19.7 |
| 06-05-2022 03:08 | 22.3 | 19.8 | 8 | 19.7 |
| 06-05-2022 03:09 | 22.3 | 19.8 | 8 | 19.7 |
| 06-05-2022 03:10 | 22.3 | 19.8 | 8 | 19.8 |
| 06-05-2022 03:11 | 22.3 | 19.8 | 7 | 19.8 |
| 06-05-2022 03:12 | 22.3 | 19.8 | 8 | 19.8 |
| 06-05-2022 03:13 | 22.3 | 19.8 | 8 | 19.8 |
| 06-05-2022 03:14 | 22.3 | 19.8 | 8 | 19.8 |
| 06-05-2022 03:15 | 22.3 | 19.8 | 8 | 19.8 |
| 06-05-2022 03:16 | 22.3 | 19.8 | 8 | 19.8 |
| 06-05-2022 03:17 | 22.3 | 19.8 | 8 | 19.8 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 06-05-2022 03:18 | 22.3 | 19.8 | 8 | 19.8 |
| 06-05-2022 03:19 | 22.3 | 19.8 | 8 | 19.8 |
| 06-05-2022 03:20 | 22.3 | 19.8 | 8 | 19.8 |
| 06-05-2022 03:21 | 22.3 | 19.9 | 8 | 19.8 |
| 06-05-2022 03:22 | 22.3 | 19.8 | 8 | 19.8 |
| 06-05-2022 03:23 | 22.3 | 19.9 | 8 | 19.8 |
| 06-05-2022 03:24 | 22.3 | 19.9 | 8 | 19.8 |
| 06-05-2022 03:25 | 22.3 | 19.9 | 8 | 19.8 |
| 06-05-2022 03:26 | 22.3 | 19.9 | 8 | 19.8 |
| 06-05-2022 03:27 | 22.3 | 19.9 | 7 | 19.9 |
| 06-05-2022 03:28 | 22.4 | 19.9 | 8 | 19.8 |
| 06-05-2022 03:29 | 22.4 | 19.9 | 7 | 19.8 |
| 06-05-2022 03:30 | 22.3 | 19.9 | 8 | 19.8 |
| 06-05-2022 03:31 | 22.3 | 19.9 | 8 | 19.9 |
| 06-05-2022 03:32 | 22.3 | 19.9 | 7 | 19.8 |
| 06-05-2022 03:33 | 22.3 | 19.9 | 8 | 19.8 |
| 06-05-2022 03:34 | 22.4 | 19.9 | 8 | 19.9 |
| 06-05-2022 03:35 | 22.4 | 19.9 | 7 | 19.9 |
| 06-05-2022 03:36 | 22.4 | 19.9 | 8 | 19.9 |
| 06-05-2022 03:37 | 22.4 | 19.9 | 8 | 19.9 |
| 06-05-2022 03:38 | 22.4 | 19.9 | 8 | 19.9 |
| 06-05-2022 03:39 | 22.4 | 19.9 | 7 | 19.9 |
| 06-05-2022 03:40 | 22.4 | 19.9 | 8 | 19.8 |
| 06-05-2022 03:41 | 22.4 | 19.9 | 8 | 19.9 |
| 06-05-2022 03:42 | 22.4 | 19.9 | 8 | 19.9 |
| 06-05-2022 03:43 | 22.4 | 19.9 | 8 | 19.9 |
| 06-05-2022 03:44 | 22.5 | 19.9 | 8 | 19.8 |
| 06-05-2022 03:45 | 22.5 | 19.9 | 8 | 19.9 |
| 06-05-2022 03:46 | 22.4 | 19.9 | 8 | 19.9 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 06-05-2022 03:47 | 22.5 | 19.9 | 8 | 19.9 |
| 06-05-2022 03:48 | 22.5 | 19.9 | 7 | 19.9 |
| 06-05-2022 03:49 | 22.5 | 19.9 | 8 | 19.9 |
| 06-05-2022 03:50 | 22.5 | 19.9 | 8 | 19.9 |
| 06-05-2022 03:51 | 22.5 | 19.9 | 8 | 19.9 |
| 06-05-2022 03:52 | 22.5 | 19.9 | 8 | 19.9 |
| 06-05-2022 03:53 | 22.5 | 19.9 | 8 | 19.9 |
| 06-05-2022 03:54 | 22.5 | 19.9 | 8 | 20.0 |
| 06-05-2022 03:55 | 22.5 | 19.9 | 7 | 20.0 |
| 06-05-2022 03:56 | 22.5 | 19.9 | 8 | 20.0 |
| 06-05-2022 03:57 | 22.5 | 19.9 | 8 | 19.9 |
| 06-05-2022 03:58 | 22.5 | 19.9 | 8 | 19.9 |
| 06-05-2022 03:59 | 22.5 | 19.9 | 8 | 19.9 |
| 06-05-2022 04:00 | 22.5 | 19.9 | 8 | 19.9 |
| 06-05-2022 04:01 | 22.5 | 19.9 | 8 | 19.9 |
| 06-05-2022 04:02 | 22.5 | 19.9 | 8 | 19.9 |
| 06-05-2022 04:03 | 22.5 | 19.9 | 8 | 20.0 |
| 06-05-2022 04:04 | 22.5 | 19.9 | 8 | 19.9 |
| 06-05-2022 04:05 | 22.5 | 19.9 | 8 | 19.9 |
| 06-05-2022 04:06 | 22.5 | 19.9 | 8 | 19.9 |
| 06-05-2022 04:07 | 22.5 | 19.9 | 8 | 19.9 |
| 06-05-2022 04:08 | 22.5 | 19.9 | 8 | 19.9 |
| 06-05-2022 04:09 | 22.5 | 19.9 | 8 | 20.0 |
| 06-05-2022 04:10 | 22.5 | 19.9 | 7 | 19.9 |
| 06-05-2022 04:11 | 22.5 | 19.9 | 8 | 19.9 |
| 06-05-2022 04:12 | 22.5 | 19.9 | 7 | 20.0 |
| 06-05-2022 04:13 | 22.6 | 19.9 | 8 | 19.9 |
| 06-05-2022 04:14 | 22.6 | 19.9 | 8 | 19.9 |
| 06-05-2022 04:15 | 22.6 | 19.9 | 8 | 19.9 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 06-05-2022 04:16 | 22.6 | 19.9 | 8 | 19.9 |
| 06-05-2022 04:17 | 22.5 | 19.9 | 7 | 20.0 |
| 06-05-2022 04:18 | 22.6 | 19.9 | 8 | 20.0 |
| 06-05-2022 04:19 | 22.6 | 19.9 | 8 | 19.9 |
| 06-05-2022 04:20 | 22.5 | 19.9 | 7 | 19.9 |
| 06-05-2022 04:21 | 22.5 | 19.9 | 8 | 20.0 |
| 06-05-2022 04:22 | 22.5 | 19.9 | 8 | 20.0 |
| 06-05-2022 04:23 | 22.5 | 19.9 | 8 | 20.0 |
| 06-05-2022 04:24 | 22.5 | 19.9 | 8 | 19.9 |
| 06-05-2022 04:25 | 22.5 | 19.9 | 7 | 20.0 |
| 06-05-2022 04:26 | 22.5 | 19.9 | 8 | 19.9 |
| 06-05-2022 04:27 | 22.5 | 19.9 | 8 | 19.9 |
| 06-05-2022 04:28 | 22.5 | 19.9 | 8 | 19.9 |
| 06-05-2022 04:29 | 22.5 | 19.9 | 8 | 20.0 |
| 06-05-2022 04:30 | 22.5 | 19.9 | 7 | 19.9 |
| 06-05-2022 04:31 | 22.5 | 19.9 | 8 | 20.0 |
| 06-05-2022 04:32 | 22.5 | 19.9 | 7 | 19.9 |
| 06-05-2022 04:33 | 22.5 | 19.9 | 8 | 19.9 |
| 06-05-2022 04:34 | 22.5 | 19.9 | 8 | 19.9 |
| 06-05-2022 04:35 | 22.6 | 19.9 | 7 | 20.0 |
| 06-05-2022 04:36 | 22.5 | 19.9 | 8 | 19.9 |
| 06-05-2022 04:37 | 22.5 | 19.9 | 8 | 19.9 |
| 06-05-2022 04:38 | 22.5 | 19.9 | 8 | 19.9 |
| 06-05-2022 04:39 | 22.5 | 19.9 | 8 | 20.0 |
| 06-05-2022 04:40 | 22.5 | 19.9 | 8 | 19.9 |
| 06-05-2022 04:41 | 22.5 | 19.9 | 8 | 20.0 |
| 06-05-2022 04:42 | 22.5 | 19.9 | 8 | 19.9 |
| 06-05-2022 04:43 | 22.5 | 19.9 | 8 | 20.0 |
| 06-05-2022 04:44 | 22.4 | 19.9 | 8 | 20.0 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 06-05-2022 04:45 | 22.4 | 19.9 | 8 | 20.0 |
| 06-05-2022 04:46 | 22.4 | 19.9 | 8 | 20.0 |
| 06-05-2022 04:47 | 22.4 | 19.9 | 8 | 20.0 |
| 06-05-2022 04:48 | 22.4 | 19.9 | 7 | 20.0 |
| 06-05-2022 04:49 | 22.4 | 19.9 | 8 | 19.9 |
| 06-05-2022 04:50 | 22.4 | 19.9 | 8 | 20.0 |
| 06-05-2022 04:51 | 22.4 | 19.9 | 8 | 19.9 |
| 06-05-2022 04:52 | 22.4 | 19.9 | 8 | 20.0 |
| 06-05-2022 04:53 | 22.4 | 19.9 | 8 | 20.0 |
| 06-05-2022 04:54 | 22.4 | 19.9 | 7 | 19.9 |
| 06-05-2022 04:55 | 22.4 | 19.9 | 8 | 20.0 |
| 06-05-2022 04:56 | 22.4 | 19.9 | 8 | 20.0 |
| 06-05-2022 04:57 | 22.4 | 19.9 | 8 | 20.0 |
| 06-05-2022 04:58 | 22.4 | 19.9 | 8 | 20.0 |
| 06-05-2022 04:59 | 22.4 | 19.9 | 7 | 19.9 |
| 06-05-2022 05:00 | 22.4 | 19.9 | 8 | 19.9 |
| 06-05-2022 05:01 | 22.4 | 19.9 | 7 | 20.0 |
| 06-05-2022 05:02 | 22.4 | 19.9 | 7 | 19.9 |
| 06-05-2022 05:03 | 22.4 | 19.9 | 8 | 19.9 |
| 06-05-2022 05:04 | 22.5 | 19.9 | 8 | 20.0 |
| 06-05-2022 05:05 | 22.5 | 19.9 | 8 | 20.0 |
| 06-05-2022 05:06 | 22.5 | 19.9 | 7 | 20.0 |
| 06-05-2022 05:07 | 22.4 | 19.9 | 8 | 19.9 |
| 06-05-2022 05:08 | 22.4 | 19.9 | 8 | 20.0 |
| 06-05-2022 05:09 | 22.4 | 19.9 | 8 | 19.9 |
| 06-05-2022 05:10 | 22.4 | 19.9 | 8 | 20.0 |
| 06-05-2022 05:11 | 22.4 | 19.9 | 8 | 20.0 |
| 06-05-2022 05:12 | 22.4 | 19.9 | 8 | 19.9 |
| 06-05-2022 05:13 | 22.5 | 19.9 | 8 | 20.0 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 06-05-2022 05:14 | 22.4 | 19.9 | 8 | 19.9 |
| 06-05-2022 05:15 | 22.5 | 19.9 | 8 | 19.9 |
| 06-05-2022 05:16 | 22.5 | 19.9 | 8 | 20.0 |
| 06-05-2022 05:17 | 22.5 | 19.9 | 8 | 20.0 |
| 06-05-2022 05:18 | 22.5 | 19.9 | 8 | 20.0 |
| 06-05-2022 05:19 | 22.5 | 19.9 | 8 | 20.0 |
| 06-05-2022 05:20 | 22.5 | 19.9 | 8 | 20.0 |
| 06-05-2022 05:21 | 22.5 | 19.9 | 8 | 20.0 |
| 06-05-2022 05:22 | 22.5 | 19.9 | 7 | 19.9 |
| 06-05-2022 05:23 | 22.4 | 19.9 | 8 | 20.0 |
| 06-05-2022 05:24 | 22.4 | 19.9 | 8 | 20.0 |
| 06-05-2022 05:25 | 22.4 | 19.9 | 8 | 20.0 |
| 06-05-2022 05:26 | 22.4 | 19.9 | 8 | 20.0 |
| 06-05-2022 05:27 | 22.4 | 19.9 | 8 | 20.0 |
| 06-05-2022 05:28 | 22.4 | 19.9 | 8 | 19.9 |
| 06-05-2022 05:29 | 22.4 | 20.0 | 8 | 20.0 |
| 06-05-2022 05:30 | 22.4 | 20.0 | 7 | 20.0 |
| 06-05-2022 05:31 | 22.4 | 20.0 | 8 | 20.0 |
| 06-05-2022 05:32 | 22.4 | 20.0 | 8 | 20.0 |
| 06-05-2022 05:33 | 22.4 | 20.0 | 8 | 20.0 |
| 06-05-2022 05:34 | 22.4 | 20.0 | 8 | 20.0 |
| 06-05-2022 05:35 | 22.4 | 20.0 | 7 | 20.0 |
| 06-05-2022 05:36 | 22.4 | 20.0 | 7 | 20.0 |
| 06-05-2022 05:37 | 22.4 | 20.0 | 8 | 20.0 |
| 06-05-2022 05:38 | 22.4 | 20.0 | 8 | 20.0 |
| 06-05-2022 05:39 | 22.4 | 20.0 | 8 | 20.0 |
| 06-05-2022 05:40 | 22.4 | 20.0 | 8 | 20.0 |
| 06-05-2022 05:41 | 22.4 | 20.0 | 8 | 20.0 |
| 06-05-2022 05:42 | 22.4 | 20.0 | 8 | 20.0 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 06-05-2022 05:43 | 22.4 | 19.9 | 7 | 19.9 |
| 06-05-2022 05:44 | 22.4 | 20.0 | 8 | 20.0 |
| 06-05-2022 05:45 | 22.3 | 19.9 | 7 | 20.0 |
| 06-05-2022 05:46 | 22.4 | 20.0 | 8 | 20.0 |
| 06-05-2022 05:47 | 22.3 | 19.9 | 7 | 20.0 |
| 06-05-2022 05:48 | 22.3 | 19.9 | 7 | 20.0 |
| 06-05-2022 05:49 | 22.3 | 20.0 | 8 | 20.0 |
| 06-05-2022 05:50 | 22.3 | 19.9 | 8 | 20.0 |
| 06-05-2022 05:51 | 22.3 | 20.0 | 7 | 20.0 |
| 06-05-2022 05:52 | 22.3 | 20.0 | 8 | 20.0 |
| 06-05-2022 05:53 | 22.4 | 19.9 | 8 | 20.0 |
| 06-05-2022 05:54 | 22.4 | 20.0 | 8 | 20.1 |
| 06-05-2022 05:55 | 22.4 | 20.0 | 8 | 20.0 |
| 06-05-2022 05:56 | 22.4 | 20.0 | 8 | 20.0 |
| 06-05-2022 05:57 | 22.4 | 20.0 | 8 | 20.0 |
| 06-05-2022 05:58 | 22.4 | 19.9 | 8 | 20.0 |
| 06-05-2022 05:59 | 22.4 | 19.9 | 8 | 19.9 |
| 06-05-2022 06:00 | 22.4 | 19.9 | 8 | 19.9 |
| 06-05-2022 06:01 | 22.4 | 19.9 | 8 | 19.9 |
| 06-05-2022 06:02 | 22.4 | 19.9 | 8 | 20.0 |
| 06-05-2022 06:03 | 22.4 | 19.9 | 8 | 19.9 |
| 06-05-2022 06:04 | 22.4 | 19.9 | 8 | 19.9 |
| 06-05-2022 06:05 | 22.4 | 19.9 | 8 | 20.0 |
| 06-05-2022 06:06 | 22.5 | 19.9 | 8 | 20.0 |
| 06-05-2022 06:07 | 22.5 | 19.9 | 8 | 20.0 |
| 06-05-2022 06:08 | 22.5 | 19.9 | 8 | 19.9 |
| 06-05-2022 06:09 | 22.5 | 19.9 | 7 | 19.9 |
| 06-05-2022 06:10 | 22.4 | 20.0 | 0 | 19.9 |
| 06-05-2022 06:11 | 22.4 | 20.0 | 7 | 20.0 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 06-05-2022 06:12 | 22.4 | 20.0 | 8 | 19.9 |
| 06-05-2022 06:13 | 22.4 | 20.0 | 8 | 19.9 |
| 06-05-2022 06:14 | 22.4 | 20.0 | 8 | 19.9 |
| 06-05-2022 06:15 | 22.4 | 20.0 | 8 | 19.9 |
| 06-05-2022 06:16 | 22.4 | 20.0 | 9 | 19.9 |
| 06-05-2022 06:17 | 22.4 | 20.0 | 8 | 19.9 |
| 06-05-2022 06:18 | 22.4 | 20.1 | 8 | 19.9 |
| 06-05-2022 06:19 | 22.4 | 20.1 | 8 | 19.8 |
| 06-05-2022 06:20 | 22.4 | 20.1 | 8 | 19.9 |
| 06-05-2022 06:21 | 22.4 | 20.1 | 8 | 19.9 |
| 06-05-2022 06:22 | 22.4 | 20.1 | 8 | 19.9 |
| 06-05-2022 06:23 | 22.4 | 20.1 | 8 | 19.9 |
| 06-05-2022 06:24 | 22.4 | 20.1 | 8 | 19.8 |
| 06-05-2022 06:25 | 22.4 | 20.1 | 8 | 19.9 |
| 06-05-2022 06:26 | 22.4 | 20.1 | 8 | 19.9 |
| 06-05-2022 06:27 | 22.4 | 20.1 | 8 | 19.9 |
| 06-05-2022 06:28 | 22.4 | 20.0 | 8 | 19.8 |
| 06-05-2022 06:29 | 22.4 | 20.0 | 8 | 19.9 |
| 06-05-2022 06:30 | 22.4 | 20.0 | 8 | 19.8 |
| 06-05-2022 06:31 | 22.4 | 20.0 | 8 | 19.8 |
| 06-05-2022 06:32 | 22.4 | 20.0 | 8 | 19.9 |
| 06-05-2022 06:33 | 22.4 | 20.0 | 7 | 19.9 |
| 06-05-2022 06:34 | 22.4 | 20.0 | 8 | 19.8 |
| 06-05-2022 06:35 | 22.4 | 20.0 | 8 | 19.9 |
| 06-05-2022 06:36 | 22.4 | 20.0 | 8 | 19.8 |
| 06-05-2022 06:37 | 22.4 | 20.0 | 8 | 19.8 |
| 06-05-2022 06:38 | 22.4 | 20.0 | 8 | 19.8 |
| 06-05-2022 06:39 | 22.4 | 20.0 | 8 | 19.9 |
| 06-05-2022 06:40 | 22.4 | 20.0 | 8 | 19.9 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 06-05-2022 06:41 | 22.4 | 19.9 | 8 | 19.9 |
| 06-05-2022 06:42 | 22.4 | 19.9 | 8 | 19.9 |
| 06-05-2022 06:43 | 22.4 | 19.9 | 8 | 19.8 |
| 06-05-2022 06:44 | 22.4 | 19.9 | 8 | 19.8 |
| 06-05-2022 06:45 | 22.4 | 19.9 | 8 | 19.9 |
| 06-05-2022 06:46 | 22.4 | 19.9 | 8 | 19.9 |
| 06-05-2022 06:47 | 22.4 | 19.9 | 8 | 19.8 |
| 06-05-2022 06:48 | 22.4 | 19.9 | 8 | 19.9 |
| 06-05-2022 06:49 | 22.4 | 19.9 | 8 | 19.9 |
| 06-05-2022 06:50 | 22.5 | 19.9 | 8 | 19.8 |
| 06-05-2022 06:51 | 22.5 | 19.9 | 8 | 19.9 |
| 06-05-2022 06:52 | 22.5 | 19.9 | 8 | 19.9 |
| 06-05-2022 06:53 | 22.5 | 19.9 | 8 | 19.8 |
| 06-05-2022 06:54 | 22.5 | 19.9 | 8 | 19.8 |
| 06-05-2022 06:55 | 22.5 | 19.9 | 8 | 19.9 |
| 06-05-2022 06:56 | 22.5 | 19.9 | 8 | 19.8 |
| 06-05-2022 06:57 | 22.5 | 19.9 | 8 | 19.9 |
| 06-05-2022 06:58 | 22.5 | 19.9 | 9 | 19.9 |
| 06-05-2022 06:59 | 22.5 | 19.9 | 8 | 19.9 |
| 06-05-2022 07:00 | 22.5 | 19.9 | 8 | 19.9 |
| 06-05-2022 07:01 | 22.5 | 19.9 | 7 | 19.9 |
| 06-05-2022 07:02 | 22.5 | 19.9 | 8 | 19.9 |
| 06-05-2022 07:03 | 22.6 | 19.9 | 8 | 19.9 |
| 06-05-2022 07:04 | 22.6 | 19.9 | 8 | 19.9 |
| 06-05-2022 07:05 | 22.6 | 19.9 | 8 | 19.8 |
| 06-05-2022 07:06 | 22.6 | 19.9 | 8 | 19.9 |
| 06-05-2022 07:07 | 22.6 | 19.9 | 8 | 20.0 |
| 06-05-2022 07:08 | 22.6 | 19.9 | 7 | 19.9 |
| 06-05-2022 07:09 | 22.6 | 19.9 | 9 | 19.9 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 06-05-2022 07:10 | 22.7 | 19.9 | 9 | 19.9 |
| 06-05-2022 07:11 | 22.7 | 19.9 | 8 | 19.9 |
| 06-05-2022 07:12 | 22.6 | 19.9 | 9 | 19.9 |
| 06-05-2022 07:13 | 22.7 | 19.9 | 9 | 19.9 |
| 06-05-2022 07:14 | 22.6 | 19.9 | 9 | 19.9 |
| 06-05-2022 07:15 | 22.6 | 19.9 | 8 | 19.9 |
| 06-05-2022 07:16 | 22.6 | 19.9 | 9 | 19.9 |
| 06-05-2022 07:17 | 22.6 | 19.9 | 8 | 19.9 |
| 06-05-2022 07:18 | 22.6 | 19.9 | 8 | 19.9 |
| 06-05-2022 07:19 | 22.6 | 19.9 | 8 | 19.9 |
| 06-05-2022 07:20 | 22.6 | 19.9 | 8 | 19.9 |
| 06-05-2022 07:21 | 22.6 | 19.9 | 8 | 19.9 |
| 06-05-2022 07:22 | 22.7 | 19.9 | 8 | 19.9 |
| 06-05-2022 07:23 | 22.7 | 19.9 | 8 | 20.0 |
| 06-05-2022 07:24 | 22.6 | 19.9 | 8 | 19.9 |
| 06-05-2022 07:25 | 22.7 | 19.9 | 7 | 19.9 |
| 06-05-2022 07:26 | 22.6 | 19.9 | 8 | 20.0 |
| 06-05-2022 07:27 | 22.6 | 19.9 | 8 | 19.9 |
| 06-05-2022 07:28 | 22.6 | 19.9 | 8 | 20.0 |
| 06-05-2022 07:29 | 22.6 | 19.9 | 8 | 19.9 |
| 06-05-2022 07:30 | 22.7 | 19.9 | 8 | 20.0 |
| 06-05-2022 07:31 | 22.7 | 19.9 | 8 | 20.0 |
| 06-05-2022 07:32 | 22.7 | 19.9 | 8 | 19.9 |
| 06-05-2022 07:33 | 22.7 | 19.9 | 9 | 20.0 |
| 06-05-2022 07:34 | 22.7 | 19.9 | 9 | 20.0 |
| 06-05-2022 07:35 | 22.7 | 19.9 | 8 | 20.0 |
| 06-05-2022 07:36 | 22.7 | 19.9 | 8 | 20.0 |
| 06-05-2022 07:37 | 22.7 | 19.9 | 8 | 20.0 |
| 06-05-2022 07:38 | 22.8 | 19.9 | 7 | 20.0 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 06-05-2022 07:39 | 22.8 | 19.9 | 8 | 20.0 |
| 06-05-2022 07:40 | 22.9 | 19.9 | 8 | 20.1 |
| 06-05-2022 07:41 | 23.0 | 19.9 | 8 | 20.0 |
| 06-05-2022 07:42 | 23.1 | 19.9 | 8 | 20.1 |
| 06-05-2022 07:43 | 23.2 | 19.9 | 8 | 20.0 |
| 06-05-2022 07:44 | 23.2 | 20.0 | 8 | 20.0 |
| 06-05-2022 07:45 | 23.2 | 19.9 | 8 | 20.1 |
| 06-05-2022 07:46 | 23.3 | 19.9 | 8 | 20.1 |
| 06-05-2022 07:47 | 23.2 | 19.9 | 8 | 20.1 |
| 06-05-2022 07:48 | 23.3 | 19.9 | 8 | 20.1 |
| 06-05-2022 07:49 | 23.3 | 20.0 | 8 | 20.1 |
| 06-05-2022 07:50 | 23.3 | 20.0 | 8 | 20.1 |
| 06-05-2022 07:51 | 23.4 | 20.0 | 8 | 20.1 |
| 06-05-2022 07:52 | 23.4 | 19.9 | 8 | 20.1 |
| 06-05-2022 07:53 | 23.4 | 20.0 | 8 | 20.1 |
| 06-05-2022 07:54 | 23.5 | 20.0 | 8 | 20.0 |
| 06-05-2022 07:55 | 23.5 | 19.9 | 8 | 20.1 |
| 06-05-2022 07:56 | 23.6 | 19.9 | 9 | 20.0 |
| 06-05-2022 07:57 | 23.6 | 19.9 | 8 | 20.1 |
| 06-05-2022 07:58 | 23.6 | 19.9 | 8 | 20.0 |
| 06-05-2022 07:59 | 23.6 | 19.9 | 9 | 20.0 |
| 06-05-2022 08:00 | 23.6 | 19.9 | 9 | 20.0 |
| 06-05-2022 08:01 | 23.6 | 19.9 | 4 | 20.0 |
| 06-05-2022 08:02 | 23.6 | 19.9 | 8 | 20.0 |
| 06-05-2022 08:03 | 23.6 | 19.9 | 8 | 20.0 |
| 06-05-2022 08:04 | 23.6 | 19.9 | 8 | 19.9 |
| 06-05-2022 08:05 | 23.7 | 19.9 | 8 | 19.9 |
| 06-05-2022 08:06 | 23.6 | 19.9 | 8 | 19.9 |
| 06-05-2022 08:07 | 23.6 | 19.8 | 8 | 19.8 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 06-05-2022 08:08 | 23.6 | 19.8 | 0 | 19.9 |
| 06-05-2022 08:09 | 23.6 | 19.8 | 9 | 19.9 |
| 06-05-2022 08:10 | 23.5 | 19.8 | 9 | 19.8 |
| 06-05-2022 08:11 | 23.6 | 19.8 | 8 | 19.7 |
| 06-05-2022 08:12 | 23.5 | 19.7 | 8 | 19.7 |
| 06-05-2022 08:13 | 23.5 | 19.7 | 8 | 19.7 |
| 06-05-2022 08:14 | 23.5 | 19.7 | 8 | 19.7 |
| 06-05-2022 08:15 | 23.5 | 19.6 | 8 | 19.6 |
| 06-05-2022 08:16 | 23.5 | 19.6 | 7 | 19.6 |
| 06-05-2022 08:17 | 23.5 | 19.6 | 8 | 19.5 |
| 06-05-2022 08:18 | 23.5 | 19.5 | 8 | 19.5 |
| 06-05-2022 08:19 | 23.5 | 19.5 | 8 | 19.5 |
| 06-05-2022 08:20 | 23.5 | 19.5 | 8 | 19.4 |
| 06-05-2022 08:21 | 23.4 | 19.5 | 8 | 19.4 |
| 06-05-2022 08:22 | 23.4 | 19.4 | 9 | 19.4 |
| 06-05-2022 08:23 | 23.3 | 19.4 | 8 | 19.4 |
| 06-05-2022 08:24 | 23.4 | 19.4 | 8 | 19.4 |
| 06-05-2022 08:25 | 23.4 | 19.4 | 8 | 19.4 |
| 06-05-2022 08:26 | 23.4 | 19.3 | 8 | 19.3 |
| 06-05-2022 08:27 | 23.3 | 19.3 | 8 | 19.3 |
| 06-05-2022 08:28 | 23.2 | 19.3 | 8 | 19.3 |
| 06-05-2022 08:29 | 23.2 | 19.3 | 8 | 19.2 |
| 06-05-2022 08:30 | 23.2 | 19.3 | 8 | 19.3 |
| 06-05-2022 08:31 | 23.2 | 19.2 | 8 | 19.3 |
| 06-05-2022 08:32 | 23.3 | 19.2 | 8 | 19.2 |
| 06-05-2022 08:33 | 23.2 | 19.2 | 8 | 19.2 |
| 06-05-2022 08:34 | 23.3 | 19.2 | 8 | 19.1 |
| 06-05-2022 08:35 | 23.2 | 19.2 | 8 | 19.2 |
| 06-05-2022 08:36 | 23.3 | 19.2 | 8 | 19.2 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 06-05-2022 08:37 | 23.2 | 19.2 | 8 | 19.2 |
| 06-05-2022 08:38 | 23.2 | 19.2 | 8 | 19.2 |
| 06-05-2022 08:39 | 23.2 | 19.2 | 8 | 19.1 |
| 06-05-2022 08:40 | 23.2 | 19.2 | 8 | 19.1 |
| 06-05-2022 08:41 | 23.2 | 19.1 | 8 | 19.0 |
| 06-05-2022 08:42 | 23.2 | 19.1 | 8 | 19.1 |
| 06-05-2022 08:43 | 23.2 | 19.1 | 8 | 19.0 |
| 06-05-2022 08:44 | 23.2 | 19.1 | 8 | 19.0 |
| 06-05-2022 08:45 | 23.2 | 19.1 | 8 | 19.0 |
| 06-05-2022 08:46 | 23.2 | 19.1 | 7 | 19.0 |
| 06-05-2022 08:47 | 23.1 | 19.1 | 6 | 18.9 |
| 06-05-2022 08:48 | 23.1 | 19.1 | 7 | 18.9 |
| 06-05-2022 08:49 | 23.0 | 19.0 | 8 | 18.9 |
| 06-05-2022 08:50 | 23.0 | 19.0 | 8 | 18.9 |
| 06-05-2022 08:51 | 22.9 | 19.0 | 8 | 18.9 |
| 06-05-2022 08:52 | 22.9 | 19.0 | 8 | 18.8 |
| 06-05-2022 08:53 | 22.8 | 19.0 | 8 | 18.8 |
| 06-05-2022 08:54 | 22.8 | 19.0 | 8 | 18.9 |
| 06-05-2022 08:55 | 23.0 | 19.0 | 8 | 18.9 |
| 06-05-2022 08:56 | 22.9 | 19.0 | 8 | 18.8 |
| 06-05-2022 08:57 | 22.9 | 18.9 | 8 | 18.9 |
| 06-05-2022 08:58 | 23.0 | 18.9 | 8 | 18.8 |
| 06-05-2022 08:59 | 23.0 | 18.9 | 8 | 18.8 |
| 06-05-2022 09:00 | 23.0 | 18.9 | 8 | 18.8 |
| 06-05-2022 09:01 | 22.9 | 18.9 | 8 | 18.8 |
| 06-05-2022 09:02 | 22.9 | 18.9 | 9 | 18.8 |
| 06-05-2022 09:03 | 22.8 | 18.9 | 8 | 18.8 |
| 06-05-2022 09:04 | 22.8 | 18.9 | 8 | 18.8 |
| 06-05-2022 09:05 | 22.7 | 18.9 | 8 | 18.7 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 06-05-2022 09:06 | 22.8 | 18.9 | 8 | 18.7 |
| 06-05-2022 09:07 | 22.7 | 18.9 | 9 | 18.7 |
| 06-05-2022 09:08 | 22.7 | 18.9 | 8 | 18.7 |
| 06-05-2022 09:09 | 22.6 | 18.9 | 8 | 18.7 |
| 06-05-2022 09:10 | 22.6 | 18.9 | 8 | 18.6 |
| 06-05-2022 09:11 | 22.6 | 18.9 | 8 | 18.6 |
| 06-05-2022 09:12 | 22.6 | 18.9 | 8 | 18.7 |
| 06-05-2022 09:13 | 22.5 | 18.9 | 8 | 18.7 |
| 06-05-2022 09:14 | 22.5 | 18.9 | 8 | 18.7 |
| 06-05-2022 09:15 | 22.5 | 18.9 | 8 | 18.6 |
| 06-05-2022 09:16 | 22.4 | 18.9 | 8 | 18.6 |
| 06-05-2022 09:17 | 22.5 | 18.9 | 8 | 18.6 |
| 06-05-2022 09:18 | 22.4 | 18.9 | 8 | 18.6 |
| 06-05-2022 09:19 | 22.4 | 18.9 | 8 | 18.6 |
| 06-05-2022 09:20 | 22.4 | 18.9 | 8 | 18.6 |
| 06-05-2022 09:21 | 22.3 | 18.9 | 8 | 18.6 |
| 06-05-2022 09:22 | 22.4 | 18.9 | 8 | 18.6 |
| 06-05-2022 09:23 | 22.3 | 18.8 | 7 | 18.6 |
| 06-05-2022 09:24 | 22.3 | 18.8 | 7 | 18.6 |
| 06-05-2022 09:25 | 22.3 | 18.8 | 8 | 18.5 |
| 06-05-2022 09:26 | 22.3 | 18.8 | 8 | 18.6 |
| 06-05-2022 09:27 | 22.3 | 18.8 | 8 | 18.6 |
| 06-05-2022 09:28 | 22.3 | 18.8 | 8 | 18.5 |
| 06-05-2022 09:29 | 22.3 | 18.8 | 8 | 18.5 |
| 06-05-2022 09:30 | 22.3 | 18.8 | 8 | 18.5 |
| 06-05-2022 09:31 | 22.2 | 18.8 | 8 | 18.6 |
| 06-05-2022 09:32 | 22.1 | 18.8 | 8 | 18.5 |
| 06-05-2022 09:33 | 22.1 | 18.8 | 8 | 18.5 |
| 06-05-2022 09:34 | 22.2 | 18.8 | 8 | 18.5 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 06-05-2022 09:35 | 22.2 | 18.8 | 8 | 18.6 |
| 06-05-2022 09:36 | 22.2 | 18.8 | 8 | 18.5 |
| 06-05-2022 09:37 | 22.1 | 18.8 | 8 | 18.5 |
| 06-05-2022 09:38 | 22.2 | 18.8 | 7 | 18.5 |
| 06-05-2022 09:39 | 22.2 | 18.8 | 8 | 18.5 |
| 06-05-2022 09:40 | 22.2 | 18.8 | 8 | 18.5 |
| 06-05-2022 09:41 | 22.2 | 18.8 | 8 | 18.5 |
| 06-05-2022 09:42 | 22.1 | 18.8 | 8 | 18.5 |
| 06-05-2022 09:43 | 22.1 | 18.8 | 8 | 18.5 |
| 06-05-2022 09:44 | 22.1 | 18.8 | 8 | 18.6 |
| 06-05-2022 09:45 | 22.1 | 18.8 | 8 | 18.4 |
| 06-05-2022 09:46 | 22.2 | 18.8 | 8 | 18.5 |
| 06-05-2022 09:47 | 22.2 | 18.8 | 8 | 18.5 |
| 06-05-2022 09:48 | 22.2 | 18.8 | 8 | 18.5 |
| 06-05-2022 09:49 | 22.2 | 18.8 | 8 | 18.4 |
| 06-05-2022 09:50 | 22.1 | 18.8 | 8 | 18.5 |
| 06-05-2022 09:51 | 22.2 | 18.8 | 8 | 18.4 |
| 06-05-2022 09:52 | 22.2 | 18.8 | 9 | 18.4 |
| 06-05-2022 09:53 | 22.3 | 18.8 | 9 | 18.4 |
| 06-05-2022 09:54 | 22.3 | 18.8 | 8 | 18.5 |
| 06-05-2022 09:55 | 22.2 | 18.8 | 8 | 18.5 |
| 06-05-2022 09:56 | 22.3 | 18.8 | 8 | 18.4 |
| 06-05-2022 09:57 | 22.3 | 18.7 | 8 | 18.5 |
| 06-05-2022 09:58 | 22.3 | 18.7 | 8 | 18.4 |
| 06-05-2022 09:59 | 22.4 | 18.8 | 8 | 18.5 |
| 06-05-2022 10:00 | 22.4 | 18.7 | 7 | 18.4 |
| 06-05-2022 10:01 | 22.4 | 18.7 | 7 | 18.5 |
| 06-05-2022 10:02 | 22.4 | 18.7 | 8 | 18.4 |
| 06-05-2022 10:03 | 22.5 | 18.7 | 8 | 18.4 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 06-05-2022 10:04 | 22.5 | 18.7 | 8 | 18.5 |
| 06-05-2022 10:05 | 22.6 | 18.7 | 8 | 18.4 |
| 06-05-2022 10:06 | 22.6 | 18.7 | 8 | 18.4 |
| 06-05-2022 10:07 | 22.6 | 18.7 | 8 | 18.4 |
| 06-05-2022 10:08 | 22.6 | 18.7 | 8 | 18.4 |
| 06-05-2022 10:09 | 22.6 | 18.7 | 8 | 18.5 |
| 06-05-2022 10:10 | 22.6 | 18.7 | 7 | 18.5 |
| 06-05-2022 10:11 | 22.6 | 18.7 | 8 | 18.5 |
| 06-05-2022 10:12 | 22.6 | 18.8 | 8 | 18.4 |
| 06-05-2022 10:13 | 22.6 | 18.8 | 8 | 18.4 |
| 06-05-2022 10:14 | 22.6 | 18.8 | 8 | 18.5 |
| 06-05-2022 10:15 | 22.7 | 18.8 | 8 | 18.5 |
| 06-05-2022 10:16 | 22.7 | 18.8 | 8 | 18.4 |
| 06-05-2022 10:17 | 22.7 | 18.8 | 7 | 18.5 |
| 06-05-2022 10:18 | 22.7 | 18.8 | 6 | 18.5 |
| 06-05-2022 10:19 | 22.7 | 18.8 | 7 | 18.5 |
| 06-05-2022 10:20 | 22.7 | 18.8 | 7 | 18.5 |
| 06-05-2022 10:21 | 22.6 | 18.8 | 7 | 18.5 |
| 06-05-2022 10:22 | 22.6 | 18.8 | 8 | 18.5 |
| 06-05-2022 10:23 | 22.6 | 18.8 | 6 | 18.5 |
| 06-05-2022 10:24 | 22.6 | 18.8 | 7 | 18.5 |
| 06-05-2022 10:25 | 22.7 | 18.8 | 7 | 18.5 |
| 06-05-2022 10:26 | 22.7 | 18.8 | 6 | 18.5 |
| 06-05-2022 10:27 | 22.8 | 18.8 | 7 | 18.6 |
| 06-05-2022 10:28 | 22.8 | 18.8 | 7 | 18.5 |
| 06-05-2022 10:29 | 22.7 | 18.8 | 7 | 18.6 |
| 06-05-2022 10:30 | 22.7 | 18.8 | 7 | 18.6 |
| 06-05-2022 10:31 | 22.8 | 18.8 | 8 | 18.6 |
| 06-05-2022 10:32 | 22.8 | 18.8 | 7 | 18.6 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 06-05-2022 10:33 | 22.8 | 18.8 | 8 | 18.7 |
| 06-05-2022 10:34 | 22.8 | 18.8 | 7 | 18.6 |
| 06-05-2022 10:35 | 22.8 | 18.8 | 8 | 18.7 |
| 06-05-2022 10:36 | 22.7 | 18.8 | 8 | 18.6 |
| 06-05-2022 10:37 | 22.7 | 18.8 | 6 | 18.7 |
| 06-05-2022 10:38 | 22.7 | 18.8 | 8 | 18.5 |
| 06-05-2022 10:39 | 22.6 | 18.8 | 8 | 18.7 |
| 06-05-2022 10:40 | 22.7 | 18.8 | 7 | 18.6 |
| 06-05-2022 10:41 | 22.7 | 18.8 | 8 | 18.6 |
| 06-05-2022 10:42 | 22.7 | 18.8 | 8 | 18.5 |
| 06-05-2022 10:43 | 22.7 | 18.8 | 6 | 18.6 |
| 06-05-2022 10:44 | 22.6 | 18.8 | 8 | 18.6 |
| 06-05-2022 10:45 | 22.6 | 18.8 | 6 | 18.6 |
| 06-05-2022 10:46 | 22.6 | 18.8 | 7 | 18.5 |
| 06-05-2022 10:47 | 22.6 | 18.8 | 7 | 18.5 |
| 06-05-2022 10:48 | 22.6 | 18.8 | 7 | 18.6 |
| 06-05-2022 10:49 | 22.6 | 18.8 | 8 | 18.5 |
| 06-05-2022 10:50 | 22.6 | 18.8 | 8 | 18.6 |
| 06-05-2022 10:51 | 22.6 | 18.8 | 8 | 18.6 |
| 06-05-2022 10:52 | 22.6 | 18.8 | 7 | 18.5 |
| 06-05-2022 10:53 | 22.7 | 18.8 | 7 | 18.5 |
| 06-05-2022 10:54 | 22.7 | 18.8 | 8 | 18.6 |
| 06-05-2022 10:55 | 22.7 | 18.8 | 8 | 18.5 |
| 06-05-2022 10:56 | 22.7 | 18.8 | 8 | 18.4 |
| 06-05-2022 10:57 | 22.7 | 18.8 | 8 | 18.5 |
| 06-05-2022 10:58 | 22.7 | 18.8 | 8 | 18.5 |
| 06-05-2022 10:59 | 22.7 | 18.8 | 7 | 18.5 |
| 06-05-2022 11:00 | 22.7 | 18.8 | 7 | 18.5 |
| 06-05-2022 11:01 | 22.8 | 18.8 | 8 | 18.5 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 06-05-2022 11:02 | 22.7 | 18.8 | 7 | 18.5 |
| 06-05-2022 11:03 | 22.8 | 18.8 | 8 | 18.5 |
| 06-05-2022 11:04 | 22.8 | 18.8 | 6 | 18.5 |
| 06-05-2022 11:05 | 22.8 | 18.8 | 7 | 18.5 |
| 06-05-2022 11:06 | 22.8 | 18.8 | 8 | 18.5 |
| 06-05-2022 11:07 | 22.8 | 18.8 | 8 | 18.5 |
| 06-05-2022 11:08 | 22.8 | 18.8 | 7 | 18.5 |
| 06-05-2022 11:09 | 22.7 | 18.8 | 7 | 18.5 |
| 06-05-2022 11:10 | 22.8 | 18.8 | 6 | 18.5 |
| 06-05-2022 11:11 | 22.7 | 18.8 | 6 | 18.5 |
| 06-05-2022 11:12 | 22.7 | 18.8 | 8 | 18.5 |
| 06-05-2022 11:13 | 22.7 | 18.8 | 8 | 18.5 |
| 06-05-2022 11:14 | 22.8 | 18.8 | 8 | 18.5 |
| 06-05-2022 11:15 | 22.8 | 18.8 | 8 | 18.5 |
| 06-05-2022 11:16 | 22.8 | 18.8 | 8 | 18.5 |
| 06-05-2022 11:17 | 22.8 | 18.8 | 8 | 18.5 |
| 06-05-2022 11:18 | 22.8 | 18.8 | 7 | 18.5 |
| 06-05-2022 11:19 | 22.8 | 18.8 | 7 | 18.5 |
| 06-05-2022 11:20 | 22.8 | 18.8 | 8 | 18.5 |
| 06-05-2022 11:21 | 22.7 | 18.8 | 8 | 18.5 |
| 06-05-2022 11:22 | 22.7 | 18.8 | 8 | 18.5 |
| 06-05-2022 11:23 | 22.7 | 18.8 | 7 | 18.5 |
| 06-05-2022 11:24 | 22.7 | 18.8 | 7 | 18.5 |
| 06-05-2022 11:25 | 22.7 | 18.8 | 8 | 18.5 |
| 06-05-2022 11:26 | 22.8 | 18.8 | 8 | 18.6 |
| 06-05-2022 11:27 | 22.7 | 18.8 | 7 | 18.5 |
| 06-05-2022 11:28 | 22.7 | 18.8 | 8 | 18.6 |
| 06-05-2022 11:29 | 22.7 | 18.9 | 7 | 18.5 |
| 06-05-2022 11:30 | 22.8 | 18.8 | 7 | 18.5 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 06-05-2022 11:31 | 22.7 | 18.8 | 7 | 18.5 |
| 06-05-2022 11:32 | 22.8 | 18.9 | 7 | 18.5 |
| 06-05-2022 11:33 | 22.8 | 18.9 | 7 | 18.5 |
| 06-05-2022 11:34 | 22.8 | 18.9 | 8 | 18.5 |
| 06-05-2022 11:35 | 22.8 | 18.9 | 8 | 18.5 |
| 06-05-2022 11:36 | 22.7 | 18.9 | 7 | 18.5 |
| 06-05-2022 11:37 | 22.8 | 18.9 | 7 | 18.6 |
| 06-05-2022 11:38 | 22.8 | 18.9 | 7 | 18.5 |
| 06-05-2022 11:39 | 22.8 | 18.9 | 6 | 18.5 |
| 06-05-2022 11:40 | 22.8 | 18.9 | 8 | 18.6 |
| 06-05-2022 11:41 | 22.8 | 18.9 | 8 | 18.6 |
| 06-05-2022 11:42 | 22.8 | 18.9 | 8 | 18.5 |
| 06-05-2022 11:43 | 22.7 | 18.9 | 8 | 18.6 |
| 06-05-2022 11:44 | 22.8 | 18.9 | 6 | 18.5 |
| 06-05-2022 11:45 | 22.8 | 18.9 | 7 | 18.5 |
| 06-05-2022 11:46 | 22.8 | 18.9 | 7 | 18.6 |
| 06-05-2022 11:47 | 22.8 | 18.9 | 8 | 18.5 |
| 06-05-2022 11:48 | 22.8 | 18.9 | 8 | 18.6 |
| 06-05-2022 11:49 | 22.8 | 18.9 | 7 | 18.5 |
| 06-05-2022 11:50 | 22.8 | 18.9 | 7 | 18.5 |
| 06-05-2022 11:51 | 22.8 | 18.9 | 7 | 18.5 |
| 06-05-2022 11:52 | 22.8 | 18.9 | 8 | 18.5 |
| 06-05-2022 11:53 | 22.9 | 18.9 | 8 | 18.5 |
| 06-05-2022 11:54 | 22.9 | 18.9 | 6 | 18.5 |
| 06-05-2022 11:55 | 22.9 | 18.9 | 6 | 18.5 |
| 06-05-2022 11:56 | 22.9 | 18.9 | 6 | 18.6 |
| 06-05-2022 11:57 | 22.9 | 18.9 | 8 | 18.5 |
| 06-05-2022 11:58 | 22.9 | 18.9 | 7 | 18.5 |
| 06-05-2022 11:59 | 22.9 | 18.9 | 6 | 18.6 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 06-05-2022 12:00 | 23.0 | 18.9 | 8 | 18.6 |
| 06-05-2022 12:01 | 23.0 | 18.9 | 8 | 18.6 |
| 06-05-2022 12:02 | 23.1 | 18.9 | 8 | 18.7 |
| 06-05-2022 12:03 | 23.1 | 18.9 | 8 | 18.7 |
| 06-05-2022 12:04 | 23.0 | 18.9 | 6 | 18.7 |
| 06-05-2022 12:05 | 22.8 | 19.0 | 7 | 18.6 |
| 06-05-2022 12:06 | 22.8 | 18.9 | 6 | 18.7 |
| 06-05-2022 12:07 | 22.8 | 18.9 | 8 | 18.6 |
| 06-05-2022 12:08 | 22.7 | 18.9 | 6 | 18.6 |
| 06-05-2022 12:09 | 22.7 | 18.9 | 8 | 18.6 |
| 06-05-2022 12:10 | 22.7 | 18.9 | 6 | 18.7 |
| 06-05-2022 12:11 | 22.7 | 18.9 | 8 | 18.6 |
| 06-05-2022 12:12 | 22.7 | 18.9 | 7 | 18.5 |
| 06-05-2022 12:13 | 22.7 | 18.9 | 7 | 18.5 |
| 06-05-2022 12:14 | 22.7 | 18.9 | 7 | 18.6 |
| 06-05-2022 12:15 | 22.6 | 18.9 | 7 | 18.5 |
| 06-05-2022 12:16 | 22.7 | 18.9 | 7 | 18.5 |
| 06-05-2022 12:17 | 22.6 | 18.9 | 7 | 18.5 |
| 06-05-2022 12:18 | 22.6 | 18.9 | 6 | 18.4 |
| 06-05-2022 12:19 | 22.6 | 18.9 | 8 | 18.5 |
| 06-05-2022 12:20 | 22.5 | 18.8 | 8 | 18.4 |
| 06-05-2022 12:21 | 22.4 | 18.8 | 8 | 18.4 |
| 06-05-2022 12:22 | 22.4 | 18.8 | 7 | 18.4 |
| 06-05-2022 12:23 | 22.3 | 18.8 | 7 | 18.4 |
| 06-05-2022 12:24 | 22.3 | 18.7 | 8 | 18.4 |
| 06-05-2022 12:25 | 22.3 | 18.7 | 7 | 18.4 |
| 06-05-2022 12:26 | 22.2 | 18.7 | 8 | 18.3 |
| 06-05-2022 12:27 | 22.2 | 18.7 | 7 | 18.3 |
| 06-05-2022 12:28 | 22.2 | 18.7 | 6 | 18.3 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 06-05-2022 12:29 | 22.2 | 18.7 | 7 | 18.2 |
| 06-05-2022 12:30 | 22.1 | 18.6 | 7 | 18.2 |
| 06-05-2022 12:31 | 22.1 | 18.6 | 8 | 18.2 |
| 06-05-2022 12:32 | 22.0 | 18.6 | 8 | 18.3 |
| 06-05-2022 12:33 | 22.0 | 18.5 | 7 | 18.2 |
| 06-05-2022 12:34 | 22.0 | 18.5 | 8 | 18.2 |
| 06-05-2022 12:35 | 21.9 | 18.5 | 8 | 18.1 |
| 06-05-2022 12:36 | 21.8 | 18.5 | 6 | 18.1 |
| 06-05-2022 12:37 | 21.8 | 18.5 | 8 | 18.1 |
| 06-05-2022 12:38 | 21.8 | 18.5 | 8 | 18.0 |
| 06-05-2022 12:39 | 21.8 | 18.5 | 8 | 18.0 |
| 06-05-2022 12:40 | 21.8 | 18.4 | 6 | 18.1 |
| 06-05-2022 12:41 | 21.7 | 18.4 | 7 | 18.1 |
| 06-05-2022 12:42 | 21.7 | 18.4 | 7 | 18.0 |
| 06-05-2022 12:43 | 21.6 | 18.3 | 8 | 18.0 |
| 06-05-2022 12:44 | 21.6 | 18.3 | 8 | 17.9 |
| 06-05-2022 12:45 | 21.6 | 18.3 | 7 | 17.9 |
| 06-05-2022 12:46 | 21.6 | 18.3 | 8 | 17.9 |
| 06-05-2022 12:47 | 21.7 | 18.3 | 8 | 17.9 |
| 06-05-2022 12:48 | 21.7 | 18.2 | 8 | 17.8 |
| 06-05-2022 12:49 | 21.7 | 18.2 | 6 | 17.8 |
| 06-05-2022 12:50 | 21.7 | 18.2 | 8 | 17.8 |
| 06-05-2022 12:51 | 21.8 | 18.2 | 8 | 17.8 |
| 06-05-2022 12:52 | 21.8 | 18.2 | 7 | 17.8 |
| 06-05-2022 12:53 | 21.8 | 18.2 | 7 | 17.8 |
| 06-05-2022 12:54 | 21.9 | 18.2 | 7 | 17.8 |
| 06-05-2022 12:55 | 21.9 | 18.2 | 8 | 17.7 |
| 06-05-2022 12:56 | 21.9 | 18.2 | 7 | 17.8 |
| 06-05-2022 12:57 | 22.0 | 18.2 | 8 | 17.8 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 06-05-2022 12:58 | 22.0 | 18.2 | 7 | 17.7 |
| 06-05-2022 12:59 | 22.0 | 18.2 | 7 | 17.7 |
| 06-05-2022 13:00 | 22.0 | 18.1 | 8 | 17.7 |
| 06-05-2022 13:01 | 22.0 | 18.1 | 8 | 17.7 |
| 06-05-2022 13:02 | 22.1 | 18.1 | 6 | 17.7 |
| 06-05-2022 13:03 | 22.1 | 18.1 | 7 | 17.7 |
| 06-05-2022 13:04 | 22.1 | 18.1 | 8 | 17.6 |
| 06-05-2022 13:05 | 22.1 | 18.1 | 8 | 17.6 |
| 06-05-2022 13:06 | 22.1 | 18.1 | 7 | 17.7 |
| 06-05-2022 13:07 | 22.0 | 18.1 | 8 | 17.7 |
| 06-05-2022 13:08 | 22.0 | 18.1 | 7 | 17.6 |
| 06-05-2022 13:09 | 22.0 | 18.1 | 6 | 17.7 |
| 06-05-2022 13:10 | 22.0 | 18.1 | 7 | 17.6 |
| 06-05-2022 13:11 | 22.0 | 18.0 | 7 | 17.6 |
| 06-05-2022 13:12 | 22.0 | 18.1 | 8 | 17.6 |
| 06-05-2022 13:13 | 22.1 | 18.0 | 8 | 17.6 |
| 06-05-2022 13:14 | 22.0 | 18.0 | 7 | 17.6 |
| 06-05-2022 13:15 | 22.0 | 18.0 | 6 | 17.6 |
| 06-05-2022 13:16 | 21.9 | 18.0 | 6 | 17.6 |
| 06-05-2022 13:17 | 21.9 | 18.0 | 8 | 17.6 |
| 06-05-2022 13:18 | 21.9 | 18.0 | 7 | 17.5 |
| 06-05-2022 13:19 | 21.9 | 18.0 | 7 | 17.5 |
| 06-05-2022 13:20 | 21.9 | 18.0 | 7 | 17.6 |
| 06-05-2022 13:21 | 21.9 | 18.0 | 7 | 17.5 |
| 06-05-2022 13:22 | 21.9 | 18.0 | 6 | 17.5 |
| 06-05-2022 13:23 | 21.9 | 18.0 | 8 | 17.5 |
| 06-05-2022 13:24 | 21.9 | 18.0 | 8 | 17.5 |
| 06-05-2022 13:25 | 21.9 | 18.0 | 7 | 17.6 |
| 06-05-2022 13:26 | 21.9 | 18.0 | 7 | 17.6 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 06-05-2022 13:27 | 21.9 | 18.0 | 7 | 17.6 |
| 06-05-2022 13:28 | 21.9 | 18.0 | 7 | 17.6 |
| 06-05-2022 13:29 | 21.9 | 18.0 | 6 | 17.6 |
| 06-05-2022 13:30 | 21.9 | 18.0 | 7 | 17.6 |
| 06-05-2022 13:31 | 21.8 | 18.0 | 6 | 17.6 |
| 06-05-2022 13:32 | 21.9 | 18.0 | 7 | 17.6 |
| 06-05-2022 13:33 | 21.9 | 18.0 | 7 | 17.6 |
| 06-05-2022 13:34 | 22.0 | 17.9 | 8 | 17.6 |
| 06-05-2022 13:35 | 22.1 | 17.9 | 7 | 17.6 |
| 06-05-2022 13:36 | 22.1 | 17.9 | 8 | 17.5 |
| 06-05-2022 13:37 | 22.1 | 17.9 | 7 | 17.5 |
| 06-05-2022 13:38 | 22.1 | 17.9 | 7 | 17.5 |
| 06-05-2022 13:39 | 22.0 | 17.9 | 7 | 17.6 |
| 06-05-2022 13:40 | 22.0 | 18.0 | 7 | 17.5 |
| 06-05-2022 13:41 | 22.0 | 18.0 | 7 | 17.6 |
| 06-05-2022 13:42 | 22.0 | 17.9 | 8 | 17.5 |
| 06-05-2022 13:43 | 22.0 | 17.9 | 7 | 17.6 |
| 06-05-2022 13:44 | 22.0 | 17.9 | 8 | 17.5 |
| 06-05-2022 13:45 | 22.0 | 18.0 | 8 | 17.6 |
| 06-05-2022 13:46 | 21.9 | 18.0 | 7 | 17.6 |
| 06-05-2022 13:47 | 22.0 | 17.9 | 8 | 17.6 |
| 06-05-2022 13:48 | 21.9 | 18.0 | 7 | 17.5 |
| 06-05-2022 13:49 | 21.9 | 17.9 | 6 | 17.5 |
| 06-05-2022 13:50 | 21.9 | 17.9 | 7 | 17.6 |
| 06-05-2022 13:51 | 21.9 | 18.0 | 8 | 17.5 |
| 06-05-2022 13:52 | 21.9 | 18.0 | 7 | 17.4 |
| 06-05-2022 13:53 | 21.8 | 17.9 | 7 | 17.5 |
| 06-05-2022 13:54 | 21.9 | 17.9 | 7 | 17.4 |
| 06-05-2022 13:55 | 21.9 | 17.9 | 8 | 17.5 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 06-05-2022 13:56 | 21.9 | 17.9 | 8 | 17.4 |
| 06-05-2022 13:57 | 21.9 | 17.9 | 7 | 17.4 |
| 06-05-2022 13:58 | 21.8 | 17.9 | 8 | 17.4 |
| 06-05-2022 13:59 | 21.8 | 17.9 | 5 | 17.5 |
| 06-05-2022 14:00 | 21.8 | 18.0 | 5 | 17.4 |
| 06-05-2022 14:01 | 21.8 | 18.0 | 6 | 17.5 |
| 06-05-2022 14:02 | 21.8 | 17.9 | 6 | 17.4 |
| 06-05-2022 14:03 | 21.8 | 17.9 | 7 | 17.4 |
| 06-05-2022 14:04 | 21.8 | 17.9 | 7 | 17.4 |
| 06-05-2022 14:05 | 21.8 | 17.9 | 7 | 17.4 |
| 06-05-2022 14:06 | 21.7 | 18.0 | 7 | 17.4 |
| 06-05-2022 14:07 | 21.7 | 17.9 | 7 | 17.4 |
| 06-05-2022 14:08 | 21.8 | 17.9 | 8 | 17.4 |
| 06-05-2022 14:09 | 21.9 | 17.9 | 7 | 17.4 |
| 06-05-2022 14:10 | 21.8 | 17.9 | 7 | 17.4 |
| 06-05-2022 14:11 | 21.9 | 18.0 | 8 | 17.3 |
| 06-05-2022 14:12 | 22.0 | 17.9 | 7 | 17.4 |
| 06-05-2022 14:13 | 21.9 | 18.0 | 7 | 17.4 |
| 06-05-2022 14:14 | 22.0 | 17.9 | 7 | 17.3 |
| 06-05-2022 14:15 | 21.9 | 17.9 | 7 | 17.4 |
| 06-05-2022 14:16 | 22.0 | 17.9 | 8 | 17.4 |
| 06-05-2022 14:17 | 21.9 | 17.9 | 7 | 17.4 |
| 06-05-2022 14:18 | 22.0 | 17.9 | 8 | 17.3 |
| 06-05-2022 14:19 | 22.1 | 17.9 | 7 | 17.4 |
| 06-05-2022 14:20 | 22.0 | 17.9 | 7 | 17.4 |
| 06-05-2022 14:21 | 22.0 | 17.9 | 8 | 17.3 |
| 06-05-2022 14:22 | 22.0 | 17.9 | 7 | 17.4 |
| 06-05-2022 14:23 | 22.1 | 17.9 | 6 | 17.4 |
| 06-05-2022 14:24 | 22.0 | 17.9 | 7 | 17.4 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 06-05-2022 14:25 | 22.0 | 17.9 | 6 | 17.4 |
| 06-05-2022 14:26 | 22.1 | 17.9 | 7 | 17.3 |
| 06-05-2022 14:27 | 22.1 | 17.9 | 7 | 17.3 |
| 06-05-2022 14:28 | 22.0 | 17.9 | 7 | 17.4 |
| 06-05-2022 14:29 | 22.1 | 17.9 | 8 | 17.4 |
| 06-05-2022 14:30 | 22.1 | 17.9 | 7 | 17.4 |
| 06-05-2022 14:31 | 22.1 | 17.9 | 7 | 17.4 |
| 06-05-2022 14:32 | 22.1 | 18.0 | 8 | 17.4 |
| 06-05-2022 14:33 | 22.1 | 18.0 | 7 | 17.4 |
| 06-05-2022 14:34 | 22.0 | 17.9 | 7 | 17.4 |
| 06-05-2022 14:35 | 22.0 | 17.9 | 7 | 17.5 |
| 06-05-2022 14:36 | 22.0 | 18.0 | 7 | 17.5 |
| 06-05-2022 14:37 | 22.1 | 18.0 | 8 | 17.5 |
| 06-05-2022 14:38 | 22.1 | 18.0 | 7 | 17.6 |
| 06-05-2022 14:39 | 22.1 | 18.0 | 7 | 17.5 |
| 06-05-2022 14:40 | 22.1 | 18.0 | 6 | 17.5 |
| 06-05-2022 14:41 | 22.1 | 18.1 | 7 | 17.6 |
| 06-05-2022 14:42 | 22.0 | 18.1 | 7 | 17.6 |
| 06-05-2022 14:43 | 22.0 | 18.1 | 7 | 17.6 |
| 06-05-2022 14:44 | 22.0 | 18.1 | 7 | 17.6 |
| 06-05-2022 14:45 | 22.0 | 18.1 | 4 | 17.7 |
| 06-05-2022 14:46 | 21.9 | 18.1 | 7 | 17.6 |
| 06-05-2022 14:47 | 21.9 | 18.2 | 6 | 17.6 |
| 06-05-2022 14:48 | 21.8 | 18.2 | 7 | 17.7 |
| 06-05-2022 14:49 | 21.9 | 18.2 | 6 | 17.7 |
| 06-05-2022 14:50 | 21.9 | 18.2 | 7 | 17.6 |
| 06-05-2022 14:51 | 21.8 | 18.2 | 6 | 17.7 |
| 06-05-2022 14:52 | 21.9 | 18.2 | 7 | 17.7 |
| 06-05-2022 14:53 | 21.9 | 18.2 | 7 | 17.7 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 06-05-2022 14:54 | 21.8 | 18.3 | 7 | 17.7 |
| 06-05-2022 14:55 | 21.8 | 18.3 | 7 | 17.7 |
| 06-05-2022 14:56 | 21.8 | 18.3 | 6 | 17.7 |
| 06-05-2022 14:57 | 21.7 | 18.3 | 7 | 17.7 |
| 06-05-2022 14:58 | 21.6 | 18.3 | 7 | 17.7 |
| 06-05-2022 14:59 | 21.6 | 18.3 | 7 | 17.7 |
| 06-05-2022 15:00 | 21.6 | 18.3 | 7 | 17.8 |
| 06-05-2022 15:01 | 21.5 | 18.3 | 7 | 17.8 |
| 06-05-2022 15:02 | 21.5 | 18.4 | 7 | 17.9 |
| 06-05-2022 15:03 | 21.6 | 18.3 | 8 | 17.8 |
| 06-05-2022 15:04 | 21.6 | 18.4 | 7 | 17.8 |
| 06-05-2022 15:05 | 21.6 | 18.4 | 8 | 17.9 |
| 06-05-2022 15:06 | 21.6 | 18.3 | 7 | 17.8 |
| 06-05-2022 15:07 | 21.6 | 18.4 | 7 | 17.8 |
| 06-05-2022 15:08 | 21.5 | 18.4 | 8 | 17.9 |
| 06-05-2022 15:09 | 21.6 | 18.4 | 8 | 17.9 |
| 06-05-2022 15:10 | 21.6 | 18.4 | 6 | 17.9 |
| 06-05-2022 15:11 | 21.6 | 18.4 | 6 | 17.9 |
| 06-05-2022 15:12 | 21.5 | 18.4 | 8 | 17.9 |
| 06-05-2022 15:13 | 21.5 | 18.4 | 7 | 17.9 |
| 06-05-2022 15:14 | 21.5 | 18.4 | 7 | 17.9 |
| 06-05-2022 15:15 | 21.5 | 18.4 | 8 | 17.9 |
| 06-05-2022 15:16 | 21.6 | 18.4 | 7 | 17.9 |
| 06-05-2022 15:17 | 21.5 | 18.4 | 7 | 17.9 |
| 06-05-2022 15:18 | 21.6 | 18.4 | 8 | 17.9 |
| 06-05-2022 15:19 | 21.6 | 18.4 | 8 | 17.9 |
| 06-05-2022 15:20 | 21.5 | 18.4 | 6 | 17.9 |
| 06-05-2022 15:21 | 21.5 | 18.4 | 7 | 18.0 |
| 06-05-2022 15:22 | 21.5 | 18.4 | 6 | 18.0 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 06-05-2022 15:23 | 21.4 | 18.4 | 6 | 17.9 |
| 06-05-2022 15:24 | 21.4 | 18.4 | 6 | 18.0 |
| 06-05-2022 15:25 | 21.4 | 18.4 | 8 | 18.0 |
| 06-05-2022 15:26 | 21.4 | 18.4 | 7 | 17.9 |
| 06-05-2022 15:27 | 21.4 | 18.4 | 7 | 17.9 |
| 06-05-2022 15:28 | 21.4 | 18.4 | 7 | 18.0 |
| 06-05-2022 15:29 | 21.4 | 18.4 | 7 | 18.0 |
| 06-05-2022 15:30 | 21.4 | 18.4 | 7 | 17.9 |
| 06-05-2022 15:31 | 21.4 | 18.4 | 6 | 18.0 |
| 06-05-2022 15:32 | 21.4 | 18.4 | 5 | 18.0 |
| 06-05-2022 15:33 | 21.4 | 18.4 | 5 | 18.0 |
| 06-05-2022 15:34 | 21.4 | 18.5 | 6 | 18.1 |
| 06-05-2022 15:35 | 21.4 | 18.5 | 6 | 18.1 |
| 06-05-2022 15:36 | 21.4 | 18.5 | 7 | 18.1 |
| 06-05-2022 15:37 | 21.4 | 18.5 | 7 | 18.1 |
| 06-05-2022 15:38 | 21.4 | 18.5 | 6 | 18.2 |
| 06-05-2022 15:39 | 21.4 | 18.6 | 6 | 18.2 |
| 06-05-2022 15:40 | 21.4 | 18.6 | 6 | 18.3 |
| 06-05-2022 15:41 | 21.4 | 18.6 | 4 | 18.3 |
| 06-05-2022 15:42 | 21.4 | 18.7 | 7 | 18.3 |
| 06-05-2022 15:43 | 21.4 | 18.7 | 6 | 18.3 |
| 06-05-2022 15:44 | 21.4 | 18.7 | 6 | 18.3 |
| 06-05-2022 15:45 | 21.4 | 18.7 | 6 | 18.4 |
| 06-05-2022 15:46 | 21.4 | 18.7 | 8 | 18.4 |
| 06-05-2022 15:47 | 21.4 | 18.7 | 6 | 18.5 |
| 06-05-2022 15:48 | 21.4 | 18.8 | 6 | 18.5 |
| 06-05-2022 15:49 | 21.4 | 18.8 | 6 | 18.4 |
| 06-05-2022 15:50 | 21.4 | 18.8 | 6 | 18.5 |
| 06-05-2022 15:51 | 21.5 | 18.8 | 7 | 18.5 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 06-05-2022 15:52 | 21.5 | 18.9 | 7 | 18.5 |
| 06-05-2022 15:53 | 21.5 | 18.9 | 7 | 18.5 |
| 06-05-2022 15:54 | 21.5 | 18.9 | 7 | 18.5 |
| 06-05-2022 15:55 | 21.6 | 18.9 | 8 | 18.6 |
| 06-05-2022 15:56 | 21.6 | 18.9 | 7 | 18.5 |
| 06-05-2022 15:57 | 21.6 | 18.9 | 7 | 18.6 |
| 06-05-2022 15:58 | 21.7 | 18.9 | 7 | 18.6 |
| 06-05-2022 15:59 | 21.6 | 18.9 | 7 | 18.7 |
| 06-05-2022 16:00 | 21.7 | 19.0 | 6 | 18.7 |
| 06-05-2022 16:01 | 21.7 | 19.0 | 6 | 18.7 |
| 06-05-2022 16:02 | 21.7 | 19.0 | 7 | 18.8 |
| 06-05-2022 16:03 | 21.7 | 19.0 | 6 | 18.8 |
| 06-05-2022 16:04 | 21.7 | 19.0 | 6 | 18.8 |
| 06-05-2022 16:05 | 21.8 | 19.0 | 6 | 18.8 |
| 06-05-2022 16:06 | 21.8 | 19.0 | 7 | 18.8 |
| 06-05-2022 16:07 | 21.8 | 19.1 | 7 | 18.8 |
| 06-05-2022 16:08 | 21.8 | 19.1 | 8 | 18.9 |
| 06-05-2022 16:09 | 21.8 | 19.1 | 8 | 18.9 |
| 06-05-2022 16:10 | 21.8 | 19.1 | 8 | 18.9 |
| 06-05-2022 16:11 | 21.8 | 19.1 | 8 | 18.9 |
| 06-05-2022 16:12 | 21.8 | 19.1 | 7 | 19.0 |
| 06-05-2022 16:13 | 21.8 | 19.1 | 8 | 18.9 |
| 06-05-2022 16:14 | 21.8 | 19.1 | 7 | 19.0 |
| 06-05-2022 16:15 | 21.8 | 19.2 | 7 | 19.0 |
| 06-05-2022 16:16 | 21.8 | 19.1 | 8 | 19.0 |
| 06-05-2022 16:17 | 21.8 | 19.2 | 7 | 19.0 |
| 06-05-2022 16:18 | 21.8 | 19.2 | 7 | 19.0 |
| 06-05-2022 16:19 | 21.8 | 19.2 | 7 | 19.1 |
| 06-05-2022 16:20 | 21.8 | 19.2 | 8 | 19.0 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 06-05-2022 16:21 | 21.8 | 19.2 | 7 | 19.0 |
| 06-05-2022 16:22 | 21.8 | 19.2 | 7 | 19.0 |
| 06-05-2022 16:23 | 21.8 | 19.2 | 7 | 19.0 |
| 06-05-2022 16:24 | 21.8 | 19.2 | 7 | 19.0 |
| 06-05-2022 16:25 | 21.9 | 19.2 | 8 | 19.0 |
| 06-05-2022 16:26 | 21.9 | 19.2 | 7 | 19.0 |
| 06-05-2022 16:27 | 21.9 | 19.2 | 6 | 19.0 |
| 06-05-2022 16:28 | 21.8 | 19.2 | 6 | 19.0 |
| 06-05-2022 16:29 | 21.8 | 19.2 | 8 | 19.0 |
| 06-05-2022 16:30 | 21.8 | 19.2 | 7 | 19.0 |
| 06-05-2022 16:31 | 21.8 | 19.2 | 7 | 19.0 |
| 06-05-2022 16:32 | 21.8 | 19.2 | 7 | 19.0 |
| 06-05-2022 16:33 | 21.8 | 19.2 | 7 | 19.0 |
| 06-05-2022 16:34 | 21.8 | 19.2 | 8 | 19.0 |
| 06-05-2022 16:35 | 21.8 | 19.2 | 7 | 19.1 |
| 06-05-2022 16:36 | 21.8 | 19.2 | 8 | 19.1 |
| 06-05-2022 16:37 | 21.8 | 19.2 | 7 | 19.1 |
| 06-05-2022 16:38 | 21.7 | 19.2 | 8 | 19.0 |
| 06-05-2022 16:39 | 21.7 | 19.2 | 8 | 19.1 |
| 06-05-2022 16:40 | 21.7 | 19.2 | 7 | 19.1 |
| 06-05-2022 16:41 | 21.7 | 19.2 | 7 | 19.0 |
| 06-05-2022 16:42 | 21.7 | 19.1 | 7 | 19.0 |
| 06-05-2022 16:43 | 21.7 | 19.1 | 7 | 19.0 |
| 06-05-2022 16:44 | 21.7 | 19.1 | 8 | 19.1 |
| 06-05-2022 16:45 | 21.6 | 19.1 | 8 | 19.0 |
| 06-05-2022 16:46 | 21.6 | 19.1 | 7 | 19.0 |
| 06-05-2022 16:47 | 21.6 | 19.1 | 8 | 19.0 |
| 06-05-2022 16:48 | 21.6 | 19.1 | 7 | 19.0 |
| 06-05-2022 16:49 | 21.6 | 19.0 | 6 | 19.0 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 06-05-2022 16:50 | 21.6 | 19.0 | 6 | 18.9 |
| 06-05-2022 16:51 | 21.6 | 19.0 | 7 | 18.9 |
| 06-05-2022 16:52 | 21.6 | 19.0 | 6 | 18.9 |
| 06-05-2022 16:53 | 21.5 | 19.0 | 7 | 18.9 |
| 06-05-2022 16:54 | 21.5 | 19.0 | 7 | 18.9 |
| 06-05-2022 16:55 | 21.5 | 19.0 | 7 | 18.8 |
| 06-05-2022 16:56 | 21.5 | 19.0 | 7 | 18.8 |
| 06-05-2022 16:57 | 21.5 | 19.0 | 7 | 18.8 |
| 06-05-2022 16:58 | 21.6 | 19.0 | 8 | 18.8 |
| 06-05-2022 16:59 | 21.6 | 19.0 | 7 | 18.7 |
| 06-05-2022 17:00 | 21.6 | 19.0 | 7 | 18.7 |
| 06-05-2022 17:01 | 21.6 | 19.0 | 9 | 18.7 |
| 06-05-2022 17:02 | 21.6 | 18.9 | 8 | 18.6 |
| 06-05-2022 17:03 | 21.6 | 18.9 | 7 | 18.7 |
| 06-05-2022 17:04 | 21.5 | 18.9 | 8 | 18.6 |
| 06-05-2022 17:05 | 21.5 | 18.9 | 7 | 18.7 |
| 06-05-2022 17:06 | 21.5 | 18.9 | 7 | 18.6 |
| 06-05-2022 17:07 | 21.5 | 18.9 | 8 | 18.6 |
| 06-05-2022 17:08 | 21.5 | 18.9 | 8 | 18.7 |
| 06-05-2022 17:09 | 21.5 | 18.9 | 8 | 18.6 |
| 06-05-2022 17:10 | 21.4 | 18.9 | 7 | 18.6 |
| 06-05-2022 17:11 | 21.5 | 18.9 | 8 | 18.6 |
| 06-05-2022 17:12 | 21.5 | 18.9 | 7 | 18.6 |
| 06-05-2022 17:13 | 21.4 | 18.9 | 8 | 18.6 |
| 06-05-2022 17:14 | 21.4 | 18.9 | 8 | 18.7 |
| 06-05-2022 17:15 | 21.4 | 18.8 | 7 | 18.6 |
| 06-05-2022 17:16 | 21.4 | 18.8 | 7 | 18.6 |
| 06-05-2022 17:17 | 21.3 | 18.8 | 7 | 18.6 |
| 06-05-2022 17:18 | 21.3 | 18.8 | 7 | 18.5 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 06-05-2022 17:19 | 21.3 | 18.8 | 7 | 18.5 |
| 06-05-2022 17:20 | 21.3 | 18.8 | 7 | 18.5 |
| 06-05-2022 17:21 | 21.3 | 18.8 | 8 | 18.6 |
| 06-05-2022 17:22 | 21.3 | 18.8 | 8 | 18.5 |
| 06-05-2022 17:23 | 21.2 | 18.7 | 8 | 18.5 |
| 06-05-2022 17:24 | 21.2 | 18.7 | 7 | 18.4 |
| 06-05-2022 17:25 | 21.2 | 18.7 | 7 | 18.5 |
| 06-05-2022 17:26 | 21.3 | 18.7 | 6 | 18.4 |
| 06-05-2022 17:27 | 21.2 | 18.7 | 7 | 18.4 |
| 06-05-2022 17:28 | 21.2 | 18.7 | 8 | 18.4 |
| 06-05-2022 17:29 | 21.1 | 18.7 | 7 | 18.4 |
| 06-05-2022 17:30 | 21.1 | 18.7 | 7 | 18.4 |
| 06-05-2022 17:31 | 21.1 | 18.7 | 8 | 18.4 |
| 06-05-2022 17:32 | 21.1 | 18.7 | 7 | 18.4 |
| 06-05-2022 17:33 | 21.1 | 18.7 | 6 | 18.3 |
| 06-05-2022 17:34 | 21.1 | 18.7 | 7 | 18.4 |
| 06-05-2022 17:35 | 21.1 | 18.7 | 6 | 18.3 |
| 06-05-2022 17:36 | 21.1 | 18.7 | 8 | 18.4 |
| 06-05-2022 17:37 | 21.1 | 18.7 | 6 | 18.3 |
| 06-05-2022 17:38 | 21.1 | 18.7 | 7 | 18.3 |
| 06-05-2022 17:39 | 21.1 | 18.7 | 6 | 18.3 |
| 06-05-2022 17:40 | 21.1 | 18.7 | 7 | 18.4 |
| 06-05-2022 17:41 | 21.1 | 18.7 | 7 | 18.4 |
| 06-05-2022 17:42 | 21.1 | 18.7 | 7 | 18.4 |
| 06-05-2022 17:43 | 21.1 | 18.7 | 7 | 18.4 |
| 06-05-2022 17:44 | 21.1 | 18.7 | 8 | 18.4 |
| 06-05-2022 17:45 | 21.1 | 18.7 | 8 | 18.4 |
| 06-05-2022 17:46 | 21.1 | 18.8 | 8 | 18.4 |
| 06-05-2022 17:47 | 21.1 | 18.8 | 7 | 18.4 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 06-05-2022 17:48 | 21.1 | 18.8 | 7 | 18.4 |
| 06-05-2022 17:49 | 21.2 | 18.8 | 7 | 18.5 |
| 06-05-2022 17:50 | 21.2 | 18.8 | 8 | 18.5 |
| 06-05-2022 17:51 | 21.2 | 18.9 | 8 | 18.5 |
| 06-05-2022 17:52 | 21.3 | 18.9 | 8 | 18.5 |
| 06-05-2022 17:53 | 21.2 | 18.9 | 7 | 18.5 |
| 06-05-2022 17:54 | 21.2 | 18.9 | 7 | 18.5 |
| 06-05-2022 17:55 | 21.3 | 18.9 | 8 | 18.5 |
| 06-05-2022 17:56 | 21.3 | 18.9 | 7 | 18.6 |
| 06-05-2022 17:57 | 21.3 | 18.9 | 6 | 18.6 |
| 06-05-2022 17:58 | 21.3 | 18.9 | 8 | 18.6 |
| 06-05-2022 17:59 | 21.4 | 19.0 | 8 | 18.7 |
| 06-05-2022 18:00 | 21.4 | 19.0 | 7 | 18.7 |
| 06-05-2022 18:01 | 21.4 | 19.0 | 7 | 18.7 |
| 06-05-2022 18:02 | 21.4 | 19.1 | 6 | 18.7 |
| 06-05-2022 18:03 | 21.4 | 19.1 | 7 | 18.8 |
| 06-05-2022 18:04 | 21.5 | 19.1 | 8 | 18.8 |
| 06-05-2022 18:05 | 21.5 | 19.2 | 8 | 18.8 |
| 06-05-2022 18:06 | 21.5 | 19.2 | 8 | 18.8 |
| 06-05-2022 18:07 | 21.6 | 19.2 | 8 | 18.8 |
| 06-05-2022 18:08 | 21.6 | 19.2 | 7 | 18.8 |
| 06-05-2022 18:09 | 21.6 | 19.2 | 6 | 18.9 |
| 06-05-2022 18:10 | 21.6 | 19.2 | 7 | 18.8 |
| 06-05-2022 18:11 | 21.6 | 19.2 | 8 | 19.0 |
| 06-05-2022 18:12 | 21.5 | 19.3 | 7 | 18.9 |
| 06-05-2022 18:13 | 21.6 | 19.3 | 8 | 19.0 |
| 06-05-2022 18:14 | 21.6 | 19.3 | 6 | 19.0 |
| 06-05-2022 18:15 | 21.6 | 19.3 | 7 | 19.0 |
| 06-05-2022 18:16 | 21.6 | 19.3 | 7 | 19.0 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 06-05-2022 18:17 | 21.6 | 19.3 | 7 | 19.0 |
| 06-05-2022 18:18 | 21.6 | 19.3 | 8 | 19.1 |
| 06-05-2022 18:19 | 21.6 | 19.4 | 7 | 19.1 |
| 06-05-2022 18:20 | 21.6 | 19.4 | 7 | 19.1 |
| 06-05-2022 18:21 | 21.7 | 19.4 | 7 | 19.1 |
| 06-05-2022 18:22 | 21.7 | 19.4 | 8 | 19.1 |
| 06-05-2022 18:23 | 21.7 | 19.4 | 8 | 19.1 |
| 06-05-2022 18:24 | 21.7 | 19.4 | 8 | 19.2 |
| 06-05-2022 18:25 | 21.7 | 19.5 | 7 | 19.1 |
| 06-05-2022 18:26 | 21.7 | 19.5 | 8 | 19.2 |
| 06-05-2022 18:27 | 21.7 | 19.5 | 8 | 19.2 |
| 06-05-2022 18:28 | 21.8 | 19.5 | 8 | 19.2 |
| 06-05-2022 18:29 | 21.8 | 19.5 | 8 | 19.2 |
| 06-05-2022 18:30 | 21.8 | 19.5 | 8 | 19.2 |
| 06-05-2022 18:31 | 21.8 | 19.5 | 8 | 19.3 |
| 06-05-2022 18:32 | 21.8 | 19.5 | 8 | 19.3 |
| 06-05-2022 18:33 | 21.8 | 19.5 | 8 | 19.3 |
| 06-05-2022 18:34 | 21.8 | 19.5 | 8 | 19.3 |
| 06-05-2022 18:35 | 21.9 | 19.5 | 8 | 19.3 |
| 06-05-2022 18:36 | 21.8 | 19.5 | 9 | 19.3 |
| 06-05-2022 18:37 | 21.9 | 19.5 | 8 | 19.3 |
| 06-05-2022 18:38 | 21.9 | 19.6 | 8 | 19.3 |
| 06-05-2022 18:39 | 21.9 | 19.6 | 8 | 19.4 |
| 06-05-2022 18:40 | 21.9 | 19.6 | 8 | 19.3 |
| 06-05-2022 18:41 | 21.9 | 19.6 | 8 | 19.3 |
| 06-05-2022 18:42 | 21.9 | 19.6 | 8 | 19.3 |
| 06-05-2022 18:43 | 21.9 | 19.6 | 8 | 19.3 |
| 06-05-2022 18:44 | 21.9 | 19.6 | 8 | 19.4 |
| 06-05-2022 18:45 | 21.9 | 19.6 | 7 | 19.3 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 06-05-2022 18:46 | 21.9 | 19.6 | 8 | 19.4 |
| 06-05-2022 18:47 | 21.9 | 19.6 | 8 | 19.4 |
| 06-05-2022 18:48 | 21.9 | 19.6 | 8 | 19.4 |
| 06-05-2022 18:49 | 21.9 | 19.6 | 8 | 19.4 |
| 06-05-2022 18:50 | 21.9 | 19.6 | 8 | 19.4 |
| 06-05-2022 18:51 | 21.9 | 19.6 | 8 | 19.4 |
| 06-05-2022 18:52 | 22.0 | 19.7 | 8 | 19.4 |
| 06-05-2022 18:53 | 22.0 | 19.6 | 6 | 19.4 |
| 06-05-2022 18:54 | 22.0 | 19.6 | 8 | 19.4 |
| 06-05-2022 18:55 | 22.0 | 19.6 | 8 | 19.4 |
| 06-05-2022 18:56 | 22.0 | 19.6 | 8 | 19.5 |
| 06-05-2022 18:57 | 22.0 | 19.7 | 8 | 19.5 |
| 06-05-2022 18:58 | 22.0 | 19.7 | 8 | 19.4 |
| 06-05-2022 18:59 | 22.0 | 19.7 | 8 | 19.5 |
| 06-05-2022 19:00 | 22.0 | 19.7 | 8 | 19.4 |
| 06-05-2022 19:01 | 22.0 | 19.7 | 8 | 19.5 |
| 06-05-2022 19:02 | 22.0 | 19.7 | 8 | 19.6 |
| 06-05-2022 19:03 | 22.0 | 19.7 | 7 | 19.5 |
| 06-05-2022 19:04 | 22.0 | 19.7 | 8 | 19.5 |
| 06-05-2022 19:05 | 22.1 | 19.7 | 7 | 19.5 |
| 06-05-2022 19:06 | 22.1 | 19.7 | 8 | 19.5 |
| 06-05-2022 19:07 | 22.1 | 19.7 | 8 | 19.5 |
| 06-05-2022 19:08 | 22.1 | 19.7 | 8 | 19.6 |
| 06-05-2022 19:09 | 22.0 | 19.7 | 8 | 19.6 |
| 06-05-2022 19:10 | 22.0 | 19.7 | 8 | 19.6 |
| 06-05-2022 19:11 | 22.0 | 19.7 | 8 | 19.6 |
| 06-05-2022 19:12 | 22.0 | 19.8 | 7 | 19.6 |
| 06-05-2022 19:13 | 22.0 | 19.8 | 8 | 19.6 |
| 06-05-2022 19:14 | 22.0 | 19.8 | 8 | 19.7 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 06-05-2022 19:15 | 22.1 | 19.8 | 7 | 19.7 |
| 06-05-2022 19:16 | 22.1 | 19.8 | 8 | 19.6 |
| 06-05-2022 19:17 | 22.1 | 19.8 | 8 | 19.7 |
| 06-05-2022 19:18 | 22.1 | 19.8 | 8 | 19.7 |
| 06-05-2022 19:19 | 22.1 | 19.8 | 8 | 19.7 |
| 06-05-2022 19:20 | 22.1 | 19.8 | 8 | 19.7 |
| 06-05-2022 19:21 | 22.1 | 19.8 | 8 | 19.7 |
| 06-05-2022 19:22 | 22.1 | 19.8 | 8 | 19.7 |
| 06-05-2022 19:23 | 22.1 | 19.8 | 8 | 19.7 |
| 06-05-2022 19:24 | 22.2 | 19.8 | 8 | 19.7 |
| 06-05-2022 19:25 | 22.2 | 19.8 | 8 | 19.7 |
| 06-05-2022 19:26 | 22.2 | 19.8 | 8 | 19.7 |
| 06-05-2022 19:27 | 22.2 | 19.8 | 8 | 19.7 |
| 06-05-2022 19:28 | 22.2 | 19.8 | 8 | 19.7 |
| 06-05-2022 19:29 | 22.2 | 19.8 | 8 | 19.7 |
| 06-05-2022 19:30 | 22.2 | 19.8 | 8 | 19.7 |
| 06-05-2022 19:31 | 22.2 | 19.8 | 8 | 19.7 |
| 06-05-2022 19:32 | 22.2 | 19.8 | 8 | 19.7 |
| 06-05-2022 19:33 | 22.2 | 19.8 | 8 | 19.7 |
| 06-05-2022 19:34 | 22.2 | 19.8 | 8 | 19.7 |
| 06-05-2022 19:35 | 22.2 | 19.8 | 8 | 19.7 |
| 06-05-2022 19:36 | 22.2 | 19.8 | 8 | 19.7 |
| 06-05-2022 19:37 | 22.2 | 19.8 | 8 | 19.7 |
| 06-05-2022 19:38 | 22.2 | 19.8 | 8 | 19.7 |
| 06-05-2022 19:39 | 22.2 | 19.8 | 8 | 19.7 |
| 06-05-2022 19:40 | 22.2 | 19.8 | 8 | 19.7 |
| 06-05-2022 19:41 | 22.1 | 19.8 | 8 | 19.7 |
| 06-05-2022 19:42 | 22.2 | 19.8 | 7 | 19.7 |
| 06-05-2022 19:43 | 22.2 | 19.8 | 6 | 19.7 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 06-05-2022 19:44 | 22.2 | 19.8 | 8 | 19.7 |
| 06-05-2022 19:45 | 22.2 | 19.8 | 8 | 19.7 |
| 06-05-2022 19:46 | 22.2 | 19.8 | 8 | 19.7 |
| 06-05-2022 19:47 | 22.2 | 19.8 | 8 | 19.8 |
| 06-05-2022 19:48 | 22.2 | 19.8 | 8 | 19.8 |
| 06-05-2022 19:49 | 22.2 | 19.9 | 7 | 19.8 |
| 06-05-2022 19:50 | 22.2 | 19.9 | 7 | 19.7 |
| 06-05-2022 19:51 | 22.2 | 19.9 | 8 | 19.7 |
| 06-05-2022 19:52 | 22.2 | 19.9 | 8 | 19.8 |
| 06-05-2022 19:53 | 22.2 | 19.9 | 8 | 19.8 |
| 06-05-2022 19:54 | 22.2 | 19.9 | 8 | 19.8 |
| 06-05-2022 19:55 | 22.2 | 19.9 | 8 | 19.7 |
| 06-05-2022 19:56 | 22.2 | 19.9 | 7 | 19.8 |
| 06-05-2022 19:57 | 22.2 | 19.9 | 8 | 19.8 |
| 06-05-2022 19:58 | 22.2 | 19.9 | 8 | 19.8 |
| 06-05-2022 19:59 | 22.2 | 19.9 | 8 | 19.8 |
| 06-05-2022 20:00 | 22.2 | 19.9 | 7 | 19.8 |
| 06-05-2022 20:01 | 22.2 | 19.9 | 8 | 19.8 |
| 06-05-2022 20:02 | 22.2 | 19.9 | 7 | 19.9 |
| 06-05-2022 20:03 | 22.2 | 19.9 | 8 | 19.8 |
| 06-05-2022 20:04 | 22.3 | 19.9 | 8 | 19.8 |
| 06-05-2022 20:05 | 22.3 | 19.9 | 8 | 19.8 |
| 06-05-2022 20:06 | 22.2 | 19.9 | 8 | 19.8 |
| 06-05-2022 20:07 | 22.2 | 19.9 | 8 | 19.7 |
| 06-05-2022 20:08 | 22.2 | 19.9 | 8 | 19.7 |
| 06-05-2022 20:09 | 22.2 | 19.9 | 8 | 19.8 |
| 06-05-2022 20:10 | 22.2 | 19.9 | 8 | 19.8 |
| 06-05-2022 20:11 | 22.2 | 19.9 | 8 | 19.7 |
| 06-05-2022 20:12 | 22.2 | 19.8 | 8 | 19.7 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 06-05-2022 20:13 | 22.2 | 19.8 | 8 | 19.7 |
| 06-05-2022 20:14 | 22.2 | 19.8 | 7 | 19.7 |
| 06-05-2022 20:15 | 22.2 | 19.8 | 8 | 19.7 |
| 06-05-2022 20:16 | 22.2 | 19.8 | 8 | 19.6 |
| 06-05-2022 20:17 | 22.2 | 19.8 | 8 | 19.7 |
| 06-05-2022 20:18 | 22.2 | 19.8 | 8 | 19.6 |
| 06-05-2022 20:19 | 22.2 | 19.8 | 8 | 19.6 |
| 06-05-2022 20:20 | 22.1 | 19.7 | 8 | 19.6 |
| 06-05-2022 20:21 | 22.1 | 19.7 | 8 | 19.6 |
| 06-05-2022 20:22 | 22.2 | 19.7 | 9 | 19.6 |
| 06-05-2022 20:23 | 22.1 | 19.7 | 8 | 19.5 |
| 06-05-2022 20:24 | 22.1 | 19.6 | 8 | 19.5 |
| 06-05-2022 20:25 | 22.1 | 19.6 | 8 | 19.5 |
| 06-05-2022 20:26 | 22.1 | 19.6 | 8 | 19.4 |
| 06-05-2022 20:27 | 22.0 | 19.6 | 8 | 19.4 |
| 06-05-2022 20:28 | 22.0 | 19.6 | 8 | 19.4 |
| 06-05-2022 20:29 | 22.0 | 19.6 | 8 | 19.4 |
| 06-05-2022 20:30 | 22.0 | 19.5 | 8 | 19.3 |
| 06-05-2022 20:31 | 22.0 | 19.5 | 8 | 19.3 |
| 06-05-2022 20:32 | 22.0 | 19.5 | 8 | 19.3 |
| 06-05-2022 20:33 | 21.9 | 19.5 | 8 | 19.3 |
| 06-05-2022 20:34 | 21.9 | 19.5 | 8 | 19.2 |
| 06-05-2022 20:35 | 21.9 | 19.5 | 8 | 19.2 |
| 06-05-2022 20:36 | 21.9 | 19.5 | 8 | 19.2 |
| 06-05-2022 20:37 | 21.9 | 19.4 | 8 | 19.2 |
| 06-05-2022 20:38 | 21.8 | 19.4 | 8 | 19.2 |
| 06-05-2022 20:39 | 21.8 | 19.4 | 8 | 19.2 |
| 06-05-2022 20:40 | 21.8 | 19.4 | 8 | 19.2 |
| 06-05-2022 20:41 | 21.8 | 19.4 | 8 | 19.3 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 06-05-2022 20:42 | 21.8 | 19.4 | 8 | 19.2 |
| 06-05-2022 20:43 | 21.8 | 19.3 | 8 | 19.2 |
| 06-05-2022 20:44 | 21.8 | 19.3 | 8 | 19.2 |
| 06-05-2022 20:45 | 21.7 | 19.3 | 8 | 19.2 |
| 06-05-2022 20:46 | 21.7 | 19.3 | 8 | 19.2 |
| 06-05-2022 20:47 | 21.7 | 19.3 | 8 | 19.1 |
| 06-05-2022 20:48 | 21.7 | 19.3 | 8 | 19.1 |
| 06-05-2022 20:49 | 21.7 | 19.3 | 8 | 19.2 |
| 06-05-2022 20:50 | 21.7 | 19.3 | 8 | 19.1 |
| 06-05-2022 20:51 | 21.6 | 19.3 | 7 | 19.1 |
| 06-05-2022 20:52 | 21.6 | 19.3 | 8 | 19.1 |
| 06-05-2022 20:53 | 21.6 | 19.3 | 8 | 19.1 |
| 06-05-2022 20:54 | 21.6 | 19.3 | 8 | 19.2 |
| 06-05-2022 20:55 | 21.6 | 19.3 | 8 | 19.1 |
| 06-05-2022 20:56 | 21.6 | 19.3 | 8 | 19.1 |
| 06-05-2022 20:57 | 21.6 | 19.3 | 8 | 19.1 |
| 06-05-2022 20:58 | 21.6 | 19.3 | 7 | 19.2 |
| 06-05-2022 20:59 | 21.6 | 19.3 | 8 | 19.2 |
| 06-05-2022 21:00 | 21.6 | 19.3 | 8 | 19.2 |
| 06-05-2022 21:01 | 21.6 | 19.4 | 8 | 19.2 |
| 06-05-2022 21:02 | 21.6 | 19.4 | 7 | 19.2 |
| 06-05-2022 21:03 | 21.7 | 19.4 | 8 | 19.3 |
| 06-05-2022 21:04 | 21.7 | 19.4 | 7 | 19.2 |
| 06-05-2022 21:05 | 21.7 | 19.4 | 8 | 19.3 |
| 06-05-2022 21:06 | 21.7 | 19.5 | 8 | 19.3 |
| 06-05-2022 21:07 | 21.7 | 19.5 | 8 | 19.3 |
| 06-05-2022 21:08 | 21.7 | 19.5 | 8 | 19.4 |
| 06-05-2022 21:09 | 21.7 | 19.5 | 8 | 19.4 |
| 06-05-2022 21:10 | 21.7 | 19.5 | 8 | 19.4 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 06-05-2022 21:11 | 21.7 | 19.5 | 7 | 19.4 |
| 06-05-2022 21:12 | 21.8 | 19.5 | 8 | 19.4 |
| 06-05-2022 21:13 | 21.8 | 19.5 | 8 | 19.4 |
| 06-05-2022 21:14 | 21.8 | 19.5 | 8 | 19.4 |
| 06-05-2022 21:15 | 21.8 | 19.5 | 6 | 19.4 |
| 06-05-2022 21:16 | 21.8 | 19.5 | 7 | 19.4 |
| 06-05-2022 21:17 | 21.8 | 19.6 | 8 | 19.5 |
| 06-05-2022 21:18 | 21.8 | 19.6 | 8 | 19.5 |
| 06-05-2022 21:19 | 21.8 | 19.6 | 8 | 19.5 |
| 06-05-2022 21:20 | 21.8 | 19.6 | 8 | 19.5 |
| 06-05-2022 21:21 | 21.8 | 19.6 | 8 | 19.5 |
| 06-05-2022 21:22 | 21.8 | 19.6 | 8 | 19.5 |
| 06-05-2022 21:23 | 21.9 | 19.6 | 8 | 19.5 |
| 06-05-2022 21:24 | 21.9 | 19.6 | 8 | 19.5 |
| 06-05-2022 21:25 | 21.9 | 19.6 | 8 | 19.6 |
| 06-05-2022 21:26 | 21.9 | 19.6 | 8 | 19.6 |
| 06-05-2022 21:27 | 21.9 | 19.6 | 8 | 19.6 |
| 06-05-2022 21:28 | 21.9 | 19.6 | 8 | 19.6 |
| 06-05-2022 21:29 | 21.9 | 19.7 | 8 | 19.5 |
| 06-05-2022 21:30 | 21.9 | 19.7 | 8 | 19.6 |
| 06-05-2022 21:31 | 21.9 | 19.7 | 7 | 19.6 |
| 06-05-2022 21:32 | 21.9 | 19.7 | 8 | 19.7 |
| 06-05-2022 21:33 | 21.9 | 19.7 | 8 | 19.6 |
| 06-05-2022 21:34 | 21.9 | 19.7 | 8 | 19.6 |
| 06-05-2022 21:35 | 21.9 | 19.7 | 8 | 19.6 |
| 06-05-2022 21:36 | 21.9 | 19.7 | 8 | 19.6 |
| 06-05-2022 21:37 | 21.9 | 19.7 | 7 | 19.6 |
| 06-05-2022 21:38 | 22.0 | 19.7 | 7 | 19.6 |
| 06-05-2022 21:39 | 21.9 | 19.7 | 7 | 19.6 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 06-05-2022 21:40 | 21.9 | 19.7 | 8 | 19.6 |
| 06-05-2022 21:41 | 22.0 | 19.7 | 7 | 19.6 |
| 06-05-2022 21:42 | 22.0 | 19.8 | 8 | 19.6 |
| 06-05-2022 21:43 | 22.0 | 19.8 | 7 | 19.6 |
| 06-05-2022 21:44 | 22.0 | 19.8 | 8 | 19.6 |
| 06-05-2022 21:45 | 22.0 | 19.8 | 8 | 19.7 |
| 06-05-2022 21:46 | 22.0 | 19.8 | 8 | 19.7 |
| 06-05-2022 21:47 | 22.0 | 19.8 | 8 | 19.7 |
| 06-05-2022 21:48 | 22.0 | 19.8 | 7 | 19.6 |
| 06-05-2022 21:49 | 22.0 | 19.8 | 8 | 19.6 |
| 06-05-2022 21:50 | 22.0 | 19.8 | 8 | 19.7 |
| 06-05-2022 21:51 | 22.1 | 19.8 | 8 | 19.7 |
| 06-05-2022 21:52 | 22.1 | 19.8 | 8 | 19.7 |
| 06-05-2022 21:53 | 22.1 | 19.8 | 8 | 19.7 |
| 06-05-2022 21:54 | 22.1 | 19.8 | 8 | 19.7 |
| 06-05-2022 21:55 | 22.1 | 19.8 | 8 | 19.7 |
| 06-05-2022 21:56 | 22.1 | 19.8 | 8 | 19.7 |
| 06-05-2022 21:57 | 22.1 | 19.8 | 8 | 19.7 |
| 06-05-2022 21:58 | 22.1 | 19.8 | 8 | 19.6 |
| 06-05-2022 21:59 | 22.1 | 19.8 | 8 | 19.7 |
| 06-05-2022 22:00 | 22.1 | 19.8 | 8 | 19.7 |
| 06-05-2022 22:01 | 22.1 | 19.8 | 8 | 19.7 |
| 06-05-2022 22:02 | 22.1 | 19.8 | 8 | 19.7 |
| 06-05-2022 22:03 | 22.1 | 19.8 | 8 | 19.7 |
| 06-05-2022 22:04 | 22.1 | 19.8 | 8 | 19.8 |
| 06-05-2022 22:05 | 22.1 | 19.8 | 8 | 19.8 |
| 06-05-2022 22:06 | 22.2 | 19.8 | 8 | 19.8 |
| 06-05-2022 22:07 | 22.2 | 19.8 | 8 | 19.7 |
| 06-05-2022 22:08 | 22.2 | 19.8 | 8 | 19.7 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 06-05-2022 22:09 | 22.2 | 19.9 | 8 | 19.7 |
| 06-05-2022 22:10 | 22.2 | 19.9 | 8 | 19.7 |
| 06-05-2022 22:11 | 22.2 | 19.8 | 8 | 19.7 |
| 06-05-2022 22:12 | 22.3 | 19.9 | 8 | 19.8 |
| 06-05-2022 22:13 | 22.3 | 19.9 | 8 | 19.7 |
| 06-05-2022 22:14 | 22.3 | 19.9 | 7 | 19.8 |
| 06-05-2022 22:15 | 22.3 | 19.9 | 8 | 19.8 |
| 06-05-2022 22:16 | 22.3 | 19.9 | 8 | 19.8 |
| 06-05-2022 22:17 | 22.3 | 19.9 | 8 | 19.8 |
| 06-05-2022 22:18 | 22.3 | 19.9 | 8 | 19.8 |
| 06-05-2022 22:19 | 22.3 | 19.9 | 8 | 19.8 |
| 06-05-2022 22:20 | 22.3 | 19.9 | 8 | 19.8 |
| 06-05-2022 22:21 | 22.3 | 19.9 | 8 | 19.8 |
| 06-05-2022 22:22 | 22.3 | 19.9 | 8 | 19.8 |
| 06-05-2022 22:23 | 22.3 | 19.9 | 8 | 19.8 |
| 06-05-2022 22:24 | 22.3 | 19.9 | 8 | 19.8 |
| 06-05-2022 22:25 | 22.3 | 19.9 | 8 | 19.8 |
| 06-05-2022 22:26 | 22.3 | 19.9 | 8 | 19.8 |
| 06-05-2022 22:27 | 22.3 | 19.9 | 8 | 19.8 |
| 06-05-2022 22:28 | 22.3 | 19.9 | 8 | 19.8 |
| 06-05-2022 22:29 | 22.3 | 19.9 | 8 | 19.8 |
| 06-05-2022 22:30 | 22.3 | 19.9 | 8 | 19.7 |
| 06-05-2022 22:31 | 22.3 | 19.9 | 8 | 19.8 |
| 06-05-2022 22:32 | 22.3 | 19.9 | 8 | 19.8 |
| 06-05-2022 22:33 | 22.3 | 19.9 | 8 | 19.8 |
| 06-05-2022 22:34 | 22.3 | 19.9 | 8 | 19.7 |
| 06-05-2022 22:35 | 22.3 | 19.9 | 8 | 19.7 |
| 06-05-2022 22:36 | 22.3 | 19.9 | 8 | 19.7 |
| 06-05-2022 22:37 | 22.3 | 19.9 | 8 | 19.8 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 06-05-2022 22:38 | 22.3 | 19.9 | 8 | 19.8 |
| 06-05-2022 22:39 | 22.3 | 19.9 | 8 | 19.8 |
| 06-05-2022 22:40 | 22.3 | 19.8 | 8 | 19.7 |
| 06-05-2022 22:41 | 22.3 | 19.8 | 8 | 19.7 |
| 06-05-2022 22:42 | 22.3 | 19.8 | 9 | 19.7 |
| 06-05-2022 22:43 | 22.3 | 19.8 | 8 | 19.7 |
| 06-05-2022 22:44 | 22.3 | 19.8 | 8 | 19.6 |
| 06-05-2022 22:45 | 22.3 | 19.8 | 8 | 19.6 |
| 06-05-2022 22:46 | 22.3 | 19.7 | 8 | 19.6 |
| 06-05-2022 22:47 | 22.2 | 19.7 | 8 | 19.6 |
| 06-05-2022 22:48 | 22.2 | 19.7 | 8 | 19.5 |
| 06-05-2022 22:49 | 22.2 | 19.7 | 8 | 19.5 |
| 06-05-2022 22:50 | 22.2 | 19.7 | 8 | 19.5 |
| 06-05-2022 22:51 | 22.2 | 19.6 | 9 | 19.5 |
| 06-05-2022 22:52 | 22.2 | 19.6 | 8 | 19.5 |
| 06-05-2022 22:53 | 22.2 | 19.6 | 8 | 19.4 |
| 06-05-2022 22:54 | 22.2 | 19.6 | 8 | 19.4 |
| 06-05-2022 22:55 | 22.2 | 19.6 | 8 | 19.5 |
| 06-05-2022 22:56 | 22.2 | 19.6 | 8 | 19.4 |
| 06-05-2022 22:57 | 22.2 | 19.6 | 8 | 19.4 |
| 06-05-2022 22:58 | 22.1 | 19.5 | 8 | 19.3 |
| 06-05-2022 22:59 | 22.1 | 19.5 | 8 | 19.3 |
| 06-05-2022 23:00 | 22.1 | 19.5 | 8 | 19.3 |
| 06-05-2022 23:01 | 22.1 | 19.5 | 8 | 19.3 |
| 06-05-2022 23:02 | 22.1 | 19.5 | 8 | 19.3 |
| 06-05-2022 23:03 | 22.1 | 19.5 | 8 | 19.3 |
| 06-05-2022 23:04 | 22.1 | 19.5 | 8 | 19.3 |
| 06-05-2022 23:05 | 22.1 | 19.5 | 8 | 19.2 |
| 06-05-2022 23:06 | 22.0 | 19.5 | 8 | 19.2 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 06-05-2022 23:07 | 22.0 | 19.5 | 9 | 19.2 |
| 06-05-2022 23:08 | 22.0 | 19.5 | 8 | 19.2 |
| 06-05-2022 23:09 | 21.9 | 19.4 | 8 | 19.2 |
| 06-05-2022 23:10 | 21.9 | 19.4 | 8 | 19.2 |
| 06-05-2022 23:11 | 21.9 | 19.4 | 8 | 19.2 |
| 06-05-2022 23:12 | 21.9 | 19.4 | 8 | 19.2 |
| 06-05-2022 23:13 | 21.9 | 19.4 | 8 | 19.2 |
| 06-05-2022 23:14 | 21.9 | 19.4 | 8 | 19.2 |
| 06-05-2022 23:15 | 21.9 | 19.4 | 8 | 19.2 |
| 06-05-2022 23:16 | 21.9 | 19.4 | 8 | 19.2 |
| 06-05-2022 23:17 | 21.9 | 19.3 | 7 | 19.2 |
| 06-05-2022 23:18 | 21.9 | 19.3 | 8 | 19.1 |
| 06-05-2022 23:19 | 21.9 | 19.3 | 8 | 19.1 |
| 06-05-2022 23:20 | 21.9 | 19.3 | 8 | 19.1 |
| 06-05-2022 23:21 | 21.9 | 19.3 | 8 | 19.1 |
| 06-05-2022 23:22 | 21.8 | 19.3 | 8 | 19.1 |
| 06-05-2022 23:23 | 21.8 | 19.3 | 8 | 19.1 |
| 06-05-2022 23:24 | 21.8 | 19.3 | 8 | 19.1 |
| 06-05-2022 23:25 | 21.8 | 19.3 | 8 | 19.0 |
| 06-05-2022 23:26 | 21.8 | 19.3 | 8 | 19.1 |
| 06-05-2022 23:27 | 21.8 | 19.3 | 8 | 19.0 |
| 06-05-2022 23:28 | 21.8 | 19.3 | 8 | 19.0 |
| 06-05-2022 23:29 | 21.8 | 19.3 | 8 | 19.1 |
| 06-05-2022 23:30 | 21.8 | 19.3 | 7 | 19.0 |
| 06-05-2022 23:31 | 21.7 | 19.3 | 8 | 19.0 |
| 06-05-2022 23:32 | 21.7 | 19.3 | 6 | 19.0 |
| 06-05-2022 23:33 | 21.7 | 19.3 | 6 | 19.0 |
| 06-05-2022 23:34 | 21.7 | 19.3 | 8 | 19.0 |
| 06-05-2022 23:35 | 21.7 | 19.3 | 8 | 19.0 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 06-05-2022 23:36 | 21.7 | 19.2 | 8 | 18.9 |
| 06-05-2022 23:37 | 21.7 | 19.3 | 8 | 18.9 |
| 06-05-2022 23:38 | 21.7 | 19.2 | 9 | 19.0 |
| 06-05-2022 23:39 | 21.7 | 19.2 | 8 | 19.0 |
| 06-05-2022 23:40 | 21.7 | 19.2 | 7 | 18.9 |
| 06-05-2022 23:41 | 21.7 | 19.2 | 8 | 19.0 |
| 06-05-2022 23:42 | 21.6 | 19.2 | 8 | 18.9 |
| 06-05-2022 23:43 | 21.6 | 19.2 | 8 | 18.9 |
| 06-05-2022 23:44 | 21.6 | 19.2 | 8 | 18.9 |
| 06-05-2022 23:45 | 21.6 | 19.2 | 8 | 18.9 |
| 06-05-2022 23:46 | 21.6 | 19.2 | 8 | 18.9 |
| 06-05-2022 23:47 | 21.6 | 19.2 | 8 | 18.8 |
| 06-05-2022 23:48 | 21.6 | 19.2 | 8 | 18.9 |
| 06-05-2022 23:49 | 21.6 | 19.2 | 8 | 18.9 |
| 06-05-2022 23:50 | 21.6 | 19.2 | 8 | 18.8 |
| 06-05-2022 23:51 | 21.6 | 19.2 | 8 | 18.8 |
| 06-05-2022 23:52 | 21.6 | 19.2 | 8 | 18.9 |
| 06-05-2022 23:53 | 21.6 | 19.2 | 8 | 18.9 |
| 06-05-2022 23:54 | 21.6 | 19.2 | 8 | 18.9 |
| 06-05-2022 23:55 | 21.6 | 19.2 | 8 | 18.8 |
| 06-05-2022 23:56 | 21.6 | 19.2 | 7 | 18.8 |
| 06-05-2022 23:57 | 21.6 | 19.2 | 8 | 18.8 |
| 06-05-2022 23:58 | 21.6 | 19.2 | 8 | 18.8 |
| 06-05-2022 23:59 | 21.6 | 19.2 | 7 | 18.8 |
| 07-05-2022 00:00 | 21.6 | 19.2 | 8 | 18.8 |
| 07-05-2022 00:01 | 21.6 | 19.2 | 8 | 18.8 |
| 07-05-2022 00:02 | 21.6 | 19.2 | 8 | 18.8 |
| 07-05-2022 00:03 | 21.6 | 19.2 | 8 | 18.8 |
| 07-05-2022 00:04 | 21.5 | 19.2 | 8 | 18.8 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 07-05-2022 00:05 | 21.5 | 19.2 | 8 | 18.8 |
| 07-05-2022 00:06 | 21.5 | 19.2 | 8 | 18.8 |
| 07-05-2022 00:07 | 21.5 | 19.2 | 8 | 18.8 |
| 07-05-2022 00:08 | 21.5 | 19.2 | 8 | 18.8 |
| 07-05-2022 00:09 | 21.5 | 19.2 | 8 | 18.8 |
| 07-05-2022 00:10 | 21.5 | 19.2 | 8 | 18.8 |
| 07-05-2022 00:11 | 21.5 | 19.2 | 8 | 18.8 |
| 07-05-2022 00:12 | 21.5 | 19.2 | 8 | 18.8 |
| 07-05-2022 00:13 | 21.5 | 19.2 | 8 | 18.8 |
| 07-05-2022 00:14 | 21.5 | 19.2 | 8 | 18.8 |
| 07-05-2022 00:15 | 21.5 | 19.2 | 8 | 18.8 |
| 07-05-2022 00:16 | 21.5 | 19.2 | 8 | 18.9 |
| 07-05-2022 00:17 | 21.5 | 19.2 | 8 | 18.9 |
| 07-05-2022 00:18 | 21.5 | 19.2 | 8 | 18.9 |
| 07-05-2022 00:19 | 21.5 | 19.2 | 8 | 18.9 |
| 07-05-2022 00:20 | 21.5 | 19.2 | 8 | 18.9 |
| 07-05-2022 00:21 | 21.5 | 19.3 | 8 | 18.9 |
| 07-05-2022 00:22 | 21.5 | 19.3 | 8 | 19.0 |
| 07-05-2022 00:23 | 21.6 | 19.3 | 8 | 19.0 |
| 07-05-2022 00:24 | 21.6 | 19.3 | 8 | 19.0 |
| 07-05-2022 00:25 | 21.6 | 19.3 | 8 | 19.0 |
| 07-05-2022 00:26 | 21.6 | 19.3 | 8 | 19.0 |
| 07-05-2022 00:27 | 21.6 | 19.3 | 8 | 19.0 |
| 07-05-2022 00:28 | 21.6 | 19.3 | 8 | 19.0 |
| 07-05-2022 00:29 | 21.6 | 19.4 | 7 | 19.1 |
| 07-05-2022 00:30 | 21.6 | 19.4 | 6 | 19.1 |
| 07-05-2022 00:31 | 21.6 | 19.4 | 8 | 19.1 |
| 07-05-2022 00:32 | 21.6 | 19.4 | 8 | 19.2 |
| 07-05-2022 00:33 | 21.7 | 19.5 | 8 | 19.1 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 07-05-2022 00:34 | 21.7 | 19.5 | 8 | 19.2 |
| 07-05-2022 00:35 | 21.7 | 19.5 | 8 | 19.2 |
| 07-05-2022 00:36 | 21.7 | 19.5 | 7 | 19.2 |
| 07-05-2022 00:37 | 21.7 | 19.5 | 8 | 19.1 |
| 07-05-2022 00:38 | 21.7 | 19.5 | 8 | 19.2 |
| 07-05-2022 00:39 | 21.7 | 19.5 | 8 | 19.2 |
| 07-05-2022 00:40 | 21.7 | 19.5 | 8 | 19.2 |
| 07-05-2022 00:41 | 21.8 | 19.5 | 8 | 19.2 |
| 07-05-2022 00:42 | 21.8 | 19.5 | 8 | 19.3 |
| 07-05-2022 00:43 | 21.8 | 19.5 | 8 | 19.3 |
| 07-05-2022 00:44 | 21.8 | 19.6 | 8 | 19.3 |
| 07-05-2022 00:45 | 21.8 | 19.6 | 8 | 19.3 |
| 07-05-2022 00:46 | 21.8 | 19.6 | 9 | 19.3 |
| 07-05-2022 00:47 | 21.8 | 19.6 | 8 | 19.3 |
| 07-05-2022 00:48 | 21.8 | 19.6 | 8 | 19.4 |
| 07-05-2022 00:49 | 21.8 | 19.6 | 8 | 19.4 |
| 07-05-2022 00:50 | 21.9 | 19.6 | 8 | 19.3 |
| 07-05-2022 00:51 | 21.9 | 19.6 | 8 | 19.4 |
| 07-05-2022 00:52 | 21.9 | 19.6 | 8 | 19.4 |
| 07-05-2022 00:53 | 21.9 | 19.6 | 7 | 19.4 |
| 07-05-2022 00:54 | 21.9 | 19.6 | 8 | 19.4 |
| 07-05-2022 00:55 | 21.9 | 19.6 | 8 | 19.4 |
| 07-05-2022 00:56 | 21.9 | 19.6 | 8 | 19.4 |
| 07-05-2022 00:57 | 21.9 | 19.6 | 8 | 19.4 |
| 07-05-2022 00:58 | 22.0 | 19.7 | 8 | 19.5 |
| 07-05-2022 00:59 | 22.0 | 19.7 | 6 | 19.4 |
| 07-05-2022 01:00 | 22.0 | 19.7 | 7 | 19.4 |
| 07-05-2022 01:01 | 22.0 | 19.7 | 8 | 19.5 |
| 07-05-2022 01:02 | 22.0 | 19.7 | 8 | 19.5 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 07-05-2022 01:03 | 22.0 | 19.7 | 8 | 19.5 |
| 07-05-2022 01:04 | 22.0 | 19.7 | 7 | 19.5 |
| 07-05-2022 01:05 | 22.0 | 19.7 | 8 | 19.5 |
| 07-05-2022 01:06 | 22.0 | 19.7 | 8 | 19.5 |
| 07-05-2022 01:07 | 22.0 | 19.7 | 8 | 19.5 |
| 07-05-2022 01:08 | 22.0 | 19.7 | 8 | 19.5 |
| 07-05-2022 01:09 | 22.0 | 19.7 | 8 | 19.5 |
| 07-05-2022 01:10 | 22.0 | 19.7 | 8 | 19.5 |
| 07-05-2022 01:11 | 22.0 | 19.7 | 8 | 19.5 |
| 07-05-2022 01:12 | 22.1 | 19.7 | 8 | 19.6 |
| 07-05-2022 01:13 | 22.1 | 19.7 | 8 | 19.5 |
| 07-05-2022 01:14 | 22.1 | 19.7 | 8 | 19.5 |
| 07-05-2022 01:15 | 22.1 | 19.8 | 7 | 19.6 |
| 07-05-2022 01:16 | 22.0 | 19.8 | 8 | 19.5 |
| 07-05-2022 01:17 | 22.1 | 19.8 | 8 | 19.5 |
| 07-05-2022 01:18 | 22.0 | 19.8 | 8 | 19.5 |
| 07-05-2022 01:19 | 22.1 | 19.8 | 8 | 19.6 |
| 07-05-2022 01:20 | 22.1 | 19.8 | 8 | 19.6 |
| 07-05-2022 01:21 | 22.1 | 19.8 | 8 | 19.6 |
| 07-05-2022 01:22 | 22.1 | 19.8 | 8 | 19.5 |
| 07-05-2022 01:23 | 22.1 | 19.8 | 8 | 19.5 |
| 07-05-2022 01:24 | 22.1 | 19.8 | 8 | 19.5 |
| 07-05-2022 01:25 | 22.0 | 19.8 | 8 | 19.6 |
| 07-05-2022 01:26 | 22.1 | 19.8 | 8 | 19.6 |
| 07-05-2022 01:27 | 22.1 | 19.8 | 8 | 19.6 |
| 07-05-2022 01:28 | 22.1 | 19.8 | 8 | 19.6 |
| 07-05-2022 01:29 | 22.0 | 19.8 | 7 | 19.6 |
| 07-05-2022 01:30 | 22.1 | 19.8 | 8 | 19.6 |
| 07-05-2022 01:31 | 22.1 | 19.8 | 8 | 19.6 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 07-05-2022 01:32 | 22.1 | 19.8 | 8 | 19.7 |
| 07-05-2022 01:33 | 22.1 | 19.8 | 8 | 19.6 |
| 07-05-2022 01:34 | 22.1 | 19.8 | 8 | 19.6 |
| 07-05-2022 01:35 | 22.1 | 19.8 | 8 | 19.7 |
| 07-05-2022 01:36 | 22.1 | 19.8 | 8 | 19.6 |
| 07-05-2022 01:37 | 22.1 | 19.8 | 8 | 19.7 |
| 07-05-2022 01:38 | 22.1 | 19.8 | 8 | 19.7 |
| 07-05-2022 01:39 | 22.1 | 19.8 | 7 | 19.6 |
| 07-05-2022 01:40 | 22.1 | 19.8 | 8 | 19.6 |
| 07-05-2022 01:41 | 22.1 | 19.8 | 8 | 19.6 |
| 07-05-2022 01:42 | 22.1 | 19.8 | 8 | 19.6 |
| 07-05-2022 01:43 | 22.1 | 19.8 | 8 | 19.7 |
| 07-05-2022 01:44 | 22.1 | 19.8 | 8 | 19.6 |
| 07-05-2022 01:45 | 22.1 | 19.8 | 8 | 19.7 |
| 07-05-2022 01:46 | 22.1 | 19.8 | 8 | 19.7 |
| 07-05-2022 01:47 | 22.1 | 19.8 | 8 | 19.6 |
| 07-05-2022 01:48 | 22.1 | 19.8 | 7 | 19.7 |
| 07-05-2022 01:49 | 22.1 | 19.8 | 8 | 19.6 |
| 07-05-2022 01:50 | 22.1 | 19.8 | 8 | 19.7 |
| 07-05-2022 01:51 | 22.2 | 19.8 | 8 | 19.7 |
| 07-05-2022 01:52 | 22.1 | 19.8 | 8 | 19.7 |
| 07-05-2022 01:53 | 22.1 | 19.8 | 8 | 19.7 |
| 07-05-2022 01:54 | 22.1 | 19.8 | 8 | 19.7 |
| 07-05-2022 01:55 | 22.1 | 19.8 | 8 | 19.6 |
| 07-05-2022 01:56 | 22.2 | 19.8 | 8 | 19.6 |
| 07-05-2022 01:57 | 22.1 | 19.8 | 8 | 19.7 |
| 07-05-2022 01:58 | 22.2 | 19.9 | 8 | 19.7 |
| 07-05-2022 01:59 | 22.2 | 19.8 | 8 | 19.7 |
| 07-05-2022 02:00 | 22.1 | 19.9 | 8 | 19.7 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 07-05-2022 02:01 | 22.1 | 19.8 | 7 | 19.7 |
| 07-05-2022 02:02 | 22.1 | 19.9 | 8 | 19.7 |
| 07-05-2022 02:03 | 22.2 | 19.9 | 8 | 19.7 |
| 07-05-2022 02:04 | 22.2 | 19.9 | 8 | 19.7 |
| 07-05-2022 02:05 | 22.2 | 19.9 | 8 | 19.7 |
| 07-05-2022 02:06 | 22.1 | 19.8 | 8 | 19.7 |
| 07-05-2022 02:07 | 22.2 | 19.9 | 8 | 19.7 |
| 07-05-2022 02:08 | 22.2 | 19.9 | 8 | 19.7 |
| 07-05-2022 02:09 | 22.2 | 19.9 | 8 | 19.7 |
| 07-05-2022 02:10 | 22.2 | 19.9 | 8 | 19.7 |
| 07-05-2022 02:11 | 22.2 | 19.9 | 8 | 19.7 |
| 07-05-2022 02:12 | 22.2 | 19.9 | 8 | 19.7 |
| 07-05-2022 02:13 | 22.2 | 19.9 | 8 | 19.7 |
| 07-05-2022 02:14 | 22.2 | 19.9 | 8 | 19.7 |
| 07-05-2022 02:15 | 22.2 | 19.9 | 7 | 19.8 |
| 07-05-2022 02:16 | 22.2 | 19.9 | 8 | 19.8 |
| 07-05-2022 02:17 | 22.2 | 19.9 | 8 | 19.8 |
| 07-05-2022 02:18 | 22.2 | 19.9 | 8 | 19.8 |
| 07-05-2022 02:19 | 22.2 | 19.9 | 8 | 19.8 |
| 07-05-2022 02:20 | 22.2 | 19.9 | 7 | 19.8 |
| 07-05-2022 02:21 | 22.2 | 19.9 | 8 | 19.7 |
| 07-05-2022 02:22 | 22.2 | 19.9 | 8 | 19.8 |
| 07-05-2022 02:23 | 22.2 | 19.9 | 8 | 19.7 |
| 07-05-2022 02:24 | 22.2 | 19.9 | 8 | 19.7 |
| 07-05-2022 02:25 | 22.2 | 19.9 | 7 | 19.8 |
| 07-05-2022 02:26 | 22.2 | 19.9 | 7 | 19.8 |
| 07-05-2022 02:27 | 22.2 | 19.9 | 8 | 19.7 |
| 07-05-2022 02:28 | 22.2 | 19.9 | 8 | 19.8 |
| 07-05-2022 02:29 | 22.2 | 19.9 | 8 | 19.8 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 07-05-2022 02:30 | 22.2 | 19.9 | 8 | 19.7 |
| 07-05-2022 02:31 | 22.2 | 19.9 | 8 | 19.8 |
| 07-05-2022 02:32 | 22.2 | 19.9 | 8 | 19.8 |
| 07-05-2022 02:33 | 22.2 | 19.9 | 8 | 19.7 |
| 07-05-2022 02:34 | 22.2 | 19.9 | 8 | 19.8 |
| 07-05-2022 02:35 | 22.2 | 19.9 | 8 | 19.8 |
| 07-05-2022 02:36 | 22.2 | 19.9 | 8 | 19.8 |
| 07-05-2022 02:37 | 22.2 | 19.9 | 8 | 19.7 |
| 07-05-2022 02:38 | 22.2 | 19.9 | 8 | 19.8 |
| 07-05-2022 02:39 | 22.2 | 19.9 | 8 | 19.8 |
| 07-05-2022 02:40 | 22.2 | 19.9 | 8 | 19.8 |
| 07-05-2022 02:41 | 22.2 | 19.9 | 8 | 19.8 |
| 07-05-2022 02:42 | 22.2 | 19.9 | 8 | 19.8 |
| 07-05-2022 02:43 | 22.2 | 19.9 | 8 | 19.8 |
| 07-05-2022 02:44 | 22.2 | 19.9 | 8 | 19.8 |
| 07-05-2022 02:45 | 22.2 | 19.9 | 8 | 19.8 |
| 07-05-2022 02:46 | 22.2 | 19.9 | 8 | 19.8 |
| 07-05-2022 02:47 | 22.2 | 19.9 | 8 | 19.7 |
| 07-05-2022 02:48 | 22.2 | 19.9 | 8 | 19.8 |
| 07-05-2022 02:49 | 22.2 | 19.9 | 8 | 19.8 |
| 07-05-2022 02:50 | 22.2 | 19.9 | 8 | 19.8 |
| 07-05-2022 02:51 | 22.2 | 19.9 | 8 | 19.8 |
| 07-05-2022 02:52 | 22.2 | 19.9 | 8 | 19.8 |
| 07-05-2022 02:53 | 22.2 | 19.9 | 8 | 19.7 |
| 07-05-2022 02:54 | 22.2 | 19.9 | 8 | 19.8 |
| 07-05-2022 02:55 | 22.3 | 19.9 | 7 | 19.8 |
| 07-05-2022 02:56 | 22.3 | 19.9 | 8 | 19.8 |
| 07-05-2022 02:57 | 22.2 | 19.9 | 8 | 19.8 |
| 07-05-2022 02:58 | 22.2 | 19.9 | 8 | 19.8 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 07-05-2022 02:59 | 22.2 | 19.9 | 8 | 19.7 |
| 07-05-2022 03:00 | 22.2 | 19.9 | 8 | 19.7 |
| 07-05-2022 03:01 | 22.2 | 19.9 | 8 | 19.7 |
| 07-05-2022 03:02 | 22.2 | 19.9 | 8 | 19.7 |
| 07-05-2022 03:03 | 22.2 | 19.9 | 8 | 19.7 |
| 07-05-2022 03:04 | 22.2 | 19.8 | 8 | 19.6 |
| 07-05-2022 03:05 | 22.2 | 19.8 | 8 | 19.7 |
| 07-05-2022 03:06 | 22.2 | 19.8 | 8 | 19.7 |
| 07-05-2022 03:07 | 22.2 | 19.8 | 8 | 19.7 |
| 07-05-2022 03:08 | 22.2 | 19.8 | 8 | 19.7 |
| 07-05-2022 03:09 | 22.2 | 19.8 | 8 | 19.6 |
| 07-05-2022 03:10 | 22.1 | 19.8 | 8 | 19.7 |
| 07-05-2022 03:11 | 22.1 | 19.8 | 8 | 19.7 |
| 07-05-2022 03:12 | 22.1 | 19.8 | 8 | 19.7 |
| 07-05-2022 03:13 | 22.1 | 19.8 | 8 | 19.7 |
| 07-05-2022 03:14 | 22.1 | 19.7 | 8 | 19.7 |
| 07-05-2022 03:15 | 22.1 | 19.7 | 8 | 19.6 |
| 07-05-2022 03:16 | 22.1 | 19.7 | 8 | 19.6 |
| 07-05-2022 03:17 | 22.1 | 19.7 | 8 | 19.6 |
| 07-05-2022 03:18 | 22.1 | 19.7 | 8 | 19.6 |
| 07-05-2022 03:19 | 22.1 | 19.7 | 8 | 19.6 |
| 07-05-2022 03:20 | 22.1 | 19.7 | 8 | 19.6 |
| 07-05-2022 03:21 | 22.1 | 19.7 | 8 | 19.6 |
| 07-05-2022 03:22 | 22.0 | 19.7 | 8 | 19.6 |
| 07-05-2022 03:23 | 22.0 | 19.7 | 8 | 19.6 |
| 07-05-2022 03:24 | 22.0 | 19.7 | 8 | 19.6 |
| 07-05-2022 03:25 | 22.0 | 19.7 | 8 | 19.6 |
| 07-05-2022 03:26 | 22.0 | 19.6 | 8 | 19.5 |
| 07-05-2022 03:27 | 22.0 | 19.6 | 8 | 19.6 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 07-05-2022 03:28 | 22.0 | 19.6 | 8 | 19.5 |
| 07-05-2022 03:29 | 22.0 | 19.6 | 8 | 19.6 |
| 07-05-2022 03:30 | 22.0 | 19.6 | 8 | 19.5 |
| 07-05-2022 03:31 | 22.0 | 19.6 | 8 | 19.6 |
| 07-05-2022 03:32 | 22.0 | 19.6 | 8 | 19.6 |
| 07-05-2022 03:33 | 22.0 | 19.6 | 8 | 19.6 |
| 07-05-2022 03:34 | 22.0 | 19.6 | 8 | 19.5 |
| 07-05-2022 03:35 | 22.0 | 19.6 | 8 | 19.6 |
| 07-05-2022 03:36 | 22.0 | 19.6 | 8 | 19.6 |
| 07-05-2022 03:37 | 22.0 | 19.6 | 8 | 19.5 |
| 07-05-2022 03:38 | 22.0 | 19.6 | 8 | 19.5 |
| 07-05-2022 03:39 | 22.0 | 19.6 | 8 | 19.5 |
| 07-05-2022 03:40 | 22.0 | 19.6 | 8 | 19.6 |
| 07-05-2022 03:41 | 21.9 | 19.6 | 8 | 19.5 |
| 07-05-2022 03:42 | 21.9 | 19.6 | 8 | 19.5 |
| 07-05-2022 03:43 | 21.9 | 19.6 | 8 | 19.6 |
| 07-05-2022 03:44 | 21.9 | 19.6 | 8 | 19.5 |
| 07-05-2022 03:45 | 21.9 | 19.6 | 8 | 19.5 |
| 07-05-2022 03:46 | 21.9 | 19.6 | 8 | 19.5 |
| 07-05-2022 03:47 | 21.9 | 19.6 | 8 | 19.5 |
| 07-05-2022 03:48 | 21.9 | 19.6 | 8 | 19.5 |
| 07-05-2022 03:49 | 21.9 | 19.6 | 7 | 19.5 |
| 07-05-2022 03:50 | 21.9 | 19.6 | 8 | 19.6 |
| 07-05-2022 03:51 | 21.9 | 19.6 | 8 | 19.4 |
| 07-05-2022 03:52 | 21.9 | 19.6 | 8 | 19.5 |
| 07-05-2022 03:53 | 21.9 | 19.6 | 8 | 19.5 |
| 07-05-2022 03:54 | 21.9 | 19.6 | 8 | 19.5 |
| 07-05-2022 03:55 | 21.9 | 19.6 | 8 | 19.5 |
| 07-05-2022 03:56 | 21.9 | 19.6 | 8 | 19.5 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 07-05-2022 03:57 | 21.9 | 19.6 | 8 | 19.5 |
| 07-05-2022 03:58 | 21.9 | 19.6 | 8 | 19.5 |
| 07-05-2022 03:59 | 21.9 | 19.6 | 8 | 19.5 |
| 07-05-2022 04:00 | 21.9 | 19.6 | 8 | 19.5 |
| 07-05-2022 04:01 | 21.9 | 19.6 | 8 | 19.5 |
| 07-05-2022 04:02 | 21.9 | 19.6 | 8 | 19.5 |
| 07-05-2022 04:03 | 21.9 | 19.6 | 8 | 19.5 |
| 07-05-2022 04:04 | 21.9 | 19.6 | 8 | 19.5 |
| 07-05-2022 04:05 | 21.9 | 19.6 | 8 | 19.5 |
| 07-05-2022 04:06 | 21.9 | 19.6 | 8 | 19.5 |
| 07-05-2022 04:07 | 21.9 | 19.6 | 7 | 19.6 |
| 07-05-2022 04:08 | 21.9 | 19.6 | 8 | 19.5 |
| 07-05-2022 04:09 | 21.9 | 19.6 | 7 | 19.5 |
| 07-05-2022 04:10 | 21.9 | 19.6 | 8 | 19.5 |
| 07-05-2022 04:11 | 21.9 | 19.6 | 7 | 19.5 |
| 07-05-2022 04:12 | 21.9 | 19.6 | 8 | 19.5 |
| 07-05-2022 04:13 | 21.9 | 19.6 | 8 | 19.5 |
| 07-05-2022 04:14 | 21.9 | 19.6 | 8 | 19.4 |
| 07-05-2022 04:15 | 21.9 | 19.6 | 8 | 19.4 |
| 07-05-2022 04:16 | 21.9 | 19.6 | 8 | 19.5 |
| 07-05-2022 04:17 | 21.9 | 19.6 | 8 | 19.5 |
| 07-05-2022 04:18 | 21.9 | 19.6 | 8 | 19.5 |
| 07-05-2022 04:19 | 21.9 | 19.6 | 8 | 19.4 |
| 07-05-2022 04:20 | 21.9 | 19.6 | 8 | 19.4 |
| 07-05-2022 04:21 | 21.9 | 19.6 | 8 | 19.5 |
| 07-05-2022 04:22 | 21.9 | 19.6 | 8 | 19.5 |
| 07-05-2022 04:23 | 21.9 | 19.6 | 8 | 19.5 |
| 07-05-2022 04:24 | 21.9 | 19.6 | 8 | 19.5 |
| 07-05-2022 04:25 | 21.9 | 19.6 | 7 | 19.4 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 07-05-2022 04:26 | 21.9 | 19.6 | 8 | 19.5 |
| 07-05-2022 04:27 | 21.9 | 19.6 | 8 | 19.5 |
| 07-05-2022 04:28 | 21.9 | 19.6 | 8 | 19.4 |
| 07-05-2022 04:29 | 21.8 | 19.6 | 7 | 19.4 |
| 07-05-2022 04:30 | 21.8 | 19.6 | 7 | 19.5 |
| 07-05-2022 04:31 | 21.8 | 19.6 | 8 | 19.4 |
| 07-05-2022 04:32 | 21.8 | 19.6 | 8 | 19.4 |
| 07-05-2022 04:33 | 21.8 | 19.6 | 8 | 19.5 |
| 07-05-2022 04:34 | 21.8 | 19.6 | 8 | 19.4 |
| 07-05-2022 04:35 | 21.8 | 19.6 | 8 | 19.4 |
| 07-05-2022 04:36 | 21.9 | 19.6 | 8 | 19.4 |
| 07-05-2022 04:37 | 21.9 | 19.5 | 8 | 19.5 |
| 07-05-2022 04:38 | 21.9 | 19.6 | 8 | 19.5 |
| 07-05-2022 04:39 | 21.8 | 19.6 | 7 | 19.5 |
| 07-05-2022 04:40 | 21.8 | 19.5 | 8 | 19.4 |
| 07-05-2022 04:41 | 21.8 | 19.5 | 8 | 19.5 |
| 07-05-2022 04:42 | 21.9 | 19.5 | 8 | 19.5 |
| 07-05-2022 04:43 | 21.8 | 19.5 | 8 | 19.5 |
| 07-05-2022 04:44 | 21.8 | 19.5 | 8 | 19.4 |
| 07-05-2022 04:45 | 21.8 | 19.5 | 8 | 19.5 |
| 07-05-2022 04:46 | 21.8 | 19.5 | 8 | 19.5 |
| 07-05-2022 04:47 | 21.8 | 19.5 | 8 | 19.5 |
| 07-05-2022 04:48 | 21.8 | 19.5 | 7 | 19.4 |
| 07-05-2022 04:49 | 21.8 | 19.5 | 8 | 19.5 |
| 07-05-2022 04:50 | 21.8 | 19.5 | 8 | 19.5 |
| 07-05-2022 04:51 | 21.8 | 19.5 | 7 | 19.4 |
| 07-05-2022 04:52 | 21.8 | 19.5 | 8 | 19.4 |
| 07-05-2022 04:53 | 21.8 | 19.5 | 8 | 19.5 |
| 07-05-2022 04:54 | 21.8 | 19.5 | 8 | 19.4 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 07-05-2022 04:55 | 21.8 | 19.5 | 8 | 19.5 |
| 07-05-2022 04:56 | 21.9 | 19.5 | 8 | 19.5 |
| 07-05-2022 04:57 | 21.9 | 19.5 | 8 | 19.4 |
| 07-05-2022 04:58 | 21.9 | 19.5 | 8 | 19.5 |
| 07-05-2022 04:59 | 21.8 | 19.5 | 8 | 19.5 |
| 07-05-2022 05:00 | 21.8 | 19.5 | 8 | 19.5 |
| 07-05-2022 05:01 | 21.8 | 19.5 | 8 | 19.5 |
| 07-05-2022 05:02 | 21.8 | 19.5 | 8 | 19.4 |
| 07-05-2022 05:03 | 21.8 | 19.5 | 7 | 19.4 |
| 07-05-2022 05:04 | 21.8 | 19.5 | 8 | 19.4 |
| 07-05-2022 05:05 | 21.8 | 19.5 | 7 | 19.4 |
| 07-05-2022 05:06 | 21.8 | 19.5 | 8 | 19.4 |
| 07-05-2022 05:07 | 21.8 | 19.5 | 8 | 19.4 |
| 07-05-2022 05:08 | 21.8 | 19.5 | 8 | 19.5 |
| 07-05-2022 05:09 | 21.8 | 19.5 | 8 | 19.5 |
| 07-05-2022 05:10 | 21.8 | 19.5 | 8 | 19.4 |
| 07-05-2022 05:11 | 21.8 | 19.5 | 8 | 19.4 |
| 07-05-2022 05:12 | 21.8 | 19.5 | 8 | 19.5 |
| 07-05-2022 05:13 | 21.8 | 19.5 | 8 | 19.4 |
| 07-05-2022 05:14 | 21.8 | 19.5 | 8 | 19.5 |
| 07-05-2022 05:15 | 21.8 | 19.5 | 8 | 19.4 |
| 07-05-2022 05:16 | 21.8 | 19.5 | 8 | 19.4 |
| 07-05-2022 05:17 | 21.8 | 19.5 | 8 | 19.4 |
| 07-05-2022 05:18 | 21.8 | 19.5 | 8 | 19.4 |
| 07-05-2022 05:19 | 21.8 | 19.5 | 8 | 19.4 |
| 07-05-2022 05:20 | 21.8 | 19.5 | 8 | 19.4 |
| 07-05-2022 05:21 | 21.8 | 19.5 | 8 | 19.5 |
| 07-05-2022 05:22 | 21.8 | 19.5 | 9 | 19.4 |
| 07-05-2022 05:23 | 21.8 | 19.5 | 8 | 19.4 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 07-05-2022 05:24 | 21.8 | 19.5 | 8 | 19.4 |
| 07-05-2022 05:25 | 21.8 | 19.5 | 8 | 19.4 |
| 07-05-2022 05:26 | 21.8 | 19.5 | 8 | 19.5 |
| 07-05-2022 05:27 | 21.8 | 19.5 | 7 | 19.4 |
| 07-05-2022 05:28 | 21.8 | 19.5 | 8 | 19.4 |
| 07-05-2022 05:29 | 21.8 | 19.5 | 7 | 19.4 |
| 07-05-2022 05:30 | 21.8 | 19.5 | 8 | 19.4 |
| 07-05-2022 05:31 | 21.8 | 19.5 | 8 | 19.4 |
| 07-05-2022 05:32 | 21.8 | 19.5 | 8 | 19.4 |
| 07-05-2022 05:33 | 21.8 | 19.5 | 8 | 19.5 |
| 07-05-2022 05:34 | 21.8 | 19.5 | 8 | 19.4 |
| 07-05-2022 05:35 | 21.8 | 19.5 | 8 | 19.4 |
| 07-05-2022 05:36 | 21.8 | 19.5 | 8 | 19.4 |
| 07-05-2022 05:37 | 21.8 | 19.5 | 8 | 19.4 |
| 07-05-2022 05:38 | 21.8 | 19.5 | 8 | 19.4 |
| 07-05-2022 05:39 | 21.8 | 19.5 | 8 | 19.4 |
| 07-05-2022 05:40 | 21.8 | 19.5 | 8 | 19.4 |
| 07-05-2022 05:41 | 21.8 | 19.5 | 8 | 19.4 |
| 07-05-2022 05:42 | 21.8 | 19.5 | 8 | 19.3 |
| 07-05-2022 05:43 | 21.8 | 19.5 | 7 | 19.4 |
| 07-05-2022 05:44 | 21.8 | 19.5 | 8 | 19.4 |
| 07-05-2022 05:45 | 21.8 | 19.5 | 8 | 19.4 |
| 07-05-2022 05:46 | 21.8 | 19.5 | 8 | 19.4 |
| 07-05-2022 05:47 | 21.8 | 19.5 | 8 | 19.4 |
| 07-05-2022 05:48 | 21.8 | 19.5 | 7 | 19.4 |
| 07-05-2022 05:49 | 21.8 | 19.5 | 8 | 19.3 |
| 07-05-2022 05:50 | 21.8 | 19.5 | 8 | 19.4 |
| 07-05-2022 05:51 | 21.7 | 19.5 | 8 | 19.4 |
| 07-05-2022 05:52 | 21.7 | 19.5 | 7 | 19.4 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 07-05-2022 05:53 | 21.8 | 19.5 | 8 | 19.4 |
| 07-05-2022 05:54 | 21.7 | 19.5 | 7 | 19.4 |
| 07-05-2022 05:55 | 21.8 | 19.5 | 7 | 19.3 |
| 07-05-2022 05:56 | 21.7 | 19.5 | 8 | 19.4 |
| 07-05-2022 05:57 | 21.7 | 19.5 | 8 | 19.4 |
| 07-05-2022 05:58 | 21.8 | 19.5 | 8 | 19.3 |
| 07-05-2022 05:59 | 21.8 | 19.5 | 8 | 19.3 |
| 07-05-2022 06:00 | 21.7 | 19.5 | 8 | 19.3 |
| 07-05-2022 06:01 | 21.8 | 19.5 | 8 | 19.3 |
| 07-05-2022 06:02 | 21.7 | 19.5 | 8 | 19.3 |
| 07-05-2022 06:03 | 21.7 | 19.5 | 8 | 19.4 |
| 07-05-2022 06:04 | 21.7 | 19.5 | 8 | 19.4 |
| 07-05-2022 06:05 | 21.8 | 19.5 | 8 | 19.3 |
| 07-05-2022 06:06 | 21.8 | 19.5 | 8 | 19.3 |
| 07-05-2022 06:07 | 21.8 | 19.5 | 8 | 19.4 |
| 07-05-2022 06:08 | 21.8 | 19.5 | 8 | 19.4 |
| 07-05-2022 06:09 | 21.8 | 19.5 | 8 | 19.3 |
| 07-05-2022 06:10 | 21.8 | 19.5 | 8 | 19.4 |
| 07-05-2022 06:11 | 21.8 | 19.5 | 8 | 19.3 |
| 07-05-2022 06:12 | 21.8 | 19.5 | 8 | 19.4 |
| 07-05-2022 06:13 | 21.8 | 19.5 | 8 | 19.4 |
| 07-05-2022 06:14 | 21.8 | 19.5 | 8 | 19.3 |
| 07-05-2022 06:15 | 21.8 | 19.5 | 8 | 19.3 |
| 07-05-2022 06:16 | 21.8 | 19.5 | 8 | 19.3 |
| 07-05-2022 06:17 | 21.8 | 19.5 | 8 | 19.4 |
| 07-05-2022 06:18 | 21.8 | 19.5 | 8 | 19.4 |
| 07-05-2022 06:19 | 21.8 | 19.5 | 7 | 19.3 |
| 07-05-2022 06:20 | 21.8 | 19.5 | 8 | 19.3 |
| 07-05-2022 06:21 | 21.8 | 19.5 | 8 | 19.3 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 07-05-2022 06:22 | 21.8 | 19.5 | 8 | 19.3 |
| 07-05-2022 06:23 | 21.8 | 19.5 | 8 | 19.3 |
| 07-05-2022 06:24 | 21.8 | 19.5 | 8 | 19.3 |
| 07-05-2022 06:25 | 21.8 | 19.5 | 8 | 19.3 |
| 07-05-2022 06:26 | 21.8 | 19.5 | 8 | 19.3 |
| 07-05-2022 06:27 | 21.8 | 19.5 | 8 | 19.3 |
| 07-05-2022 06:28 | 21.8 | 19.5 | 8 | 19.4 |
| 07-05-2022 06:29 | 21.8 | 19.5 | 8 | 19.3 |
| 07-05-2022 06:30 | 21.8 | 19.5 | 8 | 19.4 |
| 07-05-2022 06:31 | 21.8 | 19.5 | 8 | 19.3 |
| 07-05-2022 06:32 | 21.8 | 19.5 | 8 | 19.4 |
| 07-05-2022 06:33 | 21.8 | 19.5 | 8 | 19.3 |
| 07-05-2022 06:34 | 21.8 | 19.5 | 8 | 19.3 |
| 07-05-2022 06:35 | 21.8 | 19.5 | 8 | 19.4 |
| 07-05-2022 06:36 | 21.8 | 19.5 | 8 | 19.3 |
| 07-05-2022 06:37 | 21.8 | 19.5 | 8 | 19.3 |
| 07-05-2022 06:38 | 21.8 | 19.5 | 8 | 19.4 |
| 07-05-2022 06:39 | 21.8 | 19.5 | 8 | 19.3 |
| 07-05-2022 06:40 | 21.8 | 19.5 | 8 | 19.3 |
| 07-05-2022 06:41 | 21.8 | 19.5 | 8 | 19.3 |
| 07-05-2022 06:42 | 21.8 | 19.5 | 8 | 19.3 |
| 07-05-2022 06:43 | 21.8 | 19.5 | 8 | 19.3 |
| 07-05-2022 06:44 | 21.8 | 19.5 | 8 | 19.4 |
| 07-05-2022 06:45 | 21.8 | 19.5 | 8 | 19.3 |
| 07-05-2022 06:46 | 21.8 | 19.5 | 8 | 19.3 |
| 07-05-2022 06:47 | 21.8 | 19.5 | 8 | 19.4 |
| 07-05-2022 06:48 | 21.8 | 19.5 | 8 | 19.3 |
| 07-05-2022 06:49 | 21.8 | 19.5 | 8 | 19.3 |
| 07-05-2022 06:50 | 21.8 | 19.5 | 8 | 19.4 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 07-05-2022 06:51 | 21.8 | 19.5 | 7 | 19.3 |
| 07-05-2022 06:52 | 21.8 | 19.5 | 7 | 19.3 |
| 07-05-2022 06:53 | 21.8 | 19.5 | 8 | 19.3 |
| 07-05-2022 06:54 | 21.8 | 19.5 | 8 | 19.3 |
| 07-05-2022 06:55 | 21.8 | 19.5 | 8 | 19.4 |
| 07-05-2022 06:56 | 21.8 | 19.5 | 8 | 19.4 |
| 07-05-2022 06:57 | 21.9 | 19.5 | 8 | 19.4 |
| 07-05-2022 06:58 | 21.9 | 19.5 | 8 | 19.4 |
| 07-05-2022 06:59 | 21.9 | 19.5 | 8 | 19.4 |
| 07-05-2022 07:00 | 21.9 | 19.5 | 8 | 19.4 |
| 07-05-2022 07:01 | 22.0 | 19.5 | 8 | 19.4 |
| 07-05-2022 07:02 | 22.0 | 19.5 | 6 | 19.4 |
| 07-05-2022 07:03 | 22.0 | 19.5 | 8 | 19.4 |
| 07-05-2022 07:04 | 22.0 | 19.5 | 7 | 19.4 |
| 07-05-2022 07:05 | 22.0 | 19.5 | 8 | 19.4 |
| 07-05-2022 07:06 | 22.1 | 19.6 | 8 | 19.4 |
| 07-05-2022 07:07 | 22.1 | 19.6 | 8 | 19.5 |
| 07-05-2022 07:08 | 22.1 | 19.6 | 8 | 19.5 |
| 07-05-2022 07:09 | 22.1 | 19.6 | 9 | 19.6 |
| 07-05-2022 07:10 | 22.0 | 19.6 | 9 | 19.5 |
| 07-05-2022 07:11 | 22.0 | 19.6 | 8 | 19.5 |
| 07-05-2022 07:12 | 21.9 | 19.6 | 9 | 19.6 |
| 07-05-2022 07:13 | 21.9 | 19.6 | 9 | 19.6 |
| 07-05-2022 07:14 | 21.9 | 19.6 | 8 | 19.5 |
| 07-05-2022 07:15 | 21.9 | 19.6 | 8 | 19.5 |
| 07-05-2022 07:16 | 21.9 | 19.6 | 9 | 19.6 |
| 07-05-2022 07:17 | 21.9 | 19.6 | 8 | 19.6 |
| 07-05-2022 07:18 | 21.9 | 19.7 | 8 | 19.6 |
| 07-05-2022 07:19 | 21.9 | 19.7 | 8 | 19.6 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 07-05-2022 07:20 | 21.9 | 19.7 | 9 | 19.6 |
| 07-05-2022 07:21 | 21.9 | 19.7 | 8 | 19.6 |
| 07-05-2022 07:22 | 21.9 | 19.7 | 8 | 19.6 |
| 07-05-2022 07:23 | 21.9 | 19.7 | 9 | 19.6 |
| 07-05-2022 07:24 | 21.9 | 19.7 | 8 | 19.6 |
| 07-05-2022 07:25 | 21.9 | 19.7 | 8 | 19.7 |
| 07-05-2022 07:26 | 21.9 | 19.7 | 8 | 19.6 |
| 07-05-2022 07:27 | 21.9 | 19.7 | 8 | 19.7 |
| 07-05-2022 07:28 | 22.0 | 19.7 | 8 | 19.6 |
| 07-05-2022 07:29 | 22.0 | 19.7 | 8 | 19.7 |
| 07-05-2022 07:30 | 22.0 | 19.7 | 9 | 19.7 |
| 07-05-2022 07:31 | 22.0 | 19.7 | 8 | 19.7 |
| 07-05-2022 07:32 | 22.0 | 19.8 | 8 | 19.7 |
| 07-05-2022 07:33 | 22.0 | 19.8 | 8 | 19.7 |
| 07-05-2022 07:34 | 22.1 | 19.8 | 8 | 19.8 |
| 07-05-2022 07:35 | 22.2 | 19.8 | 8 | 19.7 |
| 07-05-2022 07:36 | 22.2 | 19.8 | 8 | 19.7 |
| 07-05-2022 07:37 | 22.3 | 19.8 | 8 | 19.7 |
| 07-05-2022 07:38 | 22.3 | 19.8 | 8 | 19.8 |
| 07-05-2022 07:39 | 22.3 | 19.8 | 8 | 19.8 |
| 07-05-2022 07:40 | 22.4 | 19.8 | 7 | 19.7 |
| 07-05-2022 07:41 | 22.5 | 19.8 | 8 | 19.8 |
| 07-05-2022 07:42 | 22.5 | 19.8 | 8 | 19.8 |
| 07-05-2022 07:43 | 22.5 | 19.8 | 8 | 19.8 |
| 07-05-2022 07:44 | 22.6 | 19.8 | 8 | 19.8 |
| 07-05-2022 07:45 | 22.6 | 19.8 | 8 | 19.8 |
| 07-05-2022 07:46 | 22.7 | 19.8 | 8 | 19.8 |
| 07-05-2022 07:47 | 22.7 | 19.8 | 8 | 19.8 |
| 07-05-2022 07:48 | 22.7 | 19.8 | 8 | 19.8 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 07-05-2022 07:49 | 22.8 | 19.8 | 8 | 19.8 |
| 07-05-2022 07:50 | 22.9 | 19.8 | 8 | 19.8 |
| 07-05-2022 07:51 | 22.9 | 19.8 | 8 | 19.8 |
| 07-05-2022 07:52 | 22.9 | 19.8 | 8 | 19.8 |
| 07-05-2022 07:53 | 22.9 | 19.8 | 8 | 19.8 |
| 07-05-2022 07:54 | 23.0 | 19.8 | 8 | 19.9 |
| 07-05-2022 07:55 | 23.0 | 19.8 | 7 | 19.8 |
| 07-05-2022 07:56 | 23.0 | 19.8 | 8 | 19.9 |
| 07-05-2022 07:57 | 23.0 | 19.8 | 8 | 19.9 |
| 07-05-2022 07:58 | 23.0 | 19.9 | 8 | 19.9 |
| 07-05-2022 07:59 | 23.0 | 19.9 | 8 | 19.9 |
| 07-05-2022 08:00 | 23.0 | 19.9 | 8 | 19.9 |
| 07-05-2022 08:01 | 23.0 | 19.9 | 8 | 19.9 |
| 07-05-2022 08:02 | 23.0 | 19.9 | 8 | 19.9 |
| 07-05-2022 08:03 | 23.1 | 19.9 | 8 | 19.9 |
| 07-05-2022 08:04 | 23.1 | 19.9 | 8 | 19.9 |
| 07-05-2022 08:05 | 23.1 | 19.9 | 8 | 19.9 |
| 07-05-2022 08:06 | 23.1 | 19.9 | 7 | 19.9 |
| 07-05-2022 08:07 | 23.2 | 19.9 | 8 | 20.0 |
| 07-05-2022 08:08 | 23.2 | 19.9 | 8 | 19.9 |
| 07-05-2022 08:09 | 23.2 | 19.9 | 8 | 19.9 |
| 07-05-2022 08:10 | 23.2 | 19.9 | 8 | 19.9 |
| 07-05-2022 08:11 | 23.2 | 19.9 | 8 | 19.9 |
| 07-05-2022 08:12 | 23.2 | 19.9 | 8 | 19.9 |
| 07-05-2022 08:13 | 23.2 | 19.9 | 8 | 20.0 |
| 07-05-2022 08:14 | 23.2 | 19.9 | 8 | 20.0 |
| 07-05-2022 08:15 | 23.3 | 19.9 | 7 | 19.9 |
| 07-05-2022 08:16 | 23.3 | 19.9 | 8 | 19.9 |
| 07-05-2022 08:17 | 23.3 | 19.9 | 8 | 20.0 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 07-05-2022 08:18 | 23.3 | 19.9 | 6 | 19.9 |
| 07-05-2022 08:19 | 23.3 | 19.9 | 8 | 20.0 |
| 07-05-2022 08:20 | 23.3 | 19.9 | 7 | 20.0 |
| 07-05-2022 08:21 | 23.3 | 19.9 | 8 | 20.0 |
| 07-05-2022 08:22 | 23.3 | 19.9 | 8 | 20.0 |
| 07-05-2022 08:23 | 23.3 | 19.9 | 8 | 20.0 |
| 07-05-2022 08:24 | 23.3 | 19.9 | 8 | 20.0 |
| 07-05-2022 08:25 | 23.3 | 19.9 | 8 | 20.0 |
| 07-05-2022 08:26 | 23.4 | 19.9 | 8 | 20.0 |
| 07-05-2022 08:27 | 23.3 | 19.9 | 8 | 20.0 |
| 07-05-2022 08:28 | 23.4 | 19.9 | 8 | 20.0 |
| 07-05-2022 08:29 | 23.4 | 19.9 | 8 | 20.0 |
| 07-05-2022 08:30 | 23.4 | 19.9 | 8 | 20.0 |
| 07-05-2022 08:31 | 23.4 | 19.9 | 8 | 20.0 |
| 07-05-2022 08:32 | 23.4 | 19.9 | 8 | 20.0 |
| 07-05-2022 08:33 | 23.4 | 19.9 | 8 | 20.1 |
| 07-05-2022 08:34 | 23.4 | 19.9 | 8 | 20.0 |
| 07-05-2022 08:35 | 23.5 | 19.9 | 8 | 20.0 |
| 07-05-2022 08:36 | 23.5 | 19.9 | 8 | 20.1 |
| 07-05-2022 08:37 | 23.5 | 19.9 | 8 | 20.1 |
| 07-05-2022 08:38 | 23.5 | 19.9 | 8 | 20.0 |
| 07-05-2022 08:39 | 23.5 | 20.0 | 8 | 20.0 |
| 07-05-2022 08:40 | 23.5 | 20.0 | 8 | 20.1 |
| 07-05-2022 08:41 | 23.5 | 19.9 | 8 | 20.1 |
| 07-05-2022 08:42 | 23.5 | 19.9 | 8 | 20.1 |
| 07-05-2022 08:43 | 23.5 | 20.0 | 8 | 20.0 |
| 07-05-2022 08:44 | 23.5 | 20.0 | 8 | 20.0 |
| 07-05-2022 08:45 | 23.6 | 20.0 | 8 | 20.0 |
| 07-05-2022 08:46 | 23.6 | 20.0 | 8 | 20.1 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 07-05-2022 08:47 | 23.6 | 20.0 | 8 | 20.1 |
| 07-05-2022 08:48 | 23.6 | 20.0 | 8 | 20.0 |
| 07-05-2022 08:49 | 23.6 | 20.0 | 8 | 20.1 |
| 07-05-2022 08:50 | 23.6 | 20.0 | 8 | 20.1 |
| 07-05-2022 08:51 | 23.6 | 20.0 | 8 | 20.1 |
| 07-05-2022 08:52 | 23.6 | 20.0 | 8 | 20.0 |
| 07-05-2022 08:53 | 23.6 | 20.0 | 8 | 20.1 |
| 07-05-2022 08:54 | 23.6 | 20.0 | 8 | 20.1 |
| 07-05-2022 08:55 | 23.6 | 20.0 | 8 | 20.1 |
| 07-05-2022 08:56 | 23.6 | 20.0 | 8 | 20.1 |
| 07-05-2022 08:57 | 23.7 | 20.0 | 8 | 20.1 |
| 07-05-2022 08:58 | 23.7 | 20.0 | 8 | 20.1 |
| 07-05-2022 08:59 | 23.7 | 20.0 | 7 | 20.1 |
| 07-05-2022 09:00 | 23.7 | 20.0 | 8 | 20.1 |
| 07-05-2022 09:01 | 23.7 | 20.0 | 8 | 20.2 |
| 07-05-2022 09:02 | 23.7 | 20.0 | 6 | 20.1 |
| 07-05-2022 09:03 | 23.7 | 20.0 | 9 | 20.2 |
| 07-05-2022 09:04 | 23.7 | 20.0 | 8 | 20.1 |
| 07-05-2022 09:05 | 23.6 | 20.0 | 8 | 20.2 |
| 07-05-2022 09:06 | 23.6 | 20.0 | 8 | 20.2 |
| 07-05-2022 09:07 | 23.5 | 20.0 | 8 | 20.2 |
| 07-05-2022 09:08 | 23.5 | 20.0 | 8 | 20.1 |
| 07-05-2022 09:09 | 23.5 | 20.0 | 9 | 20.2 |
| 07-05-2022 09:10 | 23.5 | 20.0 | 8 | 20.1 |
| 07-05-2022 09:11 | 23.5 | 20.0 | 7 | 20.1 |
| 07-05-2022 09:12 | 23.5 | 20.0 | 8 | 20.1 |
| 07-05-2022 09:13 | 23.5 | 20.0 | 8 | 20.1 |
| 07-05-2022 09:14 | 23.5 | 20.0 | 8 | 20.2 |
| 07-05-2022 09:15 | 23.4 | 20.1 | 8 | 20.1 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 07-05-2022 09:16 | 23.4 | 20.1 | 8 | 20.2 |
| 07-05-2022 09:17 | 23.4 | 20.1 | 8 | 20.2 |
| 07-05-2022 09:18 | 23.4 | 20.1 | 7 | 20.3 |
| 07-05-2022 09:19 | 23.4 | 20.1 | 7 | 20.2 |
| 07-05-2022 09:20 | 23.4 | 20.1 | 8 | 20.2 |
| 07-05-2022 09:21 | 23.4 | 20.1 | 8 | 20.2 |
| 07-05-2022 09:22 | 23.4 | 20.1 | 8 | 20.2 |
| 07-05-2022 09:23 | 23.3 | 20.1 | 6 | 20.3 |
| 07-05-2022 09:24 | 23.3 | 20.1 | 8 | 20.3 |
| 07-05-2022 09:25 | 23.4 | 20.1 | 8 | 20.2 |
| 07-05-2022 09:26 | 23.3 | 20.1 | 8 | 20.2 |
| 07-05-2022 09:27 | 23.4 | 20.1 | 8 | 20.2 |
| 07-05-2022 09:28 | 23.3 | 20.1 | 7 | 20.3 |
| 07-05-2022 09:29 | 23.3 | 20.1 | 8 | 20.2 |
| 07-05-2022 09:30 | 23.4 | 20.1 | 8 | 20.2 |
| 07-05-2022 09:31 | 23.3 | 20.1 | 8 | 20.3 |
| 07-05-2022 09:32 | 23.3 | 20.1 | 9 | 20.3 |
| 07-05-2022 09:33 | 23.3 | 20.1 | 8 | 20.2 |
| 07-05-2022 09:34 | 23.4 | 20.1 | 7 | 20.2 |
| 07-05-2022 09:35 | 23.4 | 20.1 | 9 | 20.3 |
| 07-05-2022 09:36 | 23.4 | 20.1 | 8 | 20.2 |
| 07-05-2022 09:37 | 23.4 | 20.1 | 8 | 20.3 |
| 07-05-2022 09:38 | 23.4 | 20.1 | 8 | 20.3 |
| 07-05-2022 09:39 | 23.4 | 20.1 | 8 | 20.2 |
| 07-05-2022 09:40 | 23.4 | 20.1 | 8 | 20.2 |
| 07-05-2022 09:41 | 23.5 | 20.1 | 8 | 20.2 |
| 07-05-2022 09:42 | 23.5 | 20.1 | 8 | 20.3 |
| 07-05-2022 09:43 | 23.5 | 20.1 | 7 | 20.2 |
| 07-05-2022 09:44 | 23.5 | 20.1 | 8 | 20.2 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 07-05-2022 09:45 | 23.5 | 20.1 | 8 | 20.2 |
| 07-05-2022 09:46 | 23.5 | 20.1 | 8 | 20.2 |
| 07-05-2022 09:47 | 23.6 | 20.1 | 8 | 20.2 |
| 07-05-2022 09:48 | 23.5 | 20.1 | 8 | 20.1 |
| 07-05-2022 09:49 | 23.5 | 20.0 | 7 | 20.2 |
| 07-05-2022 09:50 | 23.6 | 20.0 | 8 | 20.2 |
| 07-05-2022 09:51 | 23.6 | 20.0 | 8 | 20.1 |
| 07-05-2022 09:52 | 23.6 | 20.0 | 7 | 20.1 |
| 07-05-2022 09:53 | 23.6 | 20.0 | 8 | 20.1 |
| 07-05-2022 09:54 | 23.6 | 19.9 | 8 | 20.0 |
| 07-05-2022 09:55 | 23.6 | 19.9 | 8 | 20.1 |
| 07-05-2022 09:56 | 23.6 | 19.9 | 6 | 20.1 |
| 07-05-2022 09:57 | 23.6 | 19.9 | 7 | 20.0 |
| 07-05-2022 09:58 | 23.6 | 19.9 | 8 | 19.9 |
| 07-05-2022 09:59 | 23.6 | 19.9 | 8 | 19.9 |
| 07-05-2022 10:00 | 23.6 | 19.9 | 8 | 19.9 |
| 07-05-2022 10:01 | 23.6 | 19.8 | 8 | 19.9 |
| 07-05-2022 10:02 | 23.6 | 19.8 | 8 | 19.9 |
| 07-05-2022 10:03 | 23.6 | 19.8 | 8 | 19.9 |
| 07-05-2022 10:04 | 23.6 | 19.8 | 8 | 19.8 |
| 07-05-2022 10:05 | 23.6 | 19.8 | 8 | 19.8 |
| 07-05-2022 10:06 | 23.6 | 19.7 | 8 | 19.8 |
| 07-05-2022 10:07 | 23.6 | 19.7 | 8 | 19.7 |
| 07-05-2022 10:08 | 23.5 | 19.7 | 8 | 19.7 |
| 07-05-2022 10:09 | 23.6 | 19.6 | 8 | 19.7 |
| 07-05-2022 10:10 | 23.6 | 19.6 | 8 | 19.6 |
| 07-05-2022 10:11 | 23.6 | 19.6 | 8 | 19.6 |
| 07-05-2022 10:12 | 23.5 | 19.6 | 8 | 19.5 |
| 07-05-2022 10:13 | 23.5 | 19.5 | 8 | 19.5 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 07-05-2022 10:14 | 23.5 | 19.5 | 8 | 19.4 |
| 07-05-2022 10:15 | 23.6 | 19.5 | 8 | 19.5 |
| 07-05-2022 10:16 | 23.5 | 19.5 | 8 | 19.4 |
| 07-05-2022 10:17 | 23.5 | 19.5 | 8 | 19.5 |
| 07-05-2022 10:18 | 23.5 | 19.4 | 8 | 19.3 |
| 07-05-2022 10:19 | 23.5 | 19.4 | 8 | 19.4 |
| 07-05-2022 10:20 | 23.5 | 19.4 | 8 | 19.3 |
| 07-05-2022 10:21 | 23.5 | 19.4 | 8 | 19.3 |
| 07-05-2022 10:22 | 23.5 | 19.3 | 8 | 19.2 |
| 07-05-2022 10:23 | 23.5 | 19.3 | 8 | 19.3 |
| 07-05-2022 10:24 | 23.5 | 19.3 | 8 | 19.3 |
| 07-05-2022 10:25 | 23.5 | 19.3 | 8 | 19.2 |
| 07-05-2022 10:26 | 23.4 | 19.3 | 7 | 19.1 |
| 07-05-2022 10:27 | 23.5 | 19.3 | 6 | 19.1 |
| 07-05-2022 10:28 | 23.5 | 19.2 | 7 | 19.1 |
| 07-05-2022 10:29 | 23.5 | 19.2 | 8 | 19.1 |
| 07-05-2022 10:30 | 23.5 | 19.2 | 8 | 19.1 |
| 07-05-2022 10:31 | 23.5 | 19.2 | 8 | 19.1 |
| 07-05-2022 10:32 | 23.4 | 19.2 | 8 | 19.1 |
| 07-05-2022 10:33 | 23.5 | 19.2 | 9 | 19.1 |
| 07-05-2022 10:34 | 23.5 | 19.2 | 8 | 19.0 |
| 07-05-2022 10:35 | 23.4 | 19.2 | 8 | 19.0 |
| 07-05-2022 10:36 | 23.4 | 19.2 | 8 | 19.0 |
| 07-05-2022 10:37 | 23.3 | 19.2 | 8 | 19.0 |
| 07-05-2022 10:38 | 23.2 | 19.1 | 9 | 19.0 |
| 07-05-2022 10:39 | 23.3 | 19.1 | 8 | 18.9 |
| 07-05-2022 10:40 | 23.3 | 19.1 | 8 | 18.9 |
| 07-05-2022 10:41 | 23.3 | 19.1 | 8 | 19.0 |
| 07-05-2022 10:42 | 23.3 | 19.1 | 8 | 18.9 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 07-05-2022 10:43 | 23.3 | 19.1 | 8 | 19.0 |
| 07-05-2022 10:44 | 23.4 | 19.1 | 8 | 18.8 |
| 07-05-2022 10:45 | 23.3 | 19.1 | 8 | 18.9 |
| 07-05-2022 10:46 | 23.4 | 19.0 | 9 | 18.9 |
| 07-05-2022 10:47 | 23.4 | 19.0 | 7 | 18.9 |
| 07-05-2022 10:48 | 23.3 | 19.0 | 8 | 18.9 |
| 07-05-2022 10:49 | 23.3 | 19.0 | 7 | 18.8 |
| 07-05-2022 10:50 | 23.3 | 19.0 | 7 | 18.8 |
| 07-05-2022 10:51 | 23.3 | 19.0 | 8 | 18.8 |
| 07-05-2022 10:52 | 23.3 | 19.0 | 8 | 18.8 |
| 07-05-2022 10:53 | 23.3 | 19.0 | 8 | 18.8 |
| 07-05-2022 10:54 | 23.3 | 19.0 | 8 | 18.8 |
| 07-05-2022 10:55 | 23.3 | 19.0 | 8 | 18.8 |
| 07-05-2022 10:56 | 23.2 | 18.9 | 8 | 18.8 |
| 07-05-2022 10:57 | 23.2 | 18.9 | 8 | 18.7 |
| 07-05-2022 10:58 | 23.1 | 18.9 | 8 | 18.8 |
| 07-05-2022 10:59 | 23.1 | 18.9 | 6 | 18.8 |
| 07-05-2022 11:00 | 23.1 | 18.9 | 8 | 18.8 |
| 07-05-2022 11:01 | 23.1 | 18.9 | 8 | 18.8 |
| 07-05-2022 11:02 | 23.0 | 18.9 | 8 | 18.8 |
| 07-05-2022 11:03 | 23.1 | 18.9 | 8 | 18.8 |
| 07-05-2022 11:04 | 23.0 | 18.9 | 7 | 18.8 |
| 07-05-2022 11:05 | 23.0 | 18.9 | 8 | 18.8 |
| 07-05-2022 11:06 | 23.0 | 18.9 | 8 | 18.8 |
| 07-05-2022 11:07 | 23.0 | 18.9 | 8 | 18.9 |
| 07-05-2022 11:08 | 23.0 | 18.9 | 8 | 18.8 |
| 07-05-2022 11:09 | 23.0 | 18.9 | 7 | 18.8 |
| 07-05-2022 11:10 | 23.0 | 18.9 | 6 | 18.8 |
| 07-05-2022 11:11 | 23.0 | 18.9 | 8 | 18.8 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 07-05-2022 11:12 | 23.0 | 18.9 | 8 | 18.8 |
| 07-05-2022 11:13 | 23.0 | 18.9 | 8 | 18.7 |
| 07-05-2022 11:14 | 22.9 | 18.9 | 8 | 18.7 |
| 07-05-2022 11:15 | 23.0 | 18.9 | 8 | 18.6 |
| 07-05-2022 11:16 | 22.9 | 18.9 | 8 | 18.6 |
| 07-05-2022 11:17 | 22.9 | 18.9 | 7 | 18.6 |
| 07-05-2022 11:18 | 23.0 | 18.8 | 8 | 18.7 |
| 07-05-2022 11:19 | 23.0 | 18.8 | 8 | 18.6 |
| 07-05-2022 11:20 | 23.0 | 18.8 | 8 | 18.6 |
| 07-05-2022 11:21 | 23.0 | 18.8 | 8 | 18.6 |
| 07-05-2022 11:22 | 23.0 | 18.8 | 8 | 18.6 |
| 07-05-2022 11:23 | 22.9 | 18.8 | 7 | 18.6 |
| 07-05-2022 11:24 | 22.9 | 18.8 | 8 | 18.6 |
| 07-05-2022 11:25 | 22.9 | 18.8 | 8 | 18.6 |
| 07-05-2022 11:26 | 22.9 | 18.8 | 8 | 18.6 |
| 07-05-2022 11:27 | 22.9 | 18.8 | 8 | 18.7 |
| 07-05-2022 11:28 | 22.9 | 18.8 | 8 | 18.6 |
| 07-05-2022 11:29 | 22.9 | 18.8 | 7 | 18.6 |
| 07-05-2022 11:30 | 22.8 | 18.8 | 8 | 18.6 |
| 07-05-2022 11:31 | 22.9 | 18.8 | 8 | 18.6 |
| 07-05-2022 11:32 | 22.9 | 18.8 | 7 | 18.6 |
| 07-05-2022 11:33 | 22.9 | 18.8 | 7 | 18.6 |
| 07-05-2022 11:34 | 22.9 | 18.8 | 8 | 18.6 |
| 07-05-2022 11:35 | 22.9 | 18.8 | 8 | 18.5 |
| 07-05-2022 11:36 | 22.9 | 18.8 | 8 | 18.6 |
| 07-05-2022 11:37 | 22.9 | 18.8 | 8 | 18.6 |
| 07-05-2022 11:38 | 22.9 | 18.8 | 8 | 18.6 |
| 07-05-2022 11:39 | 22.9 | 18.8 | 8 | 18.6 |
| 07-05-2022 11:40 | 22.9 | 18.8 | 8 | 18.5 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 07-05-2022 11:41 | 22.9 | 18.8 | 6 | 18.6 |
| 07-05-2022 11:42 | 22.9 | 18.8 | 8 | 18.6 |
| 07-05-2022 11:43 | 22.9 | 18.8 | 7 | 18.6 |
| 07-05-2022 11:44 | 22.9 | 18.8 | 8 | 18.6 |
| 07-05-2022 11:45 | 22.9 | 18.8 | 7 | 18.6 |
| 07-05-2022 11:46 | 22.9 | 18.8 | 8 | 18.6 |
| 07-05-2022 11:47 | 22.9 | 18.8 | 8 | 18.6 |
| 07-05-2022 11:48 | 22.9 | 18.8 | 8 | 18.6 |
| 07-05-2022 11:49 | 22.9 | 18.8 | 6 | 18.6 |
| 07-05-2022 11:50 | 22.9 | 18.8 | 6 | 18.5 |
| 07-05-2022 11:51 | 22.9 | 18.8 | 7 | 18.6 |
| 07-05-2022 11:52 | 22.9 | 18.8 | 8 | 18.6 |
| 07-05-2022 11:53 | 22.9 | 18.8 | 8 | 18.6 |
| 07-05-2022 11:54 | 22.9 | 18.8 | 8 | 18.6 |
| 07-05-2022 11:55 | 22.8 | 18.8 | 8 | 18.6 |
| 07-05-2022 11:56 | 22.8 | 18.8 | 7 | 18.6 |
| 07-05-2022 11:57 | 22.9 | 18.8 | 7 | 18.6 |
| 07-05-2022 11:58 | 22.9 | 18.8 | 7 | 18.5 |
| 07-05-2022 11:59 | 22.9 | 18.8 | 7 | 18.6 |
| 07-05-2022 12:00 | 22.9 | 18.8 | 7 | 18.5 |
| 07-05-2022 12:01 | 22.9 | 18.8 | 7 | 18.6 |
| 07-05-2022 12:02 | 22.8 | 18.8 | 7 | 18.5 |
| 07-05-2022 12:03 | 22.7 | 18.9 | 8 | 18.6 |
| 07-05-2022 12:04 | 22.7 | 18.8 | 8 | 18.6 |
| 07-05-2022 12:05 | 22.7 | 18.9 | 6 | 18.6 |
| 07-05-2022 12:06 | 22.6 | 18.9 | 6 | 18.6 |
| 07-05-2022 12:07 | 22.6 | 18.8 | 8 | 18.6 |
| 07-05-2022 12:08 | 22.6 | 18.8 | 8 | 18.6 |
| 07-05-2022 12:09 | 22.6 | 18.8 | 6 | 18.6 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 07-05-2022 12:10 | 22.6 | 18.8 | 7 | 18.6 |
| 07-05-2022 12:11 | 22.5 | 18.8 | 8 | 18.5 |
| 07-05-2022 12:12 | 22.5 | 18.8 | 8 | 18.6 |
| 07-05-2022 12:13 | 22.5 | 18.8 | 8 | 18.5 |
| 07-05-2022 12:14 | 22.6 | 18.8 | 6 | 18.6 |
| 07-05-2022 12:15 | 22.5 | 18.8 | 8 | 18.5 |
| 07-05-2022 12:16 | 22.5 | 18.8 | 8 | 18.6 |
| 07-05-2022 12:17 | 22.5 | 18.8 | 8 | 18.5 |
| 07-05-2022 12:18 | 22.4 | 18.8 | 7 | 18.5 |
| 07-05-2022 12:19 | 22.4 | 18.8 | 8 | 18.6 |
| 07-05-2022 12:20 | 22.3 | 18.8 | 6 | 18.5 |
| 07-05-2022 12:21 | 22.3 | 18.8 | 7 | 18.5 |
| 07-05-2022 12:22 | 22.2 | 18.8 | 8 | 18.6 |
| 07-05-2022 12:23 | 22.2 | 18.8 | 7 | 18.5 |
| 07-05-2022 12:24 | 22.2 | 18.8 | 7 | 18.5 |
| 07-05-2022 12:25 | 22.1 | 18.8 | 7 | 18.5 |
| 07-05-2022 12:26 | 22.1 | 18.8 | 6 | 18.5 |
| 07-05-2022 12:27 | 22.1 | 18.8 | 8 | 18.5 |
| 07-05-2022 12:28 | 22.1 | 18.8 | 7 | 18.5 |
| 07-05-2022 12:29 | 22.1 | 18.8 | 7 | 18.5 |
| 07-05-2022 12:30 | 22.1 | 18.8 | 6 | 18.5 |
| 07-05-2022 12:31 | 22.1 | 18.8 | 7 | 18.5 |
| 07-05-2022 12:32 | 22.0 | 18.8 | 6 | 18.6 |
| 07-05-2022 12:33 | 22.1 | 18.8 | 7 | 18.5 |
| 07-05-2022 12:34 | 22.0 | 18.8 | 6 | 18.5 |
| 07-05-2022 12:35 | 22.0 | 18.8 | 6 | 18.6 |
| 07-05-2022 12:36 | 22.0 | 18.9 | 8 | 18.5 |
| 07-05-2022 12:37 | 22.0 | 18.8 | 8 | 18.5 |
| 07-05-2022 12:38 | 22.0 | 18.9 | 7 | 18.5 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 07-05-2022 12:39 | 22.0 | 18.9 | 7 | 18.5 |
| 07-05-2022 12:40 | 21.9 | 18.9 | 7 | 18.5 |
| 07-05-2022 12:41 | 22.0 | 18.8 | 7 | 18.6 |
| 07-05-2022 12:42 | 21.9 | 18.9 | 7 | 18.5 |
| 07-05-2022 12:43 | 22.0 | 18.8 | 8 | 18.5 |
| 07-05-2022 12:44 | 22.0 | 18.9 | 7 | 18.5 |
| 07-05-2022 12:45 | 21.9 | 18.8 | 8 | 18.5 |
| 07-05-2022 12:46 | 21.9 | 18.9 | 8 | 18.6 |
| 07-05-2022 12:47 | 21.9 | 18.9 | 8 | 18.5 |
| 07-05-2022 12:48 | 21.9 | 18.9 | 7 | 18.6 |
| 07-05-2022 12:49 | 22.0 | 18.9 | 8 | 18.6 |
| 07-05-2022 12:50 | 22.0 | 18.9 | 6 | 18.5 |
| 07-05-2022 12:51 | 21.9 | 18.9 | 7 | 18.5 |
| 07-05-2022 12:52 | 22.0 | 18.8 | 7 | 18.5 |
| 07-05-2022 12:53 | 22.0 | 18.8 | 7 | 18.5 |
| 07-05-2022 12:54 | 22.0 | 18.9 | 7 | 18.5 |
| 07-05-2022 12:55 | 22.0 | 18.9 | 7 | 18.5 |
| 07-05-2022 12:56 | 22.1 | 18.8 | 8 | 18.5 |
| 07-05-2022 12:57 | 22.1 | 18.8 | 8 | 18.6 |
| 07-05-2022 12:58 | 22.1 | 18.8 | 7 | 18.6 |
| 07-05-2022 12:59 | 22.1 | 18.8 | 6 | 18.6 |
| 07-05-2022 13:00 | 22.1 | 18.8 | 8 | 18.6 |
| 07-05-2022 13:01 | 22.2 | 18.8 | 8 | 18.6 |
| 07-05-2022 13:02 | 22.2 | 18.8 | 7 | 18.6 |
| 07-05-2022 13:03 | 22.1 | 18.8 | 7 | 18.6 |
| 07-05-2022 13:04 | 22.2 | 18.8 | 8 | 18.6 |
| 07-05-2022 13:05 | 22.2 | 18.8 | 8 | 18.6 |
| 07-05-2022 13:06 | 22.2 | 18.8 | 7 | 18.6 |
| 07-05-2022 13:07 | 22.2 | 18.8 | 7 | 18.6 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 07-05-2022 13:08 | 22.2 | 18.8 | 8 | 18.5 |
| 07-05-2022 13:09 | 22.3 | 18.8 | 7 | 18.6 |
| 07-05-2022 13:10 | 22.3 | 18.8 | 7 | 18.6 |
| 07-05-2022 13:11 | 22.3 | 18.8 | 7 | 18.6 |
| 07-05-2022 13:12 | 22.3 | 18.8 | 7 | 18.5 |
| 07-05-2022 13:13 | 22.3 | 18.8 | 6 | 18.5 |
| 07-05-2022 13:14 | 22.4 | 18.8 | 7 | 18.5 |
| 07-05-2022 13:15 | 22.4 | 18.8 | 8 | 18.5 |
| 07-05-2022 13:16 | 22.4 | 18.8 | 8 | 18.5 |
| 07-05-2022 13:17 | 22.4 | 18.8 | 8 | 18.5 |
| 07-05-2022 13:18 | 22.4 | 18.8 | 8 | 18.5 |
| 07-05-2022 13:19 | 22.4 | 18.7 | 8 | 18.5 |
| 07-05-2022 13:20 | 22.4 | 18.7 | 8 | 18.5 |
| 07-05-2022 13:21 | 22.5 | 18.7 | 7 | 18.5 |
| 07-05-2022 13:22 | 22.5 | 18.7 | 7 | 18.4 |
| 07-05-2022 13:23 | 22.5 | 18.7 | 8 | 18.5 |
| 07-05-2022 13:24 | 22.5 | 18.7 | 7 | 18.4 |
| 07-05-2022 13:25 | 22.5 | 18.7 | 8 | 18.5 |
| 07-05-2022 13:26 | 22.5 | 18.7 | 8 | 18.4 |
| 07-05-2022 13:27 | 22.5 | 18.7 | 8 | 18.5 |
| 07-05-2022 13:28 | 22.5 | 18.7 | 8 | 18.4 |
| 07-05-2022 13:29 | 22.5 | 18.7 | 7 | 18.5 |
| 07-05-2022 13:30 | 22.5 | 18.7 | 7 | 18.4 |
| 07-05-2022 13:31 | 22.6 | 18.7 | 7 | 18.5 |
| 07-05-2022 13:32 | 22.6 | 18.7 | 8 | 18.4 |
| 07-05-2022 13:33 | 22.6 | 18.7 | 8 | 18.4 |
| 07-05-2022 13:34 | 22.6 | 18.7 | 7 | 18.4 |
| 07-05-2022 13:35 | 22.6 | 18.7 | 6 | 18.4 |
| 07-05-2022 13:36 | 22.6 | 18.7 | 7 | 18.4 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 07-05-2022 13:37 | 22.6 | 18.7 | 6 | 18.4 |
| 07-05-2022 13:38 | 22.6 | 18.7 | 8 | 18.5 |
| 07-05-2022 13:39 | 22.6 | 18.7 | 8 | 18.4 |
| 07-05-2022 13:40 | 22.6 | 18.7 | 7 | 18.5 |
| 07-05-2022 13:41 | 22.6 | 18.7 | 8 | 18.5 |
| 07-05-2022 13:42 | 22.7 | 18.7 | 7 | 18.4 |
| 07-05-2022 13:43 | 22.6 | 18.7 | 7 | 18.4 |
| 07-05-2022 13:44 | 22.7 | 18.7 | 7 | 18.4 |
| 07-05-2022 13:45 | 22.7 | 18.7 | 7 | 18.5 |
| 07-05-2022 13:46 | 22.6 | 18.7 | 7 | 18.4 |
| 07-05-2022 13:47 | 22.6 | 18.7 | 8 | 18.5 |
| 07-05-2022 13:48 | 22.6 | 18.7 | 7 | 18.4 |
| 07-05-2022 13:49 | 22.7 | 18.7 | 7 | 18.5 |
| 07-05-2022 13:50 | 22.7 | 18.7 | 7 | 18.4 |
| 07-05-2022 13:51 | 22.7 | 18.7 | 8 | 18.4 |
| 07-05-2022 13:52 | 22.6 | 18.7 | 7 | 18.4 |
| 07-05-2022 13:53 | 22.6 | 18.7 | 7 | 18.4 |
| 07-05-2022 13:54 | 22.6 | 18.7 | 8 | 18.5 |
| 07-05-2022 13:55 | 22.6 | 18.7 | 7 | 18.4 |
| 07-05-2022 13:56 | 22.6 | 18.7 | 7 | 18.4 |
| 07-05-2022 13:57 | 22.6 | 18.7 | 8 | 18.4 |
| 07-05-2022 13:58 | 22.6 | 18.7 | 6 | 18.4 |
| 07-05-2022 13:59 | 22.6 | 18.7 | 6 | 18.5 |
| 07-05-2022 14:00 | 22.6 | 18.7 | 7 | 18.4 |
| 07-05-2022 14:01 | 22.7 | 18.7 | 7 | 18.4 |
| 07-05-2022 14:02 | 22.6 | 18.7 | 8 | 18.5 |
| 07-05-2022 14:03 | 22.7 | 18.7 | 8 | 18.4 |
| 07-05-2022 14:04 | 22.6 | 18.7 | 8 | 18.5 |
| 07-05-2022 14:05 | 22.6 | 18.8 | 7 | 18.4 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 07-05-2022 14:06 | 22.7 | 18.7 | 8 | 18.4 |
| 07-05-2022 14:07 | 22.6 | 18.7 | 5 | 18.4 |
| 07-05-2022 14:08 | 22.6 | 18.7 | 7 | 18.4 |
| 07-05-2022 14:09 | 22.6 | 18.8 | 7 | 18.4 |
| 07-05-2022 14:10 | 22.6 | 18.7 | 7 | 18.4 |
| 07-05-2022 14:11 | 22.6 | 18.7 | 7 | 18.4 |
| 07-05-2022 14:12 | 22.6 | 18.7 | 7 | 18.4 |
| 07-05-2022 14:13 | 22.6 | 18.7 | 7 | 18.4 |
| 07-05-2022 14:14 | 22.6 | 18.7 | 7 | 18.4 |
| 07-05-2022 14:15 | 22.6 | 18.7 | 8 | 18.4 |
| 07-05-2022 14:16 | 22.6 | 18.7 | 7 | 18.4 |
| 07-05-2022 14:17 | 22.6 | 18.8 | 8 | 18.5 |
| 07-05-2022 14:18 | 22.6 | 18.7 | 6 | 18.4 |
| 07-05-2022 14:19 | 22.6 | 18.7 | 8 | 18.4 |
| 07-05-2022 14:20 | 22.6 | 18.7 | 7 | 18.4 |
| 07-05-2022 14:21 | 22.6 | 18.7 | 7 | 18.4 |
| 07-05-2022 14:22 | 22.7 | 18.7 | 8 | 18.3 |
| 07-05-2022 14:23 | 22.6 | 18.7 | 7 | 18.4 |
| 07-05-2022 14:24 | 22.7 | 18.7 | 8 | 18.3 |
| 07-05-2022 14:25 | 22.7 | 18.7 | 8 | 18.3 |
| 07-05-2022 14:26 | 22.7 | 18.7 | 8 | 18.3 |
| 07-05-2022 14:27 | 22.6 | 18.7 | 8 | 18.3 |
| 07-05-2022 14:28 | 22.7 | 18.7 | 8 | 18.3 |
| 07-05-2022 14:29 | 22.7 | 18.6 | 8 | 18.2 |
| 07-05-2022 14:30 | 22.6 | 18.6 | 8 | 18.3 |
| 07-05-2022 14:31 | 22.7 | 18.6 | 6 | 18.2 |
| 07-05-2022 14:32 | 22.7 | 18.6 | 8 | 18.2 |
| 07-05-2022 14:33 | 22.7 | 18.5 | 7 | 18.1 |
| 07-05-2022 14:34 | 22.6 | 18.5 | 8 | 18.1 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 07-05-2022 14:35 | 22.7 | 18.5 | 7 | 18.1 |
| 07-05-2022 14:36 | 22.7 | 18.5 | 8 | 18.1 |
| 07-05-2022 14:37 | 22.7 | 18.5 | 8 | 18.1 |
| 07-05-2022 14:38 | 22.7 | 18.5 | 8 | 18.1 |
| 07-05-2022 14:39 | 22.7 | 18.5 | 8 | 18.1 |
| 07-05-2022 14:40 | 22.7 | 18.5 | 7 | 18.1 |
| 07-05-2022 14:41 | 22.6 | 18.4 | 8 | 18.0 |
| 07-05-2022 14:42 | 22.7 | 18.4 | 8 | 18.1 |
| 07-05-2022 14:43 | 22.7 | 18.4 | 8 | 18.0 |
| 07-05-2022 14:44 | 22.7 | 18.4 | 8 | 18.0 |
| 07-05-2022 14:45 | 22.6 | 18.4 | 7 | 18.0 |
| 07-05-2022 14:46 | 22.6 | 18.4 | 8 | 17.9 |
| 07-05-2022 14:47 | 22.7 | 18.4 | 6 | 18.0 |
| 07-05-2022 14:48 | 22.6 | 18.4 | 8 | 17.9 |
| 07-05-2022 14:49 | 22.7 | 18.4 | 8 | 18.0 |
| 07-05-2022 14:50 | 22.6 | 18.4 | 8 | 18.0 |
| 07-05-2022 14:51 | 22.6 | 18.3 | 8 | 18.0 |
| 07-05-2022 14:52 | 22.6 | 18.3 | 8 | 17.9 |
| 07-05-2022 14:53 | 22.5 | 18.3 | 7 | 18.0 |
| 07-05-2022 14:54 | 22.4 | 18.3 | 8 | 18.0 |
| 07-05-2022 14:55 | 22.4 | 18.3 | 8 | 17.9 |
| 07-05-2022 14:56 | 22.5 | 18.3 | 8 | 17.9 |
| 07-05-2022 14:57 | 22.4 | 18.3 | 8 | 17.9 |
| 07-05-2022 14:58 | 22.4 | 18.3 | 8 | 17.9 |
| 07-05-2022 14:59 | 22.4 | 18.3 | 8 | 17.9 |
| 07-05-2022 15:00 | 22.4 | 18.3 | 0 | 17.9 |
| 07-05-2022 15:01 | 22.4 | 18.3 | 8 | 17.9 |
| 07-05-2022 15:02 | 22.4 | 18.3 | 8 | 17.9 |
| 07-05-2022 15:03 | 22.3 | 18.3 | 6 | 17.9 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 07-05-2022 15:04 | 22.3 | 18.3 | 8 | 17.8 |
| 07-05-2022 15:05 | 22.4 | 18.3 | 8 | 17.8 |
| 07-05-2022 15:06 | 22.3 | 18.3 | 8 | 17.8 |
| 07-05-2022 15:07 | 22.3 | 18.3 | 7 | 17.8 |
| 07-05-2022 15:08 | 22.3 | 18.3 | 7 | 17.9 |
| 07-05-2022 15:09 | 22.3 | 18.3 | 6 | 17.9 |
| 07-05-2022 15:10 | 22.3 | 18.3 | 7 | 17.8 |
| 07-05-2022 15:11 | 22.2 | 18.3 | 8 | 17.9 |
| 07-05-2022 15:12 | 22.2 | 18.3 | 8 | 17.8 |
| 07-05-2022 15:13 | 22.1 | 18.4 | 8 | 17.8 |
| 07-05-2022 15:14 | 22.0 | 18.3 | 8 | 17.8 |
| 07-05-2022 15:15 | 22.0 | 18.3 | 8 | 17.9 |
| 07-05-2022 15:16 | 22.0 | 18.3 | 8 | 17.8 |
| 07-05-2022 15:17 | 21.9 | 18.3 | 8 | 17.8 |
| 07-05-2022 15:18 | 21.9 | 18.3 | 6 | 17.8 |
| 07-05-2022 15:19 | 21.8 | 18.3 | 8 | 17.8 |
| 07-05-2022 15:20 | 21.8 | 18.3 | 7 | 17.8 |
| 07-05-2022 15:21 | 21.8 | 18.3 | 7 | 17.8 |
| 07-05-2022 15:22 | 21.8 | 18.3 | 8 | 17.8 |
| 07-05-2022 15:23 | 21.7 | 18.3 | 7 | 17.7 |
| 07-05-2022 15:24 | 21.7 | 18.3 | 7 | 17.7 |
| 07-05-2022 15:25 | 21.7 | 18.3 | 7 | 17.7 |
| 07-05-2022 15:26 | 21.6 | 18.3 | 7 | 17.8 |
| 07-05-2022 15:27 | 21.7 | 18.3 | 7 | 17.8 |
| 07-05-2022 15:28 | 21.6 | 18.3 | 7 | 17.8 |
| 07-05-2022 15:29 | 21.6 | 18.3 | 8 | 17.7 |
| 07-05-2022 15:30 | 21.6 | 18.3 | 8 | 17.8 |
| 07-05-2022 15:31 | 21.6 | 18.3 | 8 | 17.8 |
| 07-05-2022 15:32 | 21.6 | 18.3 | 7 | 17.8 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 07-05-2022 15:33 | 21.5 | 18.4 | 8 | 17.7 |
| 07-05-2022 15:34 | 21.5 | 18.3 | 7 | 17.8 |
| 07-05-2022 15:35 | 21.5 | 18.3 | 6 | 17.7 |
| 07-05-2022 15:36 | 21.5 | 18.3 | 8 | 17.8 |
| 07-05-2022 15:37 | 21.5 | 18.3 | 8 | 17.8 |
| 07-05-2022 15:38 | 21.4 | 18.3 | 7 | 17.8 |
| 07-05-2022 15:39 | 21.3 | 18.4 | 8 | 17.8 |
| 07-05-2022 15:40 | 21.3 | 18.3 | 8 | 17.7 |
| 07-05-2022 15:41 | 21.3 | 18.3 | 8 | 17.8 |
| 07-05-2022 15:42 | 21.2 | 18.3 | 8 | 17.8 |
| 07-05-2022 15:43 | 21.2 | 18.3 | 8 | 17.8 |
| 07-05-2022 15:44 | 21.1 | 18.3 | 6 | 17.7 |
| 07-05-2022 15:45 | 21.1 | 18.4 | 8 | 17.8 |
| 07-05-2022 15:46 | 21.1 | 18.3 | 8 | 17.8 |
| 07-05-2022 15:47 | 21.1 | 18.3 | 7 | 17.7 |
| 07-05-2022 15:48 | 21.1 | 18.3 | 7 | 17.7 |
| 07-05-2022 15:49 | 21.1 | 18.3 | 7 | 17.8 |
| 07-05-2022 15:50 | 21.1 | 18.3 | 7 | 17.7 |
| 07-05-2022 15:51 | 21.0 | 18.3 | 8 | 17.7 |
| 07-05-2022 15:52 | 21.1 | 18.3 | 8 | 17.7 |
| 07-05-2022 15:53 | 21.0 | 18.3 | 8 | 17.7 |
| 07-05-2022 15:54 | 21.0 | 18.3 | 8 | 17.7 |
| 07-05-2022 15:55 | 21.0 | 18.3 | 8 | 17.7 |
| 07-05-2022 15:56 | 20.9 | 18.3 | 8 | 17.7 |
| 07-05-2022 15:57 | 20.9 | 18.3 | 8 | 17.7 |
| 07-05-2022 15:58 | 21.0 | 18.3 | 7 | 17.7 |
| 07-05-2022 15:59 | 21.0 | 18.3 | 8 | 17.7 |
| 07-05-2022 16:00 | 20.9 | 18.3 | 8 | 17.7 |
| 07-05-2022 16:01 | 20.9 | 18.3 | 7 | 17.7 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 07-05-2022 16:02 | 21.0 | 18.3 | 7 | 17.7 |
| 07-05-2022 16:03 | 21.0 | 18.3 | 8 | 17.6 |
| 07-05-2022 16:04 | 21.0 | 18.3 | 8 | 17.6 |
| 07-05-2022 16:05 | 21.0 | 18.3 | 8 | 17.7 |
| 07-05-2022 16:06 | 21.0 | 18.3 | 8 | 17.7 |
| 07-05-2022 16:07 | 21.0 | 18.3 | 8 | 17.7 |
| 07-05-2022 16:08 | 21.1 | 18.3 | 8 | 17.7 |
| 07-05-2022 16:09 | 21.0 | 18.4 | 6 | 17.7 |
| 07-05-2022 16:10 | 21.0 | 18.4 | 8 | 17.6 |
| 07-05-2022 16:11 | 21.0 | 18.4 | 8 | 17.6 |
| 07-05-2022 16:12 | 20.9 | 18.4 | 0 | 17.6 |
| 07-05-2022 16:13 | 21.0 | 18.4 | 8 | 17.7 |
| 07-05-2022 16:14 | 21.2 | 18.4 | 8 | 17.6 |
| 07-05-2022 16:15 | 21.3 | 18.4 | 8 | 17.7 |
| 07-05-2022 16:16 | 21.4 | 18.4 | 7 | 17.7 |
| 07-05-2022 16:17 | 21.4 | 18.4 | 8 | 17.6 |
| 07-05-2022 16:18 | 21.4 | 18.3 | 8 | 17.6 |
| 07-05-2022 16:19 | 21.3 | 18.4 | 8 | 17.7 |
| 07-05-2022 16:20 | 21.2 | 18.3 | 8 | 17.6 |
| 07-05-2022 16:21 | 21.2 | 18.3 | 8 | 17.7 |
| 07-05-2022 16:22 | 21.2 | 18.3 | 8 | 17.6 |
| 07-05-2022 16:23 | 21.2 | 18.3 | 8 | 17.6 |
| 07-05-2022 16:24 | 21.1 | 18.3 | 8 | 17.6 |
| 07-05-2022 16:25 | 21.1 | 18.3 | 8 | 17.6 |
| 07-05-2022 16:26 | 21.1 | 18.3 | 8 | 17.6 |
| 07-05-2022 16:27 | 21.1 | 18.3 | 8 | 17.6 |
| 07-05-2022 16:28 | 21.1 | 18.3 | 8 | 17.7 |
| 07-05-2022 16:29 | 21.1 | 18.3 | 8 | 17.6 |
| 07-05-2022 16:30 | 21.1 | 18.3 | 8 | 17.6 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 07-05-2022 16:31 | 21.1 | 18.4 | 8 | 17.6 |
| 07-05-2022 16:32 | 21.1 | 18.4 | 8 | 17.6 |
| 07-05-2022 16:33 | 21.0 | 18.4 | 8 | 17.6 |
| 07-05-2022 16:34 | 21.1 | 18.4 | 7 | 17.7 |
| 07-05-2022 16:35 | 21.1 | 18.4 | 7 | 17.7 |
| 07-05-2022 16:36 | 21.1 | 18.4 | 7 | 17.6 |
| 07-05-2022 16:37 | 21.1 | 18.4 | 7 | 17.7 |
| 07-05-2022 16:38 | 21.2 | 18.4 | 6 | 17.8 |
| 07-05-2022 16:39 | 21.2 | 18.4 | 7 | 17.8 |
| 07-05-2022 16:40 | 21.2 | 18.5 | 8 | 17.8 |
| 07-05-2022 16:41 | 21.2 | 18.5 | 8 | 17.7 |
| 07-05-2022 16:42 | 21.2 | 18.5 | 6 | 17.8 |
| 07-05-2022 16:43 | 21.3 | 18.5 | 7 | 17.8 |
| 07-05-2022 16:44 | 21.4 | 18.5 | 8 | 17.9 |
| 07-05-2022 16:45 | 21.5 | 18.5 | 8 | 17.9 |
| 07-05-2022 16:46 | 21.6 | 18.6 | 8 | 17.9 |
| 07-05-2022 16:47 | 21.7 | 18.6 | 0 | 18.0 |
| 07-05-2022 16:48 | 21.7 | 18.6 | 8 | 18.0 |
| 07-05-2022 16:49 | 21.7 | 18.6 | 8 | 17.9 |
| 07-05-2022 16:50 | 21.7 | 18.7 | 7 | 18.0 |
| 07-05-2022 16:51 | 21.8 | 18.7 | 8 | 18.0 |
| 07-05-2022 16:52 | 21.7 | 18.7 | 8 | 18.0 |
| 07-05-2022 16:53 | 21.6 | 18.7 | 8 | 18.1 |
| 07-05-2022 16:54 | 21.6 | 18.7 | 8 | 18.1 |
| 07-05-2022 16:55 | 21.5 | 18.7 | 8 | 18.2 |
| 07-05-2022 16:56 | 21.5 | 18.8 | 7 | 18.2 |
| 07-05-2022 16:57 | 21.5 | 18.8 | 8 | 18.2 |
| 07-05-2022 16:58 | 21.5 | 18.8 | 8 | 18.2 |
| 07-05-2022 16:59 | 21.5 | 18.9 | 8 | 18.2 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 07-05-2022 17:00 | 21.5 | 18.9 | 8 | 18.3 |
| 07-05-2022 17:01 | 21.5 | 18.9 | 8 | 18.3 |
| 07-05-2022 17:02 | 21.5 | 18.9 | 8 | 18.3 |
| 07-05-2022 17:03 | 21.5 | 18.9 | 6 | 18.3 |
| 07-05-2022 17:04 | 21.5 | 18.9 | 7 | 18.4 |
| 07-05-2022 17:05 | 21.5 | 19.0 | 7 | 18.4 |
| 07-05-2022 17:06 | 21.6 | 19.0 | 7 | 18.4 |
| 07-05-2022 17:07 | 21.6 | 19.0 | 7 | 18.5 |
| 07-05-2022 17:08 | 21.6 | 19.0 | 7 | 18.5 |
| 07-05-2022 17:09 | 21.7 | 19.0 | 8 | 18.5 |
| 07-05-2022 17:10 | 21.7 | 19.1 | 7 | 18.4 |
| 07-05-2022 17:11 | 21.7 | 19.1 | 7 | 18.5 |
| 07-05-2022 17:12 | 21.7 | 19.1 | 6 | 18.5 |
| 07-05-2022 17:13 | 21.7 | 19.1 | 6 | 18.6 |
| 07-05-2022 17:14 | 21.7 | 19.2 | 6 | 18.6 |
| 07-05-2022 17:15 | 21.7 | 19.2 | 7 | 18.5 |
| 07-05-2022 17:16 | 21.7 | 19.2 | 7 | 18.6 |
| 07-05-2022 17:17 | 21.7 | 19.2 | 6 | 18.6 |
| 07-05-2022 17:18 | 21.7 | 19.2 | 6 | 18.6 |
| 07-05-2022 17:19 | 21.7 | 19.2 | 6 | 18.6 |
| 07-05-2022 17:20 | 21.7 | 19.2 | 6 | 18.6 |
| 07-05-2022 17:21 | 21.7 | 19.2 | 7 | 18.6 |
| 07-05-2022 17:22 | 21.7 | 19.2 | 6 | 18.7 |
| 07-05-2022 17:23 | 21.7 | 19.2 | 6 | 18.7 |
| 07-05-2022 17:24 | 21.7 | 19.2 | 6 | 18.7 |
| 07-05-2022 17:25 | 21.7 | 19.2 | 8 | 18.7 |
| 07-05-2022 17:26 | 21.7 | 19.2 | 7 | 18.7 |
| 07-05-2022 17:27 | 21.7 | 19.3 | 8 | 18.7 |
| 07-05-2022 17:28 | 21.7 | 19.2 | 7 | 18.7 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 07-05-2022 17:29 | 21.7 | 19.2 | 7 | 18.7 |
| 07-05-2022 17:30 | 21.7 | 19.3 | 6 | 18.7 |
| 07-05-2022 17:31 | 21.7 | 19.2 | 7 | 18.7 |
| 07-05-2022 17:32 | 21.7 | 19.2 | 8 | 18.6 |
| 07-05-2022 17:33 | 21.7 | 19.2 | 8 | 18.7 |
| 07-05-2022 17:34 | 21.8 | 19.2 | 7 | 18.7 |
| 07-05-2022 17:35 | 21.7 | 19.2 | 8 | 18.7 |
| 07-05-2022 17:36 | 21.8 | 19.2 | 8 | 18.6 |
| 07-05-2022 17:37 | 21.7 | 19.2 | 8 | 18.6 |
| 07-05-2022 17:38 | 21.7 | 19.2 | 8 | 18.6 |
| 07-05-2022 17:39 | 21.7 | 19.2 | 8 | 18.6 |
| 07-05-2022 17:40 | 21.7 | 19.2 | 8 | 18.6 |
| 07-05-2022 17:41 | 21.7 | 19.2 | 8 | 18.6 |
| 07-05-2022 17:42 | 21.7 | 19.2 | 7 | 18.6 |
| 07-05-2022 17:43 | 21.6 | 19.1 | 8 | 18.5 |
| 07-05-2022 17:44 | 21.6 | 19.1 | 7 | 18.5 |
| 07-05-2022 17:45 | 21.6 | 19.1 | 7 | 18.5 |
| 07-05-2022 17:46 | 21.5 | 19.1 | 6 | 18.5 |
| 07-05-2022 17:47 | 21.5 | 19.0 | 8 | 18.4 |
| 07-05-2022 17:48 | 21.5 | 19.0 | 8 | 18.5 |
| 07-05-2022 17:49 | 21.5 | 19.0 | 7 | 18.4 |
| 07-05-2022 17:50 | 21.5 | 19.0 | 7 | 18.4 |
| 07-05-2022 17:51 | 21.4 | 18.9 | 8 | 18.4 |
| 07-05-2022 17:52 | 21.4 | 18.9 | 6 | 18.4 |
| 07-05-2022 17:53 | 21.4 | 18.9 | 8 | 18.4 |
| 07-05-2022 17:54 | 21.4 | 18.9 | 8 | 18.3 |
| 07-05-2022 17:55 | 21.4 | 18.9 | 8 | 18.3 |
| 07-05-2022 17:56 | 21.4 | 18.9 | 8 | 18.3 |
| 07-05-2022 17:57 | 21.3 | 18.9 | 7 | 18.2 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 07-05-2022 17:58 | 21.4 | 18.9 | 7 | 18.3 |
| 07-05-2022 17:59 | 21.3 | 18.8 | 8 | 18.3 |
| 07-05-2022 18:00 | 21.3 | 18.8 | 8 | 18.2 |
| 07-05-2022 18:01 | 21.3 | 18.8 | 8 | 18.2 |
| 07-05-2022 18:02 | 21.3 | 18.8 | 8 | 18.2 |
| 07-05-2022 18:03 | 21.3 | 18.8 | 8 | 18.2 |
| 07-05-2022 18:04 | 21.2 | 18.8 | 8 | 18.1 |
| 07-05-2022 18:05 | 21.2 | 18.7 | 8 | 18.2 |
| 07-05-2022 18:06 | 21.3 | 18.7 | 7 | 18.1 |
| 07-05-2022 18:07 | 21.2 | 18.7 | 6 | 18.1 |
| 07-05-2022 18:08 | 21.2 | 18.7 | 8 | 18.1 |
| 07-05-2022 18:09 | 21.2 | 18.7 | 7 | 18.1 |
| 07-05-2022 18:10 | 21.1 | 18.7 | 7 | 18.1 |
| 07-05-2022 18:11 | 21.1 | 18.7 | 7 | 18.1 |
| 07-05-2022 18:12 | 21.1 | 18.7 | 8 | 18.0 |
| 07-05-2022 18:13 | 21.1 | 18.7 | 8 | 18.1 |
| 07-05-2022 18:14 | 21.1 | 18.7 | 8 | 18.1 |
| 07-05-2022 18:15 | 21.1 | 18.7 | 8 | 18.1 |
| 07-05-2022 18:16 | 21.1 | 18.7 | 7 | 18.0 |
| 07-05-2022 18:17 | 21.1 | 18.7 | 7 | 18.1 |
| 07-05-2022 18:18 | 21.0 | 18.7 | 8 | 18.1 |
| 07-05-2022 18:19 | 21.0 | 18.7 | 8 | 18.1 |
| 07-05-2022 18:20 | 21.0 | 18.7 | 8 | 18.0 |
| 07-05-2022 18:21 | 21.0 | 18.6 | 7 | 18.0 |
| 07-05-2022 18:22 | 21.0 | 18.7 | 8 | 18.0 |
| 07-05-2022 18:23 | 21.0 | 18.7 | 7 | 18.1 |
| 07-05-2022 18:24 | 21.0 | 18.7 | 8 | 18.0 |
| 07-05-2022 18:25 | 21.0 | 18.7 | 8 | 18.0 |
| 07-05-2022 18:26 | 21.0 | 18.7 | 8 | 18.1 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 07-05-2022 18:27 | 21.0 | 18.7 | 8 | 18.1 |
| 07-05-2022 18:28 | 21.0 | 18.7 | 8 | 18.0 |
| 07-05-2022 18:29 | 21.0 | 18.7 | 7 | 18.1 |
| 07-05-2022 18:30 | 21.0 | 18.7 | 7 | 18.2 |
| 07-05-2022 18:31 | 21.0 | 18.7 | 7 | 18.1 |
| 07-05-2022 18:32 | 21.0 | 18.7 | 8 | 18.1 |
| 07-05-2022 18:33 | 21.0 | 18.7 | 8 | 18.2 |
| 07-05-2022 18:34 | 21.0 | 18.8 | 7 | 18.2 |
| 07-05-2022 18:35 | 21.1 | 18.8 | 6 | 18.2 |
| 07-05-2022 18:36 | 21.1 | 18.8 | 8 | 18.2 |
| 07-05-2022 18:37 | 21.1 | 18.8 | 8 | 18.3 |
| 07-05-2022 18:38 | 21.1 | 18.9 | 8 | 18.3 |
| 07-05-2022 18:39 | 21.1 | 18.9 | 8 | 18.3 |
| 07-05-2022 18:40 | 21.1 | 18.9 | 8 | 18.3 |
| 07-05-2022 18:41 | 21.2 | 18.9 | 6 | 18.3 |
| 07-05-2022 18:42 | 21.2 | 18.9 | 7 | 18.4 |
| 07-05-2022 18:43 | 21.2 | 19.0 | 8 | 18.4 |
| 07-05-2022 18:44 | 21.2 | 19.0 | 8 | 18.4 |
| 07-05-2022 18:45 | 21.2 | 19.0 | 8 | 18.5 |
| 07-05-2022 18:46 | 21.2 | 19.0 | 7 | 18.5 |
| 07-05-2022 18:47 | 21.3 | 19.1 | 8 | 18.5 |
| 07-05-2022 18:48 | 21.3 | 19.1 | 8 | 18.6 |
| 07-05-2022 18:49 | 21.3 | 19.1 | 8 | 18.6 |
| 07-05-2022 18:50 | 21.3 | 19.2 | 8 | 18.6 |
| 07-05-2022 18:51 | 21.3 | 19.2 | 8 | 18.6 |
| 07-05-2022 18:52 | 21.4 | 19.2 | 8 | 18.6 |
| 07-05-2022 18:53 | 21.4 | 19.2 | 8 | 18.6 |
| 07-05-2022 18:54 | 21.4 | 19.2 | 8 | 18.7 |
| 07-05-2022 18:55 | 21.4 | 19.2 | 8 | 18.7 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 07-05-2022 18:56 | 21.4 | 19.3 | 8 | 18.7 |
| 07-05-2022 18:57 | 21.5 | 19.3 | 8 | 18.8 |
| 07-05-2022 18:58 | 21.5 | 19.3 | 8 | 18.8 |
| 07-05-2022 18:59 | 21.5 | 19.3 | 8 | 18.8 |
| 07-05-2022 19:00 | 21.5 | 19.3 | 8 | 18.8 |
| 07-05-2022 19:01 | 21.5 | 19.3 | 8 | 18.8 |
| 07-05-2022 19:02 | 21.5 | 19.3 | 8 | 18.8 |
| 07-05-2022 19:03 | 21.5 | 19.3 | 8 | 18.8 |
| 07-05-2022 19:04 | 21.5 | 19.4 | 6 | 18.9 |
| 07-05-2022 19:05 | 21.5 | 19.4 | 8 | 18.9 |
| 07-05-2022 19:06 | 21.5 | 19.4 | 8 | 19.0 |
| 07-05-2022 19:07 | 21.5 | 19.4 | 8 | 18.9 |
| 07-05-2022 19:08 | 21.5 | 19.4 | 8 | 19.0 |
| 07-05-2022 19:09 | 21.6 | 19.5 | 8 | 19.0 |
| 07-05-2022 19:10 | 21.6 | 19.4 | 7 | 19.0 |
| 07-05-2022 19:11 | 21.6 | 19.5 | 6 | 19.0 |
| 07-05-2022 19:12 | 21.6 | 19.5 | 8 | 19.0 |
| 07-05-2022 19:13 | 21.6 | 19.5 | 8 | 19.0 |
| 07-05-2022 19:14 | 21.6 | 19.5 | 7 | 19.0 |
| 07-05-2022 19:15 | 21.6 | 19.5 | 8 | 19.0 |
| 07-05-2022 19:16 | 21.7 | 19.5 | 8 | 19.1 |
| 07-05-2022 19:17 | 21.7 | 19.5 | 8 | 19.1 |
| 07-05-2022 19:18 | 21.7 | 19.5 | 8 | 19.1 |
| 07-05-2022 19:19 | 21.7 | 19.5 | 8 | 19.1 |
| 07-05-2022 19:20 | 21.7 | 19.5 | 8 | 19.2 |
| 07-05-2022 19:21 | 21.7 | 19.5 | 8 | 19.1 |
| 07-05-2022 19:22 | 21.7 | 19.6 | 8 | 19.1 |
| 07-05-2022 19:23 | 21.7 | 19.6 | 8 | 19.1 |
| 07-05-2022 19:24 | 21.7 | 19.6 | 8 | 19.2 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 07-05-2022 19:25 | 21.7 | 19.6 | 7 | 19.2 |
| 07-05-2022 19:26 | 21.7 | 19.6 | 7 | 19.2 |
| 07-05-2022 19:27 | 21.7 | 19.6 | 6 | 19.2 |
| 07-05-2022 19:28 | 21.8 | 19.6 | 8 | 19.2 |
| 07-05-2022 19:29 | 21.8 | 19.6 | 8 | 19.2 |
| 07-05-2022 19:30 | 21.8 | 19.6 | 7 | 19.2 |
| 07-05-2022 19:31 | 21.8 | 19.6 | 8 | 19.2 |
| 07-05-2022 19:32 | 21.8 | 19.6 | 8 | 19.3 |
| 07-05-2022 19:33 | 21.8 | 19.6 | 8 | 19.3 |
| 07-05-2022 19:34 | 21.8 | 19.6 | 8 | 19.3 |
| 07-05-2022 19:35 | 21.8 | 19.6 | 8 | 19.3 |
| 07-05-2022 19:36 | 21.8 | 19.6 | 8 | 19.3 |
| 07-05-2022 19:37 | 21.8 | 19.6 | 8 | 19.3 |
| 07-05-2022 19:38 | 21.8 | 19.6 | 8 | 19.3 |
| 07-05-2022 19:39 | 21.8 | 19.7 | 6 | 19.4 |
| 07-05-2022 19:40 | 21.8 | 19.7 | 8 | 19.4 |
| 07-05-2022 19:41 | 21.9 | 19.7 | 8 | 19.3 |
| 07-05-2022 19:42 | 21.9 | 19.7 | 8 | 19.4 |
| 07-05-2022 19:43 | 21.9 | 19.7 | 8 | 19.4 |
| 07-05-2022 19:44 | 21.9 | 19.7 | 8 | 19.4 |
| 07-05-2022 19:45 | 21.9 | 19.7 | 8 | 19.4 |
| 07-05-2022 19:46 | 21.9 | 19.7 | 8 | 19.4 |
| 07-05-2022 19:47 | 21.9 | 19.7 | 7 | 19.4 |
| 07-05-2022 19:48 | 21.9 | 19.7 | 8 | 19.4 |
| 07-05-2022 19:49 | 22.0 | 19.7 | 8 | 19.4 |
| 07-05-2022 19:50 | 21.9 | 19.7 | 8 | 19.5 |
| 07-05-2022 19:51 | 21.9 | 19.7 | 8 | 19.4 |
| 07-05-2022 19:52 | 22.0 | 19.8 | 8 | 19.4 |
| 07-05-2022 19:53 | 22.0 | 19.8 | 8 | 19.5 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 07-05-2022 19:54 | 22.0 | 19.8 | 8 | 19.4 |
| 07-05-2022 19:55 | 22.0 | 19.8 | 8 | 19.4 |
| 07-05-2022 19:56 | 22.0 | 19.8 | 8 | 19.5 |
| 07-05-2022 19:57 | 22.0 | 19.8 | 8 | 19.4 |
| 07-05-2022 19:58 | 22.0 | 19.8 | 7 | 19.5 |
| 07-05-2022 19:59 | 22.0 | 19.8 | 8 | 19.5 |
| 07-05-2022 20:00 | 22.0 | 19.8 | 8 | 19.5 |
| 07-05-2022 20:01 | 22.0 | 19.8 | 8 | 19.5 |
| 07-05-2022 20:02 | 22.0 | 19.8 | 8 | 19.5 |
| 07-05-2022 20:03 | 22.1 | 19.8 | 8 | 19.5 |
| 07-05-2022 20:04 | 22.1 | 19.8 | 8 | 19.5 |
| 07-05-2022 20:05 | 22.1 | 19.8 | 8 | 19.5 |
| 07-05-2022 20:06 | 22.1 | 19.8 | 8 | 19.5 |
| 07-05-2022 20:07 | 22.1 | 19.8 | 8 | 19.6 |
| 07-05-2022 20:08 | 22.1 | 19.8 | 8 | 19.6 |
| 07-05-2022 20:09 | 22.1 | 19.8 | 8 | 19.5 |
| 07-05-2022 20:10 | 22.1 | 19.8 | 8 | 19.6 |
| 07-05-2022 20:11 | 22.1 | 19.8 | 8 | 19.5 |
| 07-05-2022 20:12 | 22.1 | 19.8 | 8 | 19.6 |
| 07-05-2022 20:13 | 22.1 | 19.8 | 8 | 19.6 |
| 07-05-2022 20:14 | 22.1 | 19.8 | 8 | 19.5 |
| 07-05-2022 20:15 | 22.1 | 19.8 | 8 | 19.7 |
| 07-05-2022 20:16 | 22.1 | 19.8 | 7 | 19.7 |
| 07-05-2022 20:17 | 22.1 | 19.8 | 7 | 19.7 |
| 07-05-2022 20:18 | 22.1 | 19.8 | 8 | 19.7 |
| 07-05-2022 20:19 | 22.1 | 19.8 | 8 | 19.7 |
| 07-05-2022 20:20 | 22.1 | 19.8 | 7 | 19.7 |
| 07-05-2022 20:21 | 22.1 | 19.8 | 7 | 19.7 |
| 07-05-2022 20:22 | 22.1 | 19.8 | 7 | 19.7 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 07-05-2022 20:23 | 22.1 | 19.8 | 8 | 19.7 |
| 07-05-2022 20:24 | 22.2 | 19.8 | 8 | 19.7 |
| 07-05-2022 20:25 | 22.2 | 19.8 | 8 | 19.7 |
| 07-05-2022 20:26 | 22.2 | 19.8 | 8 | 19.7 |
| 07-05-2022 20:27 | 22.2 | 19.9 | 8 | 19.7 |
| 07-05-2022 20:28 | 22.2 | 19.8 | 8 | 19.7 |
| 07-05-2022 20:29 | 22.2 | 19.9 | 8 | 19.7 |
| 07-05-2022 20:30 | 22.2 | 19.9 | 8 | 19.7 |
| 07-05-2022 20:31 | 22.2 | 19.9 | 8 | 19.7 |
| 07-05-2022 20:32 | 22.2 | 19.9 | 8 | 19.8 |
| 07-05-2022 20:33 | 22.2 | 19.9 | 8 | 19.7 |
| 07-05-2022 20:34 | 22.2 | 19.9 | 8 | 19.7 |
| 07-05-2022 20:35 | 22.2 | 19.9 | 8 | 19.7 |
| 07-05-2022 20:36 | 22.2 | 19.9 | 8 | 19.7 |
| 07-05-2022 20:37 | 22.2 | 19.9 | 8 | 19.8 |
| 07-05-2022 20:38 | 22.2 | 19.9 | 8 | 19.7 |
| 07-05-2022 20:39 | 22.2 | 19.9 | 8 | 19.7 |
| 07-05-2022 20:40 | 22.2 | 19.9 | 8 | 19.7 |
| 07-05-2022 20:41 | 22.2 | 19.9 | 8 | 19.7 |
| 07-05-2022 20:42 | 22.2 | 19.9 | 8 | 19.7 |
| 07-05-2022 20:43 | 22.2 | 19.9 | 8 | 19.7 |
| 07-05-2022 20:44 | 22.2 | 19.9 | 8 | 19.7 |
| 07-05-2022 20:45 | 22.2 | 19.9 | 8 | 19.7 |
| 07-05-2022 20:46 | 22.2 | 19.9 | 8 | 19.7 |
| 07-05-2022 20:47 | 22.2 | 19.9 | 8 | 19.7 |
| 07-05-2022 20:48 | 22.2 | 19.9 | 8 | 19.7 |
| 07-05-2022 20:49 | 22.2 | 19.9 | 8 | 19.7 |
| 07-05-2022 20:50 | 22.2 | 19.9 | 8 | 19.7 |
| 07-05-2022 20:51 | 22.2 | 19.9 | 8 | 19.7 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 07-05-2022 20:52 | 22.2 | 19.9 | 8 | 19.7 |
| 07-05-2022 20:53 | 22.2 | 19.9 | 8 | 19.7 |
| 07-05-2022 20:54 | 22.2 | 19.9 | 8 | 19.7 |
| 07-05-2022 20:55 | 22.2 | 19.9 | 6 | 19.7 |
| 07-05-2022 20:56 | 22.3 | 19.9 | 7 | 19.7 |
| 07-05-2022 20:57 | 22.2 | 19.9 | 8 | 19.7 |
| 07-05-2022 20:58 | 22.3 | 19.9 | 8 | 19.8 |
| 07-05-2022 20:59 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 21:00 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 21:01 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 21:02 | 22.2 | 19.9 | 8 | 19.7 |
| 07-05-2022 21:03 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 21:04 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 21:05 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 21:06 | 22.2 | 19.9 | 6 | 19.7 |
| 07-05-2022 21:07 | 22.3 | 19.9 | 7 | 19.7 |
| 07-05-2022 21:08 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 21:09 | 22.2 | 19.9 | 8 | 19.8 |
| 07-05-2022 21:10 | 22.2 | 19.9 | 8 | 19.7 |
| 07-05-2022 21:11 | 22.3 | 19.9 | 8 | 19.8 |
| 07-05-2022 21:12 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 21:13 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 21:14 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 21:15 | 22.3 | 19.9 | 8 | 19.8 |
| 07-05-2022 21:16 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 21:17 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 21:18 | 22.3 | 19.9 | 8 | 19.8 |
| 07-05-2022 21:19 | 22.3 | 19.9 | 8 | 19.8 |
| 07-05-2022 21:20 | 22.2 | 19.9 | 8 | 19.7 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 07-05-2022 21:21 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 21:22 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 21:23 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 21:24 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 21:25 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 21:26 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 21:27 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 21:28 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 21:29 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 21:30 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 21:31 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 21:32 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 21:33 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 21:34 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 21:35 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 21:36 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 21:37 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 21:38 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 21:39 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 21:40 | 22.3 | 19.9 | 7 | 19.7 |
| 07-05-2022 21:41 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 21:42 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 21:43 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 21:44 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 21:45 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 21:46 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 21:47 | 22.3 | 19.9 | 8 | 19.8 |
| 07-05-2022 21:48 | 22.3 | 19.9 | 8 | 19.8 |
| 07-05-2022 21:49 | 22.3 | 19.9 | 7 | 19.7 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 07-05-2022 21:50 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 21:51 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 21:52 | 22.3 | 19.9 | 8 | 19.8 |
| 07-05-2022 21:53 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 21:54 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 21:55 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 21:56 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 21:57 | 22.3 | 19.9 | 8 | 19.8 |
| 07-05-2022 21:58 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 21:59 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 22:00 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 22:01 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 22:02 | 22.3 | 19.9 | 8 | 19.8 |
| 07-05-2022 22:03 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 22:04 | 22.3 | 19.9 | 7 | 19.7 |
| 07-05-2022 22:05 | 22.3 | 19.9 | 8 | 19.8 |
| 07-05-2022 22:06 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 22:07 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 22:08 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 22:09 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 22:10 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 22:11 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 22:12 | 22.3 | 19.9 | 8 | 19.8 |
| 07-05-2022 22:13 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 22:14 | 22.3 | 19.9 | 8 | 19.8 |
| 07-05-2022 22:15 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 22:16 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 22:17 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 22:18 | 22.3 | 19.9 | 8 | 19.7 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 07-05-2022 22:19 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 22:20 | 22.3 | 19.9 | 8 | 19.8 |
| 07-05-2022 22:21 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 22:22 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 22:23 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 22:24 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 22:25 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 22:26 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 22:27 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 22:28 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 22:29 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 22:30 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 22:31 | 22.3 | 19.9 | 8 | 19.8 |
| 07-05-2022 22:32 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 22:33 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 22:34 | 22.3 | 19.9 | 8 | 19.8 |
| 07-05-2022 22:35 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 22:36 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 22:37 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 22:38 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 22:39 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 22:40 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 22:41 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 22:42 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 22:43 | 22.3 | 19.9 | 8 | 19.8 |
| 07-05-2022 22:44 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 22:45 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 22:46 | 22.3 | 19.9 | 6 | 19.7 |
| 07-05-2022 22:47 | 22.3 | 19.9 | 8 | 19.7 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 07-05-2022 22:48 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 22:49 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 22:50 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 22:51 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 22:52 | 22.3 | 19.9 | 8 | 19.8 |
| 07-05-2022 22:53 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 22:54 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 22:55 | 22.3 | 19.9 | 8 | 19.8 |
| 07-05-2022 22:56 | 22.3 | 19.9 | 8 | 19.8 |
| 07-05-2022 22:57 | 22.3 | 19.9 | 8 | 19.8 |
| 07-05-2022 22:58 | 22.3 | 19.9 | 6 | 19.8 |
| 07-05-2022 22:59 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 23:00 | 22.3 | 19.9 | 7 | 19.8 |
| 07-05-2022 23:01 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 23:02 | 22.3 | 19.9 | 8 | 19.8 |
| 07-05-2022 23:03 | 22.3 | 19.9 | 6 | 19.7 |
| 07-05-2022 23:04 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 23:05 | 22.3 | 19.9 | 7 | 19.7 |
| 07-05-2022 23:06 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 23:07 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 23:08 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 23:09 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 23:10 | 22.3 | 19.9 | 7 | 19.7 |
| 07-05-2022 23:11 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 23:12 | 22.2 | 19.9 | 8 | 19.7 |
| 07-05-2022 23:13 | 22.3 | 19.9 | 9 | 19.7 |
| 07-05-2022 23:14 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 23:15 | 22.3 | 19.9 | 8 | 19.8 |
| 07-05-2022 23:16 | 22.3 | 19.9 | 8 | 19.7 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 07-05-2022 23:17 | 22.2 | 19.9 | 7 | 19.7 |
| 07-05-2022 23:18 | 22.2 | 19.9 | 8 | 19.7 |
| 07-05-2022 23:19 | 22.2 | 19.9 | 7 | 19.8 |
| 07-05-2022 23:20 | 22.2 | 19.9 | 8 | 19.8 |
| 07-05-2022 23:21 | 22.2 | 19.9 | 8 | 19.7 |
| 07-05-2022 23:22 | 22.2 | 19.9 | 8 | 19.7 |
| 07-05-2022 23:23 | 22.3 | 19.9 | 6 | 19.8 |
| 07-05-2022 23:24 | 22.2 | 19.9 | 6 | 19.7 |
| 07-05-2022 23:25 | 22.3 | 19.9 | 7 | 19.8 |
| 07-05-2022 23:26 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 23:27 | 22.3 | 19.9 | 7 | 19.8 |
| 07-05-2022 23:28 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 23:29 | 22.3 | 19.9 | 7 | 19.7 |
| 07-05-2022 23:30 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 23:31 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 23:32 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 23:33 | 22.3 | 19.9 | 7 | 19.7 |
| 07-05-2022 23:34 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 23:35 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 23:36 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 23:37 | 22.3 | 19.9 | 8 | 19.8 |
| 07-05-2022 23:38 | 22.3 | 19.9 | 7 | 19.7 |
| 07-05-2022 23:39 | 22.3 | 19.9 | 7 | 19.8 |
| 07-05-2022 23:40 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 23:41 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 23:42 | 22.3 | 19.9 | 7 | 19.7 |
| 07-05-2022 23:43 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 23:44 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 23:45 | 22.3 | 19.9 | 8 | 19.7 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 07-05-2022 23:46 | 22.3 | 19.9 | 8 | 19.8 |
| 07-05-2022 23:47 | 22.3 | 19.9 | 8 | 19.8 |
| 07-05-2022 23:48 | 22.3 | 19.9 | 7 | 19.7 |
| 07-05-2022 23:49 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 23:50 | 22.3 | 19.9 | 8 | 19.8 |
| 07-05-2022 23:51 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 23:52 | 22.3 | 19.9 | 8 | 19.8 |
| 07-05-2022 23:53 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 23:54 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 23:55 | 22.3 | 19.9 | 7 | 19.7 |
| 07-05-2022 23:56 | 22.3 | 19.9 | 8 | 19.7 |
| 07-05-2022 23:57 | 22.3 | 19.9 | 8 | 19.8 |
| 07-05-2022 23:58 | 22.3 | 19.9 | 8 | 19.8 |
| 07-05-2022 23:59 | 22.3 | 19.9 | 8 | 19.8 |
| 08-05-2022 00:00 | 22.3 | 19.9 | 8 | 19.7 |
| 08-05-2022 00:01 | 22.3 | 19.9 | 8 | 19.7 |
| 08-05-2022 00:02 | 22.3 | 19.9 | 8 | 19.8 |
| 08-05-2022 00:03 | 22.3 | 19.9 | 8 | 19.7 |
| 08-05-2022 00:04 | 22.3 | 19.9 | 8 | 19.7 |
| 08-05-2022 00:05 | 22.3 | 19.9 | 8 | 19.7 |
| 08-05-2022 00:06 | 22.3 | 19.9 | 8 | 19.7 |
| 08-05-2022 00:07 | 22.3 | 19.9 | 8 | 19.7 |
| 08-05-2022 00:08 | 22.3 | 19.9 | 7 | 19.8 |
| 08-05-2022 00:09 | 22.3 | 19.9 | 8 | 19.8 |
| 08-05-2022 00:10 | 22.3 | 19.9 | 7 | 19.7 |
| 08-05-2022 00:11 | 22.3 | 19.9 | 8 | 19.7 |
| 08-05-2022 00:12 | 22.3 | 19.9 | 8 | 19.7 |
| 08-05-2022 00:13 | 22.3 | 19.9 | 8 | 19.8 |
| 08-05-2022 00:14 | 22.3 | 19.9 | 8 | 19.7 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 08-05-2022 00:15 | 22.3 | 19.9 | 8 | 19.7 |
| 08-05-2022 00:16 | 22.3 | 19.9 | 8 | 19.7 |
| 08-05-2022 00:17 | 22.3 | 19.9 | 8 | 19.8 |
| 08-05-2022 00:18 | 22.3 | 19.9 | 8 | 19.7 |
| 08-05-2022 00:19 | 22.3 | 19.9 | 8 | 19.8 |
| 08-05-2022 00:20 | 22.3 | 19.9 | 8 | 19.7 |
| 08-05-2022 00:21 | 22.3 | 19.9 | 8 | 19.7 |
| 08-05-2022 00:22 | 22.3 | 19.9 | 8 | 19.7 |
| 08-05-2022 00:23 | 22.3 | 19.9 | 8 | 19.7 |
| 08-05-2022 00:24 | 22.3 | 19.9 | 8 | 19.7 |
| 08-05-2022 00:25 | 22.3 | 19.9 | 7 | 19.7 |
| 08-05-2022 00:26 | 22.3 | 19.9 | 8 | 19.7 |
| 08-05-2022 00:27 | 22.3 | 19.9 | 8 | 19.7 |
| 08-05-2022 00:28 | 22.3 | 19.9 | 8 | 19.7 |
| 08-05-2022 00:29 | 22.3 | 19.9 | 8 | 19.7 |
| 08-05-2022 00:30 | 22.3 | 19.9 | 8 | 19.7 |
| 08-05-2022 00:31 | 22.3 | 19.9 | 8 | 19.7 |
| 08-05-2022 00:32 | 22.3 | 19.9 | 8 | 19.7 |
| 08-05-2022 00:33 | 22.3 | 19.9 | 6 | 19.7 |
| 08-05-2022 00:34 | 22.3 | 19.9 | 6 | 19.7 |
| 08-05-2022 00:35 | 22.3 | 19.9 | 8 | 19.7 |
| 08-05-2022 00:36 | 22.3 | 19.8 | 8 | 19.7 |
| 08-05-2022 00:37 | 22.3 | 19.9 | 8 | 19.6 |
| 08-05-2022 00:38 | 22.3 | 19.9 | 8 | 19.7 |
| 08-05-2022 00:39 | 22.3 | 19.8 | 8 | 19.7 |
| 08-05-2022 00:40 | 22.3 | 19.8 | 7 | 19.7 |
| 08-05-2022 00:41 | 22.3 | 19.8 | 8 | 19.7 |
| 08-05-2022 00:42 | 22.3 | 19.8 | 8 | 19.7 |
| 08-05-2022 00:43 | 22.3 | 19.8 | 8 | 19.7 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 08-05-2022 00:44 | 22.3 | 19.8 | 8 | 19.6 |
| 08-05-2022 00:45 | 22.3 | 19.8 | 8 | 19.6 |
| 08-05-2022 00:46 | 22.3 | 19.8 | 8 | 19.6 |
| 08-05-2022 00:47 | 22.3 | 19.8 | 8 | 19.6 |
| 08-05-2022 00:48 | 22.3 | 19.8 | 8 | 19.7 |
| 08-05-2022 00:49 | 22.3 | 19.8 | 8 | 19.7 |
| 08-05-2022 00:50 | 22.3 | 19.8 | 8 | 19.7 |
| 08-05-2022 00:51 | 22.3 | 19.8 | 7 | 19.7 |
| 08-05-2022 00:52 | 22.3 | 19.8 | 8 | 19.7 |
| 08-05-2022 00:53 | 22.3 | 19.8 | 8 | 19.7 |
| 08-05-2022 00:54 | 22.3 | 19.8 | 8 | 19.7 |
| 08-05-2022 00:55 | 22.3 | 19.8 | 8 | 19.7 |
| 08-05-2022 00:56 | 22.3 | 19.8 | 8 | 19.7 |
| 08-05-2022 00:57 | 22.3 | 19.8 | 8 | 19.7 |
| 08-05-2022 00:58 | 22.3 | 19.9 | 8 | 19.7 |
| 08-05-2022 00:59 | 22.3 | 19.8 | 8 | 19.7 |
| 08-05-2022 01:00 | 22.3 | 19.9 | 8 | 19.7 |
| 08-05-2022 01:01 | 22.3 | 19.9 | 8 | 19.8 |
| 08-05-2022 01:02 | 22.3 | 19.9 | 8 | 19.8 |
| 08-05-2022 01:03 | 22.3 | 19.9 | 8 | 19.8 |
| 08-05-2022 01:04 | 22.3 | 19.9 | 8 | 19.8 |
| 08-05-2022 01:05 | 22.3 | 19.9 | 8 | 19.8 |
| 08-05-2022 01:06 | 22.3 | 19.9 | 8 | 19.9 |
| 08-05-2022 01:07 | 22.3 | 19.9 | 8 | 19.9 |
| 08-05-2022 01:08 | 22.3 | 19.9 | 8 | 19.8 |
| 08-05-2022 01:09 | 22.4 | 19.9 | 8 | 19.9 |
| 08-05-2022 01:10 | 22.3 | 19.9 | 8 | 19.9 |
| 08-05-2022 01:11 | 22.4 | 20.0 | 8 | 19.9 |
| 08-05-2022 01:12 | 22.4 | 20.0 | 8 | 19.9 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 08-05-2022 01:13 | 22.3 | 20.0 | 7 | 20.0 |
| 08-05-2022 01:14 | 22.4 | 20.0 | 7 | 20.0 |
| 08-05-2022 01:15 | 22.4 | 20.0 | 7 | 20.0 |
| 08-05-2022 01:16 | 22.4 | 20.0 | 8 | 20.0 |
| 08-05-2022 01:17 | 22.4 | 20.0 | 8 | 20.0 |
| 08-05-2022 01:18 | 22.4 | 20.1 | 8 | 20.0 |
| 08-05-2022 01:19 | 22.4 | 20.1 | 8 | 20.1 |
| 08-05-2022 01:20 | 22.4 | 20.1 | 8 | 20.1 |
| 08-05-2022 01:21 | 22.4 | 20.1 | 8 | 20.1 |
| 08-05-2022 01:22 | 22.4 | 20.1 | 7 | 20.1 |
| 08-05-2022 01:23 | 22.5 | 20.1 | 8 | 20.2 |
| 08-05-2022 01:24 | 22.5 | 20.1 | 8 | 20.1 |
| 08-05-2022 01:25 | 22.5 | 20.1 | 8 | 20.1 |
| 08-05-2022 01:26 | 22.5 | 20.1 | 8 | 20.1 |
| 08-05-2022 01:27 | 22.5 | 20.1 | 8 | 20.1 |
| 08-05-2022 01:28 | 22.5 | 20.1 | 8 | 20.1 |
| 08-05-2022 01:29 | 22.5 | 20.1 | 8 | 20.2 |
| 08-05-2022 01:30 | 22.5 | 20.1 | 8 | 20.1 |
| 08-05-2022 01:31 | 22.5 | 20.1 | 8 | 20.2 |
| 08-05-2022 01:32 | 22.5 | 20.2 | 8 | 20.2 |
| 08-05-2022 01:33 | 22.5 | 20.2 | 8 | 20.2 |
| 08-05-2022 01:34 | 22.6 | 20.2 | 8 | 20.3 |
| 08-05-2022 01:35 | 22.6 | 20.2 | 8 | 20.3 |
| 08-05-2022 01:36 | 22.6 | 20.2 | 8 | 20.3 |
| 08-05-2022 01:37 | 22.6 | 20.2 | 8 | 20.2 |
| 08-05-2022 01:38 | 22.6 | 20.2 | 8 | 20.3 |
| 08-05-2022 01:39 | 22.6 | 20.2 | 8 | 20.2 |
| 08-05-2022 01:40 | 22.6 | 20.2 | 8 | 20.3 |
| 08-05-2022 01:41 | 22.6 | 20.2 | 8 | 20.3 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 08-05-2022 01:42 | 22.6 | 20.3 | 8 | 20.3 |
| 08-05-2022 01:43 | 22.6 | 20.3 | 8 | 20.3 |
| 08-05-2022 01:44 | 22.6 | 20.3 | 8 | 20.3 |
| 08-05-2022 01:45 | 22.6 | 20.3 | 8 | 20.4 |
| 08-05-2022 01:46 | 22.7 | 20.2 | 8 | 20.4 |
| 08-05-2022 01:47 | 22.7 | 20.2 | 8 | 20.3 |
| 08-05-2022 01:48 | 22.7 | 20.3 | 8 | 20.3 |
| 08-05-2022 01:49 | 22.7 | 20.3 | 8 | 20.4 |
| 08-05-2022 01:50 | 22.7 | 20.3 | 8 | 20.3 |
| 08-05-2022 01:51 | 22.7 | 20.3 | 8 | 20.4 |
| 08-05-2022 01:52 | 22.7 | 20.3 | 8 | 20.4 |
| 08-05-2022 01:53 | 22.7 | 20.3 | 8 | 20.4 |
| 08-05-2022 01:54 | 22.7 | 20.3 | 8 | 20.4 |
| 08-05-2022 01:55 | 22.7 | 20.3 | 8 | 20.4 |
| 08-05-2022 01:56 | 22.7 | 20.3 | 8 | 20.4 |
| 08-05-2022 01:57 | 22.7 | 20.3 | 8 | 20.4 |
| 08-05-2022 01:58 | 22.7 | 20.3 | 8 | 20.4 |
| 08-05-2022 01:59 | 22.8 | 20.3 | 8 | 20.4 |
| 08-05-2022 02:00 | 22.8 | 20.3 | 8 | 20.5 |
| 08-05-2022 02:01 | 22.8 | 20.3 | 8 | 20.4 |
| 08-05-2022 02:02 | 22.8 | 20.3 | 8 | 20.4 |
| 08-05-2022 02:03 | 22.8 | 20.3 | 8 | 20.4 |
| 08-05-2022 02:04 | 22.8 | 20.3 | 8 | 20.4 |
| 08-05-2022 02:05 | 22.8 | 20.3 | 8 | 20.4 |
| 08-05-2022 02:06 | 22.8 | 20.3 | 8 | 20.5 |
| 08-05-2022 02:07 | 22.8 | 20.3 | 8 | 20.5 |
| 08-05-2022 02:08 | 22.8 | 20.3 | 8 | 20.5 |
| 08-05-2022 02:09 | 22.8 | 20.3 | 8 | 20.4 |
| 08-05-2022 02:10 | 22.8 | 20.3 | 8 | 20.5 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 08-05-2022 02:11 | 22.8 | 20.4 | 8 | 20.5 |
| 08-05-2022 02:12 | 22.8 | 20.4 | 7 | 20.5 |
| 08-05-2022 02:13 | 22.8 | 20.3 | 8 | 20.5 |
| 08-05-2022 02:14 | 22.8 | 20.4 | 8 | 20.5 |
| 08-05-2022 02:15 | 22.9 | 20.4 | 8 | 20.5 |
| 08-05-2022 02:16 | 22.9 | 20.4 | 8 | 20.5 |
| 08-05-2022 02:17 | 22.9 | 20.4 | 8 | 20.5 |
| 08-05-2022 02:18 | 22.9 | 20.4 | 8 | 20.5 |
| 08-05-2022 02:19 | 22.9 | 20.4 | 8 | 20.6 |
| 08-05-2022 02:20 | 22.9 | 20.4 | 8 | 20.5 |
| 08-05-2022 02:21 | 22.9 | 20.4 | 8 | 20.5 |
| 08-05-2022 02:22 | 22.9 | 20.4 | 8 | 20.5 |
| 08-05-2022 02:23 | 22.9 | 20.4 | 8 | 20.5 |
| 08-05-2022 02:24 | 22.9 | 20.4 | 8 | 20.6 |
| 08-05-2022 02:25 | 22.9 | 20.4 | 7 | 20.6 |
| 08-05-2022 02:26 | 22.9 | 20.4 | 8 | 20.6 |
| 08-05-2022 02:27 | 22.9 | 20.4 | 8 | 20.5 |
| 08-05-2022 02:28 | 22.9 | 20.4 | 8 | 20.6 |
| 08-05-2022 02:29 | 22.9 | 20.4 | 8 | 20.6 |
| 08-05-2022 02:30 | 22.9 | 20.4 | 8 | 20.6 |
| 08-05-2022 02:31 | 22.9 | 20.4 | 8 | 20.5 |
| 08-05-2022 02:32 | 22.9 | 20.4 | 8 | 20.6 |
| 08-05-2022 02:33 | 22.9 | 20.4 | 8 | 20.6 |
| 08-05-2022 02:34 | 22.9 | 20.4 | 7 | 20.5 |
| 08-05-2022 02:35 | 22.9 | 20.4 | 8 | 20.6 |
| 08-05-2022 02:36 | 22.9 | 20.4 | 8 | 20.6 |
| 08-05-2022 02:37 | 22.9 | 20.4 | 7 | 20.6 |
| 08-05-2022 02:38 | 22.9 | 20.4 | 8 | 20.6 |
| 08-05-2022 02:39 | 23.0 | 20.4 | 8 | 20.6 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 08-05-2022 02:40 | 22.9 | 20.4 | 8 | 20.6 |
| 08-05-2022 02:41 | 22.9 | 20.5 | 8 | 20.6 |
| 08-05-2022 02:42 | 23.0 | 20.5 | 8 | 20.6 |
| 08-05-2022 02:43 | 23.0 | 20.4 | 8 | 20.6 |
| 08-05-2022 02:44 | 23.0 | 20.4 | 8 | 20.6 |
| 08-05-2022 02:45 | 23.0 | 20.5 | 8 | 20.6 |
| 08-05-2022 02:46 | 23.0 | 20.4 | 8 | 20.6 |
| 08-05-2022 02:47 | 23.0 | 20.5 | 8 | 20.6 |
| 08-05-2022 02:48 | 23.0 | 20.5 | 8 | 20.6 |
| 08-05-2022 02:49 | 23.0 | 20.5 | 8 | 20.6 |
| 08-05-2022 02:50 | 23.0 | 20.5 | 7 | 20.7 |
| 08-05-2022 02:51 | 23.0 | 20.5 | 8 | 20.6 |
| 08-05-2022 02:52 | 23.0 | 20.5 | 8 | 20.6 |
| 08-05-2022 02:53 | 23.0 | 20.5 | 8 | 20.6 |
| 08-05-2022 02:54 | 23.0 | 20.5 | 8 | 20.7 |
| 08-05-2022 02:55 | 23.0 | 20.5 | 8 | 20.7 |
| 08-05-2022 02:56 | 23.0 | 20.5 | 8 | 20.6 |
| 08-05-2022 02:57 | 23.0 | 20.5 | 8 | 20.7 |
| 08-05-2022 02:58 | 23.0 | 20.5 | 8 | 20.6 |
| 08-05-2022 02:59 | 23.0 | 20.5 | 8 | 20.6 |
| 08-05-2022 03:00 | 23.0 | 20.5 | 8 | 20.6 |
| 08-05-2022 03:01 | 23.0 | 20.5 | 8 | 20.7 |
| 08-05-2022 03:02 | 23.0 | 20.5 | 8 | 20.6 |
| 08-05-2022 03:03 | 23.0 | 20.5 | 7 | 20.6 |
| 08-05-2022 03:04 | 23.0 | 20.5 | 8 | 20.6 |
| 08-05-2022 03:05 | 23.0 | 20.5 | 8 | 20.6 |
| 08-05-2022 03:06 | 23.0 | 20.5 | 8 | 20.7 |
| 08-05-2022 03:07 | 23.0 | 20.5 | 8 | 20.7 |
| 08-05-2022 03:08 | 23.0 | 20.5 | 6 | 20.7 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 08-05-2022 03:09 | 23.0 | 20.5 | 8 | 20.6 |
| 08-05-2022 03:10 | 23.0 | 20.5 | 8 | 20.7 |
| 08-05-2022 03:11 | 23.0 | 20.5 | 8 | 20.7 |
| 08-05-2022 03:12 | 23.0 | 20.5 | 8 | 20.7 |
| 08-05-2022 03:13 | 23.0 | 20.5 | 8 | 20.7 |
| 08-05-2022 03:14 | 23.0 | 20.5 | 8 | 20.6 |
| 08-05-2022 03:15 | 23.0 | 20.5 | 8 | 20.7 |
| 08-05-2022 03:16 | 23.0 | 20.5 | 8 | 20.6 |
| 08-05-2022 03:17 | 23.0 | 20.5 | 7 | 20.6 |
| 08-05-2022 03:18 | 23.1 | 20.5 | 8 | 20.6 |
| 08-05-2022 03:19 | 23.1 | 20.5 | 8 | 20.7 |
| 08-05-2022 03:20 | 23.0 | 20.5 | 8 | 20.7 |
| 08-05-2022 03:21 | 23.0 | 20.5 | 8 | 20.6 |
| 08-05-2022 03:22 | 23.1 | 20.5 | 8 | 20.7 |
| 08-05-2022 03:23 | 23.1 | 20.5 | 8 | 20.8 |
| 08-05-2022 03:24 | 23.1 | 20.5 | 7 | 20.7 |
| 08-05-2022 03:25 | 23.0 | 20.5 | 8 | 20.7 |
| 08-05-2022 03:26 | 23.0 | 20.5 | 8 | 20.7 |
| 08-05-2022 03:27 | 23.1 | 20.5 | 8 | 20.7 |
| 08-05-2022 03:28 | 23.0 | 20.5 | 8 | 20.7 |
| 08-05-2022 03:29 | 23.1 | 20.5 | 8 | 20.6 |
| 08-05-2022 03:30 | 23.1 | 20.5 | 8 | 20.6 |
| 08-05-2022 03:31 | 23.0 | 20.5 | 8 | 20.7 |
| 08-05-2022 03:32 | 23.0 | 20.5 | 7 | 20.7 |
| 08-05-2022 03:33 | 23.1 | 20.5 | 8 | 20.7 |
| 08-05-2022 03:34 | 23.1 | 20.5 | 8 | 20.7 |
| 08-05-2022 03:35 | 23.0 | 20.5 | 8 | 20.7 |
| 08-05-2022 03:36 | 23.1 | 20.5 | 8 | 20.7 |
| 08-05-2022 03:37 | 23.1 | 20.5 | 8 | 20.8 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 08-05-2022 03:38 | 23.1 | 20.5 | 8 | 20.8 |
| 08-05-2022 03:39 | 23.1 | 20.5 | 6 | 20.7 |
| 08-05-2022 03:40 | 23.1 | 20.5 | 8 | 20.7 |
| 08-05-2022 03:41 | 23.1 | 20.5 | 8 | 20.8 |
| 08-05-2022 03:42 | 23.1 | 20.5 | 8 | 20.8 |
| 08-05-2022 03:43 | 23.1 | 20.5 | 7 | 20.8 |
| 08-05-2022 03:44 | 23.0 | 20.5 | 8 | 20.8 |
| 08-05-2022 03:45 | 23.0 | 20.5 | 8 | 20.7 |
| 08-05-2022 03:46 | 23.1 | 20.5 | 8 | 20.7 |
| 08-05-2022 03:47 | 23.1 | 20.5 | 8 | 20.7 |
| 08-05-2022 03:48 | 23.1 | 20.5 | 8 | 20.8 |
| 08-05-2022 03:49 | 23.1 | 20.5 | 8 | 20.7 |
| 08-05-2022 03:50 | 23.1 | 20.5 | 8 | 20.7 |
| 08-05-2022 03:51 | 23.1 | 20.5 | 8 | 20.8 |
| 08-05-2022 03:52 | 23.1 | 20.5 | 8 | 20.7 |
| 08-05-2022 03:53 | 23.1 | 20.5 | 8 | 20.7 |
| 08-05-2022 03:54 | 23.1 | 20.5 | 8 | 20.7 |
| 08-05-2022 03:55 | 23.1 | 20.5 | 8 | 20.8 |
| 08-05-2022 03:56 | 23.1 | 20.5 | 8 | 20.7 |
| 08-05-2022 03:57 | 23.1 | 20.5 | 8 | 20.7 |
| 08-05-2022 03:58 | 23.1 | 20.5 | 8 | 20.7 |
| 08-05-2022 03:59 | 23.1 | 20.5 | 8 | 20.7 |
| 08-05-2022 04:00 | 23.1 | 20.5 | 8 | 20.7 |
| 08-05-2022 04:01 | 23.1 | 20.5 | 8 | 20.7 |
| 08-05-2022 04:02 | 23.2 | 20.5 | 8 | 20.7 |
| 08-05-2022 04:03 | 23.1 | 20.5 | 8 | 20.8 |
| 08-05-2022 04:04 | 23.1 | 20.5 | 8 | 20.7 |
| 08-05-2022 04:05 | 23.1 | 20.5 | 8 | 20.8 |
| 08-05-2022 04:06 | 23.2 | 20.5 | 8 | 20.7 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 08-05-2022 04:07 | 23.2 | 20.5 | 8 | 20.7 |
| 08-05-2022 04:08 | 23.2 | 20.5 | 8 | 20.8 |
| 08-05-2022 04:09 | 23.2 | 20.5 | 8 | 20.8 |
| 08-05-2022 04:10 | 23.2 | 20.5 | 8 | 20.8 |
| 08-05-2022 04:11 | 23.2 | 20.5 | 8 | 20.7 |
| 08-05-2022 04:12 | 23.2 | 20.5 | 8 | 20.8 |
| 08-05-2022 04:13 | 23.2 | 20.5 | 8 | 20.8 |
| 08-05-2022 04:14 | 23.2 | 20.5 | 8 | 20.8 |
| 08-05-2022 04:15 | 23.2 | 20.5 | 8 | 20.7 |
| 08-05-2022 04:16 | 23.2 | 20.5 | 9 | 20.8 |
| 08-05-2022 04:17 | 23.2 | 20.5 | 8 | 20.7 |
| 08-05-2022 04:18 | 23.2 | 20.5 | 8 | 20.8 |
| 08-05-2022 04:19 | 23.2 | 20.5 | 8 | 20.8 |
| 08-05-2022 04:20 | 23.2 | 20.5 | 8 | 20.8 |
| 08-05-2022 04:21 | 23.2 | 20.5 | 8 | 20.8 |
| 08-05-2022 04:22 | 23.2 | 20.5 | 8 | 20.8 |
| 08-05-2022 04:23 | 23.2 | 20.5 | 8 | 20.8 |
| 08-05-2022 04:24 | 23.2 | 20.5 | 9 | 20.8 |
| 08-05-2022 04:25 | 23.2 | 20.5 | 8 | 20.8 |
| 08-05-2022 04:26 | 23.2 | 20.5 | 8 | 20.7 |
| 08-05-2022 04:27 | 23.2 | 20.5 | 8 | 20.8 |
| 08-05-2022 04:28 | 23.2 | 20.5 | 8 | 20.8 |
| 08-05-2022 04:29 | 23.2 | 20.5 | 8 | 20.8 |
| 08-05-2022 04:30 | 23.2 | 20.5 | 8 | 20.8 |
| 08-05-2022 04:31 | 23.2 | 20.5 | 8 | 20.8 |
| 08-05-2022 04:32 | 23.2 | 20.5 | 9 | 20.8 |
| 08-05-2022 04:33 | 23.2 | 20.5 | 8 | 20.8 |
| 08-05-2022 04:34 | 23.2 | 20.5 | 8 | 20.8 |
| 08-05-2022 04:35 | 23.2 | 20.5 | 8 | 20.8 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 08-05-2022 04:36 | 23.2 | 20.5 | 9 | 20.8 |
| 08-05-2022 04:37 | 23.2 | 20.5 | 8 | 20.8 |
| 08-05-2022 04:38 | 23.2 | 20.5 | 8 | 20.8 |
| 08-05-2022 04:39 | 23.2 | 20.5 | 9 | 20.8 |
| 08-05-2022 04:40 | 23.2 | 20.5 | 8 | 20.8 |
| 08-05-2022 04:41 | 23.2 | 20.5 | 8 | 20.8 |
| 08-05-2022 04:42 | 23.2 | 20.5 | 8 | 20.8 |
| 08-05-2022 04:43 | 23.2 | 20.5 | 8 | 20.8 |
| 08-05-2022 04:44 | 23.2 | 20.5 | 8 | 20.7 |
| 08-05-2022 04:45 | 23.2 | 20.5 | 8 | 20.8 |
| 08-05-2022 04:46 | 23.2 | 20.5 | 8 | 20.8 |
| 08-05-2022 04:47 | 23.2 | 20.5 | 8 | 20.8 |
| 08-05-2022 04:48 | 23.2 | 20.5 | 8 | 20.8 |
| 08-05-2022 04:49 | 23.2 | 20.5 | 8 | 20.9 |
| 08-05-2022 04:50 | 23.2 | 20.5 | 8 | 20.8 |
| 08-05-2022 04:51 | 23.3 | 20.5 | 8 | 20.8 |
| 08-05-2022 04:52 | 23.3 | 20.6 | 8 | 20.8 |
| 08-05-2022 04:53 | 23.3 | 20.6 | 9 | 20.8 |
| 08-05-2022 04:54 | 23.3 | 20.5 | 8 | 20.9 |
| 08-05-2022 04:55 | 23.3 | 20.6 | 8 | 20.8 |
| 08-05-2022 04:56 | 23.3 | 20.6 | 8 | 20.8 |
| 08-05-2022 04:57 | 23.3 | 20.6 | 8 | 20.8 |
| 08-05-2022 04:58 | 23.3 | 20.6 | 8 | 20.8 |
| 08-05-2022 04:59 | 23.3 | 20.6 | 8 | 20.8 |
| 08-05-2022 05:00 | 23.3 | 20.6 | 8 | 20.9 |
| 08-05-2022 05:01 | 23.3 | 20.6 | 8 | 20.8 |
| 08-05-2022 05:02 | 23.3 | 20.6 | 8 | 20.9 |
| 08-05-2022 05:03 | 23.3 | 20.6 | 8 | 20.8 |
| 08-05-2022 05:04 | 23.3 | 20.6 | 7 | 20.9 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 08-05-2022 05:05 | 23.3 | 20.6 | 8 | 20.8 |
| 08-05-2022 05:06 | 23.3 | 20.6 | 8 | 20.8 |
| 08-05-2022 05:07 | 23.3 | 20.6 | 8 | 20.8 |
| 08-05-2022 05:08 | 23.3 | 20.6 | 8 | 20.8 |
| 08-05-2022 05:09 | 23.3 | 20.6 | 8 | 20.9 |
| 08-05-2022 05:10 | 23.3 | 20.6 | 8 | 20.8 |
| 08-05-2022 05:11 | 23.2 | 20.6 | 8 | 20.8 |
| 08-05-2022 05:12 | 23.2 | 20.6 | 8 | 20.9 |
| 08-05-2022 05:13 | 23.3 | 20.6 | 8 | 20.8 |
| 08-05-2022 05:14 | 23.3 | 20.6 | 8 | 20.8 |
| 08-05-2022 05:15 | 23.2 | 20.6 | 7 | 20.8 |
| 08-05-2022 05:16 | 23.2 | 20.6 | 8 | 20.8 |
| 08-05-2022 05:17 | 23.2 | 20.6 | 8 | 20.8 |
| 08-05-2022 05:18 | 23.2 | 20.6 | 8 | 20.8 |
| 08-05-2022 05:19 | 23.2 | 20.6 | 8 | 20.9 |
| 08-05-2022 05:20 | 23.2 | 20.6 | 8 | 20.8 |
| 08-05-2022 05:21 | 23.2 | 20.6 | 8 | 20.8 |
| 08-05-2022 05:22 | 23.2 | 20.6 | 8 | 20.9 |
| 08-05-2022 05:23 | 23.2 | 20.6 | 8 | 20.9 |
| 08-05-2022 05:24 | 23.2 | 20.6 | 8 | 20.9 |
| 08-05-2022 05:25 | 23.2 | 20.6 | 8 | 20.8 |
| 08-05-2022 05:26 | 23.2 | 20.6 | 8 | 20.8 |
| 08-05-2022 05:27 | 23.2 | 20.6 | 8 | 20.8 |
| 08-05-2022 05:28 | 23.2 | 20.6 | 8 | 20.8 |
| 08-05-2022 05:29 | 23.2 | 20.6 | 8 | 20.9 |
| 08-05-2022 05:30 | 23.2 | 20.6 | 8 | 20.8 |
| 08-05-2022 05:31 | 23.2 | 20.6 | 8 | 20.8 |
| 08-05-2022 05:32 | 23.2 | 20.6 | 8 | 20.9 |
| 08-05-2022 05:33 | 23.2 | 20.6 | 8 | 20.8 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 08-05-2022 05:34 | 23.2 | 20.6 | 9 | 20.9 |
| 08-05-2022 05:35 | 23.2 | 20.6 | 8 | 20.9 |
| 08-05-2022 05:36 | 23.2 | 20.6 | 8 | 20.9 |
| 08-05-2022 05:37 | 23.2 | 20.6 | 8 | 20.8 |
| 08-05-2022 05:38 | 23.2 | 20.6 | 8 | 20.9 |
| 08-05-2022 05:39 | 23.2 | 20.6 | 8 | 20.8 |
| 08-05-2022 05:40 | 23.2 | 20.6 | 8 | 20.9 |
| 08-05-2022 05:41 | 23.2 | 20.6 | 8 | 20.8 |
| 08-05-2022 05:42 | 23.2 | 20.6 | 8 | 20.8 |
| 08-05-2022 05:43 | 23.2 | 20.6 | 8 | 20.8 |
| 08-05-2022 05:44 | 23.2 | 20.6 | 8 | 20.8 |
| 08-05-2022 05:45 | 23.2 | 20.6 | 8 | 20.8 |
| 08-05-2022 05:46 | 23.2 | 20.6 | 8 | 20.8 |
| 08-05-2022 05:47 | 23.2 | 20.6 | 8 | 20.9 |
| 08-05-2022 05:48 | 23.2 | 20.6 | 8 | 20.9 |
| 08-05-2022 05:49 | 23.2 | 20.6 | 8 | 20.8 |
| 08-05-2022 05:50 | 23.2 | 20.6 | 8 | 20.8 |
| 08-05-2022 05:51 | 23.2 | 20.6 | 8 | 20.9 |
| 08-05-2022 05:52 | 23.2 | 20.6 | 8 | 20.8 |
| 08-05-2022 05:53 | 23.2 | 20.6 | 8 | 20.8 |
| 08-05-2022 05:54 | 23.2 | 20.6 | 8 | 20.8 |
| 08-05-2022 05:55 | 23.2 | 20.6 | 8 | 20.9 |
| 08-05-2022 05:56 | 23.2 | 20.6 | 8 | 20.8 |
| 08-05-2022 05:57 | 23.2 | 20.6 | 8 | 20.8 |
| 08-05-2022 05:58 | 23.2 | 20.6 | 8 | 20.9 |
| 08-05-2022 05:59 | 23.2 | 20.6 | 8 | 20.9 |
| 08-05-2022 06:00 | 23.2 | 20.6 | 8 | 20.8 |
| 08-05-2022 06:01 | 23.2 | 20.6 | 8 | 20.8 |
| 08-05-2022 06:02 | 23.2 | 20.6 | 8 | 20.9 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 08-05-2022 06:03 | 23.2 | 20.6 | 8 | 20.8 |
| 08-05-2022 06:04 | 23.2 | 20.6 | 8 | 20.9 |
| 08-05-2022 06:05 | 23.2 | 20.6 | 8 | 20.8 |
| 08-05-2022 06:06 | 23.2 | 20.6 | 8 | 20.8 |
| 08-05-2022 06:07 | 23.2 | 20.6 | 7 | 20.9 |
| 08-05-2022 06:08 | 23.2 | 20.6 | 8 | 20.9 |
| 08-05-2022 06:09 | 23.2 | 20.6 | 8 | 20.8 |
| 08-05-2022 06:10 | 23.2 | 20.6 | 8 | 20.9 |
| 08-05-2022 06:11 | 23.2 | 20.6 | 0 | 20.8 |
| 08-05-2022 06:12 | 23.2 | 20.6 | 8 | 20.9 |
| 08-05-2022 06:13 | 23.2 | 20.6 | 8 | 20.9 |
| 08-05-2022 06:14 | 23.2 | 20.6 | 8 | 20.9 |
| 08-05-2022 06:15 | 23.2 | 20.6 | 8 | 20.8 |
| 08-05-2022 06:16 | 23.2 | 20.6 | 8 | 20.8 |
| 08-05-2022 06:17 | 23.2 | 20.6 | 8 | 20.9 |
| 08-05-2022 06:18 | 23.2 | 20.6 | 8 | 20.9 |
| 08-05-2022 06:19 | 23.2 | 20.6 | 8 | 20.8 |
| 08-05-2022 06:20 | 23.2 | 20.6 | 8 | 20.8 |
| 08-05-2022 06:21 | 23.2 | 20.6 | 9 | 20.9 |
| 08-05-2022 06:22 | 23.2 | 20.6 | 8 | 20.8 |
| 08-05-2022 06:23 | 23.2 | 20.6 | 8 | 20.8 |
| 08-05-2022 06:24 | 23.2 | 20.6 | 8 | 20.9 |
| 08-05-2022 06:25 | 23.2 | 20.6 | 8 | 20.9 |
| 08-05-2022 06:26 | 23.2 | 20.6 | 7 | 20.8 |
| 08-05-2022 06:27 | 23.2 | 20.6 | 7 | 20.9 |
| 08-05-2022 06:28 | 23.2 | 20.6 | 8 | 20.8 |
| 08-05-2022 06:29 | 23.2 | 20.6 | 8 | 20.9 |
| 08-05-2022 06:30 | 23.2 | 20.6 | 8 | 20.8 |
| 08-05-2022 06:31 | 23.2 | 20.6 | 8 | 20.9 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 08-05-2022 06:32 | 23.2 | 20.6 | 9 | 20.8 |
| 08-05-2022 06:33 | 23.2 | 20.6 | 8 | 20.8 |
| 08-05-2022 06:34 | 23.2 | 20.6 | 8 | 20.9 |
| 08-05-2022 06:35 | 23.2 | 20.6 | 8 | 20.8 |
| 08-05-2022 06:36 | 23.2 | 20.6 | 8 | 20.8 |
| 08-05-2022 06:37 | 23.2 | 20.6 | 8 | 20.8 |
| 08-05-2022 06:38 | 23.2 | 20.6 | 8 | 20.8 |
| 08-05-2022 06:39 | 23.2 | 20.6 | 8 | 20.9 |
| 08-05-2022 06:40 | 23.2 | 20.6 | 8 | 20.9 |
| 08-05-2022 06:41 | 23.2 | 20.6 | 8 | 20.9 |
| 08-05-2022 06:42 | 23.2 | 20.6 | 8 | 20.8 |
| 08-05-2022 06:43 | 23.2 | 20.7 | 8 | 20.9 |
| 08-05-2022 06:44 | 23.2 | 20.6 | 8 | 20.9 |
| 08-05-2022 06:45 | 23.2 | 20.7 | 8 | 20.9 |
| 08-05-2022 06:46 | 23.3 | 20.7 | 8 | 20.9 |
| 08-05-2022 06:47 | 23.3 | 20.7 | 8 | 20.9 |
| 08-05-2022 06:48 | 23.3 | 20.7 | 8 | 20.9 |
| 08-05-2022 06:49 | 23.3 | 20.7 | 8 | 20.9 |
| 08-05-2022 06:50 | 23.3 | 20.7 | 8 | 20.9 |
| 08-05-2022 06:51 | 23.3 | 20.7 | 8 | 20.9 |
| 08-05-2022 06:52 | 23.3 | 20.7 | 8 | 20.9 |
| 08-05-2022 06:53 | 23.2 | 20.7 | 8 | 20.9 |
| 08-05-2022 06:54 | 23.2 | 20.7 | 8 | 20.9 |
| 08-05-2022 06:55 | 23.3 | 20.7 | 8 | 20.9 |
| 08-05-2022 06:56 | 23.2 | 20.7 | 8 | 20.9 |
| 08-05-2022 06:57 | 23.3 | 20.7 | 8 | 21.0 |
| 08-05-2022 06:58 | 23.3 | 20.7 | 8 | 21.0 |
| 08-05-2022 06:59 | 23.3 | 20.7 | 8 | 21.0 |
| 08-05-2022 07:00 | 23.3 | 20.7 | 8 | 20.9 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 08-05-2022 07:01 | 23.3 | 20.7 | 8 | 20.9 |
| 08-05-2022 07:02 | 23.3 | 20.7 | 8 | 20.9 |
| 08-05-2022 07:03 | 23.3 | 20.7 | 8 | 21.0 |
| 08-05-2022 07:04 | 23.3 | 20.7 | 8 | 21.0 |
| 08-05-2022 07:05 | 23.3 | 20.7 | 8 | 21.0 |
| 08-05-2022 07:06 | 23.3 | 20.7 | 8 | 20.9 |
| 08-05-2022 07:07 | 23.3 | 20.7 | 8 | 20.9 |
| 08-05-2022 07:08 | 23.3 | 20.7 | 9 | 20.9 |
| 08-05-2022 07:09 | 23.3 | 20.7 | 8 | 21.0 |
| 08-05-2022 07:10 | 23.3 | 20.7 | 8 | 20.9 |
| 08-05-2022 07:11 | 23.4 | 20.7 | 8 | 21.0 |
| 08-05-2022 07:12 | 23.4 | 20.7 | 8 | 20.9 |
| 08-05-2022 07:13 | 23.4 | 20.7 | 8 | 21.0 |
| 08-05-2022 07:14 | 23.4 | 20.7 | 8 | 21.0 |
| 08-05-2022 07:15 | 23.4 | 20.7 | 8 | 21.0 |
| 08-05-2022 07:16 | 23.4 | 20.7 | 9 | 20.9 |
| 08-05-2022 07:17 | 23.4 | 20.7 | 8 | 21.0 |
| 08-05-2022 07:18 | 23.4 | 20.7 | 8 | 21.0 |
| 08-05-2022 07:19 | 23.4 | 20.7 | 8 | 20.9 |
| 08-05-2022 07:20 | 23.4 | 20.7 | 8 | 20.9 |
| 08-05-2022 07:21 | 23.4 | 20.7 | 8 | 20.9 |
| 08-05-2022 07:22 | 23.4 | 20.7 | 8 | 20.9 |
| 08-05-2022 07:23 | 23.4 | 20.7 | 8 | 21.0 |
| 08-05-2022 07:24 | 23.4 | 20.7 | 9 | 20.9 |
| 08-05-2022 07:25 | 23.4 | 20.7 | 7 | 20.9 |
| 08-05-2022 07:26 | 23.4 | 20.7 | 8 | 21.0 |
| 08-05-2022 07:27 | 23.4 | 20.7 | 8 | 21.0 |
| 08-05-2022 07:28 | 23.4 | 20.7 | 8 | 20.9 |
| 08-05-2022 07:29 | 23.4 | 20.7 | 8 | 20.9 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 08-05-2022 07:30 | 23.4 | 20.7 | 8 | 21.0 |
| 08-05-2022 07:31 | 23.4 | 20.7 | 9 | 21.0 |
| 08-05-2022 07:32 | 23.4 | 20.7 | 8 | 20.9 |
| 08-05-2022 07:33 | 23.4 | 20.7 | 9 | 21.0 |
| 08-05-2022 07:34 | 23.4 | 20.7 | 8 | 20.9 |
| 08-05-2022 07:35 | 23.4 | 20.7 | 6 | 20.9 |
| 08-05-2022 07:36 | 23.4 | 20.7 | 7 | 20.9 |
| 08-05-2022 07:37 | 23.4 | 20.7 | 7 | 20.9 |
| 08-05-2022 07:38 | 23.4 | 20.7 | 6 | 20.9 |
| 08-05-2022 07:39 | 23.4 | 20.7 | 6 | 20.8 |
| 08-05-2022 07:40 | 23.4 | 20.6 | 8 | 20.8 |
| 08-05-2022 07:41 | 23.3 | 20.6 | 6 | 20.8 |
| 08-05-2022 07:42 | 23.3 | 20.6 | 8 | 20.8 |
| 08-05-2022 07:43 | 23.3 | 20.6 | 8 | 20.8 |
| 08-05-2022 07:44 | 23.3 | 20.6 | 8 | 20.7 |
| 08-05-2022 07:45 | 23.3 | 20.5 | 8 | 20.8 |
| 08-05-2022 07:46 | 23.4 | 20.5 | 7 | 20.7 |
| 08-05-2022 07:47 | 23.4 | 20.5 | 7 | 20.7 |
| 08-05-2022 07:48 | 23.3 | 20.5 | 7 | 20.8 |
| 08-05-2022 07:49 | 23.3 | 20.5 | 7 | 20.7 |
| 08-05-2022 07:50 | 23.3 | 20.5 | 8 | 20.7 |
| 08-05-2022 07:51 | 23.2 | 20.5 | 8 | 20.7 |
| 08-05-2022 07:52 | 23.2 | 20.5 | 8 | 20.7 |
| 08-05-2022 07:53 | 23.2 | 20.5 | 6 | 20.6 |
| 08-05-2022 07:54 | 23.2 | 20.5 | 8 | 20.7 |
| 08-05-2022 07:55 | 23.2 | 20.5 | 8 | 20.7 |
| 08-05-2022 07:56 | 23.2 | 20.5 | 8 | 20.6 |
| 08-05-2022 07:57 | 23.2 | 20.4 | 9 | 20.6 |
| 08-05-2022 07:58 | 23.2 | 20.4 | 8 | 20.7 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 08-05-2022 07:59 | 23.1 | 20.4 | 8 | 20.6 |
| 08-05-2022 08:00 | 23.1 | 20.4 | 8 | 20.6 |
| 08-05-2022 08:01 | 23.1 | 20.4 | 9 | 20.6 |
| 08-05-2022 08:02 | 23.1 | 20.4 | 8 | 20.6 |
| 08-05-2022 08:03 | 23.1 | 20.4 | 8 | 20.5 |
| 08-05-2022 08:04 | 23.1 | 20.4 | 8 | 20.6 |
| 08-05-2022 08:05 | 23.0 | 20.3 | 8 | 20.6 |
| 08-05-2022 08:06 | 23.1 | 20.3 | 8 | 20.5 |
| 08-05-2022 08:07 | 23.1 | 20.3 | 7 | 20.6 |
| 08-05-2022 08:08 | 23.1 | 20.3 | 7 | 20.5 |
| 08-05-2022 08:09 | 23.1 | 20.3 | 8 | 20.5 |
| 08-05-2022 08:10 | 23.1 | 20.3 | 8 | 20.5 |
| 08-05-2022 08:11 | 23.1 | 20.3 | 7 | 20.5 |
| 08-05-2022 08:12 | 23.1 | 20.3 | 9 | 20.6 |
| 08-05-2022 08:13 | 23.1 | 20.3 | 8 | 20.5 |
| 08-05-2022 08:14 | 23.1 | 20.3 | 8 | 20.5 |
| 08-05-2022 08:15 | 23.1 | 20.3 | 8 | 20.5 |
| 08-05-2022 08:16 | 23.1 | 20.3 | 8 | 20.5 |
| 08-05-2022 08:17 | 23.1 | 20.3 | 8 | 20.5 |
| 08-05-2022 08:18 | 23.1 | 20.3 | 8 | 20.4 |
| 08-05-2022 08:19 | 23.1 | 20.3 | 8 | 20.5 |
| 08-05-2022 08:20 | 23.1 | 20.3 | 8 | 20.5 |
| 08-05-2022 08:21 | 23.1 | 20.3 | 8 | 20.4 |
| 08-05-2022 08:22 | 23.1 | 20.3 | 8 | 20.4 |
| 08-05-2022 08:23 | 23.1 | 20.3 | 8 | 20.5 |
| 08-05-2022 08:24 | 23.1 | 20.3 | 8 | 20.5 |
| 08-05-2022 08:25 | 23.1 | 20.3 | 8 | 20.5 |
| 08-05-2022 08:26 | 23.0 | 20.3 | 8 | 20.5 |
| 08-05-2022 08:27 | 23.0 | 20.3 | 8 | 20.4 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 08-05-2022 08:28 | 23.0 | 20.3 | 6 | 20.4 |
| 08-05-2022 08:29 | 23.0 | 20.3 | 8 | 20.4 |
| 08-05-2022 08:30 | 23.0 | 20.3 | 8 | 20.5 |
| 08-05-2022 08:31 | 23.0 | 20.3 | 8 | 20.4 |
| 08-05-2022 08:32 | 23.0 | 20.3 | 8 | 20.5 |
| 08-05-2022 08:33 | 23.0 | 20.3 | 8 | 20.4 |
| 08-05-2022 08:34 | 23.0 | 20.3 | 9 | 20.4 |
| 08-05-2022 08:35 | 23.0 | 20.3 | 9 | 20.5 |
| 08-05-2022 08:36 | 23.0 | 20.3 | 8 | 20.4 |
| 08-05-2022 08:37 | 23.0 | 20.3 | 9 | 20.4 |
| 08-05-2022 08:38 | 23.1 | 20.3 | 9 | 20.4 |
| 08-05-2022 08:39 | 23.0 | 20.3 | 9 | 20.5 |
| 08-05-2022 08:40 | 23.0 | 20.3 | 8 | 20.4 |
| 08-05-2022 08:41 | 23.1 | 20.3 | 9 | 20.5 |
| 08-05-2022 08:42 | 23.1 | 20.3 | 8 | 20.4 |
| 08-05-2022 08:43 | 23.1 | 20.3 | 8 | 20.4 |
| 08-05-2022 08:44 | 23.1 | 20.3 | 8 | 20.4 |
| 08-05-2022 08:45 | 23.1 | 20.3 | 9 | 20.4 |
| 08-05-2022 08:46 | 23.1 | 20.3 | 9 | 20.4 |
| 08-05-2022 08:47 | 23.1 | 20.3 | 8 | 20.5 |
| 08-05-2022 08:48 | 23.1 | 20.3 | 8 | 20.4 |
| 08-05-2022 08:49 | 23.1 | 20.3 | 8 | 20.4 |
| 08-05-2022 08:50 | 23.1 | 20.3 | 8 | 20.4 |
| 08-05-2022 08:51 | 23.1 | 20.3 | 9 | 20.4 |
| 08-05-2022 08:52 | 23.1 | 20.3 | 9 | 20.4 |
| 08-05-2022 08:53 | 23.1 | 20.3 | 8 | 20.4 |
| 08-05-2022 08:54 | 23.1 | 20.3 | 8 | 20.5 |
| 08-05-2022 08:55 | 23.1 | 20.3 | 8 | 20.4 |
| 08-05-2022 08:56 | 23.1 | 20.3 | 8 | 20.4 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 08-05-2022 08:57 | 23.1 | 20.3 | 9 | 20.4 |
| 08-05-2022 08:58 | 23.1 | 20.3 | 9 | 20.4 |
| 08-05-2022 08:59 | 23.1 | 20.3 | 8 | 20.4 |
| 08-05-2022 09:00 | 23.1 | 20.3 | 8 | 20.4 |
| 08-05-2022 09:01 | 23.1 | 20.3 | 8 | 20.4 |
| 08-05-2022 09:02 | 23.1 | 20.3 | 8 | 20.4 |
| 08-05-2022 09:03 | 23.1 | 20.3 | 8 | 20.4 |
| 08-05-2022 09:04 | 23.1 | 20.3 | 9 | 20.5 |
| 08-05-2022 09:05 | 23.1 | 20.3 | 9 | 20.4 |
| 08-05-2022 09:06 | 23.1 | 20.3 | 9 | 20.4 |
| 08-05-2022 09:07 | 23.1 | 20.3 | 9 | 20.4 |
| 08-05-2022 09:08 | 23.1 | 20.3 | 9 | 20.4 |
| 08-05-2022 09:09 | 23.1 | 20.3 | 9 | 20.4 |
| 08-05-2022 09:10 | 23.1 | 20.3 | 8 | 20.4 |
| 08-05-2022 09:11 | 23.1 | 20.3 | 8 | 20.5 |
| 08-05-2022 09:12 | 23.1 | 20.3 | 8 | 20.5 |
| 08-05-2022 09:13 | 23.1 | 20.3 | 9 | 20.4 |
| 08-05-2022 09:14 | 23.1 | 20.3 | 9 | 20.4 |
| 08-05-2022 09:15 | 23.1 | 20.3 | 8 | 20.4 |
| 08-05-2022 09:16 | 23.1 | 20.3 | 8 | 20.4 |
| 08-05-2022 09:17 | 23.1 | 20.3 | 8 | 20.4 |
| 08-05-2022 09:18 | 23.1 | 20.3 | 8 | 20.4 |
| 08-05-2022 09:19 | 23.0 | 20.3 | 8 | 20.4 |
| 08-05-2022 09:20 | 23.0 | 20.3 | 8 | 20.4 |
| 08-05-2022 09:21 | 23.1 | 20.3 | 8 | 20.5 |
| 08-05-2022 09:22 | 23.0 | 20.3 | 8 | 20.4 |
| 08-05-2022 09:23 | 23.0 | 20.3 | 8 | 20.5 |
| 08-05-2022 09:24 | 23.0 | 20.3 | 8 | 20.4 |
| 08-05-2022 09:25 | 23.0 | 20.3 | 8 | 20.4 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 08-05-2022 09:26 | 23.1 | 20.3 | 8 | 20.4 |
| 08-05-2022 09:27 | 23.0 | 20.3 | 8 | 20.4 |
| 08-05-2022 09:28 | 23.0 | 20.3 | 8 | 20.4 |
| 08-05-2022 09:29 | 23.0 | 20.3 | 8 | 20.4 |
| 08-05-2022 09:30 | 23.0 | 20.3 | 8 | 20.4 |
| 08-05-2022 09:31 | 23.0 | 20.3 | 8 | 20.4 |
| 08-05-2022 09:32 | 23.0 | 20.3 | 8 | 20.4 |
| 08-05-2022 09:33 | 23.0 | 20.3 | 8 | 20.4 |
| 08-05-2022 09:34 | 23.0 | 20.3 | 8 | 20.4 |
| 08-05-2022 09:35 | 23.0 | 20.3 | 8 | 20.4 |
| 08-05-2022 09:36 | 23.0 | 20.3 | 8 | 20.3 |
| 08-05-2022 09:37 | 23.0 | 20.3 | 8 | 20.3 |
| 08-05-2022 09:38 | 23.0 | 20.2 | 9 | 20.3 |
| 08-05-2022 09:39 | 23.0 | 20.2 | 8 | 20.3 |
| 08-05-2022 09:40 | 22.9 | 20.2 | 8 | 20.2 |
| 08-05-2022 09:41 | 22.9 | 20.1 | 8 | 20.2 |
| 08-05-2022 09:42 | 22.9 | 20.1 | 7 | 20.2 |
| 08-05-2022 09:43 | 22.9 | 20.1 | 8 | 20.2 |
| 08-05-2022 09:44 | 22.8 | 20.1 | 8 | 20.2 |
| 08-05-2022 09:45 | 22.8 | 20.1 | 8 | 20.1 |
| 08-05-2022 09:46 | 22.8 | 20.1 | 8 | 20.1 |
| 08-05-2022 09:47 | 22.8 | 20.0 | 8 | 20.0 |
| 08-05-2022 09:48 | 22.7 | 20.0 | 8 | 20.0 |
| 08-05-2022 09:49 | 22.7 | 20.0 | 8 | 20.0 |
| 08-05-2022 09:50 | 22.7 | 19.9 | 8 | 20.0 |
| 08-05-2022 09:51 | 22.7 | 19.9 | 8 | 20.0 |
| 08-05-2022 09:52 | 22.7 | 19.9 | 8 | 19.9 |
| 08-05-2022 09:53 | 22.7 | 19.9 | 8 | 19.9 |
| 08-05-2022 09:54 | 22.7 | 19.9 | 8 | 19.8 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 08-05-2022 09:55 | 22.6 | 19.9 | 8 | 19.8 |
| 08-05-2022 09:56 | 22.6 | 19.9 | 8 | 19.8 |
| 08-05-2022 09:57 | 22.6 | 19.8 | 8 | 19.9 |
| 08-05-2022 09:58 | 22.6 | 19.8 | 8 | 19.8 |
| 08-05-2022 09:59 | 22.5 | 19.8 | 8 | 19.7 |
| 08-05-2022 10:00 | 22.5 | 19.8 | 8 | 19.8 |
| 08-05-2022 10:01 | 22.5 | 19.8 | 8 | 19.7 |
| 08-05-2022 10:02 | 22.5 | 19.8 | 8 | 19.7 |
| 08-05-2022 10:03 | 22.5 | 19.8 | 8 | 19.7 |
| 08-05-2022 10:04 | 22.5 | 19.8 | 8 | 19.7 |
| 08-05-2022 10:05 | 22.5 | 19.7 | 8 | 19.7 |
| 08-05-2022 10:06 | 22.4 | 19.7 | 8 | 19.7 |
| 08-05-2022 10:07 | 22.4 | 19.7 | 8 | 19.7 |
| 08-05-2022 10:08 | 22.4 | 19.7 | 7 | 19.6 |
| 08-05-2022 10:09 | 22.4 | 19.7 | 7 | 19.6 |
| 08-05-2022 10:10 | 22.4 | 19.6 | 8 | 19.5 |
| 08-05-2022 10:11 | 22.4 | 19.6 | 8 | 19.6 |
| 08-05-2022 10:12 | 22.4 | 19.6 | 8 | 19.6 |
| 08-05-2022 10:13 | 22.3 | 19.6 | 8 | 19.6 |
| 08-05-2022 10:14 | 22.3 | 19.6 | 8 | 19.5 |
| 08-05-2022 10:15 | 22.3 | 19.6 | 8 | 19.6 |
| 08-05-2022 10:16 | 22.3 | 19.6 | 8 | 19.5 |
| 08-05-2022 10:17 | 22.3 | 19.6 | 8 | 19.5 |
| 08-05-2022 10:18 | 22.3 | 19.6 | 8 | 19.4 |
| 08-05-2022 10:19 | 22.3 | 19.6 | 8 | 19.5 |
| 08-05-2022 10:20 | 22.3 | 19.6 | 8 | 19.5 |
| 08-05-2022 10:21 | 22.3 | 19.6 | 8 | 19.4 |
| 08-05-2022 10:22 | 22.3 | 19.5 | 8 | 19.4 |
| 08-05-2022 10:23 | 22.2 | 19.5 | 8 | 19.4 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 08-05-2022 10:24 | 22.2 | 19.5 | 8 | 19.4 |
| 08-05-2022 10:25 | 22.3 | 19.5 | 8 | 19.4 |
| 08-05-2022 10:26 | 22.2 | 19.5 | 6 | 19.4 |
| 08-05-2022 10:27 | 22.2 | 19.5 | 8 | 19.4 |
| 08-05-2022 10:28 | 22.2 | 19.5 | 8 | 19.3 |
| 08-05-2022 10:29 | 22.2 | 19.5 | 8 | 19.3 |
| 08-05-2022 10:30 | 22.2 | 19.5 | 8 | 19.3 |
| 08-05-2022 10:31 | 22.2 | 19.5 | 8 | 19.3 |
| 08-05-2022 10:32 | 22.2 | 19.5 | 8 | 19.4 |
| 08-05-2022 10:33 | 22.2 | 19.5 | 8 | 19.3 |
| 08-05-2022 10:34 | 22.2 | 19.5 | 8 | 19.3 |
| 08-05-2022 10:35 | 22.2 | 19.5 | 8 | 19.4 |
| 08-05-2022 10:36 | 22.2 | 19.5 | 8 | 19.3 |
| 08-05-2022 10:37 | 22.1 | 19.5 | 8 | 19.3 |
| 08-05-2022 10:38 | 22.1 | 19.5 | 8 | 19.4 |
| 08-05-2022 10:39 | 22.1 | 19.5 | 8 | 19.3 |
| 08-05-2022 10:40 | 22.1 | 19.5 | 8 | 19.3 |
| 08-05-2022 10:41 | 22.1 | 19.5 | 8 | 19.3 |
| 08-05-2022 10:42 | 22.1 | 19.5 | 8 | 19.3 |
| 08-05-2022 10:43 | 22.1 | 19.5 | 8 | 19.3 |
| 08-05-2022 10:44 | 22.0 | 19.5 | 8 | 19.3 |
| 08-05-2022 10:45 | 22.0 | 19.5 | 8 | 19.3 |
| 08-05-2022 10:46 | 22.0 | 19.5 | 7 | 19.3 |
| 08-05-2022 10:47 | 22.0 | 19.5 | 8 | 19.3 |
| 08-05-2022 10:48 | 22.0 | 19.5 | 8 | 19.2 |
| 08-05-2022 10:49 | 22.0 | 19.5 | 6 | 19.2 |
| 08-05-2022 10:50 | 22.0 | 19.5 | 8 | 19.3 |
| 08-05-2022 10:51 | 22.0 | 19.5 | 8 | 19.3 |
| 08-05-2022 10:52 | 21.9 | 19.5 | 7 | 19.2 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 08-05-2022 10:53 | 22.0 | 19.5 | 8 | 19.2 |
| 08-05-2022 10:54 | 21.9 | 19.4 | 8 | 19.3 |
| 08-05-2022 10:55 | 21.9 | 19.4 | 8 | 19.2 |
| 08-05-2022 10:56 | 21.9 | 19.4 | 7 | 19.2 |
| 08-05-2022 10:57 | 21.9 | 19.4 | 7 | 19.2 |
| 08-05-2022 10:58 | 21.9 | 19.4 | 8 | 19.2 |
| 08-05-2022 10:59 | 21.9 | 19.4 | 8 | 19.2 |
| 08-05-2022 11:00 | 21.9 | 19.4 | 8 | 19.2 |
| 08-05-2022 11:01 | 21.9 | 19.4 | 7 | 19.2 |
| 08-05-2022 11:02 | 21.9 | 19.4 | 8 | 19.3 |
| 08-05-2022 11:03 | 21.9 | 19.4 | 7 | 19.2 |
| 08-05-2022 11:04 | 21.9 | 19.4 | 8 | 19.2 |
| 08-05-2022 11:05 | 21.9 | 19.4 | 7 | 19.2 |
| 08-05-2022 11:06 | 21.8 | 19.4 | 8 | 19.2 |
| 08-05-2022 11:07 | 21.8 | 19.4 | 6 | 19.2 |
| 08-05-2022 11:08 | 21.8 | 19.4 | 7 | 19.2 |
| 08-05-2022 11:09 | 21.8 | 19.4 | 8 | 19.2 |
| 08-05-2022 11:10 | 21.8 | 19.4 | 7 | 19.2 |
| 08-05-2022 11:11 | 21.8 | 19.4 | 8 | 19.2 |
| 08-05-2022 11:12 | 21.8 | 19.4 | 8 | 19.2 |
| 08-05-2022 11:13 | 21.9 | 19.5 | 8 | 19.2 |
| 08-05-2022 11:14 | 21.9 | 19.5 | 8 | 19.3 |
| 08-05-2022 11:15 | 21.9 | 19.5 | 8 | 19.3 |
| 08-05-2022 11:16 | 21.9 | 19.5 | 7 | 19.3 |
| 08-05-2022 11:17 | 21.9 | 19.5 | 7 | 19.4 |
| 08-05-2022 11:18 | 21.9 | 19.5 | 8 | 19.4 |
| 08-05-2022 11:19 | 22.0 | 19.5 | 7 | 19.4 |
| 08-05-2022 11:20 | 22.0 | 19.6 | 7 | 19.4 |
| 08-05-2022 11:21 | 22.0 | 19.6 | 8 | 19.5 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 08-05-2022 11:22 | 22.0 | 19.6 | 8 | 19.5 |
| 08-05-2022 11:23 | 22.0 | 19.6 | 8 | 19.5 |
| 08-05-2022 11:24 | 22.0 | 19.6 | 8 | 19.5 |
| 08-05-2022 11:25 | 22.0 | 19.7 | 8 | 19.5 |
| 08-05-2022 11:26 | 22.0 | 19.7 | 8 | 19.5 |
| 08-05-2022 11:27 | 22.1 | 19.7 | 8 | 19.5 |
| 08-05-2022 11:28 | 22.1 | 19.7 | 8 | 19.6 |
| 08-05-2022 11:29 | 22.1 | 19.7 | 7 | 19.6 |
| 08-05-2022 11:30 | 22.1 | 19.8 | 8 | 19.7 |
| 08-05-2022 11:31 | 22.1 | 19.8 | 8 | 19.6 |
| 08-05-2022 11:32 | 22.1 | 19.8 | 7 | 19.7 |
| 08-05-2022 11:33 | 22.1 | 19.8 | 7 | 19.7 |
| 08-05-2022 11:34 | 22.2 | 19.8 | 7 | 19.7 |
| 08-05-2022 11:35 | 22.2 | 19.8 | 8 | 19.7 |
| 08-05-2022 11:36 | 22.2 | 19.8 | 8 | 19.7 |
| 08-05-2022 11:37 | 22.2 | 19.8 | 8 | 19.7 |
| 08-05-2022 11:38 | 22.2 | 19.9 | 8 | 19.7 |
| 08-05-2022 11:39 | 22.2 | 19.9 | 8 | 19.8 |
| 08-05-2022 11:40 | 22.3 | 19.9 | 8 | 19.7 |
| 08-05-2022 11:41 | 22.3 | 19.9 | 7 | 19.8 |
| 08-05-2022 11:42 | 22.3 | 19.9 | 8 | 19.8 |
| 08-05-2022 11:43 | 22.3 | 19.9 | 6 | 19.8 |
| 08-05-2022 11:44 | 22.3 | 19.9 | 7 | 19.8 |
| 08-05-2022 11:45 | 22.3 | 19.9 | 7 | 19.9 |
| 08-05-2022 11:46 | 22.3 | 19.9 | 7 | 19.9 |
| 08-05-2022 11:47 | 22.3 | 19.9 | 8 | 19.9 |
| 08-05-2022 11:48 | 22.4 | 20.0 | 8 | 19.9 |
| 08-05-2022 11:49 | 22.4 | 20.0 | 7 | 19.9 |
| 08-05-2022 11:50 | 22.4 | 20.0 | 7 | 19.9 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 08-05-2022 11:51 | 22.4 | 20.0 | 8 | 20.0 |
| 08-05-2022 11:52 | 22.4 | 20.0 | 7 | 19.9 |
| 08-05-2022 11:53 | 22.4 | 20.0 | 7 | 20.0 |
| 08-05-2022 11:54 | 22.4 | 20.0 | 7 | 20.0 |
| 08-05-2022 11:55 | 22.4 | 20.0 | 7 | 20.0 |
| 08-05-2022 11:56 | 22.4 | 20.0 | 8 | 20.0 |
| 08-05-2022 11:57 | 22.4 | 20.1 | 8 | 20.0 |
| 08-05-2022 11:58 | 22.4 | 20.1 | 7 | 20.0 |
| 08-05-2022 11:59 | 22.4 | 20.1 | 7 | 20.1 |
| 08-05-2022 12:00 | 22.5 | 20.1 | 7 | 20.1 |
| 08-05-2022 12:01 | 22.5 | 20.1 | 8 | 20.0 |
| 08-05-2022 12:02 | 22.5 | 20.1 | 7 | 20.1 |
| 08-05-2022 12:03 | 22.5 | 20.1 | 8 | 20.0 |
| 08-05-2022 12:04 | 22.6 | 20.1 | 8 | 20.1 |
| 08-05-2022 12:05 | 22.6 | 20.1 | 8 | 20.1 |
| 08-05-2022 12:06 | 22.6 | 20.1 | 8 | 20.1 |
| 08-05-2022 12:07 | 22.6 | 20.1 | 8 | 20.2 |
| 08-05-2022 12:08 | 22.6 | 20.1 | 8 | 20.2 |
| 08-05-2022 12:09 | 22.6 | 20.1 | 7 | 20.1 |
| 08-05-2022 12:10 | 22.6 | 20.1 | 8 | 20.1 |
| 08-05-2022 12:11 | 22.6 | 20.1 | 8 | 20.1 |
| 08-05-2022 12:12 | 22.6 | 20.1 | 7 | 20.1 |
| 08-05-2022 12:13 | 22.6 | 20.1 | 8 | 20.1 |
| 08-05-2022 12:14 | 22.6 | 20.1 | 8 | 20.1 |
| 08-05-2022 12:15 | 22.6 | 20.1 | 8 | 20.1 |
| 08-05-2022 12:16 | 22.6 | 20.1 | 8 | 20.0 |
| 08-05-2022 12:17 | 22.6 | 20.1 | 8 | 20.0 |
| 08-05-2022 12:18 | 22.6 | 20.1 | 8 | 20.1 |
| 08-05-2022 12:19 | 22.6 | 20.1 | 8 | 19.9 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 08-05-2022 12:20 | 22.6 | 20.0 | 8 | 19.9 |
| 08-05-2022 12:21 | 22.6 | 20.0 | 8 | 19.9 |
| 08-05-2022 12:22 | 22.5 | 20.0 | 8 | 19.9 |
| 08-05-2022 12:23 | 22.5 | 20.0 | 8 | 19.9 |
| 08-05-2022 12:24 | 22.5 | 19.9 | 8 | 19.8 |
| 08-05-2022 12:25 | 22.5 | 19.9 | 8 | 19.8 |
| 08-05-2022 12:26 | 22.5 | 19.9 | 8 | 19.8 |
| 08-05-2022 12:27 | 22.4 | 19.9 | 8 | 19.8 |
| 08-05-2022 12:28 | 22.4 | 19.9 | 8 | 19.7 |
| 08-05-2022 12:29 | 22.4 | 19.8 | 8 | 19.8 |
| 08-05-2022 12:30 | 22.4 | 19.8 | 8 | 19.7 |
| 08-05-2022 12:31 | 22.4 | 19.8 | 8 | 19.7 |
| 08-05-2022 12:32 | 22.4 | 19.8 | 8 | 19.6 |
| 08-05-2022 12:33 | 22.3 | 19.8 | 8 | 19.6 |
| 08-05-2022 12:34 | 22.3 | 19.7 | 8 | 19.6 |
| 08-05-2022 12:35 | 22.3 | 19.7 | 8 | 19.6 |
| 08-05-2022 12:36 | 22.3 | 19.7 | 8 | 19.6 |
| 08-05-2022 12:37 | 22.3 | 19.7 | 7 | 19.6 |
| 08-05-2022 12:38 | 22.3 | 19.7 | 7 | 19.6 |
| 08-05-2022 12:39 | 22.3 | 19.7 | 8 | 19.5 |
| 08-05-2022 12:40 | 22.3 | 19.6 | 7 | 19.5 |
| 08-05-2022 12:41 | 22.3 | 19.6 | 8 | 19.5 |
| 08-05-2022 12:42 | 22.2 | 19.6 | 8 | 19.5 |
| 08-05-2022 12:43 | 22.2 | 19.6 | 8 | 19.5 |
| 08-05-2022 12:44 | 22.2 | 19.6 | 8 | 19.4 |
| 08-05-2022 12:45 | 22.3 | 19.6 | 8 | 19.5 |
| 08-05-2022 12:46 | 22.3 | 19.6 | 8 | 19.4 |
| 08-05-2022 12:47 | 22.2 | 19.6 | 8 | 19.5 |
| 08-05-2022 12:48 | 22.2 | 19.6 | 8 | 19.5 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 08-05-2022 12:49 | 22.2 | 19.6 | 8 | 19.4 |
| 08-05-2022 12:50 | 22.2 | 19.6 | 6 | 19.4 |
| 08-05-2022 12:51 | 22.2 | 19.5 | 8 | 19.4 |
| 08-05-2022 12:52 | 22.2 | 19.5 | 8 | 19.3 |
| 08-05-2022 12:53 | 22.2 | 19.5 | 8 | 19.4 |
| 08-05-2022 12:54 | 22.2 | 19.5 | 8 | 19.3 |
| 08-05-2022 12:55 | 22.2 | 19.5 | 8 | 19.4 |
| 08-05-2022 12:56 | 22.1 | 19.5 | 8 | 19.3 |
| 08-05-2022 12:57 | 22.1 | 19.5 | 8 | 19.3 |
| 08-05-2022 12:58 | 22.1 | 19.5 | 8 | 19.3 |
| 08-05-2022 12:59 | 22.1 | 19.5 | 8 | 19.3 |
| 08-05-2022 13:00 | 22.1 | 19.5 | 8 | 19.3 |
| 08-05-2022 13:01 | 22.1 | 19.5 | 8 | 19.2 |
| 08-05-2022 13:02 | 22.1 | 19.5 | 8 | 19.3 |
| 08-05-2022 13:03 | 22.1 | 19.5 | 8 | 19.2 |
| 08-05-2022 13:04 | 22.1 | 19.5 | 8 | 19.2 |
| 08-05-2022 13:05 | 22.1 | 19.5 | 7 | 19.2 |
| 08-05-2022 13:06 | 22.1 | 19.5 | 8 | 19.2 |
| 08-05-2022 13:07 | 22.1 | 19.5 | 7 | 19.3 |
| 08-05-2022 13:08 | 22.0 | 19.5 | 7 | 19.2 |
| 08-05-2022 13:09 | 22.0 | 19.5 | 7 | 19.2 |
| 08-05-2022 13:10 | 22.0 | 19.5 | 8 | 19.3 |
| 08-05-2022 13:11 | 22.0 | 19.5 | 7 | 19.2 |
| 08-05-2022 13:12 | 22.0 | 19.5 | 8 | 19.2 |
| 08-05-2022 13:13 | 22.0 | 19.4 | 8 | 19.1 |
| 08-05-2022 13:14 | 22.0 | 19.4 | 8 | 19.2 |
| 08-05-2022 13:15 | 22.0 | 19.4 | 8 | 19.2 |
| 08-05-2022 13:16 | 22.0 | 19.4 | 7 | 19.2 |
| 08-05-2022 13:17 | 22.0 | 19.4 | 8 | 19.1 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 08-05-2022 13:18 | 22.0 | 19.4 | 8 | 19.2 |
| 08-05-2022 13:19 | 22.0 | 19.4 | 8 | 19.2 |
| 08-05-2022 13:20 | 21.9 | 19.4 | 7 | 19.1 |
| 08-05-2022 13:21 | 21.9 | 19.4 | 7 | 19.1 |
| 08-05-2022 13:22 | 21.9 | 19.4 | 8 | 19.2 |
| 08-05-2022 13:23 | 21.9 | 19.4 | 6 | 19.2 |
| 08-05-2022 13:24 | 21.9 | 19.4 | 8 | 19.1 |
| 08-05-2022 13:25 | 21.9 | 19.4 | 8 | 19.2 |
| 08-05-2022 13:26 | 21.9 | 19.4 | 8 | 19.2 |
| 08-05-2022 13:27 | 21.9 | 19.4 | 8 | 19.1 |
| 08-05-2022 13:28 | 21.9 | 19.4 | 7 | 19.2 |
| 08-05-2022 13:29 | 21.9 | 19.4 | 7 | 19.1 |
| 08-05-2022 13:30 | 21.9 | 19.4 | 7 | 19.1 |
| 08-05-2022 13:31 | 21.9 | 19.4 | 6 | 19.1 |
| 08-05-2022 13:32 | 21.9 | 19.4 | 7 | 19.1 |
| 08-05-2022 13:33 | 21.9 | 19.3 | 7 | 19.1 |
| 08-05-2022 13:34 | 21.9 | 19.4 | 6 | 19.1 |
| 08-05-2022 13:35 | 21.9 | 19.4 | 8 | 19.1 |
| 08-05-2022 13:36 | 21.9 | 19.3 | 8 | 19.1 |
| 08-05-2022 13:37 | 21.9 | 19.4 | 8 | 19.0 |
| 08-05-2022 13:38 | 21.9 | 19.3 | 8 | 19.1 |
| 08-05-2022 13:39 | 21.9 | 19.3 | 7 | 19.1 |
| 08-05-2022 13:40 | 21.8 | 19.3 | 7 | 19.0 |
| 08-05-2022 13:41 | 21.8 | 19.3 | 7 | 19.1 |
| 08-05-2022 13:42 | 21.8 | 19.3 | 6 | 19.1 |
| 08-05-2022 13:43 | 21.8 | 19.3 | 8 | 19.1 |
| 08-05-2022 13:44 | 21.8 | 19.3 | 7 | 19.0 |
| 08-05-2022 13:45 | 21.8 | 19.3 | 8 | 19.0 |
| 08-05-2022 13:46 | 21.8 | 19.3 | 8 | 19.0 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 08-05-2022 13:47 | 21.8 | 19.3 | 7 | 19.1 |
| 08-05-2022 13:48 | 21.8 | 19.3 | 8 | 19.1 |
| 08-05-2022 13:49 | 21.8 | 19.3 | 6 | 19.1 |
| 08-05-2022 13:50 | 21.8 | 19.3 | 8 | 19.0 |
| 08-05-2022 13:51 | 21.8 | 19.3 | 8 | 19.0 |
| 08-05-2022 13:52 | 21.8 | 19.3 | 8 | 19.0 |
| 08-05-2022 13:53 | 21.8 | 19.3 | 8 | 19.0 |
| 08-05-2022 13:54 | 21.8 | 19.3 | 7 | 19.1 |
| 08-05-2022 13:55 | 21.8 | 19.3 | 8 | 19.0 |
| 08-05-2022 13:56 | 21.8 | 19.3 | 7 | 19.0 |
| 08-05-2022 13:57 | 21.8 | 19.3 | 7 | 19.0 |
| 08-05-2022 13:58 | 21.8 | 19.3 | 8 | 19.1 |
| 08-05-2022 13:59 | 21.8 | 19.3 | 8 | 19.0 |
| 08-05-2022 14:00 | 21.8 | 19.3 | 8 | 19.0 |
| 08-05-2022 14:01 | 21.8 | 19.3 | 8 | 19.0 |
| 08-05-2022 14:02 | 21.8 | 19.3 | 8 | 19.0 |
| 08-05-2022 14:03 | 21.8 | 19.3 | 8 | 19.0 |
| 08-05-2022 14:04 | 21.8 | 19.3 | 7 | 19.1 |
| 08-05-2022 14:05 | 21.8 | 19.3 | 8 | 19.0 |
| 08-05-2022 14:06 | 21.8 | 19.3 | 7 | 19.0 |
| 08-05-2022 14:07 | 21.8 | 19.3 | 7 | 19.0 |
| 08-05-2022 14:08 | 21.8 | 19.3 | 8 | 19.0 |
| 08-05-2022 14:09 | 21.8 | 19.3 | 8 | 19.0 |
| 08-05-2022 14:10 | 21.8 | 19.3 | 8 | 19.0 |
| 08-05-2022 14:11 | 21.8 | 19.3 | 8 | 19.0 |
| 08-05-2022 14:12 | 21.8 | 19.3 | 8 | 19.0 |
| 08-05-2022 14:13 | 21.8 | 19.3 | 8 | 19.0 |
| 08-05-2022 14:14 | 21.8 | 19.3 | 7 | 19.0 |
| 08-05-2022 14:15 | 21.8 | 19.3 | 7 | 19.0 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 08-05-2022 14:16 | 21.7 | 19.3 | 8 | 19.0 |
| 08-05-2022 14:17 | 21.7 | 19.3 | 7 | 19.0 |
| 08-05-2022 14:18 | 21.7 | 19.3 | 7 | 19.0 |
| 08-05-2022 14:19 | 21.7 | 19.3 | 7 | 19.0 |
| 08-05-2022 14:20 | 21.8 | 19.3 | 7 | 19.0 |
| 08-05-2022 14:21 | 21.8 | 19.3 | 7 | 19.0 |
| 08-05-2022 14:22 | 21.8 | 19.3 | 8 | 19.0 |
| 08-05-2022 14:23 | 21.8 | 19.3 | 8 | 19.0 |
| 08-05-2022 14:24 | 21.8 | 19.3 | 8 | 19.0 |
| 08-05-2022 14:25 | 21.8 | 19.3 | 7 | 19.0 |
| 08-05-2022 14:26 | 21.8 | 19.3 | 7 | 19.0 |
| 08-05-2022 14:27 | 21.7 | 19.3 | 8 | 19.0 |
| 08-05-2022 14:28 | 21.8 | 19.3 | 8 | 18.9 |
| 08-05-2022 14:29 | 21.8 | 19.3 | 7 | 18.9 |
| 08-05-2022 14:30 | 21.8 | 19.3 | 7 | 19.1 |
| 08-05-2022 14:31 | 21.8 | 19.3 | 7 | 19.0 |
| 08-05-2022 14:32 | 21.7 | 19.3 | 7 | 19.0 |
| 08-05-2022 14:33 | 21.8 | 19.3 | 7 | 19.0 |
| 08-05-2022 14:34 | 21.8 | 19.3 | 8 | 19.0 |
| 08-05-2022 14:35 | 21.8 | 19.3 | 7 | 19.0 |
| 08-05-2022 14:36 | 21.8 | 19.3 | 7 | 19.0 |
| 08-05-2022 14:37 | 21.8 | 19.3 | 7 | 19.0 |
| 08-05-2022 14:38 | 21.8 | 19.3 | 8 | 19.0 |
| 08-05-2022 14:39 | 21.8 | 19.3 | 7 | 19.0 |
| 08-05-2022 14:40 | 21.8 | 19.3 | 8 | 19.0 |
| 08-05-2022 14:41 | 21.8 | 19.3 | 8 | 19.0 |
| 08-05-2022 14:42 | 21.8 | 19.3 | 7 | 19.0 |
| 08-05-2022 14:43 | 21.8 | 19.3 | 8 | 19.0 |
| 08-05-2022 14:44 | 21.8 | 19.3 | 8 | 19.0 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 08-05-2022 14:45 | 21.8 | 19.3 | 8 | 19.0 |
| 08-05-2022 14:46 | 21.8 | 19.3 | 8 | 19.0 |
| 08-05-2022 14:47 | 21.8 | 19.3 | 8 | 19.0 |
| 08-05-2022 14:48 | 21.8 | 19.3 | 8 | 19.0 |
| 08-05-2022 14:49 | 21.8 | 19.3 | 7 | 19.0 |
| 08-05-2022 14:50 | 21.8 | 19.3 | 8 | 19.0 |
| 08-05-2022 14:51 | 21.8 | 19.3 | 7 | 19.1 |
| 08-05-2022 14:52 | 21.8 | 19.3 | 7 | 19.0 |
| 08-05-2022 14:53 | 21.8 | 19.3 | 8 | 19.1 |
| 08-05-2022 14:54 | 21.8 | 19.3 | 6 | 19.0 |
| 08-05-2022 14:55 | 21.8 | 19.3 | 6 | 19.0 |
| 08-05-2022 14:56 | 21.8 | 19.3 | 8 | 19.0 |
| 08-05-2022 14:57 | 21.8 | 19.3 | 8 | 19.1 |
| 08-05-2022 14:58 | 21.8 | 19.3 | 7 | 19.0 |
| 08-05-2022 14:59 | 21.8 | 19.3 | 8 | 19.0 |
| 08-05-2022 15:00 | 21.8 | 19.3 | 8 | 19.0 |
| 08-05-2022 15:01 | 21.8 | 19.3 | 7 | 19.0 |
| 08-05-2022 15:02 | 21.8 | 19.3 | 6 | 19.1 |
| 08-05-2022 15:03 | 21.8 | 19.3 | 8 | 19.1 |
| 08-05-2022 15:04 | 21.8 | 19.3 | 8 | 19.0 |
| 08-05-2022 15:05 | 21.7 | 19.3 | 7 | 19.0 |
| 08-05-2022 15:06 | 21.8 | 19.3 | 8 | 19.0 |
| 08-05-2022 15:07 | 21.7 | 19.3 | 7 | 18.9 |
| 08-05-2022 15:08 | 21.8 | 19.3 | 8 | 19.1 |
| 08-05-2022 15:09 | 21.8 | 19.3 | 8 | 19.0 |
| 08-05-2022 15:10 | 21.7 | 19.3 | 7 | 19.0 |
| 08-05-2022 15:11 | 21.7 | 19.3 | 7 | 19.0 |
| 08-05-2022 15:12 | 21.7 | 19.3 | 8 | 19.0 |
| 08-05-2022 15:13 | 21.7 | 19.3 | 7 | 19.0 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 08-05-2022 15:14 | 21.7 | 19.3 | 7 | 19.1 |
| 08-05-2022 15:15 | 21.7 | 19.3 | 7 | 19.0 |
| 08-05-2022 15:16 | 21.7 | 19.3 | 7 | 19.0 |
| 08-05-2022 15:17 | 21.7 | 19.3 | 8 | 19.0 |
| 08-05-2022 15:18 | 21.7 | 19.3 | 8 | 18.9 |
| 08-05-2022 15:19 | 21.7 | 19.3 | 8 | 18.9 |
| 08-05-2022 15:20 | 21.7 | 19.3 | 8 | 18.9 |
| 08-05-2022 15:21 | 21.7 | 19.3 | 8 | 18.9 |
| 08-05-2022 15:22 | 21.7 | 19.3 | 8 | 18.9 |
| 08-05-2022 15:23 | 21.7 | 19.3 | 6 | 18.8 |
| 08-05-2022 15:24 | 21.6 | 19.2 | 8 | 18.8 |
| 08-05-2022 15:25 | 21.6 | 19.2 | 8 | 18.8 |
| 08-05-2022 15:26 | 21.6 | 19.2 | 8 | 18.8 |
| 08-05-2022 15:27 | 21.6 | 19.2 | 8 | 18.6 |
| 08-05-2022 15:28 | 21.5 | 19.2 | 7 | 18.6 |
| 08-05-2022 15:29 | 21.5 | 19.1 | 7 | 18.7 |
| 08-05-2022 15:30 | 21.5 | 19.1 | 8 | 18.6 |
| 08-05-2022 15:31 | 21.5 | 19.1 | 8 | 18.6 |
| 08-05-2022 15:32 | 21.5 | 19.0 | 7 | 18.5 |
| 08-05-2022 15:33 | 21.5 | 19.0 | 8 | 18.5 |
| 08-05-2022 15:34 | 21.4 | 19.0 | 8 | 18.6 |
| 08-05-2022 15:35 | 21.4 | 18.9 | 7 | 18.5 |
| 08-05-2022 15:36 | 21.4 | 18.9 | 7 | 18.5 |
| 08-05-2022 15:37 | 21.4 | 18.9 | 8 | 18.4 |
| 08-05-2022 15:38 | 21.4 | 18.9 | 7 | 18.4 |
| 08-05-2022 15:39 | 21.4 | 18.9 | 8 | 18.4 |
| 08-05-2022 15:40 | 21.3 | 18.9 | 8 | 18.4 |
| 08-05-2022 15:41 | 21.3 | 18.8 | 8 | 18.4 |
| 08-05-2022 15:42 | 21.3 | 18.8 | 8 | 18.4 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 08-05-2022 15:43 | 21.3 | 18.8 | 8 | 18.3 |
| 08-05-2022 15:44 | 21.3 | 18.8 | 8 | 18.4 |
| 08-05-2022 15:45 | 21.2 | 18.8 | 8 | 18.3 |
| 08-05-2022 15:46 | 21.2 | 18.7 | 7 | 18.3 |
| 08-05-2022 15:47 | 21.2 | 18.7 | 8 | 18.3 |
| 08-05-2022 15:48 | 21.2 | 18.7 | 7 | 18.3 |
| 08-05-2022 15:49 | 21.2 | 18.7 | 8 | 18.3 |
| 08-05-2022 15:50 | 21.2 | 18.7 | 7 | 18.3 |
| 08-05-2022 15:51 | 21.1 | 18.7 | 8 | 18.3 |
| 08-05-2022 15:52 | 21.1 | 18.7 | 8 | 18.2 |
| 08-05-2022 15:53 | 21.1 | 18.7 | 8 | 18.2 |
| 08-05-2022 15:54 | 21.1 | 18.7 | 8 | 18.2 |
| 08-05-2022 15:55 | 21.1 | 18.7 | 7 | 18.2 |
| 08-05-2022 15:56 | 21.1 | 18.7 | 8 | 18.1 |
| 08-05-2022 15:57 | 21.1 | 18.7 | 8 | 18.2 |
| 08-05-2022 15:58 | 21.1 | 18.7 | 7 | 18.2 |
| 08-05-2022 15:59 | 21.1 | 18.7 | 7 | 18.2 |
| 08-05-2022 16:00 | 21.0 | 18.7 | 7 | 18.1 |
| 08-05-2022 16:01 | 21.1 | 18.7 | 8 | 18.1 |
| 08-05-2022 16:02 | 21.0 | 18.7 | 8 | 18.1 |
| 08-05-2022 16:03 | 21.0 | 18.7 | 7 | 18.2 |
| 08-05-2022 16:04 | 21.0 | 18.7 | 8 | 18.1 |
| 08-05-2022 16:05 | 21.0 | 18.7 | 7 | 18.1 |
| 08-05-2022 16:06 | 21.0 | 18.7 | 7 | 18.1 |
| 08-05-2022 16:07 | 21.0 | 18.7 | 7 | 18.1 |
| 08-05-2022 16:08 | 21.0 | 18.6 | 7 | 18.1 |
| 08-05-2022 16:09 | 20.9 | 18.6 | 7 | 18.1 |
| 08-05-2022 16:10 | 20.9 | 18.6 | 7 | 18.1 |
| 08-05-2022 16:11 | 20.9 | 18.6 | 7 | 18.1 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 08-05-2022 16:12 | 20.9 | 18.6 | 8 | 18.1 |
| 08-05-2022 16:13 | 20.9 | 18.6 | 8 | 18.0 |
| 08-05-2022 16:14 | 20.9 | 18.6 | 7 | 18.0 |
| 08-05-2022 16:15 | 20.9 | 18.6 | 8 | 18.1 |
| 08-05-2022 16:16 | 20.9 | 18.6 | 8 | 18.1 |
| 08-05-2022 16:17 | 20.9 | 18.6 | 8 | 18.1 |
| 08-05-2022 16:18 | 20.9 | 18.6 | 7 | 18.0 |
| 08-05-2022 16:19 | 20.9 | 18.6 | 7 | 18.0 |
| 08-05-2022 16:20 | 20.8 | 18.6 | 7 | 18.0 |
| 08-05-2022 16:21 | 20.8 | 18.6 | 8 | 18.0 |
| 08-05-2022 16:22 | 20.8 | 18.6 | 7 | 18.0 |
| 08-05-2022 16:23 | 20.8 | 18.5 | 7 | 18.0 |
| 08-05-2022 16:24 | 20.8 | 18.6 | 7 | 18.0 |
| 08-05-2022 16:25 | 20.8 | 18.5 | 8 | 18.0 |
| 08-05-2022 16:26 | 20.8 | 18.5 | 7 | 17.9 |
| 08-05-2022 16:27 | 20.8 | 18.5 | 8 | 17.9 |
| 08-05-2022 16:28 | 20.8 | 18.5 | 7 | 18.0 |
| 08-05-2022 16:29 | 20.8 | 18.5 | 8 | 17.9 |
| 08-05-2022 16:30 | 20.8 | 18.5 | 8 | 18.0 |
| 08-05-2022 16:31 | 20.8 | 18.5 | 7 | 18.0 |
| 08-05-2022 16:32 | 20.8 | 18.5 | 8 | 17.9 |
| 08-05-2022 16:33 | 20.8 | 18.5 | 7 | 18.0 |
| 08-05-2022 16:34 | 20.8 | 18.5 | 7 | 18.0 |
| 08-05-2022 16:35 | 20.8 | 18.5 | 7 | 18.0 |
| 08-05-2022 16:36 | 20.8 | 18.6 | 6 | 18.0 |
| 08-05-2022 16:37 | 20.8 | 18.6 | 7 | 18.1 |
| 08-05-2022 16:38 | 20.8 | 18.6 | 7 | 18.1 |
| 08-05-2022 16:39 | 20.8 | 18.6 | 7 | 18.1 |
| 08-05-2022 16:40 | 20.8 | 18.7 | 7 | 18.2 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 08-05-2022 16:41 | 20.8 | 18.7 | 7 | 18.2 |
| 08-05-2022 16:42 | 20.8 | 18.7 | 7 | 18.1 |
| 08-05-2022 16:43 | 20.8 | 18.7 | 7 | 18.1 |
| 08-05-2022 16:44 | 20.8 | 18.7 | 7 | 18.2 |
| 08-05-2022 16:45 | 20.8 | 18.7 | 7 | 18.2 |
| 08-05-2022 16:46 | 20.9 | 18.8 | 7 | 18.2 |
| 08-05-2022 16:47 | 20.9 | 18.8 | 7 | 18.3 |
| 08-05-2022 16:48 | 20.9 | 18.8 | 7 | 18.3 |
| 08-05-2022 16:49 | 20.9 | 18.9 | 6 | 18.3 |
| 08-05-2022 16:50 | 20.9 | 18.9 | 7 | 18.4 |
| 08-05-2022 16:51 | 21.0 | 18.9 | 7 | 18.4 |
| 08-05-2022 16:52 | 21.0 | 18.9 | 7 | 18.4 |
| 08-05-2022 16:53 | 21.0 | 18.9 | 7 | 18.4 |
| 08-05-2022 16:54 | 21.0 | 19.0 | 7 | 18.5 |
| 08-05-2022 16:55 | 21.0 | 19.0 | 7 | 18.4 |
| 08-05-2022 16:56 | 21.0 | 19.0 | 7 | 18.5 |
| 08-05-2022 16:57 | 21.0 | 19.0 | 7 | 18.5 |
| 08-05-2022 16:58 | 21.1 | 19.0 | 7 | 18.5 |
| 08-05-2022 16:59 | 21.1 | 19.1 | 7 | 18.6 |
| 08-05-2022 17:00 | 21.1 | 19.1 | 6 | 18.5 |
| 08-05-2022 17:01 | 21.1 | 19.1 | 7 | 18.5 |
| 08-05-2022 17:02 | 21.1 | 19.1 | 7 | 18.6 |
| 08-05-2022 17:03 | 21.1 | 19.1 | 8 | 18.6 |
| 08-05-2022 17:04 | 21.2 | 19.1 | 7 | 18.6 |
| 08-05-2022 17:05 | 21.2 | 19.1 | 8 | 18.6 |
| 08-05-2022 17:06 | 21.2 | 19.2 | 7 | 18.6 |
| 08-05-2022 17:07 | 21.2 | 19.2 | 6 | 18.6 |
| 08-05-2022 17:08 | 21.2 | 19.2 | 8 | 18.7 |
| 08-05-2022 17:09 | 21.3 | 19.2 | 8 | 18.7 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 08-05-2022 17:10 | 21.3 | 19.2 | 7 | 18.7 |
| 08-05-2022 17:11 | 21.3 | 19.2 | 7 | 18.7 |
| 08-05-2022 17:12 | 21.3 | 19.2 | 8 | 18.7 |
| 08-05-2022 17:13 | 21.3 | 19.2 | 7 | 18.7 |
| 08-05-2022 17:14 | 21.3 | 19.2 | 7 | 18.7 |
| 08-05-2022 17:15 | 21.3 | 19.2 | 7 | 18.7 |
| 08-05-2022 17:16 | 21.3 | 19.2 | 8 | 18.7 |
| 08-05-2022 17:17 | 21.3 | 19.2 | 7 | 18.7 |
| 08-05-2022 17:18 | 21.3 | 19.2 | 7 | 18.8 |
| 08-05-2022 17:19 | 21.3 | 19.2 | 7 | 18.7 |
| 08-05-2022 17:20 | 21.3 | 19.2 | 7 | 18.7 |
| 08-05-2022 17:21 | 21.3 | 19.2 | 7 | 18.7 |
| 08-05-2022 17:22 | 21.3 | 19.2 | 8 | 18.7 |
| 08-05-2022 17:23 | 21.3 | 19.2 | 8 | 18.7 |
| 08-05-2022 17:24 | 21.3 | 19.2 | 8 | 18.7 |
| 08-05-2022 17:25 | 21.3 | 19.2 | 8 | 18.7 |
| 08-05-2022 17:26 | 21.3 | 19.2 | 7 | 18.7 |
| 08-05-2022 17:27 | 21.3 | 19.2 | 8 | 18.7 |
| 08-05-2022 17:28 | 21.3 | 19.2 | 7 | 18.7 |
| 08-05-2022 17:29 | 21.3 | 19.2 | 8 | 18.7 |
| 08-05-2022 17:30 | 21.3 | 19.2 | 7 | 18.8 |
| 08-05-2022 17:31 | 21.3 | 19.2 | 8 | 18.7 |
| 08-05-2022 17:32 | 21.3 | 19.2 | 7 | 18.8 |
| 08-05-2022 17:33 | 21.3 | 19.2 | 8 | 18.7 |
| 08-05-2022 17:34 | 21.3 | 19.2 | 8 | 18.8 |
| 08-05-2022 17:35 | 21.3 | 19.2 | 7 | 18.7 |
| 08-05-2022 17:36 | 21.3 | 19.2 | 7 | 18.7 |
| 08-05-2022 17:37 | 21.3 | 19.2 | 8 | 18.8 |
| 08-05-2022 17:38 | 21.3 | 19.2 | 7 | 18.8 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 08-05-2022 17:39 | 21.3 | 19.2 | 7 | 18.8 |
| 08-05-2022 17:40 | 21.3 | 19.2 | 7 | 18.8 |
| 08-05-2022 17:41 | 21.3 | 19.2 | 7 | 18.8 |
| 08-05-2022 17:42 | 21.3 | 19.2 | 7 | 18.8 |
| 08-05-2022 17:43 | 21.3 | 19.2 | 7 | 18.8 |
| 08-05-2022 17:44 | 21.3 | 19.2 | 7 | 18.8 |
| 08-05-2022 17:45 | 21.3 | 19.2 | 8 | 18.8 |
| 08-05-2022 17:46 | 21.3 | 19.2 | 7 | 18.7 |
| 08-05-2022 17:47 | 21.3 | 19.2 | 8 | 18.8 |
| 08-05-2022 17:48 | 21.3 | 19.2 | 7 | 18.8 |
| 08-05-2022 17:49 | 21.3 | 19.2 | 8 | 18.8 |
| 08-05-2022 17:50 | 21.3 | 19.2 | 7 | 18.8 |
| 08-05-2022 17:51 | 21.3 | 19.2 | 7 | 18.8 |
| 08-05-2022 17:52 | 21.3 | 19.2 | 6 | 18.8 |
| 08-05-2022 17:53 | 21.3 | 19.2 | 7 | 18.8 |
| 08-05-2022 17:54 | 21.3 | 19.2 | 7 | 18.8 |
| 08-05-2022 17:55 | 21.3 | 19.2 | 7 | 18.8 |
| 08-05-2022 17:56 | 21.4 | 19.2 | 8 | 18.8 |
| 08-05-2022 17:57 | 21.4 | 19.2 | 8 | 18.8 |
| 08-05-2022 17:58 | 21.4 | 19.2 | 8 | 18.8 |
| 08-05-2022 17:59 | 21.4 | 19.2 | 7 | 18.8 |
| 08-05-2022 18:00 | 21.4 | 19.2 | 8 | 18.8 |
| 08-05-2022 18:01 | 21.4 | 19.2 | 8 | 18.8 |
| 08-05-2022 18:02 | 21.5 | 19.2 | 0 | 18.9 |
| 08-05-2022 18:03 | 21.6 | 19.3 | 8 | 18.9 |
| 08-05-2022 18:04 | 21.5 | 19.3 | 6 | 18.9 |
| 08-05-2022 18:05 | 21.5 | 19.3 | 8 | 18.9 |
| 08-05-2022 18:06 | 21.5 | 19.3 | 7 | 19.0 |
| 08-05-2022 18:07 | 21.5 | 19.3 | 7 | 19.0 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 08-05-2022 18:08 | 21.6 | 19.4 | 7 | 19.1 |
| 08-05-2022 18:09 | 21.6 | 19.4 | 7 | 19.2 |
| 08-05-2022 18:10 | 21.6 | 19.5 | 7 | 19.3 |
| 08-05-2022 18:11 | 21.7 | 19.5 | 8 | 19.4 |
| 08-05-2022 18:12 | 21.7 | 19.6 | 7 | 19.4 |
| 08-05-2022 18:13 | 21.8 | 19.6 | 7 | 19.4 |
| 08-05-2022 18:14 | 21.8 | 19.7 | 7 | 19.6 |
| 08-05-2022 18:15 | 21.9 | 19.8 | 8 | 19.6 |
| 08-05-2022 18:16 | 21.9 | 19.8 | 7 | 19.7 |
| 08-05-2022 18:17 | 22.0 | 19.9 | 7 | 19.8 |
| 08-05-2022 18:18 | 22.0 | 19.9 | 7 | 19.8 |
| 08-05-2022 18:19 | 22.1 | 20.0 | 7 | 19.9 |
| 08-05-2022 18:20 | 22.1 | 20.0 | 7 | 20.0 |
| 08-05-2022 18:21 | 22.2 | 20.1 | 7 | 20.0 |
| 08-05-2022 18:22 | 22.2 | 20.1 | 8 | 20.1 |
| 08-05-2022 18:23 | 22.3 | 20.2 | 8 | 20.1 |
| 08-05-2022 18:24 | 22.3 | 20.2 | 8 | 20.2 |
| 08-05-2022 18:25 | 22.3 | 20.3 | 7 | 20.2 |
| 08-05-2022 18:26 | 22.4 | 20.3 | 7 | 20.2 |
| 08-05-2022 18:27 | 22.4 | 20.3 | 7 | 20.3 |
| 08-05-2022 18:28 | 22.4 | 20.3 | 7 | 20.3 |
| 08-05-2022 18:29 | 22.4 | 20.3 | 7 | 20.2 |
| 08-05-2022 18:30 | 22.5 | 20.3 | 7 | 20.3 |
| 08-05-2022 18:31 | 22.5 | 20.4 | 7 | 20.4 |
| 08-05-2022 18:32 | 22.5 | 20.4 | 8 | 20.4 |
| 08-05-2022 18:33 | 22.5 | 20.4 | 8 | 20.3 |
| 08-05-2022 18:34 | 22.5 | 20.4 | 8 | 20.3 |
| 08-05-2022 18:35 | 22.5 | 20.4 | 8 | 20.3 |
| 08-05-2022 18:36 | 22.6 | 20.4 | 8 | 20.3 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 08-05-2022 18:37 | 22.6 | 20.4 | 8 | 20.3 |
| 08-05-2022 18:38 | 22.6 | 20.4 | 7 | 20.3 |
| 08-05-2022 18:39 | 22.6 | 20.3 | 8 | 20.3 |
| 08-05-2022 18:40 | 22.6 | 20.3 | 8 | 20.3 |
| 08-05-2022 18:41 | 22.6 | 20.3 | 8 | 20.2 |
| 08-05-2022 18:42 | 22.6 | 20.3 | 8 | 20.2 |
| 08-05-2022 18:43 | 22.6 | 20.3 | 8 | 20.2 |
| 08-05-2022 18:44 | 22.6 | 20.3 | 8 | 20.2 |
| 08-05-2022 18:45 | 22.6 | 20.3 | 8 | 20.2 |
| 08-05-2022 18:46 | 22.6 | 20.3 | 8 | 20.2 |
| 08-05-2022 18:47 | 22.6 | 20.3 | 8 | 20.2 |
| 08-05-2022 18:48 | 22.6 | 20.3 | 8 | 20.1 |
| 08-05-2022 18:49 | 22.6 | 20.2 | 9 | 20.1 |
| 08-05-2022 18:50 | 22.6 | 20.2 | 8 | 20.1 |
| 08-05-2022 18:51 | 22.7 | 20.2 | 10 | 20.1 |
| 08-05-2022 18:52 | 22.6 | 20.2 | 9 | 20.1 |
| 08-05-2022 18:53 | 22.6 | 20.2 | 8 | 20.1 |
| 08-05-2022 18:54 | 22.6 | 20.2 | 8 | 20.2 |
| 08-05-2022 18:55 | 22.6 | 20.2 | 8 | 20.2 |
| 08-05-2022 18:56 | 22.6 | 20.2 | 8 | 20.3 |
| 08-05-2022 18:57 | 22.6 | 20.2 | 8 | 20.4 |
| 08-05-2022 18:58 | 22.7 | 20.3 | 8 | 20.3 |
| 08-05-2022 18:59 | 22.7 | 20.3 | 8 | 20.4 |
| 08-05-2022 19:00 | 22.7 | 20.3 | 8 | 20.4 |
| 08-05-2022 19:01 | 22.7 | 20.3 | 8 | 20.5 |
| 08-05-2022 19:02 | 22.8 | 20.4 | 8 | 20.5 |
| 08-05-2022 19:03 | 22.8 | 20.4 | 8 | 20.6 |
| 08-05-2022 19:04 | 22.8 | 20.5 | 8 | 20.6 |
| 08-05-2022 19:05 | 22.8 | 20.5 | 8 | 20.6 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 08-05-2022 19:06 | 22.9 | 20.5 | 8 | 20.6 |
| 08-05-2022 19:07 | 22.9 | 20.5 | 8 | 20.7 |
| 08-05-2022 19:08 | 22.9 | 20.5 | 8 | 20.7 |
| 08-05-2022 19:09 | 22.9 | 20.6 | 8 | 20.7 |
| 08-05-2022 19:10 | 23.0 | 20.6 | 8 | 20.7 |
| 08-05-2022 19:11 | 23.0 | 20.6 | 8 | 20.7 |
| 08-05-2022 19:12 | 23.0 | 20.6 | 9 | 20.7 |
| 08-05-2022 19:13 | 23.0 | 20.6 | 8 | 20.7 |
| 08-05-2022 19:14 | 23.0 | 20.7 | 8 | 20.7 |
| 08-05-2022 19:15 | 23.0 | 20.7 | 8 | 20.7 |
| 08-05-2022 19:16 | 23.0 | 20.7 | 8 | 20.7 |
| 08-05-2022 19:17 | 23.0 | 20.6 | 8 | 20.7 |
| 08-05-2022 19:18 | 23.0 | 20.6 | 8 | 20.7 |
| 08-05-2022 19:19 | 23.0 | 20.6 | 9 | 20.7 |
| 08-05-2022 19:20 | 23.0 | 20.6 | 9 | 20.7 |
| 08-05-2022 19:21 | 23.0 | 20.6 | 8 | 20.7 |
| 08-05-2022 19:22 | 23.0 | 20.6 | 8 | 20.6 |
| 08-05-2022 19:23 | 23.0 | 20.5 | 8 | 20.6 |
| 08-05-2022 19:24 | 23.0 | 20.5 | 8 | 20.6 |
| 08-05-2022 19:25 | 23.0 | 20.5 | 8 | 20.6 |
| 08-05-2022 19:26 | 23.0 | 20.5 | 8 | 20.5 |
| 08-05-2022 19:27 | 22.9 | 20.5 | 8 | 20.5 |
| 08-05-2022 19:28 | 22.9 | 20.5 | 8 | 20.5 |
| 08-05-2022 19:29 | 22.9 | 20.4 | 8 | 20.4 |
| 08-05-2022 19:30 | 22.9 | 20.4 | 8 | 20.4 |
| 08-05-2022 19:31 | 22.9 | 20.4 | 8 | 20.4 |
| 08-05-2022 19:32 | 22.9 | 20.4 | 8 | 20.4 |
| 08-05-2022 19:33 | 22.8 | 20.3 | 8 | 20.4 |
| 08-05-2022 19:34 | 22.8 | 20.3 | 8 | 20.3 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 08-05-2022 19:35 | 22.8 | 20.3 | 8 | 20.3 |
| 08-05-2022 19:36 | 22.8 | 20.2 | 8 | 20.3 |
| 08-05-2022 19:37 | 22.8 | 20.3 | 8 | 20.3 |
| 08-05-2022 19:38 | 22.7 | 20.2 | 8 | 20.3 |
| 08-05-2022 19:39 | 22.7 | 20.2 | 8 | 20.2 |
| 08-05-2022 19:40 | 22.7 | 20.2 | 8 | 20.2 |
| 08-05-2022 19:41 | 22.7 | 20.2 | 8 | 20.1 |
| 08-05-2022 19:42 | 22.7 | 20.1 | 8 | 20.1 |
| 08-05-2022 19:43 | 22.6 | 20.1 | 8 | 20.1 |
| 08-05-2022 19:44 | 22.6 | 20.1 | 8 | 20.1 |
| 08-05-2022 19:45 | 22.6 | 20.1 | 8 | 20.1 |
| 08-05-2022 19:46 | 22.6 | 20.1 | 8 | 20.1 |
| 08-05-2022 19:47 | 22.6 | 20.1 | 8 | 20.0 |
| 08-05-2022 19:48 | 22.5 | 20.0 | 8 | 20.0 |
| 08-05-2022 19:49 | 22.5 | 20.0 | 8 | 20.0 |
| 08-05-2022 19:50 | 22.5 | 20.0 | 8 | 20.0 |
| 08-05-2022 19:51 | 22.5 | 20.0 | 8 | 20.0 |
| 08-05-2022 19:52 | 22.5 | 20.0 | 9 | 19.9 |
| 08-05-2022 19:53 | 22.5 | 19.9 | 8 | 19.9 |
| 08-05-2022 19:54 | 22.4 | 19.9 | 9 | 19.9 |
| 08-05-2022 19:55 | 22.4 | 19.9 | 8 | 19.9 |
| 08-05-2022 19:56 | 22.4 | 19.9 | 8 | 19.9 |
| 08-05-2022 19:57 | 22.4 | 19.9 | 8 | 19.9 |
| 08-05-2022 19:58 | 22.4 | 19.9 | 8 | 19.8 |
| 08-05-2022 19:59 | 22.4 | 19.9 | 8 | 19.8 |
| 08-05-2022 20:00 | 22.3 | 19.9 | 8 | 19.8 |
| 08-05-2022 20:01 | 22.3 | 19.9 | 8 | 19.8 |
| 08-05-2022 20:02 | 22.3 | 19.9 | 8 | 19.8 |
| 08-05-2022 20:03 | 22.3 | 19.9 | 8 | 19.8 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 08-05-2022 20:04 | 22.3 | 19.8 | 8 | 19.8 |
| 08-05-2022 20:05 | 22.3 | 19.8 | 9 | 19.8 |
| 08-05-2022 20:06 | 22.3 | 19.8 | 8 | 19.8 |
| 08-05-2022 20:07 | 22.3 | 19.8 | 8 | 19.7 |
| 08-05-2022 20:08 | 22.2 | 19.8 | 8 | 19.8 |
| 08-05-2022 20:09 | 22.2 | 19.8 | 8 | 19.7 |
| 08-05-2022 20:10 | 22.2 | 19.8 | 8 | 19.8 |
| 08-05-2022 20:11 | 22.2 | 19.8 | 8 | 19.7 |
| 08-05-2022 20:12 | 22.3 | 19.8 | 8 | 19.7 |
| 08-05-2022 20:13 | 22.2 | 19.8 | 8 | 19.6 |
| 08-05-2022 20:14 | 22.2 | 19.8 | 8 | 19.6 |
| 08-05-2022 20:15 | 22.2 | 19.8 | 8 | 19.6 |
| 08-05-2022 20:16 | 22.2 | 19.8 | 9 | 19.7 |
| 08-05-2022 20:17 | 22.2 | 19.8 | 8 | 19.6 |
| 08-05-2022 20:18 | 22.2 | 19.8 | 8 | 19.7 |
| 08-05-2022 20:19 | 22.1 | 19.8 | 8 | 19.6 |
| 08-05-2022 20:20 | 22.1 | 19.8 | 8 | 19.6 |
| 08-05-2022 20:21 | 22.1 | 19.8 | 8 | 19.5 |
| 08-05-2022 20:22 | 22.1 | 19.7 | 8 | 19.6 |
| 08-05-2022 20:23 | 22.1 | 19.7 | 8 | 19.6 |
| 08-05-2022 20:24 | 22.1 | 19.7 | 8 | 19.6 |
| 08-05-2022 20:25 | 22.1 | 19.7 | 8 | 19.5 |
| 08-05-2022 20:26 | 22.0 | 19.7 | 8 | 19.6 |
| 08-05-2022 20:27 | 22.0 | 19.7 | 8 | 19.6 |
| 08-05-2022 20:28 | 22.0 | 19.7 | 8 | 19.6 |
| 08-05-2022 20:29 | 22.0 | 19.7 | 8 | 19.5 |
| 08-05-2022 20:30 | 22.0 | 19.7 | 8 | 19.5 |
| 08-05-2022 20:31 | 22.0 | 19.7 | 8 | 19.5 |
| 08-05-2022 20:32 | 22.0 | 19.7 | 8 | 19.6 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 08-05-2022 20:33 | 22.0 | 19.7 | 8 | 19.5 |
| 08-05-2022 20:34 | 22.0 | 19.7 | 8 | 19.5 |
| 08-05-2022 20:35 | 22.0 | 19.7 | 8 | 19.5 |
| 08-05-2022 20:36 | 22.0 | 19.7 | 8 | 19.5 |
| 08-05-2022 20:37 | 22.0 | 19.7 | 8 | 19.5 |
| 08-05-2022 20:38 | 22.0 | 19.7 | 8 | 19.5 |
| 08-05-2022 20:39 | 22.0 | 19.6 | 8 | 19.4 |
| 08-05-2022 20:40 | 21.9 | 19.6 | 8 | 19.5 |
| 08-05-2022 20:41 | 21.9 | 19.6 | 8 | 19.5 |
| 08-05-2022 20:42 | 21.9 | 19.6 | 8 | 19.4 |
| 08-05-2022 20:43 | 21.9 | 19.6 | 8 | 19.5 |
| 08-05-2022 20:44 | 21.9 | 19.6 | 8 | 19.5 |
| 08-05-2022 20:45 | 21.9 | 19.6 | 8 | 19.4 |
| 08-05-2022 20:46 | 21.9 | 19.6 | 8 | 19.4 |
| 08-05-2022 20:47 | 21.9 | 19.6 | 8 | 19.4 |
| 08-05-2022 20:48 | 21.9 | 19.6 | 8 | 19.5 |
| 08-05-2022 20:49 | 21.9 | 19.6 | 8 | 19.4 |
| 08-05-2022 20:50 | 21.9 | 19.6 | 8 | 19.5 |
| 08-05-2022 20:51 | 21.9 | 19.6 | 8 | 19.4 |
| 08-05-2022 20:52 | 21.9 | 19.6 | 8 | 19.4 |
| 08-05-2022 20:53 | 21.9 | 19.6 | 8 | 19.4 |
| 08-05-2022 20:54 | 21.9 | 19.6 | 8 | 19.4 |
| 08-05-2022 20:55 | 21.9 | 19.6 | 8 | 19.5 |
| 08-05-2022 20:56 | 21.9 | 19.6 | 8 | 19.4 |
| 08-05-2022 20:57 | 21.9 | 19.6 | 8 | 19.5 |
| 08-05-2022 20:58 | 21.8 | 19.6 | 8 | 19.5 |
| 08-05-2022 20:59 | 21.9 | 19.6 | 8 | 19.4 |
| 08-05-2022 21:00 | 21.8 | 19.6 | 8 | 19.5 |
| 08-05-2022 21:01 | 21.9 | 19.6 | 8 | 19.4 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 08-05-2022 21:02 | 21.8 | 19.6 | 8 | 19.5 |
| 08-05-2022 21:03 | 21.9 | 19.6 | 8 | 19.4 |
| 08-05-2022 21:04 | 21.8 | 19.6 | 8 | 19.4 |
| 08-05-2022 21:05 | 21.8 | 19.6 | 8 | 19.5 |
| 08-05-2022 21:06 | 21.8 | 19.6 | 8 | 19.5 |
| 08-05-2022 21:07 | 21.8 | 19.6 | 8 | 19.5 |
| 08-05-2022 21:08 | 21.8 | 19.6 | 8 | 19.5 |
| 08-05-2022 21:09 | 21.8 | 19.7 | 8 | 19.5 |
| 08-05-2022 21:10 | 21.9 | 19.7 | 8 | 19.5 |
| 08-05-2022 21:11 | 21.9 | 19.7 | 8 | 19.5 |
| 08-05-2022 21:12 | 21.9 | 19.7 | 8 | 19.6 |
| 08-05-2022 21:13 | 22.0 | 19.7 | 8 | 19.6 |
| 08-05-2022 21:14 | 22.0 | 19.7 | 8 | 19.6 |
| 08-05-2022 21:15 | 22.0 | 19.7 | 8 | 19.6 |
| 08-05-2022 21:16 | 22.0 | 19.8 | 8 | 19.6 |
| 08-05-2022 21:17 | 22.0 | 19.8 | 8 | 19.6 |
| 08-05-2022 21:18 | 22.0 | 19.8 | 8 | 19.7 |
| 08-05-2022 21:19 | 22.0 | 19.8 | 8 | 19.7 |
| 08-05-2022 21:20 | 22.0 | 19.8 | 8 | 19.7 |
| 08-05-2022 21:21 | 22.0 | 19.8 | 8 | 19.7 |
| 08-05-2022 21:22 | 22.0 | 19.8 | 8 | 19.7 |
| 08-05-2022 21:23 | 22.1 | 19.8 | 8 | 19.7 |
| 08-05-2022 21:24 | 22.1 | 19.9 | 8 | 19.7 |
| 08-05-2022 21:25 | 22.1 | 19.9 | 8 | 19.7 |
| 08-05-2022 21:26 | 22.1 | 19.9 | 8 | 19.8 |
| 08-05-2022 21:27 | 22.1 | 19.9 | 8 | 19.7 |
| 08-05-2022 21:28 | 22.1 | 19.9 | 8 | 19.7 |
| 08-05-2022 21:29 | 22.1 | 19.9 | 8 | 19.8 |
| 08-05-2022 21:30 | 22.1 | 19.9 | 8 | 19.8 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 08-05-2022 21:31 | 22.1 | 19.9 | 8 | 19.8 |
| 08-05-2022 21:32 | 22.1 | 19.9 | 8 | 19.8 |
| 08-05-2022 21:33 | 22.2 | 19.9 | 9 | 19.8 |
| 08-05-2022 21:34 | 22.2 | 19.9 | 8 | 19.8 |
| 08-05-2022 21:35 | 22.2 | 19.9 | 8 | 19.9 |
| 08-05-2022 21:36 | 22.2 | 19.9 | 8 | 19.9 |
| 08-05-2022 21:37 | 22.2 | 19.9 | 8 | 19.8 |
| 08-05-2022 21:38 | 22.2 | 19.9 | 8 | 19.9 |
| 08-05-2022 21:39 | 22.2 | 20.0 | 8 | 19.9 |
| 08-05-2022 21:40 | 22.2 | 20.0 | 8 | 19.8 |
| 08-05-2022 21:41 | 22.2 | 20.0 | 8 | 19.9 |
| 08-05-2022 21:42 | 22.2 | 20.0 | 8 | 19.9 |
| 08-05-2022 21:43 | 22.2 | 20.0 | 8 | 19.8 |
| 08-05-2022 21:44 | 22.2 | 20.0 | 8 | 19.9 |
| 08-05-2022 21:45 | 22.2 | 20.0 | 8 | 19.9 |
| 08-05-2022 21:46 | 22.2 | 20.0 | 8 | 19.9 |
| 08-05-2022 21:47 | 22.2 | 20.0 | 8 | 19.9 |
| 08-05-2022 21:48 | 22.2 | 20.0 | 8 | 19.9 |
| 08-05-2022 21:49 | 22.2 | 20.0 | 0 | 20.0 |
| 08-05-2022 21:50 | 22.3 | 20.0 | 10 | 19.9 |
| 08-05-2022 21:51 | 22.3 | 20.0 | 8 | 20.0 |
| 08-05-2022 21:52 | 22.3 | 20.0 | 8 | 20.0 |
| 08-05-2022 21:53 | 22.3 | 20.1 | 8 | 20.1 |
| 08-05-2022 21:54 | 22.3 | 20.1 | 8 | 20.1 |
| 08-05-2022 21:55 | 22.4 | 20.1 | 8 | 20.2 |
| 08-05-2022 21:56 | 22.4 | 20.1 | 8 | 20.3 |
| 08-05-2022 21:57 | 22.4 | 20.2 | 8 | 20.3 |
| 08-05-2022 21:58 | 22.5 | 20.2 | 8 | 20.4 |
| 08-05-2022 21:59 | 22.5 | 20.2 | 8 | 20.5 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 08-05-2022 22:00 | 22.6 | 20.3 | 8 | 20.5 |
| 08-05-2022 22:01 | 22.6 | 20.4 | 8 | 20.6 |
| 08-05-2022 22:02 | 22.7 | 20.5 | 8 | 20.6 |
| 08-05-2022 22:03 | 22.7 | 20.5 | 8 | 20.7 |
| 08-05-2022 22:04 | 22.8 | 20.5 | 8 | 20.7 |
| 08-05-2022 22:05 | 22.8 | 20.6 | 8 | 20.8 |
| 08-05-2022 22:06 | 22.9 | 20.7 | 7 | 20.8 |
| 08-05-2022 22:07 | 22.9 | 20.7 | 8 | 20.9 |
| 08-05-2022 22:08 | 22.9 | 20.7 | 6 | 21.0 |
| 08-05-2022 22:09 | 23.0 | 20.8 | 8 | 21.0 |
| 08-05-2022 22:10 | 23.0 | 20.8 | 8 | 21.1 |
| 08-05-2022 22:11 | 23.1 | 20.9 | 8 | 21.1 |
| 08-05-2022 22:12 | 23.1 | 20.9 | 9 | 21.2 |
| 08-05-2022 22:13 | 23.2 | 20.9 | 8 | 21.1 |
| 08-05-2022 22:14 | 23.2 | 21.0 | 8 | 21.1 |
| 08-05-2022 22:15 | 23.2 | 21.0 | 8 | 21.3 |
| 08-05-2022 22:16 | 23.2 | 21.0 | 8 | 21.2 |
| 08-05-2022 22:17 | 23.2 | 21.0 | 8 | 21.2 |
| 08-05-2022 22:18 | 23.3 | 21.1 | 8 | 21.2 |
| 08-05-2022 22:19 | 23.3 | 21.0 | 8 | 21.2 |
| 08-05-2022 22:20 | 23.3 | 21.1 | 8 | 21.2 |
| 08-05-2022 22:21 | 23.3 | 21.0 | 8 | 21.2 |
| 08-05-2022 22:22 | 23.3 | 21.0 | 8 | 21.2 |
| 08-05-2022 22:23 | 23.3 | 21.0 | 8 | 21.2 |
| 08-05-2022 22:24 | 23.3 | 21.0 | 8 | 21.2 |
| 08-05-2022 22:25 | 23.3 | 21.0 | 8 | 21.1 |
| 08-05-2022 22:26 | 23.3 | 20.9 | 9 | 21.1 |
| 08-05-2022 22:27 | 23.3 | 20.9 | 8 | 21.0 |
| 08-05-2022 22:28 | 23.3 | 20.9 | 8 | 21.0 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 08-05-2022 22:29 | 23.3 | 20.9 | 8 | 21.1 |
| 08-05-2022 22:30 | 23.3 | 20.9 | 8 | 21.0 |
| 08-05-2022 22:31 | 23.2 | 20.9 | 8 | 21.0 |
| 08-05-2022 22:32 | 23.3 | 20.8 | 8 | 20.9 |
| 08-05-2022 22:33 | 23.2 | 20.8 | 8 | 20.9 |
| 08-05-2022 22:34 | 23.2 | 20.8 | 8 | 20.9 |
| 08-05-2022 22:35 | 23.2 | 20.8 | 8 | 20.9 |
| 08-05-2022 22:36 | 23.2 | 20.7 | 8 | 20.8 |
| 08-05-2022 22:37 | 23.2 | 20.7 | 8 | 20.8 |
| 08-05-2022 22:38 | 23.2 | 20.7 | 8 | 20.8 |
| 08-05-2022 22:39 | 23.2 | 20.7 | 8 | 20.8 |
| 08-05-2022 22:40 | 23.2 | 20.7 | 8 | 20.7 |
| 08-05-2022 22:41 | 23.1 | 20.6 | 8 | 20.8 |
| 08-05-2022 22:42 | 23.2 | 20.6 | 8 | 20.7 |
| 08-05-2022 22:43 | 23.1 | 20.6 | 8 | 20.7 |
| 08-05-2022 22:44 | 23.1 | 20.5 | 8 | 20.7 |
| 08-05-2022 22:45 | 23.1 | 20.5 | 8 | 20.6 |
| 08-05-2022 22:46 | 23.1 | 20.5 | 8 | 20.6 |
| 08-05-2022 22:47 | 23.1 | 20.5 | 9 | 20.7 |
| 08-05-2022 22:48 | 23.1 | 20.5 | 8 | 20.6 |
| 08-05-2022 22:49 | 23.0 | 20.5 | 8 | 20.6 |
| 08-05-2022 22:50 | 23.0 | 20.4 | 8 | 20.5 |
| 08-05-2022 22:51 | 23.0 | 20.4 | 8 | 20.5 |
| 08-05-2022 22:52 | 23.0 | 20.4 | 8 | 20.5 |
| 08-05-2022 22:53 | 23.0 | 20.4 | 8 | 20.5 |
| 08-05-2022 22:54 | 23.0 | 20.3 | 9 | 20.5 |
| 08-05-2022 22:55 | 23.0 | 20.3 | 8 | 20.5 |
| 08-05-2022 22:56 | 23.0 | 20.3 | 8 | 20.4 |
| 08-05-2022 22:57 | 22.9 | 20.3 | 8 | 20.4 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 08-05-2022 22:58 | 22.9 | 20.3 | 9 | 20.4 |
| 08-05-2022 22:59 | 22.9 | 20.3 | 8 | 20.4 |
| 08-05-2022 23:00 | 22.9 | 20.3 | 8 | 20.4 |
| 08-05-2022 23:01 | 22.9 | 20.3 | 8 | 20.4 |
| 08-05-2022 23:02 | 22.9 | 20.3 | 8 | 20.4 |
| 08-05-2022 23:03 | 22.9 | 20.3 | 8 | 20.4 |
| 08-05-2022 23:04 | 22.9 | 20.3 | 8 | 20.4 |
| 08-05-2022 23:05 | 22.9 | 20.3 | 8 | 20.4 |
| 08-05-2022 23:06 | 22.9 | 20.2 | 8 | 20.4 |
| 08-05-2022 23:07 | 22.8 | 20.2 | 8 | 20.3 |
| 08-05-2022 23:08 | 22.8 | 20.2 | 8 | 20.3 |
| 08-05-2022 23:09 | 22.8 | 20.2 | 8 | 20.3 |
| 08-05-2022 23:10 | 22.8 | 20.2 | 9 | 20.4 |
| 08-05-2022 23:11 | 22.8 | 20.2 | 7 | 20.3 |
| 08-05-2022 23:12 | 22.7 | 20.2 | 9 | 20.2 |
| 08-05-2022 23:13 | 22.7 | 20.2 | 8 | 20.3 |
| 08-05-2022 23:14 | 22.7 | 20.2 | 8 | 20.3 |
| 08-05-2022 23:15 | 22.7 | 20.1 | 8 | 20.2 |
| 08-05-2022 23:16 | 22.7 | 20.1 | 7 | 20.2 |
| 08-05-2022 23:17 | 22.7 | 20.1 | 6 | 20.2 |
| 08-05-2022 23:18 | 22.7 | 20.1 | 7 | 20.3 |
| 08-05-2022 23:19 | 22.7 | 20.1 | 7 | 20.2 |
| 08-05-2022 23:20 | 22.7 | 20.1 | 7 | 20.2 |
| 08-05-2022 23:21 | 22.7 | 20.1 | 8 | 20.2 |
| 08-05-2022 23:22 | 22.7 | 20.1 | 8 | 20.2 |
| 08-05-2022 23:23 | 22.6 | 20.1 | 8 | 20.2 |
| 08-05-2022 23:24 | 22.6 | 20.1 | 8 | 20.2 |
| 08-05-2022 23:25 | 22.6 | 20.1 | 8 | 20.2 |
| 08-05-2022 23:26 | 22.6 | 20.1 | 8 | 20.2 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 08-05-2022 23:27 | 22.6 | 20.1 | 9 | 20.1 |
| 08-05-2022 23:28 | 22.6 | 20.1 | 8 | 20.2 |
| 08-05-2022 23:29 | 22.6 | 20.1 | 9 | 20.2 |
| 08-05-2022 23:30 | 22.6 | 20.1 | 8 | 20.1 |
| 08-05-2022 23:31 | 22.6 | 20.1 | 8 | 20.2 |
| 08-05-2022 23:32 | 22.6 | 20.1 | 9 | 20.2 |
| 08-05-2022 23:33 | 22.6 | 20.1 | 8 | 20.1 |
| 08-05-2022 23:34 | 22.6 | 20.1 | 9 | 20.1 |
| 08-05-2022 23:35 | 22.6 | 20.1 | 9 | 20.1 |
| 08-05-2022 23:36 | 22.6 | 20.1 | 8 | 20.1 |
| 08-05-2022 23:37 | 22.6 | 20.1 | 8 | 20.1 |
| 08-05-2022 23:38 | 22.6 | 20.1 | 9 | 20.1 |
| 08-05-2022 23:39 | 22.6 | 20.1 | 9 | 20.1 |
| 08-05-2022 23:40 | 22.6 | 20.1 | 8 | 20.1 |
| 08-05-2022 23:41 | 22.6 | 20.1 | 9 | 20.1 |
| 08-05-2022 23:42 | 22.6 | 20.1 | 9 | 20.1 |
| 08-05-2022 23:43 | 22.6 | 20.1 | 9 | 20.1 |
| 08-05-2022 23:44 | 22.6 | 20.1 | 8 | 20.1 |
| 08-05-2022 23:45 | 22.6 | 20.1 | 8 | 20.1 |
| 08-05-2022 23:46 | 22.6 | 20.1 | 9 | 20.1 |
| 08-05-2022 23:47 | 22.6 | 20.1 | 8 | 20.1 |
| 08-05-2022 23:48 | 22.6 | 20.1 | 8 | 20.0 |
| 08-05-2022 23:49 | 22.6 | 20.1 | 8 | 20.1 |
| 08-05-2022 23:50 | 22.5 | 20.1 | 8 | 20.1 |
| 08-05-2022 23:51 | 22.5 | 20.0 | 8 | 20.1 |
| 08-05-2022 23:52 | 22.5 | 20.0 | 8 | 20.0 |
| 08-05-2022 23:53 | 22.5 | 20.1 | 8 | 20.1 |
| 08-05-2022 23:54 | 22.5 | 20.0 | 8 | 20.0 |
| 08-05-2022 23:55 | 22.5 | 20.0 | 8 | 20.0 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 08-05-2022 23:56 | 22.5 | 20.0 | 8 | 20.1 |
| 08-05-2022 23:57 | 22.5 | 20.0 | 9 | 20.1 |
| 08-05-2022 23:58 | 22.5 | 20.0 | 8 | 20.1 |
| 08-05-2022 23:59 | 22.5 | 20.0 | 8 | 20.0 |
| 09-05-2022 00:00 | 22.5 | 20.0 | 8 | 20.1 |
| 09-05-2022 00:01 | 22.5 | 20.0 | 8 | 20.0 |
| 09-05-2022 00:02 | 22.5 | 20.0 | 8 | 20.0 |
| 09-05-2022 00:03 | 22.4 | 20.0 | 8 | 20.0 |
| 09-05-2022 00:04 | 22.5 | 20.0 | 8 | 20.1 |
| 09-05-2022 00:05 | 22.4 | 20.0 | 8 | 20.0 |
| 09-05-2022 00:06 | 22.4 | 20.0 | 8 | 20.0 |
| 09-05-2022 00:07 | 22.4 | 20.0 | 9 | 20.0 |
| 09-05-2022 00:08 | 22.4 | 20.0 | 9 | 20.0 |
| 09-05-2022 00:09 | 22.4 | 20.0 | 8 | 20.0 |
| 09-05-2022 00:10 | 22.4 | 20.0 | 8 | 20.0 |
| 09-05-2022 00:11 | 22.4 | 20.0 | 8 | 20.0 |
| 09-05-2022 00:12 | 22.4 | 20.0 | 8 | 20.0 |
| 09-05-2022 00:13 | 22.4 | 20.0 | 8 | 20.0 |
| 09-05-2022 00:14 | 22.4 | 20.0 | 8 | 20.0 |
| 09-05-2022 00:15 | 22.4 | 20.0 | 8 | 19.9 |
| 09-05-2022 00:16 | 22.4 | 20.0 | 8 | 19.9 |
| 09-05-2022 00:17 | 22.4 | 20.0 | 8 | 20.0 |
| 09-05-2022 00:18 | 22.4 | 20.0 | 8 | 20.0 |
| 09-05-2022 00:19 | 22.4 | 20.0 | 8 | 20.0 |
| 09-05-2022 00:20 | 22.4 | 20.0 | 8 | 19.9 |
| 09-05-2022 00:21 | 22.4 | 20.0 | 8 | 20.0 |
| 09-05-2022 00:22 | 22.4 | 20.0 | 9 | 20.0 |
| 09-05-2022 00:23 | 22.4 | 20.0 | 8 | 20.0 |
| 09-05-2022 00:24 | 22.4 | 20.0 | 8 | 19.9 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 09-05-2022 00:25 | 22.4 | 20.0 | 8 | 19.9 |
| 09-05-2022 00:26 | 22.4 | 20.0 | 8 | 19.9 |
| 09-05-2022 00:27 | 22.4 | 20.0 | 8 | 20.0 |
| 09-05-2022 00:28 | 22.4 | 20.0 | 8 | 20.0 |
| 09-05-2022 00:29 | 22.4 | 19.9 | 8 | 19.9 |
| 09-05-2022 00:30 | 22.4 | 19.9 | 8 | 19.9 |
| 09-05-2022 00:31 | 22.4 | 19.9 | 8 | 19.9 |
| 09-05-2022 00:32 | 22.4 | 19.9 | 8 | 19.9 |
| 09-05-2022 00:33 | 22.3 | 19.9 | 8 | 19.9 |
| 09-05-2022 00:34 | 22.3 | 19.9 | 8 | 19.9 |
| 09-05-2022 00:35 | 22.4 | 19.9 | 8 | 19.9 |
| 09-05-2022 00:36 | 22.3 | 19.9 | 8 | 19.9 |
| 09-05-2022 00:37 | 22.3 | 19.9 | 8 | 19.9 |
| 09-05-2022 00:38 | 22.3 | 19.9 | 9 | 19.8 |
| 09-05-2022 00:39 | 22.3 | 19.9 | 8 | 19.8 |
| 09-05-2022 00:40 | 22.3 | 19.9 | 8 | 19.9 |
| 09-05-2022 00:41 | 22.3 | 19.9 | 9 | 19.9 |
| 09-05-2022 00:42 | 22.3 | 19.9 | 8 | 19.9 |
| 09-05-2022 00:43 | 22.3 | 19.9 | 8 | 19.9 |
| 09-05-2022 00:44 | 22.4 | 19.9 | 8 | 19.9 |
| 09-05-2022 00:45 | 22.4 | 19.9 | 8 | 19.9 |
| 09-05-2022 00:46 | 22.3 | 19.9 | 8 | 19.9 |
| 09-05-2022 00:47 | 22.3 | 19.9 | 8 | 19.9 |
| 09-05-2022 00:48 | 22.3 | 19.9 | 8 | 19.9 |
| 09-05-2022 00:49 | 22.4 | 19.9 | 8 | 19.9 |
| 09-05-2022 00:50 | 22.4 | 20.0 | 8 | 19.9 |
| 09-05-2022 00:51 | 22.4 | 20.0 | 8 | 19.9 |
| 09-05-2022 00:52 | 22.4 | 20.0 | 8 | 20.0 |
| 09-05-2022 00:53 | 22.4 | 20.0 | 8 | 19.9 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 09-05-2022 00:54 | 22.4 | 20.0 | 8 | 19.9 |
| 09-05-2022 00:55 | 22.4 | 20.0 | 8 | 19.9 |
| 09-05-2022 00:56 | 22.4 | 20.0 | 8 | 19.9 |
| 09-05-2022 00:57 | 22.4 | 20.0 | 8 | 19.9 |
| 09-05-2022 00:58 | 22.4 | 20.0 | 8 | 20.0 |
| 09-05-2022 00:59 | 22.4 | 20.0 | 8 | 20.0 |
| 09-05-2022 01:00 | 22.4 | 20.0 | 8 | 19.9 |
| 09-05-2022 01:01 | 22.4 | 20.0 | 8 | 19.9 |
| 09-05-2022 01:02 | 22.4 | 20.0 | 8 | 19.9 |
| 09-05-2022 01:03 | 22.4 | 20.0 | 8 | 19.9 |
| 09-05-2022 01:04 | 22.4 | 20.0 | 8 | 19.9 |
| 09-05-2022 01:05 | 22.4 | 20.0 | 7 | 19.9 |
| 09-05-2022 01:06 | 22.4 | 20.0 | 8 | 19.9 |
| 09-05-2022 01:07 | 22.4 | 20.1 | 8 | 20.0 |
| 09-05-2022 01:08 | 22.4 | 20.1 | 8 | 19.9 |
| 09-05-2022 01:09 | 22.4 | 20.1 | 8 | 20.0 |
| 09-05-2022 01:10 | 22.4 | 20.1 | 8 | 19.9 |
| 09-05-2022 01:11 | 22.4 | 20.1 | 8 | 20.0 |
| 09-05-2022 01:12 | 22.4 | 20.1 | 8 | 19.9 |
| 09-05-2022 01:13 | 22.4 | 20.1 | 8 | 20.0 |
| 09-05-2022 01:14 | 22.4 | 20.1 | 8 | 20.0 |
| 09-05-2022 01:15 | 22.4 | 20.1 | 8 | 20.0 |
| 09-05-2022 01:16 | 22.4 | 20.1 | 8 | 20.0 |
| 09-05-2022 01:17 | 22.4 | 20.1 | 8 | 20.0 |
| 09-05-2022 01:18 | 22.4 | 20.1 | 8 | 20.1 |
| 09-05-2022 01:19 | 22.4 | 20.1 | 8 | 20.1 |
| 09-05-2022 01:20 | 22.4 | 20.1 | 8 | 20.1 |
| 09-05-2022 01:21 | 22.4 | 20.1 | 8 | 20.1 |
| 09-05-2022 01:22 | 22.4 | 20.1 | 8 | 20.0 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 09-05-2022 01:23 | 22.4 | 20.1 | 8 | 20.0 |
| 09-05-2022 01:24 | 22.4 | 20.1 | 8 | 20.0 |
| 09-05-2022 01:25 | 22.4 | 20.1 | 8 | 20.0 |
| 09-05-2022 01:26 | 22.4 | 20.1 | 8 | 20.0 |
| 09-05-2022 01:27 | 22.4 | 20.1 | 8 | 20.1 |
| 09-05-2022 01:28 | 22.4 | 20.1 | 8 | 20.0 |
| 09-05-2022 01:29 | 22.4 | 20.1 | 8 | 20.0 |
| 09-05-2022 01:30 | 22.4 | 20.1 | 8 | 20.1 |
| 09-05-2022 01:31 | 22.4 | 20.1 | 8 | 20.0 |
| 09-05-2022 01:32 | 22.4 | 20.1 | 8 | 20.0 |
| 09-05-2022 01:33 | 22.4 | 20.1 | 8 | 20.1 |
| 09-05-2022 01:34 | 22.4 | 20.1 | 8 | 20.1 |
| 09-05-2022 01:35 | 22.4 | 20.1 | 8 | 20.0 |
| 09-05-2022 01:36 | 22.4 | 20.1 | 8 | 20.1 |
| 09-05-2022 01:37 | 22.5 | 20.1 | 8 | 20.0 |
| 09-05-2022 01:38 | 22.4 | 20.1 | 8 | 20.0 |
| 09-05-2022 01:39 | 22.5 | 20.1 | 8 | 20.1 |
| 09-05-2022 01:40 | 22.5 | 20.1 | 8 | 20.1 |
| 09-05-2022 01:41 | 22.5 | 20.1 | 8 | 20.0 |
| 09-05-2022 01:42 | 22.4 | 20.1 | 8 | 20.0 |
| 09-05-2022 01:43 | 22.5 | 20.1 | 8 | 20.1 |
| 09-05-2022 01:44 | 22.4 | 20.1 | 8 | 20.1 |
| 09-05-2022 01:45 | 22.4 | 20.1 | 8 | 20.0 |
| 09-05-2022 01:46 | 22.4 | 20.1 | 8 | 20.0 |
| 09-05-2022 01:47 | 22.4 | 20.1 | 8 | 20.0 |
| 09-05-2022 01:48 | 22.4 | 20.1 | 8 | 20.0 |
| 09-05-2022 01:49 | 22.4 | 20.1 | 8 | 20.0 |
| 09-05-2022 01:50 | 22.5 | 20.1 | 8 | 20.0 |
| 09-05-2022 01:51 | 22.4 | 20.1 | 8 | 20.1 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 09-05-2022 01:52 | 22.5 | 20.1 | 8 | 20.0 |
| 09-05-2022 01:53 | 22.4 | 20.1 | 8 | 20.0 |
| 09-05-2022 01:54 | 22.4 | 20.1 | 8 | 20.1 |
| 09-05-2022 01:55 | 22.4 | 20.1 | 8 | 20.1 |
| 09-05-2022 01:56 | 22.4 | 20.1 | 8 | 20.0 |
| 09-05-2022 01:57 | 22.4 | 20.1 | 8 | 20.0 |
| 09-05-2022 01:58 | 22.4 | 20.1 | 8 | 20.1 |
| 09-05-2022 01:59 | 22.4 | 20.1 | 8 | 20.0 |
| 09-05-2022 02:00 | 22.4 | 20.1 | 8 | 20.0 |
| 09-05-2022 02:01 | 22.4 | 20.1 | 8 | 20.1 |
| 09-05-2022 02:02 | 22.4 | 20.1 | 8 | 20.0 |
| 09-05-2022 02:03 | 22.5 | 20.1 | 8 | 20.1 |
| 09-05-2022 02:04 | 22.5 | 20.1 | 8 | 20.1 |
| 09-05-2022 02:05 | 22.5 | 20.1 | 8 | 20.0 |
| 09-05-2022 02:06 | 22.5 | 20.1 | 8 | 20.1 |
| 09-05-2022 02:07 | 22.5 | 20.1 | 8 | 20.1 |
| 09-05-2022 02:08 | 22.5 | 20.1 | 8 | 20.1 |
| 09-05-2022 02:09 | 22.5 | 20.1 | 8 | 20.1 |
| 09-05-2022 02:10 | 22.5 | 20.1 | 8 | 20.1 |
| 09-05-2022 02:11 | 22.5 | 20.1 | 8 | 20.1 |
| 09-05-2022 02:12 | 22.5 | 20.1 | 9 | 20.0 |
| 09-05-2022 02:13 | 22.5 | 20.1 | 8 | 20.0 |
| 09-05-2022 02:14 | 22.5 | 20.1 | 8 | 20.1 |
| 09-05-2022 02:15 | 22.5 | 20.1 | 8 | 20.1 |
| 09-05-2022 02:16 | 22.5 | 20.1 | 8 | 20.1 |
| 09-05-2022 02:17 | 22.5 | 20.1 | 8 | 20.1 |
| 09-05-2022 02:18 | 22.5 | 20.1 | 8 | 20.1 |
| 09-05-2022 02:19 | 22.5 | 20.1 | 8 | 20.0 |
| 09-05-2022 02:20 | 22.5 | 20.1 | 8 | 20.1 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 09-05-2022 02:21 | 22.5 | 20.1 | 8 | 20.1 |
| 09-05-2022 02:22 | 22.5 | 20.1 | 8 | 20.1 |
| 09-05-2022 02:23 | 22.5 | 20.1 | 8 | 20.1 |
| 09-05-2022 02:24 | 22.5 | 20.1 | 8 | 20.1 |
| 09-05-2022 02:25 | 22.5 | 20.1 | 8 | 20.0 |
| 09-05-2022 02:26 | 22.5 | 20.1 | 8 | 20.1 |
| 09-05-2022 02:27 | 22.5 | 20.1 | 8 | 20.1 |
| 09-05-2022 02:28 | 22.5 | 20.1 | 8 | 20.1 |
| 09-05-2022 02:29 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 02:30 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 02:31 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 02:32 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 02:33 | 22.6 | 20.1 | 9 | 20.1 |
| 09-05-2022 02:34 | 22.6 | 20.1 | 8 | 20.2 |
| 09-05-2022 02:35 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 02:36 | 22.5 | 20.1 | 8 | 20.1 |
| 09-05-2022 02:37 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 02:38 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 02:39 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 02:40 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 02:41 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 02:42 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 02:43 | 22.5 | 20.1 | 8 | 20.1 |
| 09-05-2022 02:44 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 02:45 | 22.5 | 20.1 | 8 | 20.1 |
| 09-05-2022 02:46 | 22.5 | 20.1 | 8 | 20.2 |
| 09-05-2022 02:47 | 22.5 | 20.1 | 8 | 20.1 |
| 09-05-2022 02:48 | 22.6 | 20.1 | 9 | 20.1 |
| 09-05-2022 02:49 | 22.5 | 20.1 | 9 | 20.1 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 09-05-2022 02:50 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 02:51 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 02:52 | 22.6 | 20.1 | 9 | 20.1 |
| 09-05-2022 02:53 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 02:54 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 02:55 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 02:56 | 22.6 | 20.1 | 8 | 20.2 |
| 09-05-2022 02:57 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 02:58 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 02:59 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 03:00 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 03:01 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 03:02 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 03:03 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 03:04 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 03:05 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 03:06 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 03:07 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 03:08 | 22.6 | 20.1 | 8 | 20.2 |
| 09-05-2022 03:09 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 03:10 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 03:11 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 03:12 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 03:13 | 22.6 | 20.1 | 8 | 20.2 |
| 09-05-2022 03:14 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 03:15 | 22.6 | 20.1 | 8 | 20.2 |
| 09-05-2022 03:16 | 22.6 | 20.1 | 8 | 20.2 |
| 09-05-2022 03:17 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 03:18 | 22.6 | 20.1 | 8 | 20.1 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 09-05-2022 03:19 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 03:20 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 03:21 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 03:22 | 22.6 | 20.1 | 8 | 20.2 |
| 09-05-2022 03:23 | 22.6 | 20.2 | 8 | 20.1 |
| 09-05-2022 03:24 | 22.6 | 20.2 | 8 | 20.1 |
| 09-05-2022 03:25 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 03:26 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 03:27 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 03:28 | 22.6 | 20.2 | 8 | 20.1 |
| 09-05-2022 03:29 | 22.6 | 20.2 | 8 | 20.1 |
| 09-05-2022 03:30 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 03:31 | 22.6 | 20.1 | 9 | 20.2 |
| 09-05-2022 03:32 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 03:33 | 22.6 | 20.1 | 9 | 20.1 |
| 09-05-2022 03:34 | 22.6 | 20.2 | 8 | 20.1 |
| 09-05-2022 03:35 | 22.6 | 20.1 | 9 | 20.1 |
| 09-05-2022 03:36 | 22.6 | 20.1 | 8 | 20.2 |
| 09-05-2022 03:37 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 03:38 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 03:39 | 22.6 | 20.1 | 8 | 20.2 |
| 09-05-2022 03:40 | 22.6 | 20.1 | 9 | 20.2 |
| 09-05-2022 03:41 | 22.6 | 20.2 | 8 | 20.1 |
| 09-05-2022 03:42 | 22.6 | 20.1 | 8 | 20.2 |
| 09-05-2022 03:43 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 03:44 | 22.6 | 20.1 | 9 | 20.1 |
| 09-05-2022 03:45 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 03:46 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 03:47 | 22.6 | 20.1 | 8 | 20.1 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 09-05-2022 03:48 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 03:49 | 22.6 | 20.1 | 8 | 20.2 |
| 09-05-2022 03:50 | 22.6 | 20.1 | 8 | 20.2 |
| 09-05-2022 03:51 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 03:52 | 22.6 | 20.1 | 8 | 20.2 |
| 09-05-2022 03:53 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 03:54 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 03:55 | 22.6 | 20.2 | 8 | 20.1 |
| 09-05-2022 03:56 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 03:57 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 03:58 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 03:59 | 22.6 | 20.2 | 8 | 20.1 |
| 09-05-2022 04:00 | 22.6 | 20.1 | 8 | 20.2 |
| 09-05-2022 04:01 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 04:02 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 04:03 | 22.6 | 20.1 | 8 | 20.2 |
| 09-05-2022 04:04 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 04:05 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 04:06 | 22.6 | 20.1 | 8 | 20.2 |
| 09-05-2022 04:07 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 04:08 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 04:09 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 04:10 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 04:11 | 22.6 | 20.1 | 8 | 20.2 |
| 09-05-2022 04:12 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 04:13 | 22.6 | 20.1 | 8 | 20.2 |
| 09-05-2022 04:14 | 22.6 | 20.1 | 8 | 20.2 |
| 09-05-2022 04:15 | 22.6 | 20.1 | 8 | 20.2 |
| 09-05-2022 04:16 | 22.6 | 20.1 | 8 | 20.1 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 09-05-2022 04:17 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 04:18 | 22.6 | 20.1 | 9 | 20.1 |
| 09-05-2022 04:19 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 04:20 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 04:21 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 04:22 | 22.6 | 20.1 | 9 | 20.1 |
| 09-05-2022 04:23 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 04:24 | 22.6 | 20.1 | 8 | 20.2 |
| 09-05-2022 04:25 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 04:26 | 22.6 | 20.1 | 9 | 20.1 |
| 09-05-2022 04:27 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 04:28 | 22.6 | 20.1 | 9 | 20.1 |
| 09-05-2022 04:29 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 04:30 | 22.6 | 20.1 | 9 | 20.1 |
| 09-05-2022 04:31 | 22.6 | 20.1 | 9 | 20.1 |
| 09-05-2022 04:32 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 04:33 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 04:34 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 04:35 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 04:36 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 04:37 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 04:38 | 22.6 | 20.1 | 8 | 20.2 |
| 09-05-2022 04:39 | 22.6 | 20.1 | 9 | 20.1 |
| 09-05-2022 04:40 | 22.6 | 20.1 | 9 | 20.2 |
| 09-05-2022 04:41 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 04:42 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 04:43 | 22.6 | 20.1 | 7 | 20.1 |
| 09-05-2022 04:44 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 04:45 | 22.6 | 20.1 | 8 | 20.1 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 09-05-2022 04:46 | 22.6 | 20.1 | 8 | 20.2 |
| 09-05-2022 04:47 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 04:48 | 22.6 | 20.1 | 8 | 20.2 |
| 09-05-2022 04:49 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 04:50 | 22.6 | 20.1 | 9 | 20.1 |
| 09-05-2022 04:51 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 04:52 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 04:53 | 22.6 | 20.1 | 8 | 20.2 |
| 09-05-2022 04:54 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 04:55 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 04:56 | 22.6 | 20.2 | 9 | 20.1 |
| 09-05-2022 04:57 | 22.6 | 20.2 | 8 | 20.1 |
| 09-05-2022 04:58 | 22.6 | 20.2 | 9 | 20.1 |
| 09-05-2022 04:59 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 05:00 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 05:01 | 22.6 | 20.1 | 8 | 20.2 |
| 09-05-2022 05:02 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 05:03 | 22.6 | 20.1 | 8 | 20.2 |
| 09-05-2022 05:04 | 22.6 | 20.1 | 8 | 20.2 |
| 09-05-2022 05:05 | 22.6 | 20.1 | 8 | 20.2 |
| 09-05-2022 05:06 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 05:07 | 22.6 | 20.1 | 8 | 20.2 |
| 09-05-2022 05:08 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 05:09 | 22.6 | 20.1 | 9 | 20.1 |
| 09-05-2022 05:10 | 22.6 | 20.1 | 8 | 20.2 |
| 09-05-2022 05:11 | 22.6 | 20.1 | 8 | 20.2 |
| 09-05-2022 05:12 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 05:13 | 22.6 | 20.1 | 8 | 20.2 |
| 09-05-2022 05:14 | 22.6 | 20.1 | 8 | 20.1 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 09-05-2022 05:15 | 22.6 | 20.1 | 8 | 20.2 |
| 09-05-2022 05:16 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 05:17 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 05:18 | 22.6 | 20.1 | 8 | 20.2 |
| 09-05-2022 05:19 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 05:20 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 05:21 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 05:22 | 22.6 | 20.1 | 9 | 20.2 |
| 09-05-2022 05:23 | 22.6 | 20.2 | 8 | 20.2 |
| 09-05-2022 05:24 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 05:25 | 22.6 | 20.2 | 8 | 20.1 |
| 09-05-2022 05:26 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 05:27 | 22.6 | 20.1 | 8 | 20.2 |
| 09-05-2022 05:28 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 05:29 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 05:30 | 22.6 | 20.1 | 8 | 20.2 |
| 09-05-2022 05:31 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 05:32 | 22.6 | 20.1 | 8 | 20.2 |
| 09-05-2022 05:33 | 22.6 | 20.2 | 8 | 20.2 |
| 09-05-2022 05:34 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 05:35 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 05:36 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 05:37 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 05:38 | 22.6 | 20.2 | 8 | 20.1 |
| 09-05-2022 05:39 | 22.6 | 20.2 | 9 | 20.2 |
| 09-05-2022 05:40 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 05:41 | 22.6 | 20.1 | 8 | 20.2 |
| 09-05-2022 05:42 | 22.6 | 20.1 | 9 | 20.1 |
| 09-05-2022 05:43 | 22.6 | 20.1 | 8 | 20.2 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 09-05-2022 05:44 | 22.6 | 20.1 | 8 | 20.2 |
| 09-05-2022 05:45 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 05:46 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 05:47 | 22.6 | 20.2 | 8 | 20.2 |
| 09-05-2022 05:48 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 05:49 | 22.6 | 20.2 | 8 | 20.1 |
| 09-05-2022 05:50 | 22.6 | 20.1 | 8 | 20.2 |
| 09-05-2022 05:51 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 05:52 | 22.6 | 20.2 | 8 | 20.1 |
| 09-05-2022 05:53 | 22.5 | 20.2 | 8 | 20.1 |
| 09-05-2022 05:54 | 22.5 | 20.1 | 8 | 20.2 |
| 09-05-2022 05:55 | 22.5 | 20.1 | 8 | 20.1 |
| 09-05-2022 05:56 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 05:57 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 05:58 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 05:59 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 06:00 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 06:01 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 06:02 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 06:03 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 06:04 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 06:05 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 06:06 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 06:07 | 22.6 | 20.1 | 8 | 20.2 |
| 09-05-2022 06:08 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 06:09 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 06:10 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 06:11 | 22.6 | 20.1 | 8 | 20.2 |
| 09-05-2022 06:12 | 22.6 | 20.1 | 8 | 20.1 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 09-05-2022 06:13 | 22.6 | 20.1 | 8 | 20.2 |
| 09-05-2022 06:14 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 06:15 | 22.6 | 20.1 | 7 | 20.1 |
| 09-05-2022 06:16 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 06:17 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 06:18 | 22.6 | 20.1 | 7 | 20.1 |
| 09-05-2022 06:19 | 22.6 | 20.1 | 9 | 20.1 |
| 09-05-2022 06:20 | 22.6 | 20.1 | 8 | 20.2 |
| 09-05-2022 06:21 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 06:22 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 06:23 | 22.6 | 20.1 | 8 | 20.2 |
| 09-05-2022 06:24 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 06:25 | 22.6 | 20.2 | 8 | 20.1 |
| 09-05-2022 06:26 | 22.6 | 20.1 | 8 | 20.2 |
| 09-05-2022 06:27 | 22.6 | 20.1 | 8 | 20.2 |
| 09-05-2022 06:28 | 22.6 | 20.1 | 8 | 20.2 |
| 09-05-2022 06:29 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 06:30 | 22.6 | 20.1 | 8 | 20.2 |
| 09-05-2022 06:31 | 22.6 | 20.1 | 8 | 20.2 |
| 09-05-2022 06:32 | 22.6 | 20.1 | 8 | 20.2 |
| 09-05-2022 06:33 | 22.6 | 20.1 | 8 | 20.2 |
| 09-05-2022 06:34 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 06:35 | 22.6 | 20.1 | 9 | 20.1 |
| 09-05-2022 06:36 | 22.6 | 20.1 | 7 | 20.1 |
| 09-05-2022 06:37 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 06:38 | 22.6 | 20.1 | 9 | 20.1 |
| 09-05-2022 06:39 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 06:40 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 06:41 | 22.6 | 20.1 | 8 | 20.1 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 09-05-2022 06:42 | 22.6 | 20.1 | 9 | 20.1 |
| 09-05-2022 06:43 | 22.6 | 20.1 | 9 | 20.1 |
| 09-05-2022 06:44 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 06:45 | 22.6 | 20.1 | 9 | 20.1 |
| 09-05-2022 06:46 | 22.6 | 20.1 | 8 | 20.2 |
| 09-05-2022 06:47 | 22.6 | 20.1 | 8 | 20.2 |
| 09-05-2022 06:48 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 06:49 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 06:50 | 22.6 | 20.1 | 8 | 20.2 |
| 09-05-2022 06:51 | 22.6 | 20.1 | 8 | 20.2 |
| 09-05-2022 06:52 | 22.6 | 20.1 | 8 | 20.2 |
| 09-05-2022 06:53 | 22.6 | 20.1 | 9 | 20.2 |
| 09-05-2022 06:54 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 06:55 | 22.6 | 20.1 | 9 | 20.1 |
| 09-05-2022 06:56 | 22.6 | 20.1 | 8 | 20.2 |
| 09-05-2022 06:57 | 22.6 | 20.1 | 9 | 20.1 |
| 09-05-2022 06:58 | 22.6 | 20.1 | 9 | 20.1 |
| 09-05-2022 06:59 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 07:00 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 07:01 | 22.6 | 20.1 | 8 | 20.2 |
| 09-05-2022 07:02 | 22.6 | 20.1 | 7 | 20.1 |
| 09-05-2022 07:03 | 22.6 | 20.1 | 9 | 20.1 |
| 09-05-2022 07:04 | 22.6 | 20.1 | 8 | 20.2 |
| 09-05-2022 07:05 | 22.7 | 20.1 | 8 | 20.1 |
| 09-05-2022 07:06 | 22.6 | 20.1 | 7 | 20.2 |
| 09-05-2022 07:07 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 07:08 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 07:09 | 22.6 | 20.1 | 7 | 20.1 |
| 09-05-2022 07:10 | 22.6 | 20.1 | 8 | 20.2 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 09-05-2022 07:11 | 22.6 | 20.1 | 9 | 20.1 |
| 09-05-2022 07:12 | 22.7 | 20.1 | 9 | 20.2 |
| 09-05-2022 07:13 | 22.7 | 20.1 | 9 | 20.2 |
| 09-05-2022 07:14 | 22.7 | 20.1 | 8 | 20.2 |
| 09-05-2022 07:15 | 22.7 | 20.2 | 8 | 20.2 |
| 09-05-2022 07:16 | 22.7 | 20.1 | 8 | 20.1 |
| 09-05-2022 07:17 | 22.7 | 20.1 | 8 | 20.1 |
| 09-05-2022 07:18 | 22.6 | 20.1 | 8 | 20.1 |
| 09-05-2022 07:19 | 22.7 | 20.1 | 8 | 20.1 |
| 09-05-2022 07:20 | 22.7 | 20.2 | 9 | 20.2 |
| 09-05-2022 07:21 | 22.7 | 20.2 | 9 | 20.2 |
| 09-05-2022 07:22 | 22.6 | 20.2 | 4 | 20.1 |
| 09-05-2022 07:23 | 22.6 | 20.2 | 8 | 20.1 |
| 09-05-2022 07:24 | 22.6 | 20.2 | 9 | 20.2 |
| 09-05-2022 07:25 | 22.6 | 20.2 | 9 | 20.2 |
| 09-05-2022 07:26 | 22.5 | 20.2 | 8 | 20.1 |
| 09-05-2022 07:27 | 22.5 | 20.2 | 9 | 20.2 |
| 09-05-2022 07:28 | 22.5 | 20.2 | 9 | 20.1 |
| 09-05-2022 07:29 | 22.6 | 20.2 | 8 | 20.2 |
| 09-05-2022 07:30 | 22.6 | 20.2 | 9 | 20.3 |
| 09-05-2022 07:31 | 22.6 | 20.2 | 8 | 20.3 |
| 09-05-2022 07:32 | 22.6 | 20.2 | 9 | 20.2 |
| 09-05-2022 07:33 | 22.6 | 20.2 | 9 | 20.2 |
| 09-05-2022 07:34 | 22.5 | 20.2 | 9 | 20.2 |
| 09-05-2022 07:35 | 22.5 | 20.2 | 9 | 20.3 |
| 09-05-2022 07:36 | 22.5 | 20.2 | 8 | 20.2 |
| 09-05-2022 07:37 | 22.6 | 20.2 | 8 | 20.3 |
| 09-05-2022 07:38 | 22.6 | 20.3 | 9 | 20.3 |
| 09-05-2022 07:39 | 22.6 | 20.3 | 9 | 20.2 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 09-05-2022 07:40 | 22.6 | 20.3 | 9 | 20.3 |
| 09-05-2022 07:41 | 22.6 | 20.3 | 8 | 20.3 |
| 09-05-2022 07:42 | 22.6 | 20.3 | 9 | 20.3 |
| 09-05-2022 07:43 | 22.6 | 20.3 | 9 | 20.3 |
| 09-05-2022 07:44 | 22.7 | 20.3 | 9 | 20.3 |
| 09-05-2022 07:45 | 22.7 | 20.3 | 9 | 20.3 |
| 09-05-2022 07:46 | 22.7 | 20.3 | 9 | 20.3 |
| 09-05-2022 07:47 | 22.7 | 20.3 | 9 | 20.3 |
| 09-05-2022 07:48 | 22.7 | 20.3 | 9 | 20.3 |
| 09-05-2022 07:49 | 22.8 | 20.3 | 9 | 20.3 |
| 09-05-2022 07:50 | 22.8 | 20.3 | 9 | 20.3 |
| 09-05-2022 07:51 | 22.9 | 20.3 | 8 | 20.3 |
| 09-05-2022 07:52 | 23.0 | 20.3 | 8 | 20.3 |
| 09-05-2022 07:53 | 23.1 | 20.3 | 8 | 20.3 |
| 09-05-2022 07:54 | 23.2 | 20.2 | 8 | 20.4 |
| 09-05-2022 07:55 | 23.2 | 20.3 | 8 | 20.3 |
| 09-05-2022 07:56 | 23.2 | 20.3 | 8 | 20.3 |
| 09-05-2022 07:57 | 23.3 | 20.3 | 8 | 20.4 |
| 09-05-2022 07:58 | 23.4 | 20.3 | 8 | 20.3 |
| 09-05-2022 07:59 | 23.5 | 20.3 | 8 | 20.4 |
| 09-05-2022 08:00 | 23.5 | 20.3 | 8 | 20.4 |
| 09-05-2022 08:01 | 23.5 | 20.3 | 8 | 20.3 |
| 09-05-2022 08:02 | 23.6 | 20.3 | 8 | 20.3 |
| 09-05-2022 08:03 | 23.6 | 20.3 | 9 | 20.3 |
| 09-05-2022 08:04 | 23.7 | 20.3 | 8 | 20.4 |
| 09-05-2022 08:05 | 23.7 | 20.3 | 8 | 20.4 |
| 09-05-2022 08:06 | 23.8 | 20.3 | 8 | 20.4 |
| 09-05-2022 08:07 | 23.8 | 20.3 | 8 | 20.4 |
| 09-05-2022 08:08 | 23.8 | 20.3 | 8 | 20.4 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 09-05-2022 08:09 | 23.9 | 20.3 | 8 | 20.4 |
| 09-05-2022 08:10 | 23.9 | 20.3 | 9 | 20.4 |
| 09-05-2022 08:11 | 24.0 | 20.3 | 8 | 20.4 |
| 09-05-2022 08:12 | 24.0 | 20.3 | 9 | 20.4 |
| 09-05-2022 08:13 | 24.0 | 20.3 | 8 | 20.4 |
| 09-05-2022 08:14 | 24.1 | 20.3 | 5 | 20.4 |
| 09-05-2022 08:15 | 24.1 | 20.3 | 8 | 20.5 |
| 09-05-2022 08:16 | 24.1 | 20.3 | 8 | 20.5 |
| 09-05-2022 08:17 | 24.1 | 20.3 | 8 | 20.4 |
| 09-05-2022 08:18 | 24.2 | 20.3 | 8 | 20.5 |
| 09-05-2022 08:19 | 24.2 | 20.3 | 8 | 20.5 |
| 09-05-2022 08:20 | 24.3 | 20.3 | 8 | 20.4 |
| 09-05-2022 08:21 | 24.3 | 20.3 | 8 | 20.5 |
| 09-05-2022 08:22 | 24.3 | 20.3 | 8 | 20.5 |
| 09-05-2022 08:23 | 24.3 | 20.3 | 8 | 20.5 |
| 09-05-2022 08:24 | 24.4 | 20.3 | 8 | 20.5 |
| 09-05-2022 08:25 | 24.4 | 20.4 | 8 | 20.5 |
| 09-05-2022 08:26 | 24.4 | 20.4 | 8 | 20.5 |
| 09-05-2022 08:27 | 24.4 | 20.4 | 8 | 20.4 |
| 09-05-2022 08:28 | 24.4 | 20.4 | 8 | 20.5 |
| 09-05-2022 08:29 | 24.5 | 20.4 | 8 | 20.5 |
| 09-05-2022 08:30 | 24.5 | 20.4 | 9 | 20.4 |
| 09-05-2022 08:31 | 24.5 | 20.4 | 8 | 20.5 |
| 09-05-2022 08:32 | 24.6 | 20.4 | 8 | 20.5 |
| 09-05-2022 08:33 | 24.5 | 20.4 | 4 | 20.5 |
| 09-05-2022 08:34 | 24.6 | 20.4 | 8 | 20.5 |
| 09-05-2022 08:35 | 24.6 | 20.4 | 8 | 20.5 |
| 09-05-2022 08:36 | 24.6 | 20.4 | 8 | 20.5 |
| 09-05-2022 08:37 | 24.6 | 20.4 | 8 | 20.5 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 09-05-2022 08:38 | 24.6 | 20.4 | 8 | 20.5 |
| 09-05-2022 08:39 | 24.6 | 20.4 | 8 | 20.5 |
| 09-05-2022 08:40 | 24.6 | 20.4 | 5 | 20.5 |
| 09-05-2022 08:41 | 24.7 | 20.4 | 8 | 20.5 |
| 09-05-2022 08:42 | 24.7 | 20.4 | 0 | 20.6 |
| 09-05-2022 08:43 | 24.7 | 20.4 | 8 | 20.5 |
| 09-05-2022 08:44 | 24.6 | 20.4 | 8 | 20.5 |
| 09-05-2022 08:45 | 24.6 | 20.4 | 8 | 20.6 |
| 09-05-2022 08:46 | 24.6 | 20.5 | 8 | 20.6 |
| 09-05-2022 08:47 | 24.6 | 20.5 | 8 | 20.6 |
| 09-05-2022 08:48 | 24.6 | 20.5 | 9 | 20.6 |
| 09-05-2022 08:49 | 24.7 | 20.5 | 9 | 20.6 |
| 09-05-2022 08:50 | 24.7 | 20.5 | 8 | 20.7 |
| 09-05-2022 08:51 | 24.7 | 20.5 | 5 | 20.6 |
| 09-05-2022 08:52 | 24.6 | 20.5 | 8 | 20.6 |
| 09-05-2022 08:53 | 24.7 | 20.5 | 9 | 20.7 |
| 09-05-2022 08:54 | 24.7 | 20.5 | 8 | 20.6 |
| 09-05-2022 08:55 | 24.7 | 20.5 | 8 | 20.7 |
| 09-05-2022 08:56 | 24.8 | 20.5 | 0 | 20.7 |
| 09-05-2022 08:57 | 24.8 | 20.5 | 9 | 20.8 |
| 09-05-2022 08:58 | 24.8 | 20.5 | 8 | 20.7 |
| 09-05-2022 08:59 | 24.8 | 20.5 | 8 | 20.7 |
| 09-05-2022 09:00 | 24.8 | 20.5 | 9 | 20.8 |
| 09-05-2022 09:01 | 24.8 | 20.5 | 9 | 20.8 |
| 09-05-2022 09:02 | 24.8 | 20.5 | 9 | 20.7 |
| 09-05-2022 09:03 | 24.8 | 20.5 | 8 | 20.8 |
| 09-05-2022 09:04 | 24.7 | 20.5 | 9 | 20.8 |
| 09-05-2022 09:05 | 24.7 | 20.5 | 8 | 20.7 |
| 09-05-2022 09:06 | 24.6 | 20.5 | 8 | 20.7 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 09-05-2022 09:07 | 24.6 | 20.5 | 8 | 20.8 |
| 09-05-2022 09:08 | 24.6 | 20.5 | 8 | 20.8 |
| 09-05-2022 09:09 | 24.5 | 20.5 | 8 | 20.8 |
| 09-05-2022 09:10 | 24.5 | 20.5 | 8 | 20.8 |
| 09-05-2022 09:11 | 24.5 | 20.5 | 0 | 20.8 |
| 09-05-2022 09:12 | 24.5 | 20.5 | 8 | 20.8 |
| 09-05-2022 09:13 | 24.4 | 20.5 | 8 | 20.8 |
| 09-05-2022 09:14 | 24.4 | 20.5 | 9 | 20.8 |
| 09-05-2022 09:15 | 24.4 | 20.5 | 7 | 20.7 |
| 09-05-2022 09:16 | 24.4 | 20.5 | 9 | 20.7 |
| 09-05-2022 09:17 | 24.3 | 20.5 | 8 | 20.8 |
| 09-05-2022 09:18 | 24.3 | 20.5 | 8 | 20.7 |
| 09-05-2022 09:19 | 24.2 | 20.4 | 8 | 20.7 |
| 09-05-2022 09:20 | 24.2 | 20.4 | 9 | 20.8 |
| 09-05-2022 09:21 | 24.2 | 20.4 | 8 | 20.7 |
| 09-05-2022 09:22 | 24.1 | 20.4 | 8 | 20.7 |
| 09-05-2022 09:23 | 24.1 | 20.4 | 8 | 20.7 |
| 09-05-2022 09:24 | 24.1 | 20.4 | 8 | 20.7 |
| 09-05-2022 09:25 | 24.1 | 20.4 | 9 | 20.7 |
| 09-05-2022 09:26 | 24.1 | 20.4 | 9 | 20.6 |
| 09-05-2022 09:27 | 24.1 | 20.4 | 8 | 20.6 |
| 09-05-2022 09:28 | 24.0 | 20.4 | 8 | 20.6 |
| 09-05-2022 09:29 | 24.0 | 20.4 | 8 | 20.6 |
| 09-05-2022 09:30 | 24.0 | 20.4 | 9 | 20.6 |
| 09-05-2022 09:31 | 24.0 | 20.4 | 8 | 20.6 |
| 09-05-2022 09:32 | 24.0 | 20.4 | 9 | 20.6 |
| 09-05-2022 09:33 | 24.1 | 20.4 | 10 | 20.6 |
| 09-05-2022 09:34 | 24.0 | 20.4 | 9 | 20.6 |
| 09-05-2022 09:35 | 24.0 | 20.3 | 8 | 20.6 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 09-05-2022 09:36 | 24.0 | 20.4 | 0 | 20.6 |
| 09-05-2022 09:37 | 24.1 | 20.3 | 8 | 20.6 |
| 09-05-2022 09:38 | 24.0 | 20.3 | 8 | 20.6 |
| 09-05-2022 09:39 | 24.1 | 20.4 | 6 | 20.6 |
| 09-05-2022 09:40 | 24.2 | 20.3 | 8 | 20.6 |
| 09-05-2022 09:41 | 24.2 | 20.3 | 9 | 20.6 |
| 09-05-2022 09:42 | 24.2 | 20.3 | 8 | 20.6 |
| 09-05-2022 09:43 | 24.2 | 20.4 | 8 | 20.6 |
| 09-05-2022 09:44 | 24.2 | 20.3 | 8 | 20.6 |
| 09-05-2022 09:45 | 24.2 | 20.3 | 8 | 20.6 |
| 09-05-2022 09:46 | 24.2 | 20.3 | 8 | 20.6 |
| 09-05-2022 09:47 | 24.2 | 20.3 | 9 | 20.5 |
| 09-05-2022 09:48 | 24.3 | 20.3 | 8 | 20.6 |
| 09-05-2022 09:49 | 24.4 | 20.3 | 9 | 20.6 |
| 09-05-2022 09:50 | 24.3 | 20.4 | 8 | 20.5 |
| 09-05-2022 09:51 | 24.4 | 20.3 | 8 | 20.5 |
| 09-05-2022 09:52 | 24.4 | 20.3 | 8 | 20.6 |
| 09-05-2022 09:53 | 24.4 | 20.3 | 8 | 20.6 |
| 09-05-2022 09:54 | 24.4 | 20.3 | 8 | 20.6 |
| 09-05-2022 09:55 | 24.5 | 20.3 | 8 | 20.5 |
| 09-05-2022 09:56 | 24.5 | 20.3 | 8 | 20.6 |
| 09-05-2022 09:57 | 24.5 | 20.3 | 8 | 20.6 |
| 09-05-2022 09:58 | 24.6 | 20.3 | 8 | 20.5 |
| 09-05-2022 09:59 | 24.6 | 20.4 | 8 | 20.6 |
| 09-05-2022 10:00 | 24.6 | 20.3 | 8 | 20.6 |
| 09-05-2022 10:01 | 24.6 | 20.3 | 8 | 20.5 |
| 09-05-2022 10:02 | 24.6 | 20.3 | 8 | 20.5 |
| 09-05-2022 10:03 | 24.6 | 20.4 | 8 | 20.5 |
| 09-05-2022 10:04 | 24.7 | 20.3 | 7 | 20.5 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 09-05-2022 10:05 | 24.6 | 20.3 | 8 | 20.5 |
| 09-05-2022 10:06 | 24.6 | 20.3 | 8 | 20.5 |
| 09-05-2022 10:07 | 24.7 | 20.3 | 8 | 20.5 |
| 09-05-2022 10:08 | 24.7 | 20.3 | 8 | 20.5 |
| 09-05-2022 10:09 | 24.7 | 20.3 | 8 | 20.4 |
| 09-05-2022 10:10 | 24.6 | 20.3 | 9 | 20.4 |
| 09-05-2022 10:11 | 24.7 | 20.3 | 9 | 20.4 |
| 09-05-2022 10:12 | 24.7 | 20.3 | 8 | 20.3 |
| 09-05-2022 10:13 | 24.8 | 20.3 | 8 | 20.4 |
| 09-05-2022 10:14 | 24.7 | 20.3 | 8 | 20.4 |
| 09-05-2022 10:15 | 24.8 | 20.2 | 8 | 20.3 |
| 09-05-2022 10:16 | 24.7 | 20.2 | 8 | 20.3 |
| 09-05-2022 10:17 | 24.8 | 20.2 | 8 | 20.3 |
| 09-05-2022 10:18 | 24.8 | 20.1 | 8 | 20.2 |
| 09-05-2022 10:19 | 24.8 | 20.1 | 8 | 20.2 |
| 09-05-2022 10:20 | 24.8 | 20.1 | 8 | 20.2 |
| 09-05-2022 10:21 | 24.9 | 20.1 | 8 | 20.2 |
| 09-05-2022 10:22 | 24.8 | 20.1 | 8 | 20.1 |
| 09-05-2022 10:23 | 24.8 | 20.1 | 8 | 20.2 |
| 09-05-2022 10:24 | 24.8 | 20.0 | 8 | 20.1 |
| 09-05-2022 10:25 | 24.8 | 20.0 | 8 | 20.1 |
| 09-05-2022 10:26 | 24.8 | 20.0 | 8 | 20.1 |
| 09-05-2022 10:27 | 24.8 | 20.0 | 8 | 20.1 |
| 09-05-2022 10:28 | 24.9 | 20.0 | 8 | 20.0 |
| 09-05-2022 10:29 | 24.8 | 19.9 | 8 | 19.9 |
| 09-05-2022 10:30 | 24.8 | 19.9 | 8 | 20.0 |
| 09-05-2022 10:31 | 24.8 | 19.9 | 8 | 20.0 |
| 09-05-2022 10:32 | 24.8 | 19.9 | 8 | 20.0 |
| 09-05-2022 10:33 | 24.8 | 19.9 | 8 | 19.9 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 09-05-2022 10:34 | 24.6 | 19.9 | 8 | 19.9 |
| 09-05-2022 10:35 | 24.6 | 19.9 | 0 | 19.9 |
| 09-05-2022 10:36 | 24.6 | 19.9 | 8 | 19.9 |
| 09-05-2022 10:37 | 24.6 | 19.8 | 8 | 19.9 |
| 09-05-2022 10:38 | 24.6 | 19.8 | 8 | 19.9 |
| 09-05-2022 10:39 | 24.5 | 19.8 | 8 | 19.8 |
| 09-05-2022 10:40 | 24.5 | 19.8 | 8 | 19.8 |
| 09-05-2022 10:41 | 24.5 | 19.8 | 8 | 19.8 |
| 09-05-2022 10:42 | 24.4 | 19.8 | 8 | 19.8 |
| 09-05-2022 10:43 | 24.4 | 19.8 | 8 | 19.7 |
| 09-05-2022 10:44 | 24.4 | 19.8 | 8 | 19.8 |
| 09-05-2022 10:45 | 24.3 | 19.8 | 7 | 19.7 |
| 09-05-2022 10:46 | 24.3 | 19.8 | 7 | 19.7 |
| 09-05-2022 10:47 | 24.3 | 19.8 | 8 | 19.7 |
| 09-05-2022 10:48 | 24.3 | 19.7 | 7 | 19.7 |
| 09-05-2022 10:49 | 24.3 | 19.7 | 7 | 19.7 |
| 09-05-2022 10:50 | 24.2 | 19.7 | 8 | 19.6 |
| 09-05-2022 10:51 | 24.2 | 19.7 | 8 | 19.6 |
| 09-05-2022 10:52 | 24.2 | 19.7 | 8 | 19.7 |
| 09-05-2022 10:53 | 24.1 | 19.7 | 7 | 19.7 |
| 09-05-2022 10:54 | 24.1 | 19.7 | 8 | 19.6 |
| 09-05-2022 10:55 | 24.0 | 19.7 | 7 | 19.6 |
| 09-05-2022 10:56 | 24.0 | 19.7 | 7 | 19.7 |
| 09-05-2022 10:57 | 24.0 | 19.7 | 8 | 19.6 |
| 09-05-2022 10:58 | 24.0 | 19.7 | 8 | 19.6 |
| 09-05-2022 10:59 | 23.9 | 19.7 | 8 | 19.6 |
| 09-05-2022 11:00 | 23.9 | 19.7 | 8 | 19.6 |
| 09-05-2022 11:01 | 23.9 | 19.6 | 8 | 19.6 |
| 09-05-2022 11:02 | 23.8 | 19.6 | 7 | 19.6 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 09-05-2022 11:03 | 23.8 | 19.6 | 8 | 19.6 |
| 09-05-2022 11:04 | 23.8 | 19.6 | 8 | 19.5 |
| 09-05-2022 11:05 | 23.7 | 19.6 | 8 | 19.6 |
| 09-05-2022 11:06 | 23.7 | 19.6 | 6 | 19.5 |
| 09-05-2022 11:07 | 23.7 | 19.6 | 8 | 19.6 |
| 09-05-2022 11:08 | 23.6 | 19.6 | 8 | 19.5 |
| 09-05-2022 11:09 | 23.6 | 19.6 | 8 | 19.5 |
| 09-05-2022 11:10 | 23.6 | 19.6 | 8 | 19.6 |
| 09-05-2022 11:11 | 23.6 | 19.6 | 8 | 19.5 |
| 09-05-2022 11:12 | 23.6 | 19.6 | 9 | 19.5 |
| 09-05-2022 11:13 | 23.5 | 19.6 | 8 | 19.5 |
| 09-05-2022 11:14 | 23.4 | 19.6 | 8 | 19.5 |
| 09-05-2022 11:15 | 23.4 | 19.6 | 8 | 19.5 |
| 09-05-2022 11:16 | 23.4 | 19.6 | 7 | 19.5 |
| 09-05-2022 11:17 | 23.4 | 19.6 | 6 | 19.5 |
| 09-05-2022 11:18 | 23.4 | 19.6 | 8 | 19.5 |
| 09-05-2022 11:19 | 23.4 | 19.6 | 8 | 19.4 |
| 09-05-2022 11:20 | 23.3 | 19.6 | 8 | 19.4 |
| 09-05-2022 11:21 | 23.3 | 19.6 | 7 | 19.5 |
| 09-05-2022 11:22 | 23.3 | 19.6 | 8 | 19.4 |
| 09-05-2022 11:23 | 23.3 | 19.6 | 8 | 19.5 |
| 09-05-2022 11:24 | 23.3 | 19.6 | 8 | 19.5 |
| 09-05-2022 11:25 | 23.3 | 19.6 | 8 | 19.4 |
| 09-05-2022 11:26 | 23.4 | 19.6 | 8 | 19.5 |
| 09-05-2022 11:27 | 23.4 | 19.6 | 8 | 19.4 |
| 09-05-2022 11:28 | 23.4 | 19.6 | 7 | 19.5 |
| 09-05-2022 11:29 | 23.4 | 19.6 | 8 | 19.5 |
| 09-05-2022 11:30 | 23.4 | 19.6 | 8 | 19.5 |
| 09-05-2022 11:31 | 23.4 | 19.6 | 8 | 19.5 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 09-05-2022 11:32 | 23.5 | 19.6 | 8 | 19.5 |
| 09-05-2022 11:33 | 23.5 | 19.6 | 8 | 19.5 |
| 09-05-2022 11:34 | 23.4 | 19.6 | 8 | 19.4 |
| 09-05-2022 11:35 | 23.5 | 19.6 | 8 | 19.4 |
| 09-05-2022 11:36 | 23.5 | 19.6 | 8 | 19.5 |
| 09-05-2022 11:37 | 23.5 | 19.6 | 8 | 19.5 |
| 09-05-2022 11:38 | 23.5 | 19.6 | 8 | 19.4 |
| 09-05-2022 11:39 | 23.5 | 19.6 | 7 | 19.4 |
| 09-05-2022 11:40 | 23.6 | 19.6 | 8 | 19.5 |
| 09-05-2022 11:41 | 23.6 | 19.6 | 8 | 19.4 |
| 09-05-2022 11:42 | 23.6 | 19.6 | 7 | 19.5 |
| 09-05-2022 11:43 | 23.6 | 19.6 | 8 | 19.4 |
| 09-05-2022 11:44 | 23.6 | 19.6 | 8 | 19.5 |
| 09-05-2022 11:45 | 23.7 | 19.6 | 7 | 19.4 |
| 09-05-2022 11:46 | 23.6 | 19.6 | 8 | 19.4 |
| 09-05-2022 11:47 | 23.7 | 19.6 | 8 | 19.4 |
| 09-05-2022 11:48 | 23.7 | 19.6 | 7 | 19.4 |
| 09-05-2022 11:49 | 23.8 | 19.6 | 8 | 19.5 |
| 09-05-2022 11:50 | 23.7 | 19.6 | 8 | 19.5 |
| 09-05-2022 11:51 | 23.8 | 19.6 | 7 | 19.4 |
| 09-05-2022 11:52 | 23.8 | 19.6 | 8 | 19.5 |
| 09-05-2022 11:53 | 23.8 | 19.6 | 6 | 19.4 |
| 09-05-2022 11:54 | 23.8 | 19.6 | 8 | 19.4 |
| 09-05-2022 11:55 | 23.8 | 19.6 | 8 | 19.5 |
| 09-05-2022 11:56 | 23.8 | 19.6 | 7 | 19.4 |
| 09-05-2022 11:57 | 23.9 | 19.6 | 8 | 19.5 |
| 09-05-2022 11:58 | 23.8 | 19.6 | 7 | 19.4 |
| 09-05-2022 11:59 | 23.8 | 19.6 | 8 | 19.4 |
| 09-05-2022 12:00 | 23.9 | 19.6 | 7 | 19.5 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 09-05-2022 12:01 | 23.8 | 19.6 | 8 | 19.4 |
| 09-05-2022 12:02 | 23.7 | 19.6 | 8 | 19.5 |
| 09-05-2022 12:03 | 23.7 | 19.6 | 8 | 19.4 |
| 09-05-2022 12:04 | 23.6 | 19.6 | 8 | 19.4 |
| 09-05-2022 12:05 | 23.6 | 19.6 | 7 | 19.3 |
| 09-05-2022 12:06 | 23.5 | 19.5 | 6 | 19.4 |
| 09-05-2022 12:07 | 23.5 | 19.5 | 7 | 19.3 |
| 09-05-2022 12:08 | 23.4 | 19.5 | 8 | 19.3 |
| 09-05-2022 12:09 | 23.5 | 19.5 | 7 | 19.3 |
| 09-05-2022 12:10 | 23.4 | 19.5 | 8 | 19.2 |
| 09-05-2022 12:11 | 23.4 | 19.5 | 7 | 19.2 |
| 09-05-2022 12:12 | 23.4 | 19.5 | 8 | 19.1 |
| 09-05-2022 12:13 | 23.4 | 19.4 | 8 | 19.1 |
| 09-05-2022 12:14 | 23.5 | 19.4 | 8 | 19.1 |
| 09-05-2022 12:15 | 23.3 | 19.4 | 8 | 19.1 |
| 09-05-2022 12:16 | 23.3 | 19.3 | 8 | 19.0 |
| 09-05-2022 12:17 | 23.2 | 19.3 | 8 | 19.1 |
| 09-05-2022 12:18 | 23.2 | 19.3 | 7 | 19.0 |
| 09-05-2022 12:19 | 23.1 | 19.3 | 8 | 19.0 |
| 09-05-2022 12:20 | 23.0 | 19.3 | 8 | 18.9 |
| 09-05-2022 12:21 | 23.0 | 19.2 | 6 | 19.0 |
| 09-05-2022 12:22 | 23.0 | 19.2 | 8 | 18.9 |
| 09-05-2022 12:23 | 23.0 | 19.2 | 8 | 18.9 |
| 09-05-2022 12:24 | 22.9 | 19.2 | 6 | 18.8 |
| 09-05-2022 12:25 | 22.9 | 19.2 | 7 | 18.8 |
| 09-05-2022 12:26 | 22.8 | 19.2 | 8 | 18.8 |
| 09-05-2022 12:27 | 22.8 | 19.1 | 8 | 18.8 |
| 09-05-2022 12:28 | 22.7 | 19.1 | 8 | 18.8 |
| 09-05-2022 12:29 | 22.7 | 19.1 | 8 | 18.7 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 09-05-2022 12:30 | 22.6 | 19.1 | 8 | 18.7 |
| 09-05-2022 12:31 | 22.7 | 19.1 | 6 | 18.7 |
| 09-05-2022 12:32 | 22.6 | 19.0 | 6 | 18.7 |
| 09-05-2022 12:33 | 22.6 | 19.0 | 8 | 18.6 |
| 09-05-2022 12:34 | 22.5 | 19.0 | 8 | 18.7 |
| 09-05-2022 12:35 | 22.5 | 19.0 | 8 | 18.6 |
| 09-05-2022 12:36 | 22.4 | 18.9 | 6 | 18.5 |
| 09-05-2022 12:37 | 22.4 | 18.9 | 8 | 18.6 |
| 09-05-2022 12:38 | 22.4 | 18.9 | 8 | 18.5 |
| 09-05-2022 12:39 | 22.3 | 18.9 | 6 | 18.5 |
| 09-05-2022 12:40 | 22.3 | 18.9 | 8 | 18.5 |
| 09-05-2022 12:41 | 22.3 | 18.9 | 7 | 18.5 |
| 09-05-2022 12:42 | 22.2 | 18.9 | 8 | 18.5 |
| 09-05-2022 12:43 | 22.3 | 18.9 | 8 | 18.5 |
| 09-05-2022 12:44 | 22.2 | 18.9 | 7 | 18.5 |
| 09-05-2022 12:45 | 22.2 | 18.9 | 8 | 18.4 |
| 09-05-2022 12:46 | 22.2 | 18.9 | 8 | 18.5 |
| 09-05-2022 12:47 | 22.1 | 18.9 | 8 | 18.5 |
| 09-05-2022 12:48 | 22.1 | 18.9 | 7 | 18.5 |
| 09-05-2022 12:49 | 22.1 | 18.8 | 8 | 18.5 |
| 09-05-2022 12:50 | 22.2 | 18.8 | 8 | 18.5 |
| 09-05-2022 12:51 | 22.3 | 18.8 | 8 | 18.5 |
| 09-05-2022 12:52 | 22.3 | 18.8 | 7 | 18.5 |
| 09-05-2022 12:53 | 22.4 | 18.8 | 8 | 18.4 |
| 09-05-2022 12:54 | 22.4 | 18.8 | 8 | 18.5 |
| 09-05-2022 12:55 | 22.5 | 18.8 | 7 | 18.5 |
| 09-05-2022 12:56 | 22.4 | 18.8 | 6 | 18.4 |
| 09-05-2022 12:57 | 22.5 | 18.8 | 7 | 18.4 |
| 09-05-2022 12:58 | 22.6 | 18.8 | 5 | 18.4 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 09-05-2022 12:59 | 22.6 | 18.8 | 6 | 18.4 |
| 09-05-2022 13:00 | 22.6 | 18.8 | 7 | 18.4 |
| 09-05-2022 13:01 | 22.7 | 18.8 | 8 | 18.5 |
| 09-05-2022 13:02 | 22.7 | 18.8 | 9 | 18.4 |
| 09-05-2022 13:03 | 22.7 | 18.8 | 8 | 18.4 |
| 09-05-2022 13:04 | 22.8 | 18.8 | 8 | 18.3 |
| 09-05-2022 13:05 | 22.8 | 18.8 | 8 | 18.4 |
| 09-05-2022 13:06 | 22.9 | 18.8 | 8 | 18.3 |
| 09-05-2022 13:07 | 22.9 | 18.8 | 8 | 18.3 |
| 09-05-2022 13:08 | 22.9 | 18.8 | 8 | 18.3 |
| 09-05-2022 13:09 | 22.9 | 18.8 | 8 | 18.4 |
| 09-05-2022 13:10 | 23.0 | 18.8 | 7 | 18.3 |
| 09-05-2022 13:11 | 23.0 | 18.8 | 8 | 18.4 |
| 09-05-2022 13:12 | 23.0 | 18.8 | 7 | 18.4 |
| 09-05-2022 13:13 | 23.0 | 18.8 | 7 | 18.3 |
| 09-05-2022 13:14 | 23.0 | 18.8 | 8 | 18.3 |
| 09-05-2022 13:15 | 23.0 | 18.8 | 8 | 18.3 |
| 09-05-2022 13:16 | 23.1 | 18.8 | 7 | 18.3 |
| 09-05-2022 13:17 | 23.1 | 18.8 | 8 | 18.3 |
| 09-05-2022 13:18 | 23.1 | 18.8 | 8 | 18.3 |
| 09-05-2022 13:19 | 23.2 | 18.8 | 8 | 18.3 |
| 09-05-2022 13:20 | 23.1 | 18.8 | 7 | 18.3 |
| 09-05-2022 13:21 | 23.2 | 18.8 | 7 | 18.2 |
| 09-05-2022 13:22 | 23.2 | 18.8 | 8 | 18.3 |
| 09-05-2022 13:23 | 23.2 | 18.7 | 7 | 18.3 |
| 09-05-2022 13:24 | 23.2 | 18.7 | 8 | 18.3 |
| 09-05-2022 13:25 | 23.2 | 18.7 | 8 | 18.3 |
| 09-05-2022 13:26 | 23.2 | 18.7 | 8 | 18.2 |
| 09-05-2022 13:27 | 23.2 | 18.8 | 8 | 18.3 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 09-05-2022 13:28 | 23.2 | 18.7 | 8 | 18.3 |
| 09-05-2022 13:29 | 23.2 | 18.7 | 8 | 18.2 |
| 09-05-2022 13:30 | 23.2 | 18.8 | 7 | 18.2 |
| 09-05-2022 13:31 | 23.2 | 18.7 | 7 | 18.2 |
| 09-05-2022 13:32 | 23.2 | 18.7 | 8 | 18.2 |
| 09-05-2022 13:33 | 23.2 | 18.7 | 8 | 18.3 |
| 09-05-2022 13:34 | 23.2 | 18.7 | 7 | 18.2 |
| 09-05-2022 13:35 | 23.2 | 18.7 | 7 | 18.3 |
| 09-05-2022 13:36 | 23.2 | 18.7 | 8 | 18.2 |
| 09-05-2022 13:37 | 23.2 | 18.7 | 8 | 18.2 |
| 09-05-2022 13:38 | 23.3 | 18.7 | 8 | 18.2 |
| 09-05-2022 13:39 | 23.2 | 18.7 | 8 | 18.2 |
| 09-05-2022 13:40 | 23.3 | 18.7 | 7 | 18.3 |
| 09-05-2022 13:41 | 23.3 | 18.7 | 6 | 18.2 |
| 09-05-2022 13:42 | 23.2 | 18.7 | 7 | 18.3 |
| 09-05-2022 13:43 | 23.2 | 18.7 | 7 | 18.3 |
| 09-05-2022 13:44 | 23.1 | 18.7 | 7 | 18.2 |
| 09-05-2022 13:45 | 23.1 | 18.7 | 8 | 18.2 |
| 09-05-2022 13:46 | 23.1 | 18.7 | 7 | 18.2 |
| 09-05-2022 13:47 | 23.1 | 18.7 | 8 | 18.2 |
| 09-05-2022 13:48 | 23.0 | 18.7 | 7 | 18.3 |
| 09-05-2022 13:49 | 23.0 | 18.7 | 7 | 18.2 |
| 09-05-2022 13:50 | 23.0 | 18.7 | 8 | 18.2 |
| 09-05-2022 13:51 | 23.0 | 18.7 | 8 | 18.2 |
| 09-05-2022 13:52 | 22.9 | 18.7 | 8 | 18.2 |
| 09-05-2022 13:53 | 22.9 | 18.7 | 7 | 18.2 |
| 09-05-2022 13:54 | 22.9 | 18.7 | 6 | 18.2 |
| 09-05-2022 13:55 | 22.9 | 18.7 | 8 | 18.2 |
| 09-05-2022 13:56 | 22.9 | 18.7 | 7 | 18.2 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 09-05-2022 13:57 | 22.9 | 18.7 | 7 | 18.2 |
| 09-05-2022 13:58 | 22.9 | 18.7 | 8 | 18.2 |
| 09-05-2022 13:59 | 22.9 | 18.7 | 8 | 18.2 |
| 09-05-2022 14:00 | 22.9 | 18.7 | 8 | 18.2 |
| 09-05-2022 14:01 | 22.9 | 18.7 | 7 | 18.2 |
| 09-05-2022 14:02 | 22.9 | 18.7 | 8 | 18.1 |
| 09-05-2022 14:03 | 22.9 | 18.7 | 8 | 18.1 |
| 09-05-2022 14:04 | 23.0 | 18.7 | 8 | 18.1 |
| 09-05-2022 14:05 | 23.0 | 18.7 | 8 | 18.2 |
| 09-05-2022 14:06 | 23.0 | 18.7 | 8 | 18.1 |
| 09-05-2022 14:07 | 23.0 | 18.7 | 7 | 18.1 |
| 09-05-2022 14:08 | 23.1 | 18.7 | 6 | 18.2 |
| 09-05-2022 14:09 | 23.1 | 18.7 | 8 | 18.2 |
| 09-05-2022 14:10 | 23.1 | 18.7 | 8 | 18.1 |
| 09-05-2022 14:11 | 23.1 | 18.7 | 8 | 18.1 |
| 09-05-2022 14:12 | 23.1 | 18.7 | 8 | 18.1 |
| 09-05-2022 14:13 | 23.1 | 18.7 | 8 | 18.1 |
| 09-05-2022 14:14 | 23.1 | 18.7 | 8 | 18.2 |
| 09-05-2022 14:15 | 23.2 | 18.7 | 8 | 18.1 |
| 09-05-2022 14:16 | 23.2 | 18.7 | 8 | 18.1 |
| 09-05-2022 14:17 | 23.2 | 18.7 | 8 | 18.1 |
| 09-05-2022 14:18 | 23.3 | 18.7 | 0 | 18.1 |
| 09-05-2022 14:19 | 23.2 | 18.7 | 8 | 18.2 |
| 09-05-2022 14:20 | 23.2 | 18.7 | 7 | 18.1 |
| 09-05-2022 14:21 | 23.2 | 18.7 | 8 | 18.1 |
| 09-05-2022 14:22 | 23.3 | 18.7 | 8 | 18.1 |
| 09-05-2022 14:23 | 23.3 | 18.7 | 3 | 18.1 |
| 09-05-2022 14:24 | 23.3 | 18.7 | 8 | 18.1 |
| 09-05-2022 14:25 | 23.3 | 18.7 | 8 | 18.1 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 09-05-2022 14:26 | 23.3 | 18.7 | 7 | 18.1 |
| 09-05-2022 14:27 | 23.3 | 18.7 | 6 | 18.1 |
| 09-05-2022 14:28 | 23.3 | 18.7 | 6 | 18.1 |
| 09-05-2022 14:29 | 23.3 | 18.7 | 7 | 18.1 |
| 09-05-2022 14:30 | 23.4 | 18.7 | 8 | 18.0 |
| 09-05-2022 14:31 | 23.4 | 18.7 | 8 | 18.1 |
| 09-05-2022 14:32 | 23.4 | 18.7 | 8 | 18.1 |
| 09-05-2022 14:33 | 23.4 | 18.7 | 7 | 18.1 |
| 09-05-2022 14:34 | 23.4 | 18.7 | 8 | 18.1 |
| 09-05-2022 14:35 | 23.4 | 18.7 | 7 | 18.0 |
| 09-05-2022 14:36 | 23.4 | 18.7 | 7 | 18.1 |
| 09-05-2022 14:37 | 23.3 | 18.7 | 7 | 18.0 |
| 09-05-2022 14:38 | 23.4 | 18.7 | 7 | 18.0 |
| 09-05-2022 14:39 | 23.4 | 18.7 | 8 | 18.1 |
| 09-05-2022 14:40 | 23.4 | 18.7 | 8 | 18.1 |
| 09-05-2022 14:41 | 23.4 | 18.7 | 8 | 18.0 |
| 09-05-2022 14:42 | 23.3 | 18.7 | 8 | 18.1 |
| 09-05-2022 14:43 | 23.3 | 18.7 | 8 | 18.1 |
| 09-05-2022 14:44 | 23.2 | 18.7 | 8 | 18.0 |
| 09-05-2022 14:45 | 23.2 | 18.7 | 8 | 18.0 |
| 09-05-2022 14:46 | 23.2 | 18.7 | 8 | 18.0 |
| 09-05-2022 14:47 | 23.1 | 18.7 | 8 | 18.0 |
| 09-05-2022 14:48 | 23.2 | 18.7 | 8 | 18.1 |
| 09-05-2022 14:49 | 23.2 | 18.6 | 7 | 18.0 |
| 09-05-2022 14:50 | 23.2 | 18.7 | 8 | 18.0 |
| 09-05-2022 14:51 | 23.1 | 18.6 | 8 | 18.1 |
| 09-05-2022 14:52 | 23.2 | 18.6 | 8 | 18.0 |
| 09-05-2022 14:53 | 23.2 | 18.6 | 8 | 18.1 |
| 09-05-2022 14:54 | 23.3 | 18.6 | 8 | 18.1 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 09-05-2022 14:55 | 23.3 | 18.6 | 7 | 18.0 |
| 09-05-2022 14:56 | 23.3 | 18.6 | 7 | 18.0 |
| 09-05-2022 14:57 | 23.3 | 18.6 | 8 | 18.1 |
| 09-05-2022 14:58 | 23.4 | 18.6 | 7 | 18.0 |
| 09-05-2022 14:59 | 23.4 | 18.6 | 8 | 18.1 |
| 09-05-2022 15:00 | 23.4 | 18.7 | 8 | 18.1 |
| 09-05-2022 15:01 | 23.3 | 18.7 | 6 | 18.1 |
| 09-05-2022 15:02 | 23.4 | 18.7 | 8 | 18.1 |
| 09-05-2022 15:03 | 23.3 | 18.7 | 6 | 18.1 |
| 09-05-2022 15:04 | 23.3 | 18.7 | 8 | 18.2 |
| 09-05-2022 15:05 | 23.3 | 18.7 | 8 | 18.2 |
| 09-05-2022 15:06 | 23.3 | 18.7 | 7 | 18.2 |
| 09-05-2022 15:07 | 23.3 | 18.7 | 7 | 18.2 |
| 09-05-2022 15:08 | 23.2 | 18.8 | 7 | 18.2 |
| 09-05-2022 15:09 | 23.2 | 18.8 | 8 | 18.3 |
| 09-05-2022 15:10 | 23.2 | 18.8 | 8 | 18.3 |
| 09-05-2022 15:11 | 23.2 | 18.9 | 8 | 18.3 |
| 09-05-2022 15:12 | 23.2 | 18.9 | 8 | 18.3 |
| 09-05-2022 15:13 | 23.3 | 18.9 | 8 | 18.4 |
| 09-05-2022 15:14 | 23.2 | 18.9 | 7 | 18.4 |
| 09-05-2022 15:15 | 23.2 | 18.9 | 7 | 18.4 |
| 09-05-2022 15:16 | 23.2 | 19.0 | 6 | 18.4 |
| 09-05-2022 15:17 | 23.2 | 19.0 | 8 | 18.5 |
| 09-05-2022 15:18 | 23.2 | 19.0 | 6 | 18.5 |
| 09-05-2022 15:19 | 23.1 | 19.0 | 8 | 18.5 |
| 09-05-2022 15:20 | 23.1 | 19.0 | 6 | 18.5 |
| 09-05-2022 15:21 | 23.1 | 19.1 | 7 | 18.5 |
| 09-05-2022 15:22 | 23.1 | 19.1 | 7 | 18.6 |
| 09-05-2022 15:23 | 23.0 | 19.1 | 7 | 18.6 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 09-05-2022 15:24 | 23.0 | 19.1 | 0 | 18.5 |
| 09-05-2022 15:25 | 23.0 | 19.1 | 6 | 18.6 |
| 09-05-2022 15:26 | 23.0 | 19.2 | 8 | 18.6 |
| 09-05-2022 15:27 | 23.0 | 19.2 | 7 | 18.6 |
| 09-05-2022 15:28 | 22.9 | 19.2 | 7 | 18.7 |
| 09-05-2022 15:29 | 22.9 | 19.2 | 7 | 18.7 |
| 09-05-2022 15:30 | 23.0 | 19.2 | 7 | 18.7 |
| 09-05-2022 15:31 | 22.9 | 19.2 | 7 | 18.7 |
| 09-05-2022 15:32 | 22.9 | 19.2 | 6 | 18.7 |
| 09-05-2022 15:33 | 23.0 | 19.2 | 6 | 18.7 |
| 09-05-2022 15:34 | 23.0 | 19.2 | 8 | 18.8 |
| 09-05-2022 15:35 | 23.0 | 19.2 | 7 | 18.7 |
| 09-05-2022 15:36 | 23.0 | 19.2 | 7 | 18.8 |
| 09-05-2022 15:37 | 23.0 | 19.2 | 6 | 18.7 |
| 09-05-2022 15:38 | 22.9 | 19.2 | 7 | 18.8 |
| 09-05-2022 15:39 | 22.9 | 19.3 | 7 | 18.8 |
| 09-05-2022 15:40 | 22.9 | 19.3 | 7 | 18.8 |
| 09-05-2022 15:41 | 22.9 | 19.3 | 6 | 18.8 |
| 09-05-2022 15:42 | 22.9 | 19.3 | 8 | 18.8 |
| 09-05-2022 15:43 | 22.9 | 19.3 | 7 | 18.8 |
| 09-05-2022 15:44 | 22.9 | 19.3 | 7 | 18.8 |
| 09-05-2022 15:45 | 22.9 | 19.3 | 7 | 18.9 |
| 09-05-2022 15:46 | 22.9 | 19.3 | 7 | 18.9 |
| 09-05-2022 15:47 | 22.9 | 19.3 | 7 | 18.8 |
| 09-05-2022 15:48 | 22.9 | 19.3 | 8 | 18.9 |
| 09-05-2022 15:49 | 22.9 | 19.3 | 8 | 18.9 |
| 09-05-2022 15:50 | 22.9 | 19.3 | 6 | 18.9 |
| 09-05-2022 15:51 | 22.9 | 19.3 | 8 | 18.8 |
| 09-05-2022 15:52 | 22.9 | 19.3 | 7 | 18.9 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 09-05-2022 15:53 | 22.9 | 19.3 | 8 | 19.0 |
| 09-05-2022 15:54 | 22.9 | 19.3 | 8 | 18.9 |
| 09-05-2022 15:55 | 23.0 | 19.3 | 8 | 18.9 |
| 09-05-2022 15:56 | 23.0 | 19.3 | 8 | 19.0 |
| 09-05-2022 15:57 | 22.9 | 19.3 | 7 | 18.9 |
| 09-05-2022 15:58 | 23.0 | 19.3 | 7 | 18.9 |
| 09-05-2022 15:59 | 22.9 | 19.3 | 8 | 18.9 |
| 09-05-2022 16:00 | 22.9 | 19.3 | 7 | 19.0 |
| 09-05-2022 16:01 | 22.9 | 19.3 | 8 | 18.9 |
| 09-05-2022 16:02 | 22.9 | 19.3 | 7 | 19.0 |
| 09-05-2022 16:03 | 22.9 | 19.4 | 8 | 19.0 |
| 09-05-2022 16:04 | 22.8 | 19.4 | 7 | 19.0 |
| 09-05-2022 16:05 | 22.8 | 19.4 | 8 | 18.9 |
| 09-05-2022 16:06 | 22.9 | 19.3 | 8 | 19.0 |
| 09-05-2022 16:07 | 22.9 | 19.3 | 8 | 18.9 |
| 09-05-2022 16:08 | 22.9 | 19.4 | 8 | 19.0 |
| 09-05-2022 16:09 | 22.8 | 19.4 | 7 | 19.0 |
| 09-05-2022 16:10 | 22.8 | 19.4 | 8 | 19.1 |
| 09-05-2022 16:11 | 22.8 | 19.4 | 7 | 19.1 |
| 09-05-2022 16:12 | 22.8 | 19.4 | 8 | 19.1 |
| 09-05-2022 16:13 | 22.7 | 19.4 | 7 | 19.0 |
| 09-05-2022 16:14 | 22.7 | 19.4 | 7 | 19.1 |
| 09-05-2022 16:15 | 22.7 | 19.4 | 8 | 19.0 |
| 09-05-2022 16:16 | 22.7 | 19.4 | 7 | 19.0 |
| 09-05-2022 16:17 | 22.7 | 19.4 | 8 | 19.1 |
| 09-05-2022 16:18 | 22.7 | 19.4 | 8 | 19.1 |
| 09-05-2022 16:19 | 22.7 | 19.4 | 7 | 19.1 |
| 09-05-2022 16:20 | 22.7 | 19.4 | 6 | 19.1 |
| 09-05-2022 16:21 | 22.6 | 19.4 | 6 | 19.1 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 09-05-2022 16:22 | 22.7 | 19.4 | 7 | 19.0 |
| 09-05-2022 16:23 | 22.6 | 19.4 | 6 | 19.1 |
| 09-05-2022 16:24 | 22.6 | 19.4 | 7 | 19.2 |
| 09-05-2022 16:25 | 22.6 | 19.4 | 6 | 19.1 |
| 09-05-2022 16:26 | 22.6 | 19.4 | 7 | 19.1 |
| 09-05-2022 16:27 | 22.6 | 19.4 | 8 | 19.1 |
| 09-05-2022 16:28 | 22.6 | 19.4 | 8 | 19.0 |
| 09-05-2022 16:29 | 22.6 | 19.4 | 7 | 19.0 |
| 09-05-2022 16:30 | 22.5 | 19.4 | 7 | 19.1 |
| 09-05-2022 16:31 | 22.6 | 19.4 | 7 | 19.1 |
| 09-05-2022 16:32 | 22.6 | 19.4 | 7 | 19.1 |
| 09-05-2022 16:33 | 22.6 | 19.4 | 7 | 19.1 |
| 09-05-2022 16:34 | 22.6 | 19.4 | 6 | 19.1 |
| 09-05-2022 16:35 | 22.6 | 19.4 | 6 | 19.1 |
| 09-05-2022 16:36 | 22.7 | 19.4 | 7 | 19.1 |
| 09-05-2022 16:37 | 22.6 | 19.4 | 7 | 19.2 |
| 09-05-2022 16:38 | 22.7 | 19.5 | 6 | 19.2 |
| 09-05-2022 16:39 | 22.6 | 19.5 | 8 | 19.1 |
| 09-05-2022 16:40 | 22.7 | 19.5 | 7 | 19.2 |
| 09-05-2022 16:41 | 22.6 | 19.5 | 7 | 19.1 |
| 09-05-2022 16:42 | 22.7 | 19.5 | 8 | 19.1 |
| 09-05-2022 16:43 | 22.7 | 19.4 | 7 | 19.1 |
| 09-05-2022 16:44 | 22.7 | 19.4 | 8 | 19.1 |
| 09-05-2022 16:45 | 22.7 | 19.4 | 7 | 19.1 |
| 09-05-2022 16:46 | 22.7 | 19.4 | 7 | 19.0 |
| 09-05-2022 16:47 | 22.6 | 19.4 | 6 | 19.0 |
| 09-05-2022 16:48 | 22.6 | 19.3 | 8 | 19.0 |
| 09-05-2022 16:49 | 22.6 | 19.3 | 7 | 19.0 |
| 09-05-2022 16:50 | 22.6 | 19.3 | 7 | 19.0 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 09-05-2022 16:51 | 22.5 | 19.3 | 7 | 19.0 |
| 09-05-2022 16:52 | 22.6 | 19.3 | 8 | 19.0 |
| 09-05-2022 16:53 | 22.6 | 19.3 | 8 | 19.0 |
| 09-05-2022 16:54 | 22.6 | 19.3 | 7 | 19.0 |
| 09-05-2022 16:55 | 22.5 | 19.3 | 8 | 19.0 |
| 09-05-2022 16:56 | 22.5 | 19.2 | 7 | 18.9 |
| 09-05-2022 16:57 | 22.5 | 19.2 | 7 | 18.9 |
| 09-05-2022 16:58 | 22.5 | 19.2 | 6 | 19.0 |
| 09-05-2022 16:59 | 22.5 | 19.2 | 7 | 18.9 |
| 09-05-2022 17:00 | 22.5 | 19.2 | 7 | 18.9 |
| 09-05-2022 17:01 | 22.5 | 19.2 | 8 | 18.8 |
| 09-05-2022 17:02 | 22.5 | 19.2 | 7 | 18.8 |
| 09-05-2022 17:03 | 22.4 | 19.2 | 8 | 18.8 |
| 09-05-2022 17:04 | 22.4 | 19.2 | 8 | 18.8 |
| 09-05-2022 17:05 | 22.4 | 19.2 | 8 | 18.8 |
| 09-05-2022 17:06 | 22.4 | 19.2 | 8 | 18.7 |
| 09-05-2022 17:07 | 22.5 | 19.2 | 8 | 18.7 |
| 09-05-2022 17:08 | 22.4 | 19.1 | 8 | 18.7 |
| 09-05-2022 17:09 | 22.4 | 19.1 | 8 | 18.7 |
| 09-05-2022 17:10 | 22.3 | 19.1 | 7 | 18.6 |
| 09-05-2022 17:11 | 22.3 | 19.1 | 8 | 18.7 |
| 09-05-2022 17:12 | 22.2 | 19.0 | 7 | 18.7 |
| 09-05-2022 17:13 | 22.2 | 19.0 | 8 | 18.6 |
| 09-05-2022 17:14 | 22.2 | 19.0 | 8 | 18.6 |
| 09-05-2022 17:15 | 22.2 | 19.0 | 7 | 18.6 |
| 09-05-2022 17:16 | 22.2 | 19.0 | 8 | 18.6 |
| 09-05-2022 17:17 | 22.2 | 19.0 | 8 | 18.6 |
| 09-05-2022 17:18 | 22.1 | 18.9 | 7 | 18.5 |
| 09-05-2022 17:19 | 22.1 | 18.9 | 7 | 18.5 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 09-05-2022 17:20 | 22.1 | 18.9 | 8 | 18.6 |
| 09-05-2022 17:21 | 22.0 | 18.9 | 7 | 18.4 |
| 09-05-2022 17:22 | 22.1 | 18.9 | 6 | 18.5 |
| 09-05-2022 17:23 | 22.0 | 18.9 | 8 | 18.5 |
| 09-05-2022 17:24 | 22.0 | 18.9 | 8 | 18.5 |
| 09-05-2022 17:25 | 22.0 | 18.9 | 8 | 18.4 |
| 09-05-2022 17:26 | 22.0 | 18.9 | 8 | 18.4 |
| 09-05-2022 17:27 | 22.0 | 18.9 | 8 | 18.4 |
| 09-05-2022 17:28 | 22.0 | 18.9 | 8 | 18.4 |
| 09-05-2022 17:29 | 21.9 | 18.9 | 8 | 18.4 |
| 09-05-2022 17:30 | 21.9 | 18.9 | 7 | 18.4 |
| 09-05-2022 17:31 | 21.9 | 18.8 | 7 | 18.4 |
| 09-05-2022 17:32 | 21.8 | 18.8 | 7 | 18.4 |
| 09-05-2022 17:33 | 21.9 | 18.8 | 8 | 18.3 |
| 09-05-2022 17:34 | 21.9 | 18.8 | 8 | 18.3 |
| 09-05-2022 17:35 | 21.9 | 18.8 | 8 | 18.3 |
| 09-05-2022 17:36 | 21.8 | 18.8 | 8 | 18.3 |
| 09-05-2022 17:37 | 21.8 | 18.8 | 8 | 18.3 |
| 09-05-2022 17:38 | 21.8 | 18.8 | 8 | 18.3 |
| 09-05-2022 17:39 | 21.8 | 18.7 | 3 | 18.3 |
| 09-05-2022 17:40 | 21.8 | 18.7 | 8 | 18.3 |
| 09-05-2022 17:41 | 21.7 | 18.8 | 8 | 18.2 |
| 09-05-2022 17:42 | 21.7 | 18.7 | 8 | 18.2 |
| 09-05-2022 17:43 | 21.7 | 18.7 | 7 | 18.3 |
| 09-05-2022 17:44 | 21.7 | 18.8 | 8 | 18.2 |
| 09-05-2022 17:45 | 21.6 | 18.8 | 8 | 18.2 |
| 09-05-2022 17:46 | 21.7 | 18.8 | 8 | 18.1 |
| 09-05-2022 17:47 | 21.6 | 18.8 | 7 | 18.2 |
| 09-05-2022 17:48 | 21.7 | 18.8 | 8 | 18.2 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 09-05-2022 17:49 | 21.7 | 18.8 | 7 | 18.2 |
| 09-05-2022 17:50 | 21.7 | 18.8 | 7 | 18.2 |
| 09-05-2022 17:51 | 21.6 | 18.8 | 8 | 18.3 |
| 09-05-2022 17:52 | 21.6 | 18.8 | 6 | 18.2 |
| 09-05-2022 17:53 | 21.7 | 18.8 | 7 | 18.3 |
| 09-05-2022 17:54 | 21.6 | 18.8 | 7 | 18.2 |
| 09-05-2022 17:55 | 21.5 | 18.8 | 6 | 18.3 |
| 09-05-2022 17:56 | 21.5 | 18.8 | 8 | 18.3 |
| 09-05-2022 17:57 | 21.5 | 18.8 | 6 | 18.4 |
| 09-05-2022 17:58 | 21.5 | 18.8 | 7 | 18.4 |
| 09-05-2022 17:59 | 21.6 | 18.9 | 8 | 18.4 |
| 09-05-2022 18:00 | 21.5 | 18.9 | 7 | 18.4 |
| 09-05-2022 18:01 | 21.6 | 18.9 | 8 | 18.4 |
| 09-05-2022 18:02 | 21.6 | 18.9 | 8 | 18.4 |
| 09-05-2022 18:03 | 21.5 | 18.9 | 8 | 18.4 |
| 09-05-2022 18:04 | 21.5 | 18.9 | 8 | 18.5 |
| 09-05-2022 18:05 | 21.4 | 18.9 | 7 | 18.4 |
| 09-05-2022 18:06 | 21.5 | 19.0 | 7 | 18.5 |
| 09-05-2022 18:07 | 21.5 | 19.0 | 7 | 18.5 |
| 09-05-2022 18:08 | 21.5 | 19.0 | 7 | 18.6 |
| 09-05-2022 18:09 | 21.6 | 19.1 | 7 | 18.6 |
| 09-05-2022 18:10 | 21.5 | 19.1 | 6 | 18.6 |
| 09-05-2022 18:11 | 21.6 | 19.1 | 8 | 18.7 |
| 09-05-2022 18:12 | 21.6 | 19.2 | 7 | 18.7 |
| 09-05-2022 18:13 | 21.6 | 19.2 | 7 | 18.7 |
| 09-05-2022 18:14 | 21.6 | 19.2 | 7 | 18.8 |
| 09-05-2022 18:15 | 21.6 | 19.2 | 7 | 18.8 |
| 09-05-2022 18:16 | 21.6 | 19.2 | 8 | 18.7 |
| 09-05-2022 18:17 | 21.7 | 19.2 | 7 | 18.8 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 09-05-2022 18:18 | 21.7 | 19.2 | 3 | 18.8 |
| 09-05-2022 18:19 | 21.7 | 19.3 | 7 | 18.8 |
| 09-05-2022 18:20 | 21.7 | 19.3 | 7 | 18.8 |
| 09-05-2022 18:21 | 21.7 | 19.3 | 7 | 18.8 |
| 09-05-2022 18:22 | 21.8 | 19.3 | 6 | 18.9 |
| 09-05-2022 18:23 | 21.8 | 19.3 | 7 | 19.0 |
| 09-05-2022 18:24 | 21.8 | 19.3 | 8 | 18.9 |
| 09-05-2022 18:25 | 21.8 | 19.3 | 7 | 18.9 |
| 09-05-2022 18:26 | 21.8 | 19.4 | 6 | 19.0 |
| 09-05-2022 18:27 | 21.8 | 19.4 | 7 | 19.0 |
| 09-05-2022 18:28 | 21.8 | 19.4 | 8 | 19.0 |
| 09-05-2022 18:29 | 21.8 | 19.4 | 8 | 19.1 |
| 09-05-2022 18:30 | 21.8 | 19.4 | 8 | 19.1 |
| 09-05-2022 18:31 | 21.8 | 19.4 | 8 | 19.0 |
| 09-05-2022 18:32 | 21.8 | 19.5 | 7 | 19.1 |
| 09-05-2022 18:33 | 21.9 | 19.5 | 7 | 19.1 |
| 09-05-2022 18:34 | 21.9 | 19.5 | 8 | 19.0 |
| 09-05-2022 18:35 | 21.9 | 19.5 | 8 | 19.1 |
| 09-05-2022 18:36 | 21.9 | 19.5 | 7 | 19.0 |
| 09-05-2022 18:37 | 21.9 | 19.5 | 7 | 19.1 |
| 09-05-2022 18:38 | 21.9 | 19.5 | 6 | 19.1 |
| 09-05-2022 18:39 | 21.9 | 19.5 | 7 | 19.1 |
| 09-05-2022 18:40 | 21.9 | 19.5 | 7 | 19.1 |
| 09-05-2022 18:41 | 21.9 | 19.5 | 6 | 19.2 |
| 09-05-2022 18:42 | 21.9 | 19.5 | 7 | 19.2 |
| 09-05-2022 18:43 | 21.9 | 19.5 | 6 | 19.2 |
| 09-05-2022 18:44 | 21.9 | 19.5 | 7 | 19.1 |
| 09-05-2022 18:45 | 21.9 | 19.5 | 7 | 19.2 |
| 09-05-2022 18:46 | 21.9 | 19.5 | 7 | 19.2 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 09-05-2022 18:47 | 22.0 | 19.5 | 7 | 19.2 |
| 09-05-2022 18:48 | 22.0 | 19.5 | 7 | 19.2 |
| 09-05-2022 18:49 | 22.0 | 19.5 | 7 | 19.2 |
| 09-05-2022 18:50 | 22.0 | 19.6 | 7 | 19.2 |
| 09-05-2022 18:51 | 22.0 | 19.6 | 7 | 19.2 |
| 09-05-2022 18:52 | 22.0 | 19.6 | 7 | 19.2 |
| 09-05-2022 18:53 | 22.0 | 19.6 | 8 | 19.3 |
| 09-05-2022 18:54 | 22.0 | 19.6 | 7 | 19.2 |
| 09-05-2022 18:55 | 22.0 | 19.6 | 8 | 19.3 |
| 09-05-2022 18:56 | 22.0 | 19.6 | 6 | 19.2 |
| 09-05-2022 18:57 | 22.0 | 19.6 | 7 | 19.2 |
| 09-05-2022 18:58 | 22.1 | 19.6 | 7 | 19.2 |
| 09-05-2022 18:59 | 22.0 | 19.6 | 8 | 19.3 |
| 09-05-2022 19:00 | 22.0 | 19.6 | 7 | 19.3 |
| 09-05-2022 19:01 | 22.0 | 19.6 | 7 | 19.3 |
| 09-05-2022 19:02 | 22.0 | 19.6 | 8 | 19.3 |
| 09-05-2022 19:03 | 22.0 | 19.6 | 7 | 19.3 |
| 09-05-2022 19:04 | 22.0 | 19.6 | 8 | 19.3 |
| 09-05-2022 19:05 | 22.0 | 19.6 | 7 | 19.3 |
| 09-05-2022 19:06 | 22.0 | 19.6 | 7 | 19.3 |
| 09-05-2022 19:07 | 22.1 | 19.6 | 6 | 19.3 |
| 09-05-2022 19:08 | 22.0 | 19.6 | 7 | 19.3 |
| 09-05-2022 19:09 | 22.0 | 19.6 | 7 | 19.3 |
| 09-05-2022 19:10 | 22.1 | 19.6 | 8 | 19.3 |
| 09-05-2022 19:11 | 22.1 | 19.6 | 7 | 19.3 |
| 09-05-2022 19:12 | 22.0 | 19.6 | 7 | 19.3 |
| 09-05-2022 19:13 | 22.1 | 19.6 | 8 | 19.3 |
| 09-05-2022 19:14 | 22.1 | 19.6 | 6 | 19.3 |
| 09-05-2022 19:15 | 22.1 | 19.6 | 7 | 19.4 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 09-05-2022 19:16 | 22.1 | 19.6 | 6 | 19.3 |
| 09-05-2022 19:17 | 22.1 | 19.6 | 7 | 19.3 |
| 09-05-2022 19:18 | 22.1 | 19.6 | 7 | 19.3 |
| 09-05-2022 19:19 | 22.1 | 19.6 | 7 | 19.3 |
| 09-05-2022 19:20 | 22.1 | 19.6 | 6 | 19.4 |
| 09-05-2022 19:21 | 22.1 | 19.6 | 6 | 19.4 |
| 09-05-2022 19:22 | 22.1 | 19.6 | 7 | 19.3 |
| 09-05-2022 19:23 | 22.1 | 19.6 | 8 | 19.3 |
| 09-05-2022 19:24 | 22.1 | 19.6 | 8 | 19.3 |
| 09-05-2022 19:25 | 22.1 | 19.6 | 7 | 19.3 |
| 09-05-2022 19:26 | 22.1 | 19.6 | 7 | 19.4 |
| 09-05-2022 19:27 | 22.1 | 19.6 | 8 | 19.3 |
| 09-05-2022 19:28 | 22.1 | 19.6 | 7 | 19.3 |
| 09-05-2022 19:29 | 22.1 | 19.6 | 8 | 19.4 |
| 09-05-2022 19:30 | 22.1 | 19.6 | 7 | 19.3 |
| 09-05-2022 19:31 | 22.1 | 19.6 | 8 | 19.4 |
| 09-05-2022 19:32 | 22.1 | 19.6 | 8 | 19.3 |
| 09-05-2022 19:33 | 22.1 | 19.6 | 8 | 19.3 |
| 09-05-2022 19:34 | 22.1 | 19.6 | 8 | 19.4 |
| 09-05-2022 19:35 | 22.1 | 19.6 | 8 | 19.3 |
| 09-05-2022 19:36 | 22.1 | 19.6 | 8 | 19.4 |
| 09-05-2022 19:37 | 22.1 | 19.6 | 7 | 19.4 |
| 09-05-2022 19:38 | 22.1 | 19.6 | 8 | 19.4 |
| 09-05-2022 19:39 | 22.1 | 19.6 | 7 | 19.4 |
| 09-05-2022 19:40 | 22.2 | 19.7 | 8 | 19.3 |
| 09-05-2022 19:41 | 22.1 | 19.7 | 8 | 19.3 |
| 09-05-2022 19:42 | 22.1 | 19.6 | 7 | 19.3 |
| 09-05-2022 19:43 | 22.1 | 19.6 | 8 | 19.4 |
| 09-05-2022 19:44 | 22.1 | 19.6 | 8 | 19.3 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 09-05-2022 19:45 | 22.1 | 19.6 | 8 | 19.3 |
| 09-05-2022 19:46 | 22.1 | 19.6 | 8 | 19.4 |
| 09-05-2022 19:47 | 22.1 | 19.6 | 7 | 19.3 |
| 09-05-2022 19:48 | 22.1 | 19.6 | 8 | 19.4 |
| 09-05-2022 19:49 | 22.1 | 19.6 | 7 | 19.4 |
| 09-05-2022 19:50 | 22.1 | 19.6 | 7 | 19.3 |
| 09-05-2022 19:51 | 22.1 | 19.6 | 8 | 19.3 |
| 09-05-2022 19:52 | 22.1 | 19.6 | 8 | 19.3 |
| 09-05-2022 19:53 | 22.1 | 19.6 | 8 | 19.3 |
| 09-05-2022 19:54 | 22.1 | 19.6 | 7 | 19.3 |
| 09-05-2022 19:55 | 22.0 | 19.6 | 8 | 19.3 |
| 09-05-2022 19:56 | 22.1 | 19.6 | 8 | 19.3 |
| 09-05-2022 19:57 | 22.0 | 19.6 | 8 | 19.4 |
| 09-05-2022 19:58 | 22.1 | 19.6 | 8 | 19.3 |
| 09-05-2022 19:59 | 22.1 | 19.6 | 7 | 19.3 |
| 09-05-2022 20:00 | 22.1 | 19.6 | 8 | 19.3 |
| 09-05-2022 20:01 | 22.1 | 19.6 | 8 | 19.3 |
| 09-05-2022 20:02 | 22.1 | 19.7 | 8 | 19.4 |
| 09-05-2022 20:03 | 22.1 | 19.6 | 7 | 19.4 |
| 09-05-2022 20:04 | 22.1 | 19.6 | 7 | 19.3 |
| 09-05-2022 20:05 | 22.1 | 19.6 | 7 | 19.4 |
| 09-05-2022 20:06 | 22.1 | 19.6 | 8 | 19.3 |
| 09-05-2022 20:07 | 22.0 | 19.6 | 7 | 19.4 |
| 09-05-2022 20:08 | 22.0 | 19.6 | 8 | 19.4 |
| 09-05-2022 20:09 | 22.0 | 19.6 | 8 | 19.3 |
| 09-05-2022 20:10 | 22.0 | 19.6 | 8 | 19.4 |
| 09-05-2022 20:11 | 22.0 | 19.6 | 7 | 19.4 |
| 09-05-2022 20:12 | 22.1 | 19.6 | 8 | 19.3 |
| 09-05-2022 20:13 | 22.1 | 19.6 | 8 | 19.4 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 09-05-2022 20:14 | 22.1 | 19.6 | 7 | 19.4 |
| 09-05-2022 20:15 | 22.1 | 19.6 | 7 | 19.3 |
| 09-05-2022 20:16 | 22.1 | 19.6 | 8 | 19.3 |
| 09-05-2022 20:17 | 22.1 | 19.6 | 7 | 19.4 |
| 09-05-2022 20:18 | 22.1 | 19.6 | 8 | 19.4 |
| 09-05-2022 20:19 | 22.0 | 19.6 | 8 | 19.4 |
| 09-05-2022 20:20 | 22.1 | 19.6 | 8 | 19.3 |
| 09-05-2022 20:21 | 22.0 | 19.6 | 7 | 19.4 |
| 09-05-2022 20:22 | 22.1 | 19.6 | 8 | 19.4 |
| 09-05-2022 20:23 | 22.1 | 19.6 | 8 | 19.3 |
| 09-05-2022 20:24 | 22.1 | 19.6 | 6 | 19.4 |
| 09-05-2022 20:25 | 22.1 | 19.7 | 7 | 19.3 |
| 09-05-2022 20:26 | 22.1 | 19.6 | 8 | 19.3 |
| 09-05-2022 20:27 | 22.1 | 19.6 | 8 | 19.3 |
| 09-05-2022 20:28 | 22.1 | 19.7 | 7 | 19.4 |
| 09-05-2022 20:29 | 22.1 | 19.7 | 8 | 19.4 |
| 09-05-2022 20:30 | 22.1 | 19.6 | 7 | 19.3 |
| 09-05-2022 20:31 | 22.0 | 19.6 | 8 | 19.4 |
| 09-05-2022 20:32 | 22.0 | 19.7 | 8 | 19.4 |
| 09-05-2022 20:33 | 22.1 | 19.6 | 8 | 19.4 |
| 09-05-2022 20:34 | 22.1 | 19.6 | 8 | 19.3 |
| 09-05-2022 20:35 | 22.1 | 19.6 | 7 | 19.4 |
| 09-05-2022 20:36 | 22.1 | 19.6 | 7 | 19.3 |
| 09-05-2022 20:37 | 22.1 | 19.6 | 8 | 19.4 |
| 09-05-2022 20:38 | 22.0 | 19.6 | 7 | 19.4 |
| 09-05-2022 20:39 | 22.0 | 19.6 | 8 | 19.4 |
| 09-05-2022 20:40 | 22.1 | 19.6 | 8 | 19.4 |
| 09-05-2022 20:41 | 22.0 | 19.6 | 8 | 19.3 |
| 09-05-2022 20:42 | 22.0 | 19.7 | 8 | 19.4 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 09-05-2022 20:43 | 22.1 | 19.7 | 8 | 19.4 |
| 09-05-2022 20:44 | 22.1 | 19.7 | 7 | 19.4 |
| 09-05-2022 20:45 | 22.1 | 19.6 | 8 | 19.4 |
| 09-05-2022 20:46 | 22.1 | 19.7 | 6 | 19.3 |
| 09-05-2022 20:47 | 22.1 | 19.6 | 8 | 19.4 |
| 09-05-2022 20:48 | 22.1 | 19.7 | 8 | 19.4 |
| 09-05-2022 20:49 | 22.1 | 19.6 | 8 | 19.3 |
| 09-05-2022 20:50 | 22.0 | 19.7 | 8 | 19.3 |
| 09-05-2022 20:51 | 22.1 | 19.7 | 7 | 19.4 |
| 09-05-2022 20:52 | 22.1 | 19.7 | 8 | 19.4 |
| 09-05-2022 20:53 | 22.1 | 19.6 | 8 | 19.4 |
| 09-05-2022 20:54 | 22.1 | 19.7 | 8 | 19.4 |
| 09-05-2022 20:55 | 22.1 | 19.7 | 8 | 19.4 |
| 09-05-2022 20:56 | 22.1 | 19.7 | 8 | 19.4 |
| 09-05-2022 20:57 | 22.1 | 19.7 | 8 | 19.4 |
| 09-05-2022 20:58 | 22.1 | 19.6 | 8 | 19.4 |
| 09-05-2022 20:59 | 22.1 | 19.7 | 8 | 19.4 |
| 09-05-2022 21:00 | 22.0 | 19.7 | 7 | 19.4 |
| 09-05-2022 21:01 | 22.0 | 19.7 | 7 | 19.4 |
| 09-05-2022 21:02 | 22.1 | 19.7 | 8 | 19.5 |
| 09-05-2022 21:03 | 22.1 | 19.7 | 7 | 19.4 |
| 09-05-2022 21:04 | 22.1 | 19.7 | 8 | 19.4 |
| 09-05-2022 21:05 | 22.1 | 19.7 | 8 | 19.4 |
| 09-05-2022 21:06 | 22.1 | 19.7 | 8 | 19.3 |
| 09-05-2022 21:07 | 22.0 | 19.7 | 8 | 19.5 |
| 09-05-2022 21:08 | 22.0 | 19.7 | 8 | 19.4 |
| 09-05-2022 21:09 | 22.0 | 19.7 | 8 | 19.4 |
| 09-05-2022 21:10 | 22.1 | 19.7 | 8 | 19.4 |
| 09-05-2022 21:11 | 22.1 | 19.7 | 8 | 19.4 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 09-05-2022 21:12 | 22.1 | 19.7 | 8 | 19.4 |
| 09-05-2022 21:13 | 22.1 | 19.7 | 8 | 19.5 |
| 09-05-2022 21:14 | 22.1 | 19.7 | 8 | 19.4 |
| 09-05-2022 21:15 | 22.1 | 19.7 | 8 | 19.4 |
| 09-05-2022 21:16 | 22.0 | 19.7 | 8 | 19.5 |
| 09-05-2022 21:17 | 22.1 | 19.7 | 8 | 19.5 |
| 09-05-2022 21:18 | 22.1 | 19.7 | 7 | 19.5 |
| 09-05-2022 21:19 | 22.1 | 19.7 | 8 | 19.4 |
| 09-05-2022 21:20 | 22.1 | 19.7 | 7 | 19.5 |
| 09-05-2022 21:21 | 22.0 | 19.7 | 7 | 19.5 |
| 09-05-2022 21:22 | 22.0 | 19.7 | 7 | 19.5 |
| 09-05-2022 21:23 | 22.1 | 19.7 | 8 | 19.5 |
| 09-05-2022 21:24 | 22.1 | 19.7 | 8 | 19.5 |
| 09-05-2022 21:25 | 22.1 | 19.7 | 8 | 19.5 |
| 09-05-2022 21:26 | 22.1 | 19.7 | 8 | 19.5 |
| 09-05-2022 21:27 | 22.1 | 19.7 | 8 | 19.5 |
| 09-05-2022 21:28 | 22.1 | 19.7 | 8 | 19.5 |
| 09-05-2022 21:29 | 22.1 | 19.7 | 7 | 19.6 |
| 09-05-2022 21:30 | 22.1 | 19.7 | 7 | 19.5 |
| 09-05-2022 21:31 | 22.1 | 19.7 | 7 | 19.6 |
| 09-05-2022 21:32 | 22.1 | 19.7 | 8 | 19.5 |
| 09-05-2022 21:33 | 22.1 | 19.7 | 8 | 19.5 |
| 09-05-2022 21:34 | 22.1 | 19.7 | 7 | 19.5 |
| 09-05-2022 21:35 | 22.1 | 19.7 | 8 | 19.5 |
| 09-05-2022 21:36 | 22.1 | 19.7 | 8 | 19.5 |
| 09-05-2022 21:37 | 22.1 | 19.7 | 7 | 19.5 |
| 09-05-2022 21:38 | 22.0 | 19.7 | 8 | 19.5 |
| 09-05-2022 21:39 | 22.1 | 19.7 | 8 | 19.5 |
| 09-05-2022 21:40 | 22.0 | 19.7 | 8 | 19.5 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 09-05-2022 21:41 | 22.1 | 19.7 | 7 | 19.5 |
| 09-05-2022 21:42 | 22.0 | 19.7 | 8 | 19.5 |
| 09-05-2022 21:43 | 22.1 | 19.7 | 8 | 19.5 |
| 09-05-2022 21:44 | 22.1 | 19.7 | 7 | 19.5 |
| 09-05-2022 21:45 | 22.1 | 19.7 | 8 | 19.5 |
| 09-05-2022 21:46 | 22.1 | 19.7 | 7 | 19.5 |
| 09-05-2022 21:47 | 22.1 | 19.7 | 7 | 19.5 |
| 09-05-2022 21:48 | 22.0 | 19.7 | 7 | 19.5 |
| 09-05-2022 21:49 | 22.0 | 19.7 | 8 | 19.4 |
| 09-05-2022 21:50 | 22.0 | 19.7 | 8 | 19.5 |
| 09-05-2022 21:51 | 22.0 | 19.7 | 8 | 19.4 |
| 09-05-2022 21:52 | 22.0 | 19.7 | 8 | 19.5 |
| 09-05-2022 21:53 | 22.0 | 19.7 | 8 | 19.4 |
| 09-05-2022 21:54 | 22.0 | 19.7 | 8 | 19.4 |
| 09-05-2022 21:55 | 22.0 | 19.6 | 8 | 19.4 |
| 09-05-2022 21:56 | 22.0 | 19.6 | 7 | 19.4 |
| 09-05-2022 21:57 | 22.0 | 19.6 | 7 | 19.4 |
| 09-05-2022 21:58 | 22.0 | 19.6 | 7 | 19.4 |
| 09-05-2022 21:59 | 22.0 | 19.6 | 7 | 19.3 |
| 09-05-2022 22:00 | 22.0 | 19.6 | 8 | 19.4 |
| 09-05-2022 22:01 | 22.0 | 19.6 | 7 | 19.4 |
| 09-05-2022 22:02 | 22.0 | 19.6 | 8 | 19.4 |
| 09-05-2022 22:03 | 22.0 | 19.6 | 8 | 19.4 |
| 09-05-2022 22:04 | 22.0 | 19.6 | 7 | 19.3 |
| 09-05-2022 22:05 | 21.9 | 19.6 | 8 | 19.4 |
| 09-05-2022 22:06 | 22.0 | 19.6 | 8 | 19.4 |
| 09-05-2022 22:07 | 22.0 | 19.6 | 7 | 19.3 |
| 09-05-2022 22:08 | 22.0 | 19.6 | 8 | 19.4 |
| 09-05-2022 22:09 | 22.0 | 19.6 | 8 | 19.3 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 09-05-2022 22:10 | 22.0 | 19.6 | 8 | 19.3 |
| 09-05-2022 22:11 | 22.0 | 19.6 | 8 | 19.3 |
| 09-05-2022 22:12 | 22.0 | 19.6 | 8 | 19.3 |
| 09-05-2022 22:13 | 22.0 | 19.6 | 8 | 19.3 |
| 09-05-2022 22:14 | 22.0 | 19.6 | 8 | 19.3 |
| 09-05-2022 22:15 | 22.0 | 19.6 | 8 | 19.3 |
| 09-05-2022 22:16 | 22.0 | 19.6 | 8 | 19.3 |
| 09-05-2022 22:17 | 22.0 | 19.6 | 8 | 19.3 |
| 09-05-2022 22:18 | 22.0 | 19.6 | 8 | 19.3 |
| 09-05-2022 22:19 | 22.0 | 19.6 | 8 | 19.3 |
| 09-05-2022 22:20 | 22.0 | 19.6 | 8 | 19.3 |
| 09-05-2022 22:21 | 22.0 | 19.6 | 8 | 19.3 |
| 09-05-2022 22:22 | 22.0 | 19.6 | 8 | 19.3 |
| 09-05-2022 22:23 | 22.0 | 19.6 | 8 | 19.4 |
| 09-05-2022 22:24 | 22.0 | 19.6 | 8 | 19.3 |
| 09-05-2022 22:25 | 22.0 | 19.6 | 8 | 19.4 |
| 09-05-2022 22:26 | 22.0 | 19.6 | 8 | 19.3 |
| 09-05-2022 22:27 | 22.0 | 19.6 | 8 | 19.3 |
| 09-05-2022 22:28 | 22.0 | 19.6 | 8 | 19.3 |
| 09-05-2022 22:29 | 22.0 | 19.6 | 8 | 19.4 |
| 09-05-2022 22:30 | 22.0 | 19.6 | 8 | 19.4 |
| 09-05-2022 22:31 | 22.0 | 19.6 | 8 | 19.4 |
| 09-05-2022 22:32 | 22.0 | 19.6 | 7 | 19.3 |
| 09-05-2022 22:33 | 22.0 | 19.6 | 8 | 19.3 |
| 09-05-2022 22:34 | 22.0 | 19.6 | 8 | 19.4 |
| 09-05-2022 22:35 | 22.0 | 19.6 | 8 | 19.4 |
| 09-05-2022 22:36 | 21.9 | 19.6 | 8 | 19.3 |
| 09-05-2022 22:37 | 21.9 | 19.6 | 8 | 19.3 |
| 09-05-2022 22:38 | 22.0 | 19.6 | 8 | 19.3 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 09-05-2022 22:39 | 21.9 | 19.6 | 7 | 19.3 |
| 09-05-2022 22:40 | 21.9 | 19.6 | 7 | 19.4 |
| 09-05-2022 22:41 | 21.9 | 19.6 | 8 | 19.4 |
| 09-05-2022 22:42 | 21.9 | 19.6 | 8 | 19.2 |
| 09-05-2022 22:43 | 21.9 | 19.6 | 8 | 19.2 |
| 09-05-2022 22:44 | 21.9 | 19.6 | 8 | 19.3 |
| 09-05-2022 22:45 | 21.9 | 19.5 | 8 | 19.2 |
| 09-05-2022 22:46 | 21.9 | 19.5 | 8 | 19.2 |
| 09-05-2022 22:47 | 21.9 | 19.5 | 8 | 19.3 |
| 09-05-2022 22:48 | 21.9 | 19.5 | 8 | 19.3 |
| 09-05-2022 22:49 | 21.9 | 19.5 | 8 | 19.2 |
| 09-05-2022 22:50 | 21.9 | 19.6 | 7 | 19.2 |
| 09-05-2022 22:51 | 21.9 | 19.5 | 8 | 19.2 |
| 09-05-2022 22:52 | 21.8 | 19.5 | 7 | 19.2 |
| 09-05-2022 22:53 | 21.8 | 19.6 | 8 | 19.2 |
| 09-05-2022 22:54 | 21.8 | 19.5 | 8 | 19.2 |
| 09-05-2022 22:55 | 21.8 | 19.5 | 8 | 19.2 |
| 09-05-2022 22:56 | 21.8 | 19.5 | 8 | 19.2 |
| 09-05-2022 22:57 | 21.8 | 19.5 | 8 | 19.2 |
| 09-05-2022 22:58 | 21.8 | 19.5 | 8 | 19.2 |
| 09-05-2022 22:59 | 21.8 | 19.5 | 7 | 19.1 |
| 09-05-2022 23:00 | 21.8 | 19.5 | 7 | 19.2 |
| 09-05-2022 23:01 | 21.8 | 19.5 | 7 | 19.1 |
| 09-05-2022 23:02 | 21.8 | 19.5 | 8 | 19.2 |
| 09-05-2022 23:03 | 21.8 | 19.5 | 8 | 19.2 |
| 09-05-2022 23:04 | 21.8 | 19.5 | 8 | 19.1 |
| 09-05-2022 23:05 | 21.8 | 19.5 | 8 | 19.1 |
| 09-05-2022 23:06 | 21.8 | 19.5 | 8 | 19.2 |
| 09-05-2022 23:07 | 21.8 | 19.5 | 8 | 19.2 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 09-05-2022 23:08 | 21.8 | 19.5 | 8 | 19.2 |
| 09-05-2022 23:09 | 21.8 | 19.5 | 8 | 19.2 |
| 09-05-2022 23:10 | 21.8 | 19.5 | 8 | 19.1 |
| 09-05-2022 23:11 | 21.8 | 19.5 | 8 | 19.2 |
| 09-05-2022 23:12 | 21.8 | 19.5 | 7 | 19.1 |
| 09-05-2022 23:13 | 21.8 | 19.5 | 8 | 19.2 |
| 09-05-2022 23:14 | 21.8 | 19.5 | 8 | 19.1 |
| 09-05-2022 23:15 | 21.8 | 19.5 | 8 | 19.2 |
| 09-05-2022 23:16 | 21.8 | 19.5 | 8 | 19.1 |
| 09-05-2022 23:17 | 21.8 | 19.5 | 8 | 19.2 |
| 09-05-2022 23:18 | 21.8 | 19.5 | 8 | 19.1 |
| 09-05-2022 23:19 | 21.8 | 19.5 | 8 | 19.1 |
| 09-05-2022 23:20 | 21.8 | 19.5 | 8 | 19.1 |
| 09-05-2022 23:21 | 21.8 | 19.5 | 8 | 19.1 |
| 09-05-2022 23:22 | 21.8 | 19.5 | 7 | 19.1 |
| 09-05-2022 23:23 | 21.8 | 19.5 | 8 | 19.1 |
| 09-05-2022 23:24 | 21.8 | 19.5 | 8 | 19.1 |
| 09-05-2022 23:25 | 21.8 | 19.5 | 8 | 19.1 |
| 09-05-2022 23:26 | 21.8 | 19.5 | 7 | 19.1 |
| 09-05-2022 23:27 | 21.8 | 19.5 | 8 | 19.1 |
| 09-05-2022 23:28 | 21.8 | 19.5 | 7 | 19.1 |
| 09-05-2022 23:29 | 21.8 | 19.5 | 8 | 19.1 |
| 09-05-2022 23:30 | 21.8 | 19.5 | 8 | 19.1 |
| 09-05-2022 23:31 | 21.7 | 19.5 | 8 | 19.1 |
| 09-05-2022 23:32 | 21.7 | 19.5 | 8 | 19.1 |
| 09-05-2022 23:33 | 21.7 | 19.5 | 7 | 19.1 |
| 09-05-2022 23:34 | 21.7 | 19.5 | 8 | 19.0 |
| 09-05-2022 23:35 | 21.7 | 19.5 | 8 | 19.1 |
| 09-05-2022 23:36 | 21.7 | 19.5 | 8 | 19.1 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 09-05-2022 23:37 | 21.7 | 19.5 | 8 | 19.0 |
| 09-05-2022 23:38 | 21.7 | 19.5 | 8 | 19.1 |
| 09-05-2022 23:39 | 21.7 | 19.5 | 8 | 19.0 |
| 09-05-2022 23:40 | 21.7 | 19.5 | 8 | 19.1 |
| 09-05-2022 23:41 | 21.7 | 19.5 | 8 | 19.1 |
| 09-05-2022 23:42 | 21.7 | 19.5 | 8 | 19.0 |
| 09-05-2022 23:43 | 21.7 | 19.5 | 8 | 19.1 |
| 09-05-2022 23:44 | 21.7 | 19.5 | 8 | 19.0 |
| 09-05-2022 23:45 | 21.7 | 19.5 | 8 | 19.0 |
| 09-05-2022 23:46 | 21.7 | 19.5 | 8 | 19.0 |
| 09-05-2022 23:47 | 21.7 | 19.5 | 8 | 19.1 |
| 09-05-2022 23:48 | 21.7 | 19.5 | 8 | 19.0 |
| 09-05-2022 23:49 | 21.7 | 19.5 | 8 | 19.0 |
| 09-05-2022 23:50 | 21.7 | 19.5 | 8 | 19.0 |
| 09-05-2022 23:51 | 21.7 | 19.5 | 7 | 19.0 |
| 09-05-2022 23:52 | 21.7 | 19.5 | 8 | 19.1 |
| 09-05-2022 23:53 | 21.7 | 19.5 | 8 | 19.1 |
| 09-05-2022 23:54 | 21.7 | 19.5 | 8 | 19.0 |
| 09-05-2022 23:55 | 21.7 | 19.5 | 8 | 19.1 |
| 09-05-2022 23:56 | 21.7 | 19.5 | 8 | 19.0 |
| 09-05-2022 23:57 | 21.7 | 19.5 | 8 | 19.0 |
| 09-05-2022 23:58 | 21.7 | 19.5 | 8 | 19.1 |
| 09-05-2022 23:59 | 21.7 | 19.5 | 8 | 19.0 |
| 10-05-2022 00:00 | 21.7 | 19.5 | 8 | 19.0 |
| 10-05-2022 00:01 | 21.7 | 19.5 | 8 | 19.1 |
| 10-05-2022 00:02 | 21.7 | 19.5 | 8 | 19.0 |
| 10-05-2022 00:03 | 21.7 | 19.5 | 8 | 19.0 |
| 10-05-2022 00:04 | 21.7 | 19.5 | 8 | 19.0 |
| 10-05-2022 00:05 | 21.7 | 19.5 | 8 | 19.0 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 10-05-2022 00:06 | 21.7 | 19.5 | 8 | 19.0 |
| 10-05-2022 00:07 | 21.7 | 19.5 | 8 | 19.0 |
| 10-05-2022 00:08 | 21.7 | 19.5 | 8 | 19.0 |
| 10-05-2022 00:09 | 21.7 | 19.5 | 7 | 19.0 |
| 10-05-2022 00:10 | 21.7 | 19.5 | 7 | 19.0 |
| 10-05-2022 00:11 | 21.7 | 19.5 | 8 | 19.0 |
| 10-05-2022 00:12 | 21.7 | 19.5 | 8 | 19.0 |
| 10-05-2022 00:13 | 21.7 | 19.5 | 8 | 19.0 |
| 10-05-2022 00:14 | 21.7 | 19.5 | 8 | 19.0 |
| 10-05-2022 00:15 | 21.7 | 19.5 | 8 | 19.0 |
| 10-05-2022 00:16 | 21.7 | 19.5 | 8 | 19.0 |
| 10-05-2022 00:17 | 21.7 | 19.5 | 8 | 19.0 |
| 10-05-2022 00:18 | 21.7 | 19.5 | 8 | 19.0 |
| 10-05-2022 00:19 | 21.7 | 19.5 | 8 | 19.0 |
| 10-05-2022 00:20 | 21.7 | 19.5 | 8 | 19.0 |
| 10-05-2022 00:21 | 21.7 | 19.5 | 8 | 19.0 |
| 10-05-2022 00:22 | 21.7 | 19.5 | 7 | 19.0 |
| 10-05-2022 00:23 | 21.7 | 19.5 | 8 | 19.0 |
| 10-05-2022 00:24 | 21.7 | 19.4 | 8 | 19.1 |
| 10-05-2022 00:25 | 21.7 | 19.4 | 8 | 19.0 |
| 10-05-2022 00:26 | 21.7 | 19.5 | 8 | 19.0 |
| 10-05-2022 00:27 | 21.7 | 19.5 | 8 | 19.0 |
| 10-05-2022 00:28 | 21.7 | 19.4 | 8 | 19.0 |
| 10-05-2022 00:29 | 21.7 | 19.5 | 8 | 19.0 |
| 10-05-2022 00:30 | 21.7 | 19.4 | 8 | 19.0 |
| 10-05-2022 00:31 | 21.7 | 19.4 | 8 | 19.0 |
| 10-05-2022 00:32 | 21.7 | 19.4 | 8 | 19.0 |
| 10-05-2022 00:33 | 21.7 | 19.4 | 8 | 19.0 |
| 10-05-2022 00:34 | 21.7 | 19.4 | 8 | 19.0 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 10-05-2022 00:35 | 21.7 | 19.4 | 8 | 19.0 |
| 10-05-2022 00:36 | 21.7 | 19.4 | 8 | 19.0 |
| 10-05-2022 00:37 | 21.7 | 19.4 | 8 | 19.0 |
| 10-05-2022 00:38 | 21.7 | 19.4 | 8 | 19.0 |
| 10-05-2022 00:39 | 21.7 | 19.4 | 8 | 18.9 |
| 10-05-2022 00:40 | 21.7 | 19.4 | 8 | 19.0 |
| 10-05-2022 00:41 | 21.7 | 19.4 | 8 | 19.0 |
| 10-05-2022 00:42 | 21.6 | 19.4 | 8 | 19.0 |
| 10-05-2022 00:43 | 21.7 | 19.4 | 8 | 18.9 |
| 10-05-2022 00:44 | 21.7 | 19.4 | 8 | 18.9 |
| 10-05-2022 00:45 | 21.6 | 19.4 | 8 | 18.9 |
| 10-05-2022 00:46 | 21.6 | 19.4 | 8 | 19.0 |
| 10-05-2022 00:47 | 21.6 | 19.4 | 8 | 18.9 |
| 10-05-2022 00:48 | 21.6 | 19.4 | 8 | 18.9 |
| 10-05-2022 00:49 | 21.7 | 19.4 | 8 | 18.9 |
| 10-05-2022 00:50 | 21.7 | 19.4 | 8 | 18.9 |
| 10-05-2022 00:51 | 21.7 | 19.4 | 7 | 19.0 |
| 10-05-2022 00:52 | 21.7 | 19.4 | 8 | 19.0 |
| 10-05-2022 00:53 | 21.6 | 19.4 | 7 | 19.0 |
| 10-05-2022 00:54 | 21.7 | 19.4 | 7 | 19.0 |
| 10-05-2022 00:55 | 21.6 | 19.4 | 8 | 19.0 |
| 10-05-2022 00:56 | 21.7 | 19.4 | 8 | 19.0 |
| 10-05-2022 00:57 | 21.7 | 19.4 | 8 | 19.0 |
| 10-05-2022 00:58 | 21.7 | 19.4 | 8 | 19.0 |
| 10-05-2022 00:59 | 21.7 | 19.4 | 8 | 19.0 |
| 10-05-2022 01:00 | 21.7 | 19.5 | 8 | 19.0 |
| 10-05-2022 01:01 | 21.7 | 19.5 | 8 | 19.0 |
| 10-05-2022 01:02 | 21.7 | 19.5 | 8 | 19.1 |
| 10-05-2022 01:03 | 21.7 | 19.5 | 8 | 19.1 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 10-05-2022 01:04 | 21.7 | 19.5 | 8 | 19.1 |
| 10-05-2022 01:05 | 21.7 | 19.5 | 8 | 19.1 |
| 10-05-2022 01:06 | 21.8 | 19.5 | 8 | 19.1 |
| 10-05-2022 01:07 | 21.8 | 19.5 | 8 | 19.1 |
| 10-05-2022 01:08 | 21.8 | 19.5 | 7 | 19.1 |
| 10-05-2022 01:09 | 21.8 | 19.5 | 8 | 19.2 |
| 10-05-2022 01:10 | 21.8 | 19.5 | 8 | 19.2 |
| 10-05-2022 01:11 | 21.8 | 19.5 | 8 | 19.2 |
| 10-05-2022 01:12 | 21.8 | 19.5 | 8 | 19.1 |
| 10-05-2022 01:13 | 21.8 | 19.6 | 8 | 19.2 |
| 10-05-2022 01:14 | 21.8 | 19.6 | 8 | 19.2 |
| 10-05-2022 01:15 | 21.8 | 19.6 | 8 | 19.2 |
| 10-05-2022 01:16 | 21.8 | 19.6 | 8 | 19.2 |
| 10-05-2022 01:17 | 21.8 | 19.6 | 8 | 19.2 |
| 10-05-2022 01:18 | 21.8 | 19.6 | 8 | 19.2 |
| 10-05-2022 01:19 | 21.9 | 19.6 | 7 | 19.3 |
| 10-05-2022 01:20 | 21.9 | 19.7 | 7 | 19.3 |
| 10-05-2022 01:21 | 21.9 | 19.6 | 8 | 19.3 |
| 10-05-2022 01:22 | 21.9 | 19.7 | 8 | 19.4 |
| 10-05-2022 01:23 | 21.9 | 19.7 | 8 | 19.4 |
| 10-05-2022 01:24 | 21.9 | 19.7 | 8 | 19.4 |
| 10-05-2022 01:25 | 21.9 | 19.7 | 8 | 19.4 |
| 10-05-2022 01:26 | 22.0 | 19.7 | 8 | 19.4 |
| 10-05-2022 01:27 | 22.0 | 19.8 | 8 | 19.4 |
| 10-05-2022 01:28 | 22.0 | 19.8 | 8 | 19.4 |
| 10-05-2022 01:29 | 22.0 | 19.8 | 8 | 19.5 |
| 10-05-2022 01:30 | 22.1 | 19.8 | 8 | 19.6 |
| 10-05-2022 01:31 | 22.1 | 19.8 | 7 | 19.6 |
| 10-05-2022 01:32 | 22.1 | 19.8 | 8 | 19.6 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 10-05-2022 01:33 | 22.1 | 19.8 | 8 | 19.6 |
| 10-05-2022 01:34 | 22.1 | 19.8 | 8 | 19.6 |
| 10-05-2022 01:35 | 22.1 | 19.9 | 8 | 19.6 |
| 10-05-2022 01:36 | 22.2 | 19.9 | 8 | 19.7 |
| 10-05-2022 01:37 | 22.2 | 19.9 | 8 | 19.6 |
| 10-05-2022 01:38 | 22.2 | 19.9 | 8 | 19.7 |
| 10-05-2022 01:39 | 22.2 | 19.9 | 8 | 19.7 |
| 10-05-2022 01:40 | 22.2 | 19.9 | 8 | 19.7 |
| 10-05-2022 01:41 | 22.2 | 19.9 | 8 | 19.7 |
| 10-05-2022 01:42 | 22.2 | 19.9 | 8 | 19.7 |
| 10-05-2022 01:43 | 22.3 | 19.9 | 8 | 19.7 |
| 10-05-2022 01:44 | 22.3 | 19.9 | 8 | 19.8 |
| 10-05-2022 01:45 | 22.3 | 20.0 | 8 | 19.8 |
| 10-05-2022 01:46 | 22.3 | 19.9 | 8 | 19.8 |
| 10-05-2022 01:47 | 22.3 | 20.0 | 8 | 19.8 |
| 10-05-2022 01:48 | 22.3 | 20.0 | 8 | 19.9 |
| 10-05-2022 01:49 | 22.3 | 20.0 | 8 | 19.9 |
| 10-05-2022 01:50 | 22.4 | 20.0 | 8 | 19.8 |
| 10-05-2022 01:51 | 22.4 | 20.0 | 8 | 19.9 |
| 10-05-2022 01:52 | 22.4 | 20.0 | 8 | 19.8 |
| 10-05-2022 01:53 | 22.4 | 20.0 | 8 | 19.8 |
| 10-05-2022 01:54 | 22.4 | 20.0 | 8 | 20.0 |
| 10-05-2022 01:55 | 22.4 | 20.0 | 8 | 19.9 |
| 10-05-2022 01:56 | 22.4 | 20.0 | 8 | 20.0 |
| 10-05-2022 01:57 | 22.5 | 20.1 | 8 | 20.0 |
| 10-05-2022 01:58 | 22.5 | 20.1 | 8 | 19.9 |
| 10-05-2022 01:59 | 22.5 | 20.1 | 8 | 20.0 |
| 10-05-2022 02:00 | 22.5 | 20.1 | 8 | 20.0 |
| 10-05-2022 02:01 | **** | **** | **** | **** |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 10-05-2022 02:02 | 22.5 | 20.1 | 8 | 20.0 |
| 10-05-2022 02:03 | 22.5 | 20.1 | 8 | 20.0 |
| 10-05-2022 02:04 | 22.5 | 20.1 | 8 | 20.0 |
| 10-05-2022 02:05 | 22.5 | 20.1 | 8 | 20.1 |
| 10-05-2022 02:06 | 22.5 | 20.1 | 8 | 20.1 |
| 10-05-2022 02:07 | 22.5 | 20.1 | 8 | 20.1 |
| 10-05-2022 02:08 | 22.6 | 20.1 | 8 | 20.0 |
| 10-05-2022 02:09 | 22.6 | 20.1 | 8 | 20.1 |
| 10-05-2022 02:10 | 22.6 | 20.1 | 8 | 20.1 |
| 10-05-2022 02:11 | 22.6 | 20.1 | 8 | 20.1 |
| 10-05-2022 02:12 | 22.6 | 20.1 | 8 | 20.1 |
| 10-05-2022 02:13 | 22.6 | 20.1 | 8 | 20.1 |
| 10-05-2022 02:14 | 22.6 | 20.1 | 8 | 20.1 |
| 10-05-2022 02:15 | 22.6 | 20.1 | 7 | 20.1 |
| 10-05-2022 02:16 | 22.6 | 20.1 | 8 | 20.1 |
| 10-05-2022 02:17 | 22.6 | 20.1 | 8 | 20.1 |
| 10-05-2022 02:18 | 22.6 | 20.1 | 8 | 20.1 |
| 10-05-2022 02:19 | 22.6 | 20.1 | 8 | 20.1 |
| 10-05-2022 02:20 | 22.6 | 20.1 | 8 | 20.1 |
| 10-05-2022 02:21 | 22.6 | 20.1 | 8 | 20.1 |
| 10-05-2022 02:22 | 22.6 | 20.1 | 8 | 20.1 |
| 10-05-2022 02:23 | 22.6 | 20.1 | 8 | 20.1 |
| 10-05-2022 02:24 | 22.7 | 20.1 | 8 | 20.1 |
| 10-05-2022 02:25 | 22.6 | 20.1 | 8 | 20.1 |
| 10-05-2022 02:26 | 22.6 | 20.1 | 8 | 20.1 |
| 10-05-2022 02:27 | 22.6 | 20.1 | 8 | 20.0 |
| 10-05-2022 02:28 | 22.6 | 20.1 | 8 | 20.0 |
| 10-05-2022 02:29 | 22.6 | 20.1 | 8 | 20.1 |
| 10-05-2022 02:30 | 22.6 | 20.1 | 8 | 20.0 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 10-05-2022 02:31 | 22.6 | 20.1 | 8 | 20.0 |
| 10-05-2022 02:32 | 22.6 | 20.0 | 8 | 20.1 |
| 10-05-2022 02:33 | 22.6 | 20.0 | 8 | 20.0 |
| 10-05-2022 02:34 | 22.6 | 20.0 | 8 | 20.0 |
| 10-05-2022 02:35 | 22.6 | 20.0 | 8 | 20.0 |
| 10-05-2022 02:36 | 22.6 | 20.0 | 8 | 20.0 |
| 10-05-2022 02:37 | 22.6 | 20.0 | 8 | 20.0 |
| 10-05-2022 02:38 | 22.6 | 20.0 | 8 | 20.0 |
| 10-05-2022 02:39 | 22.6 | 20.0 | 8 | 20.0 |
| 10-05-2022 02:40 | 22.6 | 20.0 | 8 | 20.0 |
| 10-05-2022 02:41 | 22.6 | 20.0 | 0 | 20.0 |
| 10-05-2022 02:42 | 22.6 | 20.0 | 8 | 20.0 |
| 10-05-2022 02:43 | 22.6 | 20.0 | 8 | 20.0 |
| 10-05-2022 02:44 | 22.6 | 20.0 | 8 | 19.9 |
| 10-05-2022 02:45 | 22.6 | 20.0 | 8 | 19.9 |
| 10-05-2022 02:46 | 22.6 | 19.9 | 8 | 20.0 |
| 10-05-2022 02:47 | 22.6 | 19.9 | 8 | 20.0 |
| 10-05-2022 02:48 | 22.5 | 19.9 | 8 | 20.0 |
| 10-05-2022 02:49 | 22.6 | 19.9 | 8 | 19.9 |
| 10-05-2022 02:50 | 22.6 | 19.9 | 8 | 20.0 |
| 10-05-2022 02:51 | 22.6 | 19.9 | 8 | 19.9 |
| 10-05-2022 02:52 | 22.6 | 19.9 | 8 | 20.0 |
| 10-05-2022 02:53 | 22.6 | 19.9 | 8 | 19.9 |
| 10-05-2022 02:54 | 22.6 | 19.9 | 8 | 19.9 |
| 10-05-2022 02:55 | 22.6 | 19.9 | 8 | 19.9 |
| 10-05-2022 02:56 | 22.6 | 19.9 | 8 | 19.9 |
| 10-05-2022 02:57 | 22.6 | 19.9 | 8 | 19.9 |
| 10-05-2022 02:58 | 22.6 | 19.9 | 8 | 19.8 |
| 10-05-2022 02:59 | 22.6 | 19.9 | 8 | 19.9 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 10-05-2022 03:00 | 22.6 | 19.9 | 8 | 19.9 |
| 10-05-2022 03:01 | 22.6 | 19.9 | 8 | 19.9 |
| 10-05-2022 03:02 | 22.6 | 19.9 | 8 | 19.9 |
| 10-05-2022 03:03 | 22.6 | 19.9 | 8 | 19.9 |
| 10-05-2022 03:04 | 22.5 | 19.9 | 8 | 19.9 |
| 10-05-2022 03:05 | 22.5 | 19.9 | 8 | 19.9 |
| 10-05-2022 03:06 | 22.5 | 19.9 | 8 | 19.9 |
| 10-05-2022 03:07 | 22.5 | 19.9 | 8 | 19.8 |
| 10-05-2022 03:08 | 22.6 | 19.9 | 8 | 19.9 |
| 10-05-2022 03:09 | 22.6 | 19.9 | 8 | 19.9 |
| 10-05-2022 03:10 | 22.5 | 19.9 | 8 | 19.9 |
| 10-05-2022 03:11 | 22.5 | 19.9 | 8 | 19.9 |
| 10-05-2022 03:12 | 22.5 | 19.9 | 8 | 19.9 |
| 10-05-2022 03:13 | 22.5 | 19.9 | 8 | 19.9 |
| 10-05-2022 03:14 | 22.5 | 19.9 | 8 | 19.9 |
| 10-05-2022 03:15 | 22.5 | 19.9 | 8 | 19.9 |
| 10-05-2022 03:16 | 22.5 | 19.9 | 8 | 19.9 |
| 10-05-2022 03:17 | 22.5 | 19.9 | 8 | 19.8 |
| 10-05-2022 03:18 | 22.5 | 19.9 | 8 | 19.8 |
| 10-05-2022 03:19 | 22.5 | 19.9 | 8 | 19.9 |
| 10-05-2022 03:20 | 22.5 | 19.9 | 8 | 19.9 |
| 10-05-2022 03:21 | 22.5 | 19.9 | 8 | 19.9 |
| 10-05-2022 03:22 | 22.5 | 19.9 | 8 | 19.9 |
| 10-05-2022 03:23 | 22.5 | 19.9 | 8 | 19.9 |
| 10-05-2022 03:24 | 22.5 | 19.9 | 8 | 19.8 |
| 10-05-2022 03:25 | 22.5 | 19.9 | 8 | 19.9 |
| 10-05-2022 03:26 | 22.5 | 19.9 | 8 | 19.9 |
| 10-05-2022 03:27 | 22.5 | 19.9 | 8 | 19.8 |
| 10-05-2022 03:28 | 22.5 | 19.9 | 8 | 19.8 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 10-05-2022 03:29 | 22.5 | 19.9 | 8 | 19.9 |
| 10-05-2022 03:30 | 22.5 | 19.9 | 8 | 19.8 |
| 10-05-2022 03:31 | 22.5 | 19.9 | 8 | 19.9 |
| 10-05-2022 03:32 | 22.5 | 19.9 | 8 | 19.8 |
| 10-05-2022 03:33 | 22.5 | 19.9 | 8 | 19.9 |
| 10-05-2022 03:34 | 22.5 | 19.9 | 8 | 19.9 |
| 10-05-2022 03:35 | 22.5 | 19.9 | 8 | 19.8 |
| 10-05-2022 03:36 | 22.5 | 19.9 | 8 | 19.8 |
| 10-05-2022 03:37 | 22.5 | 19.8 | 8 | 19.9 |
| 10-05-2022 03:38 | 22.5 | 19.8 | 8 | 19.8 |
| 10-05-2022 03:39 | 22.5 | 19.9 | 8 | 19.8 |
| 10-05-2022 03:40 | 22.5 | 19.9 | 8 | 19.8 |
| 10-05-2022 03:41 | 22.5 | 19.9 | 8 | 19.8 |
| 10-05-2022 03:42 | 22.4 | 19.8 | 8 | 19.8 |
| 10-05-2022 03:43 | 22.4 | 19.9 | 8 | 19.8 |
| 10-05-2022 03:44 | 22.4 | 19.8 | 8 | 19.8 |
| 10-05-2022 03:45 | 22.4 | 19.8 | 8 | 19.8 |
| 10-05-2022 03:46 | 22.4 | 19.8 | 8 | 19.8 |
| 10-05-2022 03:47 | 22.4 | 19.8 | 8 | 19.8 |
| 10-05-2022 03:48 | 22.5 | 19.8 | 8 | 19.9 |
| 10-05-2022 03:49 | 22.4 | 19.8 | 8 | 19.8 |
| 10-05-2022 03:50 | 22.4 | 19.8 | 8 | 19.8 |
| 10-05-2022 03:51 | 22.4 | 19.8 | 8 | 19.8 |
| 10-05-2022 03:52 | 22.4 | 19.8 | 8 | 19.8 |
| 10-05-2022 03:53 | 22.5 | 19.8 | 8 | 19.8 |
| 10-05-2022 03:54 | 22.4 | 19.8 | 8 | 19.8 |
| 10-05-2022 03:55 | 22.4 | 19.8 | 8 | 19.8 |
| 10-05-2022 03:56 | 22.4 | 19.8 | 8 | 19.9 |
| 10-05-2022 03:57 | 22.4 | 19.8 | 8 | 19.9 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 10-05-2022 03:58 | 22.4 | 19.8 | 8 | 19.9 |
| 10-05-2022 03:59 | 22.4 | 19.8 | 8 | 19.8 |
| 10-05-2022 04:00 | 22.4 | 19.8 | 7 | 19.8 |
| 10-05-2022 04:01 | 22.4 | 19.8 | 8 | 19.9 |
| 10-05-2022 04:02 | 22.4 | 19.8 | 8 | 19.8 |
| 10-05-2022 04:03 | 22.4 | 19.8 | 8 | 19.8 |
| 10-05-2022 04:04 | 22.4 | 19.8 | 8 | 19.9 |
| 10-05-2022 04:05 | 22.4 | 19.8 | 8 | 19.8 |
| 10-05-2022 04:06 | 22.4 | 19.8 | 8 | 19.8 |
| 10-05-2022 04:07 | 22.4 | 19.8 | 8 | 19.8 |
| 10-05-2022 04:08 | 22.4 | 19.8 | 8 | 19.8 |
| 10-05-2022 04:09 | 22.4 | 19.8 | 8 | 19.8 |
| 10-05-2022 04:10 | 22.4 | 19.8 | 8 | 19.8 |
| 10-05-2022 04:11 | 22.4 | 19.8 | 8 | 19.8 |
| 10-05-2022 04:12 | 22.4 | 19.8 | 8 | 19.7 |
| 10-05-2022 04:13 | 22.4 | 19.8 | 8 | 19.8 |
| 10-05-2022 04:14 | 22.4 | 19.8 | 8 | 19.7 |
| 10-05-2022 04:15 | 22.4 | 19.8 | 8 | 19.9 |
| 10-05-2022 04:16 | 22.4 | 19.8 | 8 | 19.8 |
| 10-05-2022 04:17 | 22.4 | 19.8 | 8 | 19.8 |
| 10-05-2022 04:18 | 22.4 | 19.8 | 8 | 19.8 |
| 10-05-2022 04:19 | 22.4 | 19.8 | 8 | 19.7 |
| 10-05-2022 04:20 | 22.4 | 19.8 | 8 | 19.9 |
| 10-05-2022 04:21 | 22.4 | 19.8 | 8 | 19.7 |
| 10-05-2022 04:22 | 22.4 | 19.8 | 8 | 19.8 |
| 10-05-2022 04:23 | 22.4 | 19.8 | 8 | 19.8 |
| 10-05-2022 04:24 | 22.4 | 19.8 | 8 | 19.8 |
| 10-05-2022 04:25 | 22.4 | 19.8 | 8 | 19.8 |
| 10-05-2022 04:26 | 22.4 | 19.8 | 8 | 19.8 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 10-05-2022 04:27 | 22.4 | 19.8 | 8 | 19.8 |
| 10-05-2022 04:28 | 22.4 | 19.8 | 8 | 19.8 |
| 10-05-2022 04:29 | 22.3 | 19.8 | 8 | 19.8 |
| 10-05-2022 04:30 | 22.4 | 19.8 | 8 | 19.8 |
| 10-05-2022 04:31 | 22.4 | 19.8 | 8 | 19.8 |
| 10-05-2022 04:32 | 22.4 | 19.8 | 8 | 19.8 |
| 10-05-2022 04:33 | 22.4 | 19.8 | 8 | 19.8 |
| 10-05-2022 04:34 | 22.4 | 19.8 | 8 | 19.8 |
| 10-05-2022 04:35 | 22.4 | 19.8 | 8 | 19.8 |
| 10-05-2022 04:36 | 22.4 | 19.8 | 8 | 19.8 |
| 10-05-2022 04:37 | 22.4 | 19.8 | 8 | 19.8 |
| 10-05-2022 04:38 | 22.4 | 19.8 | 8 | 19.8 |
| 10-05-2022 04:39 | 22.4 | 19.8 | 8 | 19.7 |
| 10-05-2022 04:40 | 22.4 | 19.8 | 8 | 19.7 |
| 10-05-2022 04:41 | 22.4 | 19.8 | 8 | 19.8 |
| 10-05-2022 04:42 | 22.4 | 19.8 | 8 | 19.7 |
| 10-05-2022 04:43 | 22.3 | 19.8 | 8 | 19.8 |
| 10-05-2022 04:44 | 22.4 | 19.8 | 8 | 19.8 |
| 10-05-2022 04:45 | 22.4 | 19.8 | 8 | 19.8 |
| 10-05-2022 04:46 | 22.4 | 19.8 | 7 | 19.8 |
| 10-05-2022 04:47 | 22.4 | 19.8 | 8 | 19.8 |
| 10-05-2022 04:48 | 22.3 | 19.8 | 8 | 19.8 |
| 10-05-2022 04:49 | 22.3 | 19.8 | 8 | 19.8 |
| 10-05-2022 04:50 | 22.3 | 19.8 | 8 | 19.8 |
| 10-05-2022 04:51 | 22.3 | 19.8 | 8 | 19.8 |
| 10-05-2022 04:52 | 22.3 | 19.8 | 8 | 19.8 |
| 10-05-2022 04:53 | 22.3 | 19.8 | 8 | 19.7 |
| 10-05-2022 04:54 | 22.3 | 19.8 | 8 | 19.7 |
| 10-05-2022 04:55 | 22.3 | 19.8 | 8 | 19.8 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 10-05-2022 04:56 | 22.3 | 19.8 | 8 | 19.8 |
| 10-05-2022 04:57 | 22.3 | 19.8 | 8 | 19.7 |
| 10-05-2022 04:58 | 22.2 | 19.8 | 8 | 19.7 |
| 10-05-2022 04:59 | 22.2 | 19.8 | 8 | 19.8 |
| 10-05-2022 05:00 | 22.2 | 19.8 | 8 | 19.8 |
| 10-05-2022 05:01 | 22.2 | 19.8 | 8 | 19.8 |
| 10-05-2022 05:02 | 22.2 | 19.8 | 8 | 19.8 |
| 10-05-2022 05:03 | 22.2 | 19.8 | 8 | 19.8 |
| 10-05-2022 05:04 | 22.2 | 19.8 | 8 | 19.8 |
| 10-05-2022 05:05 | 22.2 | 19.8 | 8 | 19.8 |
| 10-05-2022 05:06 | 22.2 | 19.8 | 8 | 19.8 |
| 10-05-2022 05:07 | 22.2 | 19.8 | 8 | 19.7 |
| 10-05-2022 05:08 | 22.2 | 19.8 | 8 | 19.7 |
| 10-05-2022 05:09 | 22.2 | 19.8 | 8 | 19.8 |
| 10-05-2022 05:10 | 22.2 | 19.8 | 8 | 19.8 |
| 10-05-2022 05:11 | 22.2 | 19.8 | 8 | 19.8 |
| 10-05-2022 05:12 | 22.2 | 19.8 | 8 | 19.8 |
| 10-05-2022 05:13 | 22.2 | 19.8 | 8 | 19.8 |
| 10-05-2022 05:14 | 22.2 | 19.8 | 8 | 19.8 |
| 10-05-2022 05:15 | 22.2 | 19.9 | 8 | 19.8 |
| 10-05-2022 05:16 | 22.2 | 19.8 | 8 | 19.9 |
| 10-05-2022 05:17 | 22.2 | 19.9 | 8 | 19.9 |
| 10-05-2022 05:18 | 22.2 | 19.9 | 7 | 19.9 |
| 10-05-2022 05:19 | 22.2 | 19.9 | 8 | 19.8 |
| 10-05-2022 05:20 | 22.2 | 19.9 | 8 | 19.9 |
| 10-05-2022 05:21 | 22.3 | 19.9 | 8 | 19.9 |
| 10-05-2022 05:22 | 22.2 | 19.9 | 8 | 19.9 |
| 10-05-2022 05:23 | 22.2 | 19.9 | 8 | 19.9 |
| 10-05-2022 05:24 | 22.3 | 19.9 | 8 | 19.9 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 10-05-2022 05:25 | 22.3 | 19.9 | 8 | 19.9 |
| 10-05-2022 05:26 | 22.3 | 19.9 | 8 | 19.9 |
| 10-05-2022 05:27 | 22.3 | 19.9 | 7 | 19.9 |
| 10-05-2022 05:28 | 22.3 | 19.9 | 7 | 19.9 |
| 10-05-2022 05:29 | 22.3 | 19.9 | 8 | 19.9 |
| 10-05-2022 05:30 | 22.3 | 19.9 | 8 | 19.9 |
| 10-05-2022 05:31 | 22.3 | 19.9 | 8 | 19.9 |
| 10-05-2022 05:32 | 22.3 | 19.9 | 8 | 19.9 |
| 10-05-2022 05:33 | 22.3 | 19.9 | 8 | 19.9 |
| 10-05-2022 05:34 | 22.3 | 19.9 | 8 | 19.9 |
| 10-05-2022 05:35 | 22.3 | 19.9 | 8 | 19.9 |
| 10-05-2022 05:36 | 22.3 | 19.9 | 8 | 19.9 |
| 10-05-2022 05:37 | 22.3 | 19.9 | 8 | 19.9 |
| 10-05-2022 05:38 | 22.3 | 19.9 | 8 | 19.8 |
| 10-05-2022 05:39 | 22.3 | 19.9 | 8 | 19.9 |
| 10-05-2022 05:40 | 22.2 | 19.9 | 8 | 19.8 |
| 10-05-2022 05:41 | 22.2 | 19.9 | 8 | 19.8 |
| 10-05-2022 05:42 | 22.3 | 19.8 | 8 | 19.8 |
| 10-05-2022 05:43 | 22.3 | 19.8 | 8 | 19.8 |
| 10-05-2022 05:44 | 22.3 | 19.8 | 8 | 19.8 |
| 10-05-2022 05:45 | 22.3 | 19.8 | 8 | 19.8 |
| 10-05-2022 05:46 | 22.3 | 19.8 | 8 | 19.8 |
| 10-05-2022 05:47 | 22.3 | 19.8 | 8 | 19.7 |
| 10-05-2022 05:48 | 22.3 | 19.8 | 8 | 19.7 |
| 10-05-2022 05:49 | 22.2 | 19.8 | 8 | 19.7 |
| 10-05-2022 05:50 | 22.2 | 19.8 | 8 | 19.7 |
| 10-05-2022 05:51 | 22.2 | 19.8 | 8 | 19.7 |
| 10-05-2022 05:52 | 22.2 | 19.8 | 8 | 19.7 |
| 10-05-2022 05:53 | 22.2 | 19.8 | 8 | 19.7 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 10-05-2022 05:54 | 22.2 | 19.7 | 8 | 19.7 |
| 10-05-2022 05:55 | 22.2 | 19.7 | 8 | 19.7 |
| 10-05-2022 05:56 | 22.2 | 19.7 | 8 | 19.6 |
| 10-05-2022 05:57 | 22.2 | 19.7 | 8 | 19.6 |
| 10-05-2022 05:58 | 22.2 | 19.7 | 8 | 19.6 |
| 10-05-2022 05:59 | 22.1 | 19.7 | 8 | 19.6 |
| 10-05-2022 06:00 | 22.2 | 19.7 | 8 | 19.6 |
| 10-05-2022 06:01 | 22.1 | 19.7 | 7 | 19.6 |
| 10-05-2022 06:02 | 22.1 | 19.7 | 7 | 19.6 |
| 10-05-2022 06:03 | 22.1 | 19.6 | 8 | 19.6 |
| 10-05-2022 06:04 | 22.1 | 19.6 | 8 | 19.6 |
| 10-05-2022 06:05 | 22.1 | 19.6 | 8 | 19.5 |
| 10-05-2022 06:06 | 22.1 | 19.6 | 8 | 19.5 |
| 10-05-2022 06:07 | 22.1 | 19.6 | 8 | 19.6 |
| 10-05-2022 06:08 | 22.1 | 19.6 | 8 | 19.5 |
| 10-05-2022 06:09 | 22.1 | 19.6 | 8 | 19.5 |
| 10-05-2022 06:10 | 22.1 | 19.6 | 8 | 19.5 |
| 10-05-2022 06:11 | 22.1 | 19.6 | 7 | 19.5 |
| 10-05-2022 06:12 | 22.0 | 19.6 | 8 | 19.5 |
| 10-05-2022 06:13 | 22.0 | 19.6 | 8 | 19.5 |
| 10-05-2022 06:14 | 22.0 | 19.6 | 8 | 19.5 |
| 10-05-2022 06:15 | 22.0 | 19.6 | 8 | 19.5 |
| 10-05-2022 06:16 | 22.0 | 19.6 | 8 | 19.4 |
| 10-05-2022 06:17 | 22.0 | 19.6 | 8 | 19.5 |
| 10-05-2022 06:18 | 22.0 | 19.6 | 8 | 19.4 |
| 10-05-2022 06:19 | 22.0 | 19.6 | 8 | 19.4 |
| 10-05-2022 06:20 | 22.0 | 19.6 | 8 | 19.5 |
| 10-05-2022 06:21 | 22.0 | 19.5 | 8 | 19.4 |
| 10-05-2022 06:22 | 22.0 | 19.6 | 8 | 19.5 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 10-05-2022 06:23 | 22.0 | 19.5 | 8 | 19.5 |
| 10-05-2022 06:24 | 22.0 | 19.5 | 8 | 19.4 |
| 10-05-2022 06:25 | 22.0 | 19.5 | 8 | 19.4 |
| 10-05-2022 06:26 | 22.0 | 19.5 | 8 | 19.4 |
| 10-05-2022 06:27 | 22.0 | 19.5 | 8 | 19.4 |
| 10-05-2022 06:28 | 22.0 | 19.5 | 8 | 19.4 |
| 10-05-2022 06:29 | 22.0 | 19.5 | 8 | 19.4 |
| 10-05-2022 06:30 | 22.0 | 19.5 | 8 | 19.4 |
| 10-05-2022 06:31 | 22.0 | 19.5 | 8 | 19.4 |
| 10-05-2022 06:32 | 21.9 | 19.5 | 8 | 19.3 |
| 10-05-2022 06:33 | 21.9 | 19.5 | 8 | 19.4 |
| 10-05-2022 06:34 | 21.9 | 19.5 | 8 | 19.4 |
| 10-05-2022 06:35 | 21.9 | 19.5 | 8 | 19.4 |
| 10-05-2022 06:36 | 21.9 | 19.5 | 8 | 19.4 |
| 10-05-2022 06:37 | 21.9 | 19.5 | 8 | 19.4 |
| 10-05-2022 06:38 | 21.9 | 19.5 | 7 | 19.4 |
| 10-05-2022 06:39 | 21.9 | 19.5 | 8 | 19.4 |
| 10-05-2022 06:40 | 21.9 | 19.5 | 8 | 19.3 |
| 10-05-2022 06:41 | 22.0 | 19.5 | 8 | 19.4 |
| 10-05-2022 06:42 | 22.0 | 19.5 | 8 | 19.4 |
| 10-05-2022 06:43 | 22.0 | 19.5 | 8 | 19.4 |
| 10-05-2022 06:44 | 22.0 | 19.5 | 8 | 19.4 |
| 10-05-2022 06:45 | 22.0 | 19.5 | 8 | 19.3 |
| 10-05-2022 06:46 | 22.0 | 19.5 | 8 | 19.3 |
| 10-05-2022 06:47 | 22.0 | 19.5 | 8 | 19.4 |
| 10-05-2022 06:48 | 22.0 | 19.5 | 7 | 19.3 |
| 10-05-2022 06:49 | 22.0 | 19.5 | 8 | 19.3 |
| 10-05-2022 06:50 | 22.0 | 19.5 | 8 | 19.3 |
| 10-05-2022 06:51 | 22.0 | 19.5 | 8 | 19.3 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 10-05-2022 06:52 | 22.0 | 19.5 | 8 | 19.3 |
| 10-05-2022 06:53 | 22.0 | 19.5 | 8 | 19.3 |
| 10-05-2022 06:54 | 22.0 | 19.5 | 8 | 19.4 |
| 10-05-2022 06:55 | 22.0 | 19.5 | 8 | 19.3 |
| 10-05-2022 06:56 | 22.0 | 19.5 | 8 | 19.3 |
| 10-05-2022 06:57 | 22.0 | 19.5 | 8 | 19.3 |
| 10-05-2022 06:58 | 22.0 | 19.5 | 7 | 19.3 |
| 10-05-2022 06:59 | 22.0 | 19.5 | 8 | 19.3 |
| 10-05-2022 07:00 | 22.0 | 19.5 | 8 | 19.3 |
| 10-05-2022 07:01 | 22.0 | 19.5 | 8 | 19.3 |
| 10-05-2022 07:02 | 22.0 | 19.5 | 8 | 19.3 |
| 10-05-2022 07:03 | 22.1 | 19.5 | 8 | 19.3 |
| 10-05-2022 07:04 | 22.1 | 19.5 | 9 | 19.3 |
| 10-05-2022 07:05 | 22.1 | 19.5 | 9 | 19.3 |
| 10-05-2022 07:06 | 22.0 | 19.5 | 9 | 19.3 |
| 10-05-2022 07:07 | 22.0 | 19.5 | 9 | 19.3 |
| 10-05-2022 07:08 | 21.9 | 19.5 | 9 | 19.3 |
| 10-05-2022 07:09 | 21.9 | 19.5 | 8 | 19.3 |
| 10-05-2022 07:10 | 22.0 | 19.5 | 8 | 19.3 |
| 10-05-2022 07:11 | 22.0 | 19.5 | 8 | 19.2 |
| 10-05-2022 07:12 | 22.0 | 19.5 | 8 | 19.2 |
| 10-05-2022 07:13 | 22.1 | 19.5 | 8 | 19.3 |
| 10-05-2022 07:14 | 22.1 | 19.5 | 9 | 19.3 |
| 10-05-2022 07:15 | 22.2 | 19.5 | 8 | 19.2 |
| 10-05-2022 07:16 | 22.1 | 19.5 | 9 | 19.3 |
| 10-05-2022 07:17 | 22.2 | 19.5 | 8 | 19.2 |
| 10-05-2022 07:18 | 22.2 | 19.5 | 9 | 19.3 |
| 10-05-2022 07:19 | 22.2 | 19.5 | 8 | 19.3 |
| 10-05-2022 07:20 | 22.2 | 19.5 | 8 | 19.2 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 10-05-2022 07:21 | 22.2 | 19.5 | 8 | 19.3 |
| 10-05-2022 07:22 | 22.2 | 19.5 | 8 | 19.2 |
| 10-05-2022 07:23 | 22.2 | 19.5 | 8 | 19.3 |
| 10-05-2022 07:24 | 22.2 | 19.5 | 9 | 19.2 |
| 10-05-2022 07:25 | 22.2 | 19.5 | 8 | 19.3 |
| 10-05-2022 07:26 | 22.2 | 19.5 | 8 | 19.2 |
| 10-05-2022 07:27 | 22.1 | 19.5 | 8 | 19.2 |
| 10-05-2022 07:28 | 22.1 | 19.5 | 8 | 19.3 |
| 10-05-2022 07:29 | 22.1 | 19.5 | 8 | 19.3 |
| 10-05-2022 07:30 | 22.1 | 19.5 | 9 | 19.2 |
| 10-05-2022 07:31 | 22.1 | 19.5 | 9 | 19.3 |
| 10-05-2022 07:32 | 22.2 | 19.5 | 8 | 19.3 |
| 10-05-2022 07:33 | 22.3 | 19.5 | 8 | 19.3 |
| 10-05-2022 07:34 | 22.4 | 19.5 | 9 | 19.3 |
| 10-05-2022 07:35 | 22.5 | 19.5 | 9 | 19.3 |
| 10-05-2022 07:36 | 22.5 | 19.5 | 8 | 19.3 |
| 10-05-2022 07:37 | 22.6 | 19.5 | 8 | 19.3 |
| 10-05-2022 07:38 | 22.7 | 19.5 | 8 | 19.3 |
| 10-05-2022 07:39 | 22.8 | 19.5 | 8 | 19.4 |
| 10-05-2022 07:40 | 22.8 | 19.5 | 8 | 19.4 |
| 10-05-2022 07:41 | 22.9 | 19.5 | 8 | 19.4 |
| 10-05-2022 07:42 | 23.0 | 19.5 | 9 | 19.3 |
| 10-05-2022 07:43 | 23.0 | 19.5 | 8 | 19.5 |
| 10-05-2022 07:44 | 22.9 | 19.5 | 9 | 19.5 |
| 10-05-2022 07:45 | 23.0 | 19.5 | 8 | 19.5 |
| 10-05-2022 07:46 | 23.0 | 19.5 | 8 | 19.5 |
| 10-05-2022 07:47 | 23.1 | 19.5 | 9 | 19.4 |
| 10-05-2022 07:48 | 23.1 | 19.5 | 8 | 19.4 |
| 10-05-2022 07:49 | 23.0 | 19.5 | 8 | 19.4 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 10-05-2022 07:50 | 23.1 | 19.5 | 8 | 19.4 |
| 10-05-2022 07:51 | 23.1 | 19.5 | 8 | 19.4 |
| 10-05-2022 07:52 | 23.2 | 19.5 | 8 | 19.5 |
| 10-05-2022 07:53 | 23.2 | 19.5 | 8 | 19.5 |
| 10-05-2022 07:54 | 23.2 | 19.5 | 8 | 19.5 |
| 10-05-2022 07:55 | 23.3 | 19.5 | 8 | 19.5 |
| 10-05-2022 07:56 | 23.3 | 19.6 | 8 | 19.5 |
| 10-05-2022 07:57 | 23.3 | 19.5 | 8 | 19.4 |
| 10-05-2022 07:58 | 23.4 | 19.6 | 7 | 19.5 |
| 10-05-2022 07:59 | 23.4 | 19.6 | 8 | 19.5 |
| 10-05-2022 08:00 | 23.4 | 19.6 | 8 | 19.5 |
| 10-05-2022 08:01 | 23.4 | 19.6 | 8 | 19.5 |
| 10-05-2022 08:02 | 23.5 | 19.6 | 8 | 19.5 |
| 10-05-2022 08:03 | 23.5 | 19.6 | 8 | 19.4 |
| 10-05-2022 08:04 | 23.5 | 19.6 | 8 | 19.5 |
| 10-05-2022 08:05 | 23.5 | 19.6 | 8 | 19.5 |
| 10-05-2022 08:06 | 23.6 | 19.6 | 8 | 19.5 |
| 10-05-2022 08:07 | 23.6 | 19.6 | 8 | 19.5 |
| 10-05-2022 08:08 | 23.6 | 19.6 | 8 | 19.6 |
| 10-05-2022 08:09 | 23.6 | 19.6 | 7 | 19.5 |
| 10-05-2022 08:10 | 23.6 | 19.6 | 7 | 19.5 |
| 10-05-2022 08:11 | 23.6 | 19.6 | 7 | 19.5 |
| 10-05-2022 08:12 | 23.6 | 19.6 | 8 | 19.6 |
| 10-05-2022 08:13 | 23.7 | 19.6 | 8 | 19.5 |
| 10-05-2022 08:14 | 23.6 | 19.6 | 8 | 19.5 |
| 10-05-2022 08:15 | 23.7 | 19.6 | 8 | 19.5 |
| 10-05-2022 08:16 | 23.8 | 19.6 | 8 | 19.5 |
| 10-05-2022 08:17 | 23.6 | 19.6 | 6 | 19.5 |
| 10-05-2022 08:18 | 23.7 | 19.6 | 6 | 19.4 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 10-05-2022 08:19 | 23.7 | 19.6 | 8 | 19.5 |
| 10-05-2022 08:20 | 23.6 | 19.6 | 6 | 19.4 |
| 10-05-2022 08:21 | 23.6 | 19.6 | 8 | 19.4 |
| 10-05-2022 08:22 | 23.7 | 19.5 | 7 | 19.4 |
| 10-05-2022 08:23 | 23.7 | 19.5 | 8 | 19.4 |
| 10-05-2022 08:24 | 23.7 | 19.5 | 8 | 19.3 |
| 10-05-2022 08:25 | 23.7 | 19.5 | 8 | 19.4 |
| 10-05-2022 08:26 | 23.7 | 19.5 | 8 | 19.3 |
| 10-05-2022 08:27 | 23.7 | 19.5 | 8 | 19.4 |
| 10-05-2022 08:28 | 23.7 | 19.5 | 8 | 19.3 |
| 10-05-2022 08:29 | 23.7 | 19.5 | 8 | 19.3 |
| 10-05-2022 08:30 | 23.7 | 19.5 | 7 | 19.3 |
| 10-05-2022 08:31 | 23.7 | 19.5 | 8 | 19.3 |
| 10-05-2022 08:32 | 23.6 | 19.5 | 7 | 19.3 |
| 10-05-2022 08:33 | 23.6 | 19.4 | 6 | 19.2 |
| 10-05-2022 08:34 | 23.7 | 19.4 | 8 | 19.2 |
| 10-05-2022 08:35 | 23.6 | 19.4 | 8 | 19.2 |
| 10-05-2022 08:36 | 23.6 | 19.4 | 8 | 19.2 |
| 10-05-2022 08:37 | 23.6 | 19.4 | 8 | 19.2 |
| 10-05-2022 08:38 | 23.6 | 19.4 | 8 | 19.1 |
| 10-05-2022 08:39 | 23.6 | 19.3 | 8 | 19.1 |
| 10-05-2022 08:40 | 23.6 | 19.3 | 8 | 19.1 |
| 10-05-2022 08:41 | 23.6 | 19.3 | 7 | 19.1 |
| 10-05-2022 08:42 | 23.6 | 19.3 | 8 | 19.2 |
| 10-05-2022 08:43 | 23.5 | 19.3 | 8 | 19.2 |
| 10-05-2022 08:44 | 23.6 | 19.3 | 8 | 19.1 |
| 10-05-2022 08:45 | 23.5 | 19.3 | 8 | 19.1 |
| 10-05-2022 08:46 | 23.6 | 19.3 | 8 | 19.1 |
| 10-05-2022 08:47 | 23.6 | 19.3 | 8 | 19.1 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 10-05-2022 08:48 | 23.6 | 19.3 | 8 | 19.1 |
| 10-05-2022 08:49 | 23.6 | 19.3 | 8 | 19.0 |
| 10-05-2022 08:50 | 23.6 | 19.3 | 8 | 19.0 |
| 10-05-2022 08:51 | 23.7 | 19.3 | 8 | 19.0 |
| 10-05-2022 08:52 | 23.6 | 19.3 | 8 | 19.0 |
| 10-05-2022 08:53 | 23.5 | 19.3 | 8 | 19.0 |
| 10-05-2022 08:54 | 23.5 | 19.2 | 8 | 19.0 |
| 10-05-2022 08:55 | 23.5 | 19.2 | 8 | 18.9 |
| 10-05-2022 08:56 | 23.6 | 19.2 | 8 | 18.9 |
| 10-05-2022 08:57 | 23.6 | 19.2 | 8 | 19.0 |
| 10-05-2022 08:58 | 23.6 | 19.2 | 8 | 18.9 |
| 10-05-2022 08:59 | 23.6 | 19.2 | 8 | 18.9 |
| 10-05-2022 09:00 | 23.4 | 19.2 | 8 | 19.0 |
| 10-05-2022 09:01 | 23.5 | 19.2 | 8 | 19.0 |
| 10-05-2022 09:02 | 23.4 | 19.2 | 8 | 19.0 |
| 10-05-2022 09:03 | 23.3 | 19.2 | 8 | 19.0 |
| 10-05-2022 09:04 | 23.2 | 19.2 | 8 | 18.9 |
| 10-05-2022 09:05 | 23.2 | 19.2 | 8 | 18.9 |
| 10-05-2022 09:06 | 23.2 | 19.2 | 8 | 18.9 |
| 10-05-2022 09:07 | 23.1 | 19.2 | 8 | 18.9 |
| 10-05-2022 09:08 | 23.1 | 19.2 | 8 | 18.9 |
| 10-05-2022 09:09 | 23.0 | 19.2 | 8 | 18.9 |
| 10-05-2022 09:10 | 23.0 | 19.2 | 8 | 18.9 |
| 10-05-2022 09:11 | 23.0 | 19.2 | 8 | 18.9 |
| 10-05-2022 09:12 | 22.9 | 19.2 | 8 | 18.8 |
| 10-05-2022 09:13 | 22.9 | 19.2 | 8 | 18.9 |
| 10-05-2022 09:14 | 22.9 | 19.2 | 8 | 18.9 |
| 10-05-2022 09:15 | 22.9 | 19.2 | 8 | 18.8 |
| 10-05-2022 09:16 | 22.8 | 19.2 | 8 | 18.8 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 10-05-2022 09:17 | 22.8 | 19.2 | 7 | 18.8 |
| 10-05-2022 09:18 | 22.8 | 19.2 | 8 | 18.8 |
| 10-05-2022 09:19 | 22.7 | 19.2 | 8 | 18.8 |
| 10-05-2022 09:20 | 22.7 | 19.2 | 8 | 18.8 |
| 10-05-2022 09:21 | 22.7 | 19.2 | 8 | 18.9 |
| 10-05-2022 09:22 | 22.7 | 19.2 | 8 | 18.8 |
| 10-05-2022 09:23 | 22.6 | 19.2 | 8 | 18.8 |
| 10-05-2022 09:24 | 22.6 | 19.2 | 7 | 18.9 |
| 10-05-2022 09:25 | 22.6 | 19.2 | 7 | 18.8 |
| 10-05-2022 09:26 | 22.5 | 19.2 | 8 | 18.8 |
| 10-05-2022 09:27 | 22.6 | 19.2 | 7 | 18.8 |
| 10-05-2022 09:28 | 22.6 | 19.1 | 8 | 18.8 |
| 10-05-2022 09:29 | 22.6 | 19.1 | 8 | 18.8 |
| 10-05-2022 09:30 | 22.5 | 19.1 | 8 | 18.8 |
| 10-05-2022 09:31 | 22.5 | 19.1 | 8 | 18.9 |
| 10-05-2022 09:32 | 22.5 | 19.1 | 8 | 18.8 |
| 10-05-2022 09:33 | 22.5 | 19.1 | 7 | 18.8 |
| 10-05-2022 09:34 | 22.5 | 19.1 | 8 | 18.8 |
| 10-05-2022 09:35 | 22.5 | 19.1 | 8 | 18.8 |
| 10-05-2022 09:36 | 22.5 | 19.1 | 8 | 18.7 |
| 10-05-2022 09:37 | 22.5 | 19.1 | 8 | 18.8 |
| 10-05-2022 09:38 | 22.6 | 19.1 | 8 | 18.7 |
| 10-05-2022 09:39 | 22.7 | 19.1 | 8 | 18.8 |
| 10-05-2022 09:40 | 22.7 | 19.1 | 7 | 18.8 |
| 10-05-2022 09:41 | 22.7 | 19.1 | 8 | 18.7 |
| 10-05-2022 09:42 | 22.7 | 19.1 | 8 | 18.7 |
| 10-05-2022 09:43 | 22.8 | 19.1 | 8 | 18.8 |
| 10-05-2022 09:44 | 22.8 | 19.1 | 8 | 18.8 |
| 10-05-2022 09:45 | 22.8 | 19.1 | 8 | 18.7 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 10-05-2022 09:46 | 22.9 | 19.1 | 8 | 18.7 |
| 10-05-2022 09:47 | 22.8 | 19.1 | 8 | 18.8 |
| 10-05-2022 09:48 | 22.8 | 19.1 | 8 | 18.8 |
| 10-05-2022 09:49 | 22.9 | 19.1 | 7 | 18.8 |
| 10-05-2022 09:50 | 22.9 | 19.1 | 8 | 18.8 |
| 10-05-2022 09:51 | 22.9 | 19.1 | 8 | 18.8 |
| 10-05-2022 09:52 | 22.9 | 19.1 | 8 | 18.8 |
| 10-05-2022 09:53 | 22.9 | 19.1 | 7 | 18.9 |
| 10-05-2022 09:54 | 23.0 | 19.1 | 8 | 18.8 |
| 10-05-2022 09:55 | 23.0 | 19.1 | 8 | 18.8 |
| 10-05-2022 09:56 | 23.0 | 19.1 | 7 | 18.8 |
| 10-05-2022 09:57 | 23.1 | 19.1 | 7 | 18.9 |
| 10-05-2022 09:58 | 23.1 | 19.1 | 8 | 18.9 |
| 10-05-2022 09:59 | 23.1 | 19.1 | 8 | 18.9 |
| 10-05-2022 10:00 | 23.1 | 19.1 | 8 | 18.8 |
| 10-05-2022 10:01 | 23.1 | 19.1 | 8 | 18.9 |
| 10-05-2022 10:02 | 23.2 | 19.1 | 8 | 18.9 |
| 10-05-2022 10:03 | 23.2 | 19.1 | 7 | 18.9 |
| 10-05-2022 10:04 | 23.2 | 19.2 | 7 | 18.9 |
| 10-05-2022 10:05 | 23.2 | 19.1 | 7 | 18.8 |
| 10-05-2022 10:06 | 23.2 | 19.2 | 8 | 18.8 |
| 10-05-2022 10:07 | 23.3 | 19.2 | 8 | 18.8 |
| 10-05-2022 10:08 | 23.2 | 19.2 | 8 | 18.9 |
| 10-05-2022 10:09 | 23.2 | 19.2 | 8 | 18.8 |
| 10-05-2022 10:10 | 23.2 | 19.2 | 8 | 18.8 |
| 10-05-2022 10:11 | 23.3 | 19.1 | 8 | 18.8 |
| 10-05-2022 10:12 | 23.3 | 19.2 | 8 | 18.8 |
| 10-05-2022 10:13 | 23.3 | 19.2 | 8 | 18.8 |
| 10-05-2022 10:14 | 23.3 | 19.2 | 7 | 18.8 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 10-05-2022 10:15 | 23.3 | 19.2 | 8 | 18.8 |
| 10-05-2022 10:16 | 23.4 | 19.1 | 7 | 18.9 |
| 10-05-2022 10:17 | 23.4 | 19.1 | 8 | 18.9 |
| 10-05-2022 10:18 | 23.4 | 19.1 | 8 | 18.9 |
| 10-05-2022 10:19 | 23.4 | 19.1 | 8 | 18.8 |
| 10-05-2022 10:20 | 23.4 | 19.1 | 8 | 18.8 |
| 10-05-2022 10:21 | 23.4 | 19.1 | 7 | 18.9 |
| 10-05-2022 10:22 | 23.4 | 19.2 | 8 | 18.8 |
| 10-05-2022 10:23 | 23.4 | 19.2 | 8 | 18.8 |
| 10-05-2022 10:24 | 23.4 | 19.2 | 8 | 18.9 |
| 10-05-2022 10:25 | 23.5 | 19.2 | 8 | 18.9 |
| 10-05-2022 10:26 | 23.5 | 19.2 | 8 | 18.8 |
| 10-05-2022 10:27 | 23.5 | 19.2 | 8 | 18.9 |
| 10-05-2022 10:28 | 23.5 | 19.2 | 8 | 18.9 |
| 10-05-2022 10:29 | 23.5 | 19.2 | 8 | 18.9 |
| 10-05-2022 10:30 | 23.5 | 19.2 | 8 | 19.0 |
| 10-05-2022 10:31 | 23.5 | 19.2 | 8 | 19.0 |
| 10-05-2022 10:32 | 23.5 | 19.2 | 8 | 18.9 |
| 10-05-2022 10:33 | 23.5 | 19.2 | 8 | 19.0 |
| 10-05-2022 10:34 | 23.5 | 19.2 | 8 | 18.9 |
| 10-05-2022 10:35 | 23.5 | 19.2 | 8 | 18.9 |
| 10-05-2022 10:36 | 23.4 | 19.2 | 8 | 18.9 |
| 10-05-2022 10:37 | 23.4 | 19.2 | 8 | 18.9 |
| 10-05-2022 10:38 | 23.4 | 19.2 | 8 | 18.9 |
| 10-05-2022 10:39 | 23.4 | 19.2 | 8 | 18.9 |
| 10-05-2022 10:40 | 23.4 | 19.2 | 8 | 18.9 |
| 10-05-2022 10:41 | 23.4 | 19.2 | 7 | 18.9 |
| 10-05-2022 10:42 | 23.3 | 19.2 | 7 | 18.9 |
| 10-05-2022 10:43 | 23.3 | 19.2 | 8 | 18.9 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 10-05-2022 10:44 | 23.3 | 19.2 | 8 | 18.9 |
| 10-05-2022 10:45 | 23.3 | 19.2 | 4 | 18.9 |
| 10-05-2022 10:46 | 23.4 | 19.2 | 8 | 18.9 |
| 10-05-2022 10:47 | 23.4 | 19.2 | 8 | 18.9 |
| 10-05-2022 10:48 | 23.4 | 19.2 | 6 | 18.9 |
| 10-05-2022 10:49 | 23.5 | 19.2 | 6 | 19.0 |
| 10-05-2022 10:50 | 23.5 | 19.3 | 7 | 19.0 |
| 10-05-2022 10:51 | 23.5 | 19.3 | 7 | 18.9 |
| 10-05-2022 10:52 | 23.6 | 19.3 | 7 | 18.9 |
| 10-05-2022 10:53 | 23.6 | 19.3 | 6 | 18.9 |
| 10-05-2022 10:54 | 23.6 | 19.3 | 8 | 18.9 |
| 10-05-2022 10:55 | 23.6 | 19.3 | 7 | 18.9 |
| 10-05-2022 10:56 | 23.6 | 19.3 | 8 | 18.9 |
| 10-05-2022 10:57 | 23.5 | 19.3 | 8 | 18.9 |
| 10-05-2022 10:58 | 23.5 | 19.3 | 8 | 18.9 |
| 10-05-2022 10:59 | 23.5 | 19.3 | 8 | 18.9 |
| 10-05-2022 11:00 | 23.5 | 19.3 | 8 | 18.9 |
| 10-05-2022 11:01 | 23.5 | 19.3 | 8 | 18.9 |
| 10-05-2022 11:02 | 23.5 | 19.2 | 8 | 18.9 |
| 10-05-2022 11:03 | 23.5 | 19.2 | 8 | 18.9 |
| 10-05-2022 11:04 | 23.5 | 19.2 | 8 | 18.8 |
| 10-05-2022 11:05 | 23.5 | 19.3 | 6 | 18.9 |
| 10-05-2022 11:06 | 23.5 | 19.3 | 8 | 18.9 |
| 10-05-2022 11:07 | 23.5 | 19.2 | 8 | 18.9 |
| 10-05-2022 11:08 | 23.5 | 19.2 | 8 | 18.9 |
| 10-05-2022 11:09 | 23.5 | 19.2 | 8 | 18.9 |
| 10-05-2022 11:10 | 23.6 | 19.2 | 8 | 18.9 |
| 10-05-2022 11:11 | 23.5 | 19.2 | 8 | 18.8 |
| 10-05-2022 11:12 | 23.5 | 19.2 | 8 | 18.8 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 10-05-2022 11:13 | 23.5 | 19.2 | 8 | 18.9 |
| 10-05-2022 11:14 | 23.6 | 19.2 | 8 | 18.9 |
| 10-05-2022 11:15 | 23.5 | 19.2 | 8 | 18.8 |
| 10-05-2022 11:16 | 23.4 | 19.2 | 8 | 18.8 |
| 10-05-2022 11:17 | 23.5 | 19.2 | 8 | 18.8 |
| 10-05-2022 11:18 | 23.5 | 19.2 | 8 | 18.8 |
| 10-05-2022 11:19 | 23.5 | 19.2 | 6 | 18.9 |
| 10-05-2022 11:20 | 23.5 | 19.2 | 8 | 18.9 |
| 10-05-2022 11:21 | 23.6 | 19.2 | 7 | 18.9 |
| 10-05-2022 11:22 | 23.6 | 19.2 | 8 | 18.9 |
| 10-05-2022 11:23 | 23.6 | 19.2 | 8 | 18.8 |
| 10-05-2022 11:24 | 23.6 | 19.2 | 8 | 18.8 |
| 10-05-2022 11:25 | 23.6 | 19.2 | 8 | 18.8 |
| 10-05-2022 11:26 | 23.7 | 19.2 | 8 | 18.8 |
| 10-05-2022 11:27 | 23.7 | 19.2 | 7 | 18.8 |
| 10-05-2022 11:28 | 23.6 | 19.2 | 8 | 18.8 |
| 10-05-2022 11:29 | 23.6 | 19.2 | 8 | 18.8 |
| 10-05-2022 11:30 | 23.6 | 19.2 | 7 | 18.8 |
| 10-05-2022 11:31 | 23.6 | 19.2 | 8 | 18.8 |
| 10-05-2022 11:32 | 23.7 | 19.2 | 8 | 18.8 |
| 10-05-2022 11:33 | 23.7 | 19.2 | 8 | 18.8 |
| 10-05-2022 11:34 | 23.6 | 19.2 | 8 | 18.8 |
| 10-05-2022 11:35 | 23.6 | 19.2 | 8 | 18.8 |
| 10-05-2022 11:36 | 23.6 | 19.2 | 8 | 18.8 |
| 10-05-2022 11:37 | 23.6 | 19.2 | 8 | 18.8 |
| 10-05-2022 11:38 | 23.7 | 19.2 | 8 | 18.8 |
| 10-05-2022 11:39 | 23.6 | 19.2 | 8 | 18.8 |
| 10-05-2022 11:40 | 23.6 | 19.2 | 7 | 18.8 |
| 10-05-2022 11:41 | 23.7 | 19.2 | 8 | 18.8 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 10-05-2022 11:42 | 23.7 | 19.2 | 8 | 18.8 |
| 10-05-2022 11:43 | 23.8 | 19.2 | 8 | 18.8 |
| 10-05-2022 11:44 | 23.7 | 19.2 | 7 | 18.8 |
| 10-05-2022 11:45 | 23.6 | 19.2 | 8 | 18.8 |
| 10-05-2022 11:46 | 23.6 | 19.2 | 9 | 18.8 |
| 10-05-2022 11:47 | 23.6 | 19.2 | 8 | 18.8 |
| 10-05-2022 11:48 | 23.6 | 19.2 | 8 | 18.8 |
| 10-05-2022 11:49 | 23.6 | 19.2 | 8 | 18.8 |
| 10-05-2022 11:50 | 23.5 | 19.2 | 8 | 18.7 |
| 10-05-2022 11:51 | 23.6 | 19.2 | 6 | 18.7 |
| 10-05-2022 11:52 | 23.6 | 19.2 | 8 | 18.8 |
| 10-05-2022 11:53 | 23.5 | 19.2 | 8 | 18.7 |
| 10-05-2022 11:54 | 23.5 | 19.2 | 8 | 18.8 |
| 10-05-2022 11:55 | 23.5 | 19.2 | 8 | 18.7 |
| 10-05-2022 11:56 | 23.6 | 19.2 | 8 | 18.8 |
| 10-05-2022 11:57 | 23.6 | 19.2 | 8 | 18.8 |
| 10-05-2022 11:58 | 23.7 | 19.2 | 8 | 18.8 |
| 10-05-2022 11:59 | 23.7 | 19.2 | 8 | 18.8 |
| 10-05-2022 12:00 | 23.7 | 19.2 | 8 | 18.8 |
| 10-05-2022 12:01 | 23.7 | 19.2 | 8 | 18.7 |
| 10-05-2022 12:02 | 23.7 | 19.2 | 8 | 18.8 |
| 10-05-2022 12:03 | 23.8 | 19.2 | 8 | 18.7 |
| 10-05-2022 12:04 | 23.8 | 19.2 | 8 | 18.7 |
| 10-05-2022 12:05 | 23.8 | 19.2 | 8 | 18.8 |
| 10-05-2022 12:06 | 23.8 | 19.2 | 8 | 18.7 |
| 10-05-2022 12:07 | 23.7 | 19.2 | 8 | 18.7 |
| 10-05-2022 12:08 | 23.7 | 19.2 | 8 | 18.7 |
| 10-05-2022 12:09 | 23.6 | 19.2 | 7 | 18.7 |
| 10-05-2022 12:10 | 23.5 | 19.2 | 7 | 18.7 |



Environmental Monitoring System

DATA REPORT

INSPECTION-RM DAY STORE-MEDIA PLATE STORE

| Date Time | VISUAL INSPECTION ROOM TEMP | RM DAY STORE TEMP | RM DAY STORE wrt CORRIDOR | MICROBIAL PLATE STORAGE TEMP |
|------------------|-----------------------------|-------------------|---------------------------|------------------------------|
| Unit | °C TEMP | °C TEMP | DP Pa | °C TEMP |
| 10-05-2022 12:11 | 23.5 | 19.2 | 7 | 18.7 |
| Min Value | 20.3 | 17.9 | 0 | 17.3 |
| Max Value | 25.1 | 21.4 | 12 | 22.1 |

End Of Report : From 01/05/2022 12:11:09 To 10/05/2022 12:11:09

| ACTIVITY | NAME | SIGNATURE AND DATE |
|------------------|------|--------------------|
| REVIEWED BY USER | | |
| APPROVED BY | | |