






















Software Engineering in der industriellen Praxis (SEIP)

Dr. Ralf S. Engelschall

Architecture Principles

FL Factual Locality	Resources are as spatially and temporarily local-scoped to solution components as possible		ES Exclusive Sovereignty	Exclusive resource sovereignty by the enclosing component	
CA Contextual Adequacy	Neither insufficient nor exaggerated solutions for each context		SP Solution-oriented Proportionality	Good expected proportionality in each solution context	
HC Holistic Consistency	Full consistency across all aspects of a solution		SH Structural Homogeneity	Maximum homogeneity in the structure of a solution	
CR Constructional Reusability	High reuse of proven structural components and partial solutions		FS Fulfilled Standards	Compliance to standards as much as possible, as long as the benefits predominate the drawbacks	
FA Functional Abstraction	Suitable level of abstraction across all functional aspects of a solution		FT Functional Traceability	Suitable traceability across all functional aspects of a solution	
CI Communicative Interoperability	Maximum interoperability in communication between solutions		EH Environmental Harmony	Maximum harmony in the integration of the solution with its environment	
AR Avoided Redundancy	Minimum total number of copies of a single resource		MS Minimum Special-Cases	Minimum total number of special-cases in a solution	
LS Logical Separation	Separation of concerns between the components of a solution		SM Structural Modularity	Splitting of a solution into manageable structural components	
LC Loose Coupling	Loose coupling in communication and referencing between solution components		SC Strong Cohesion	Strong relationship between functionalities within a single solution component	
OE Open Extensibility	Solution components can be extended by third-parties at fixed interfaces		CC Closed Changeability	Solution components are protected against direct change by third-parties	
UI Unique Identification	Unique identification of all components of a solution		UA Uniform Addressing	Uniform addressing of all components of a solution	
OS Overall Simplicity	All design aspects of a solution are as simple as possible and only as complicated as necessary		EC Encapsulated Complexity	Complex related aspects of a solution are encapsulated into a single responsible component	
LA Least Astonishment	All design aspects of a solution are as little astonishing as possible and only as esoteric as necessary		SD Self Documentation	All design aspects of a solution are preferably self-documenting	
OD Operational Delight	The solution provides users true delight even on long-term operation		AA Artistic Aesthetics	The solution has holistic aesthetics and artistic love in details	


Definition of a Component (of a Larger Whole):

a know-how encapsulating, potentially reusable and substitutable unit of hierarchical composition with explicit context dependencies, which hides the complexity of its optional behavior and state realization behind small contractually specified interfaces, defines its added value in terms of provided and consumed interfaces and optionally belongs to zero or more categories of similar units.

Example Categories of Components:




- Namespace
- Directory, File
- Configuration, Section, Directive
- Host, Virtual Machine, Container
- Process Group, Process, Thread
- Application, Microservice, Program
- Package, Class, Function
- Database, Schema, Table, Record
- Datamodel, Entity Group, Entity
- User Interface, Dialog, Widget

Any group of anything!



Definition of a Module (of a System):

a know-how encapsulating, potentially reusable and substitutable source-code unit of hierarchical composition with explicit context dependencies which hides the complexity of its operation and data implementation behind small contractually specified Application Programming Interfaces (API), defines its added value in terms of provided and consumed APIs and optionally belongs to zero or more categories of similar units.



How to find Components (or Modules)?


DCA Domain Concept Abstraction

Model domain concepts as entity components and then group at higher levels.



UCC Use-Case Clustering

Build domain components for each use-case or each logical use-case cluster.




DDD Domain-Driven Design

Model domain "Bounded Contexts" through DDD and derive components from them.




OOD Object-Oriented Design

Model Object-Oriented Design entities (and/or OOP constructs) as components.



SOC Separation of Concerns

Build components for clearly distinct concerns.



SRP Single Responsibility Principle

Build components for clearly distinct responsibilities.




CNC Coupling and Cohesion

Decide on components based on their loose coupling and strong cohesion.



DEP Dependency Encapsulation

Decide on components based on their encapsulation of dependencies.




USE Reusability Potential

Decide on components based on their reusability potential.




DCC Divide & Conquer Complexity

Master overall complexity by splitting larger things into smaller things.




CCC Cross-Cutting Concerns

Build common cross-cutting concerns as cross-cutting components.



PAT Architecture Patterns


Build inner components to comply to outer structure, slicing and clustering architectures.



Interface Design

Definition of an Interface:

well-defined shielding and abstracting **boundary** of a passive, providing **component**, consisting of one or more distinguished, **outside-in** designed, **interaction endpoints**, each accessed and controlled by active, consuming components through the **exchange of input/output information** and operating under a certain **syntactical and semantical contract**.



Endpoint: Name, Directive, Command, Function, Method, Procedure, Address, Port, URL, Dialog, ...
Exchange: Option, Argument, Parameter, Return Value, Result, Request/Response Message, Error/Exception, Interaction, ...
Contract: Syntax, Pre-Condition, Invariant, Post-Condition, Side-Effect, Idempotence, Determinism, Functionality, ...

AF 05.2

Intellectual Content: (Version 1.0.9 (2022-1-15)) Authorized 2015-2022 by Dr. Ralf S. Engelschall. Copyright © 2015-2022 Dr. Ralf S. Engelschall <<http://engelschall.com>>. All Rights Reserved.

Unauthorized Reproduction Prohibited. Licensed to Technische Universität München (TUM) for reproduction in Computer Science lecture contexts only.

Types of Software Interfaces


API Application Programming Interface

Example: `foo("bar", 42)`
(call and use)



SPI Service Provider Interface

Example: `register("foo", (x, k) => ...)`
(extend and implement)



SCI Startup Configuration Interface

Examples: INI, Java Properties, TOML, YAML, JSON, XML, etc.



BPI Batch Processing Interface

Examples: Unix at(1), Unix ts(1), GNU Batch, Spring Batch, Java Batch, SAP LO-BM, etc.



CLI Command-Line Interface

Example: `foo -x --bar=baz quux`




GUI Graphical User Interface

Examples: Windows/WPF, macOS/Cocoa, KDE/Qt, GNOME/GTK



RNI Remote Network Interface

Examples: GraphQL-IO, HTTP/REST, SOAP, RMI, WebSockets, AMQP, MQTT, etc.



Characteristics of Good Interfaces

AP Appropriate & Proportional

Appropriate to consumer requirements, proportional to provider functionality.



SA Shielding & Abstracting

Shields from direct access, abstracts and hides implementation details.



IE Inviting & Expressive

Invites through "outside – in" design, powerful in expressiveness.



IF Intuitive & Foolproof

Intuitive to grasp and use, hard to misuse.



OC Orthogonal & Concise

Supports combinatorial use-cases, causes minimum boilerplate.




TP Tolerant & Predictable

Tolerant on input, predictable on output.



EC Extensible & Compatible

Easy to extend for providers, backward/forward-compatible for consumers.



Selected Interface Design Patterns

IVF Interface Version & Features

Provide version and feature information for algebraic comparison and feature detection.



2LF Leaky Two-Layer Facade

Provide higher-level convenient use-case and lower-level orthogonal feature interface.




EVE Event Emitter

Emit events to previously registered, interested consumers.



CTX Multi-Context

Use contexts to distinguish between different usage scenarios and to carry common info.



CEF Configure-Execute Flow

Spread use-cases onto a flow of configuration exchanges and a final executional exchange.



IOC Inversion Of Control

Invert control on asynchronous operations via callbacks, promises or async. mechanisms.




HMR Human/Machine Responses

Support humans and machines in outputs through both description and parsing-free info.



Component Hierarchy



Application Composition

