


Software Engineering in Industrial Practice (SEIP)

Dr. Ralf S. Engelschall

Software Classes



Intellectual Content: Version 1.1 (2022-12-10), Authored 2021-2022 by Dr. Ralf S. Engelschall (ralf@engelschall.com, http://engelschall.com). Graphical Illustration: Version 1.1.0 (2022-12-10), Copyright © 2021-2022 Dr. Ralf S. Engelschall (ralf@engelschall.com, http://engelschall.com). All rights reserved. Unauthorized Reproduction Prohibited. Licensed to Technische Universität München (TUM) for reproduction in Computer Science lecture contexts only.

There are three traditional approaches to software development: **Custom Software Development**, the commercial development of nonstandard, fully individualized, and non-reusable, company-specific software for a single customer; **Standard Software Development**, the commercial development of standardized, partially customizable, but fully reusable domain-specific software for many customers; and **Open-Source Software Development**, the non-commercial development of standardized, highly customizable, and fully reusable generic software for many customers.

There are four areas and 12 classes of software. In the first area, there are three classes of software focusing on Graphics & Media: **Graphics Editing Application**, software for editing and rendering graphics in vector and bitmap format; **Graphics Animation Engine**, software for animating the 2D/3D virtual worlds of games and overlays of TV productions; and **Audio/Video-Processing Systems**, software for live-processing and post-production of audio/video-based multimedia streams.

In the second area, there are three classes of software focusing on Business & Data: **Office Productivity Application**, software for productivity in the desktop-based office environment; **Business Information System**, software for driving business processes through information management; and **Data Management System**, software for storing and retrieving persistent data.

In the third area, there are three classes of software focusing on Machinery & Network: **Technical Control System**, software for controlling a physical machine or technical system; **Network Communication System**, software for communicating data over a computer network; and **Operating System Kernel**, a software for low-level operating a physical or virtual device and run programs on it.

In the fourth area, there are three classes of software focusing on Development & Tools: **Software Development Kit**, software libraries and frameworks of reusable functionality for developing software; **Software Development Tools**, software tools for editing, linting, compiling, packaging, and installing software; and **Operating System Tools**, software tools for high-level operating a physical or virtual computing device.


Questions

- Which three classes of software are primarily developed using the **Custom Software Development** approach?

ENGINEERING FUNDAMENTALS

Software Development Approaches

TECHNISCHE UNIVERSITÄT MÜNCHEN



One can distinguish four kinds of Software Development approaches.

In **Software Prototyping**, one develops an early sample or model of a software solution by mocking and cheating in order to just once test a concept, idea, or process.

In **Software Bricolage**, one develops a single instance of a software solution by tinkering, cobbling, and integrating partial solutions in order to prove feasibility or just provide a service.

In **Software Craftsmanship**, one develops a production-grade software solution by a professional, clean but plain craftsmanship means in order to solve a usually complicated problem.


In **Software Engineering**, one develops a production-grade software solution by a professional, risk-hedged engineering approach in order to solve a usually complex problem.

The four development approaches can be combined in practice: Prototyping and Bricolage can be earlier stages of Craftsmanship or Engineering. Craftsmanship can be part of Bricolage or Engineering. Each approach requires a special skill. All four approaches are equally essential in practice. Which one(s) to choose entirely depends on the particular requirements.

Questions

- Which Software Development Approach should be chosen to realize a complex Business Information System?
- Which Software Development Approach should be chosen to realize a complicated reusable library?

Software Engineering



Intellectual Content: Version 1.0.2 (2021-04-26). Authored 2021 by Dr. Ralf D. Engelken.
Graphical Illustration: Version 1.0.2 (2021-04-26). Copyright © 2021 Dr. Ralf D. Engelken (http://engelken.com). All Rights Reserved.
Unauthorized Reproduction Prohibited. Licensed to Technische Universität München (TUM) for reproduction in Computer Science lecture contents only.

Engineering is the systematic application of scientific and technological knowledge, principles, approaches, practices, methods, and experiences to design, build, operate, and maintain complex production-grade solutions through a traceable process.


Software Engineering is the systematic application of engineering knowledge, principles, approaches, practices, methods, and experiences to the development of software.

For both Engineering and Software Engineering, the following **Code of Conduct** holds: Commit yourself to the highest ethical and professional conduct; accept responsibility in making decisions consistent with the safety, health, and welfare of the public; apply the state of the art in the science and technology of your field; perform services only in areas of your competence; and comply with the principles of sustainable development.

Questions

- Is Software Engineering also suitable for the development of non-complex software in a small team of two people?

Profession Characteristics



EF 01.4
Intellectual Content: Version 1.0.0 (2024-04-10) Authored 2024 by Dr. Ralf S. Engelschall
Graphical Illustration: Version 1.0.0 (2024-04-10) Copyright © 2024 Dr. Ralf S. Engelschall <http://engelschall.com> – All Rights Reserved
Unauthorized Reproduction Prohibited. Licensed to Technische Universität München (TUM) for reproduction in Computer Science Lecture contexts only
diagram.direct / XIRF-NIIV

Professions usually have two of four characteristics: Being **creative** means involving the use of strong imagination and original ideas. Being **rational** means involving the use of analytical thinking and logical reasoning. Being **practical** means involving the actual doing and real application of something. Being **theoretical** means involving the manifested imagination or analytical study of something.

One can distinguish five interesting professions: A **craftsman** acts in a creative and practical way, and solves problems and creates unique pieces. An **engineer** acts in a rational and practical way, and solves problems and creates solutions. An **artist** acts in a creative and theoretical way, and creates beauty and unique pieces. A **scientist** acts in a rational and theoretical way, and analyses problems and creates knowledge. On the other hand, an **inventor** usually has to combine all characteristics.

Questions

- When you're dealing with configuration and programming in Software Engineering, instead of an engineer you act more like a…?

TRUE Manifesto

true-manifesto.org



Intellectual Content: Version 1.0.7 (2021-10-25), Authored 2015-2021 by Dr. Ralf S. Engelschall, Christian Reiber, Rudolf Keeger and Matthias Bassler.
Graphical Illustration: Version 1.0.7 (2021-10-25), Copyright © 2015-2021 Dr. Ralf S. Engelschall <http://engelschall.com>, All rights reserved.
Unauthorized Reproduction Prohibited. Licensed to Technische Universität München (TUM) for reproduction in Computer Science lecture contexts only.

The TRUE Manifesto states the foundational attitude for good Software Engineering as a central manifesto, similar to the approach – but intentionally in partial contrast with regard to content – of the popular Agile Manifesto. The TRUE Manifesto expresses four main aspects.

(T)argeted (adequate, suitable, focused): We focus on adequate and suitable solutions and approaches because: Both solutions and approaches have to be in a reasonable proportion to the problem.

(R)easoned (considered, assessed, deliberate): We think carefully in advance about our planned solutions and approaches because: Thinking is cheaper than correcting.

(U)p-to-date (educated, experienced, insistent): We develop high-quality solutions on the basis of up-to-date methods and technologies because: We have to cope with the fact that the IT world is recurrently revolutionizing itself.

(E)volutionary (sustainable, harmonic, contextual): We develop sustainable solutions that optimally fit into their context because: Nature teaches us that only evolutionary approaches and solutions have a good chance to survive in the long run.

Questions

- Is an extremely agile process with continuous refactoring in the sense of the TRUE Manifesto for Software Engineering?

ENGINEERING FUNDAMENTALS

Discipline Claim

TECHNISCHE UNIVERSITÄT MÜNCHEN

EF 01.6

FA FARSIGHTED weitblickend

Be farsighted in your solution finding.

Sei weitblickend in deiner Lösungsfindung.

AR: Scalable Hub'n'Spoke
DV: Plugin SPI



TE TENET-ORIENTED grundsatzorientiert

Orientate yourself on fixed tenets in your approach and solution finding.

Orientiere dich an festen Grundsätzen in deinem Vorgehen und deiner Lösungsfindung.

AR: Separation of Concern
DV: Strict Coding-Style



TH THOUGHTFUL wohlüberlegt

Act thoughtful in your approach and solution finding.

Agiere wohlüberlegt in deinem Vorgehen und deiner Lösungsfindung.

AR: Modularization
DV: Algorithmical Control Structure



HO HOLISTICALLY ganzheitlich

Think holistically and in the long-term when finding your solutions.

Denke ganzheitlich und langfristig in deiner Lösungsfindung.

AR: Walking Skeleton Design
DV: Consistent Error Handling



AD ADEQUATE angemessen

Ensure that your approach and solutions are adequate to the boundary conditions.

Sorge dafür, daß dein Vorgehen und deine Lösungen angemessen zu den Rahmenbedingungen sind.

AR: No Cloud-Native Complexity
DV: No Over-Engineered Abstractions



FE FEASIBLE machbar

Ensure that your approach and solutions can be realised at reasonable costs.

Sorge dafür, daß dein Vorgehen und deine Lösungen mit vernünftigen Kosten realisiert werden können.

AR: Existing Framework Functionality
DV: Realistic Programming Model




IN INCREMENTAL inkrementell

Apply the depth of your discipline incrementally.

Wende die Tiefe deiner Disziplin inkrementell an.

AR: Identified Solution Cruxes
DV: Minimum Viable Product



VA VALUEABLE wertvoll

Provide clearly recognizable added values with your approach and solutions.

Liefere klar ersichtliche Mehrwerte mit deinem Vorgehen und deinen Lösungen.

AR: Technology Stack Design
DV: User-Story-Driven Functionality



SU SUSTAINABLE nachhaltig

Create sustainable solutions that are well integrated into their environment.

Erschaffe nachhaltige Lösungen, die gut in ihre Umgebung integriert sind.

AR: Interoperable Interfaces
DV: Maintainable Code



Intellectual Content: Version 1.0.1 (2023-04-27), Authored 2022-2024 by Dr. Ralf S. Engelschall
Graphical Illustration: Version 1.0.1 (2023-04-27), Copyright © 2022-2024 Dr. Ralf S. Engelschall <http://engelschall.com>, All Rights Reserved.
Unauthorized Reproduction Prohibited. Licensed to Technische Universität München (TUM) for reproduction in Computer Science lecture contexts only.

Across the various Software Engineering **Disciplines**, there are some common properties that they all claim from a conceptual point of view: **farsighted**, **tenet-oriented**, **thoughtful**, **holistic**, **adequate**, **feasible**, **incremental**, **valuable**, and **sustainable**.

Questions

- What is the most difficult claim in a **Discipline** in today's practice?

ENGINEERING FUNDAMENTALS

Sustainability

TECHNISCHE UNIVERSITÄT MÜNCHEN

EF 01.7

HI Minimize HARDWARE Idleness

Minimize the idleness and maximize the utilization of existing hardware resources.

Rationale: Unused or under-utilized hardware are an unnecessary waste of already available resources.

Keywords: Virtualization, Utilization.

DE Minimize DESIGN Excessiveness

Minimize the excessiveness and maximize the adequacy of solution designs.

Rationale: Non-adequate designs cause unnecessary complexity and waste resources.

Keywords: Reduced Libraries, Immutability.

HE Minimize HUMAN Effort

Minimize the efforts of humans and maximize the efforts of machines in all production and operation processes.

Rationale: Delegating tasks to machines gives humans the possibility to concentrate on more important tasks.

Keywords: Computer, Robot, Automation.

SI Minimize SOFTWARE Inefficiency

Minimize the inefficiency and maximize the efficiency of software applications and their development processes.

Rationale: Efficient software and development processes consume less resources.

Keywords: Caching, Monolith.

SE Minimize SOLUTION Ephemerality

Minimize the ephemerality and maximize the life-span of any type of solutions.

Rationale: Short life-spans of solutions cause unnecessary short renewals and this way wastes resources.

Keywords: High Quality, Best Practice.

EC Minimize ENERGY Consumption

Minimize the consumption and maximize the saving of energy in all production and operation processes.

Rationale: Electric energy still has to be partially generated from non-renewable resources.

Keywords: Eco Mode, Reduced CI/CD.

IA Minimize INFORMATION Amount

Minimize the total amount of gathered, transmitted, stored and spreaded information.

Rationale: Reduced amount of information means less data transmission, less data storage, less GDPR issues, etc.

Keywords: Compression, No Big Data.

EE Minimize ECOSYSTEM Exploitation

Minimize the exploitation and maximize the back-contribution in any type of ecosystems.

Rationale: The consumer and provider behaviour have to be in balance for every long-lasting ecosystem.

Keywords: Open Source Software.

CE Minimize CARBON Emission

Minimize the carbon emission and hence the footprint during any type of production and operation processes.

Rationale: Climate change and global warming is partially caused or at least accelerated by carbon emissions.

Keywords: Reduced CO2 Footprint.

Intellectual Content: Version 1.0.0 (2022-10-11) Authored 2022 by Dr. Ralf S. Engelschall
Graphical Illustration: Version 1.0.0 (2022-10-11) Copyright © 2022 Dr. Ralf S. Engelschall <http://engelschall.com> All Rights Reserved
Unauthorized Reproduction Prohibited. Licensed to Technische Universität München (TUM) for reproduction in Computer Science lecture contents only.

Sustainable action should be a matter of course, since there will always be others coming after us. In Software Engineering, the following minimization principles lend themselves to acting sustainably:

Minimize the idleness and maximize the utilization of existing hardware resources; Minimize the inefficiency and maximize the efficiency of software applications and their development processes; Minimize the total amount of gathered, transmitted, stored, and spread information; Minimize the excessiveness and maximize the adequacy of solution designs; Minimize the ephemerality and maximize the life span of any type of solution; Minimize the exploitation and maximize the back-contribution in any type of ecosystem; Minimize the efforts of humans and maximize the efforts of machines in all production and operation processes; Minimize the consumption and maximize the saving of energy in all production and operation processes; and: Minimize the carbon emission and hence the footprint during any type of production and operation processes.

Questions

- Is the best practice of Continuous Integration (CI) a sustainable way of acting?