震源Vs30	路徑最小 Vs30(100		路徑最小 Vs30(200		路徑最小 Vs30(300		路徑最小 Vs30(400		路徑最小 Vs30(500		路徑最/ Vs30(60	\ 0~699)	路徑最小 Vs30(700) ()~799)	路徑最小 Vs30(800		路徑最/ Vs30(90		路徑最/ Vs30(10	\ 00~1099)	路徑最/J Vs30(11		路徑最小 Vs30(120		路徑最小 Vs30(130	
<u>R</u> €#/(¥350	次數 總數	百分比	次數總數	百分比	次數總數	百分比	次數 總數	百分比	次數總數	百分比	次數 總數	百分比	次數 總數	百分比	次數 總數	百分比	次數總數	百分比	次數總數	百分比	次數總數	百分比	次數 總數	百分比	次數 總數	百分比
130~140																										
140~150																										
150~160	2 103																									
160~170	1 32	3.13%																								
170~180	5 113																									
180~190	5 218																									
190~200	17 784	2.17%																								
200~210	56 1421	3.94%	54 1421																							
210~220	20 1989	1.01%	24 1989	1.21%																						
220~230	7 1673	0.42%	26 1673	1.55%																						
230~240	37 1462	2.53%	72 1462																							
240~250	46 1073	4.29%	44 1073	4.10%																						
250~260	9 2116	0.43%	33 2116	1.56%																						
260~270	54 1121	4.82%	55 1121	4.91%																						
270~280	12 560	2.14%	17 560	3.04%																						
280~290	9 678	1.33%	25 678	3.69%																						
290~300	1 525	0.19%	6 525																							
300~310	54 1432	3.77%	75 1432	5.24%	6 1432																					
310~320	20 513	3.90%	32 513	6.24%	4 513	0.78%																				
320~330	3 992	0.30%	3 992		1 992	0.10%																				
330~340	2 637	0.31%	3 637	0.47%	1 637	0.16%																				

震源Vs30	路徑最小 Vs30(100		路徑最小 Vs30(200	~299)	路徑最小 Vs30(300		路徑最小 Vs30(400		路徑最小 Vs30(500		路徑最/ Vs30(60	J\ 00~699)	路徑最小 Vs30(70		路徑最小 Vs30(80		路徑最小 Vs30(90		路徑最/J Vs30(10	\ 00~1099)	路徑最/J Vs30(11		路徑最小 Vs30(120		路徑最小 Vs30(130	
長/// ¥350	次數	TOU	次數	T014	次數	T014	次數	TO 114	次數	T 0.114	次數	TO 116	次數	TOU	次數	T 0114	次數	TO 14	次數		次數	T 014	次數	TOU	次數	TO 114
	總數	百分比	總數 8	百分比	總數 2	百分比	總數	百分比	總數	百分比	總數	百分比	總數	百分比	總數	百分比	總數	百分比	總數	百分比	總數	百分比	總數	百分比	總數	百分比
340~350			628	1.27%	628	0.32%																				
350~360	24 1617	1.48%	58 1617	3.59%	45 1617	2.78%																				
360~370	7	1.40/0	17	3.39/0	3																					
	1624			1.05%																						
370~380	1331	0.38%	14 1331	1.05%	8 1331																					
	5	0.5670	27	1.05 /0	10																					
380~390	1292	0.39%	1292	2.09%	1292	0.77%																				
390~400	79		134		34																					
	1901	4.16%		7.05%			17																			
400~410	7 2475	0.28%	17 2475	0.69%	6 2475		17 2475	0.69%																		
440 400	52	0.2070	57	0.0570	36		25	0.0570																		
410~420	2691	1.93%	2691	2.12%	2691	1.34%	2691	0.93%																		
420~430	45		77		33		28																			
	2151 91	2.09%	2151 215	3.58%	2151 96	1.53%	2151 129	1.30%																		
430~440	4289	2.12%		5.01%			4289	3.01%																		
440~450	129		284		149		270																			
440~430	4271	3.02%	4271	6.65%	4271	3.49%	4271	6.32%																		
450~460	92	4 200/	175	2 5 40/	98		137	2.050/																		
	6640 214	1.39%	6640 373	2.64%	6640		339	2.06%																		
460~470	9390	2.28%		3.97%				3.61%																		
470~480	108		221		161		212																			
470 400	7972	1.35%		2.77%				2.66%																		
480~490	114 7416	1.54%	308 7416	4.15%	108	1.46%	119 7416	1.60%																		
	147	1.34%	262	4.13%	173		224	1.00%																		
490~500	7718	1.90%		3.39%			7718	2.90%																		
500~510	137		203		101		188		29																	
	7634	1.79%		2.66%	7634	1.32%	7634	2.46%																		
510~520	79 7444	1.06%	147 7444	1.97%	55 7444	0.74%	108 7444	1.45%	30 7444																	
	373	1.00 /0	592	1.27 70	278		519	1,-13/0	119																	
520~530	12346	3.02%		4.80%	12346	2.25%		4.20%	12346	0.96%																
530~540	141		304		105		179		43																	
	10617	1.33%		2.86%			10617	1.69%																		
540~550	215 8111	2.65%	386 8111	4.76%	175 8111	2.16%	153 8111	1.89%	51 8111																	
	1 0111	2.05/0	3111	⊣. / ∪ /0	3111	2.10/0	3111	1.09/0	3111	0.05 70																

震源Vs30	路徑最小 Vs30(100		路徑最小 Vs30(200	~299)	路徑最小 Vs30(300	~399)	路徑最小 Vs30(400		路徑最小 Vs30(500	~599)	路徑最小 Vs30(600		路徑最小 Vs30(700		路徑最小 Vs30(800		路徑最 Vs30(9	/J\ 00~999)	路徑最/J Vs30(10	\ 00~1099)	路徑最/J Vs30(11		路徑最小 Vs30(120		路徑最小 Vs30(130	
長你V530	次數		次數		次數		次數		次數		次數		次數		次數		次數		次數		次數		次數		次數	
	總數	百分比	總數	百分比	總數	百分比		百分比	總數	百分比	總數	百分比	總數	百分比	總數	百分比	總數	百分比	總數	百分比	總數	百分比	總數	百分比	總數	百分比
550~560	7369	3.31%	395 7369	5.36%	179 7369	2.43%	379 7369	5.14%	62 7369	0.84%																
	84	3.3170	131	J.30%	7309	2.4370	7309	3.1470	19	0.0470																
560~570	6399	1.31%		2.05%		0.84%	6399	1.23%		0.30%																
570 500	162		258		77		116		39																	
570~580	6157	2.63%	6157	4.19%	6157	1.25%	6157	1.88%	6157	0.63%																
580~590	208		254		82		168		35																	
	4930	4.22%		5.15%		1.66%		3.41%		0.71%																
590~600	309	C C 40/	261	F 600/	89	1.010/	184	2.050/	31	0.670/																
	4657	6.64%	4657 116	5.60%	4657 31	1.91%	4657	3.95%	4657	0.67%	8															
600~610	3886	1.31%		2.99%		0.80%	3886	1.06%		0.33%																
	61		65		37		77		9		15															
610~620	2538	2.40%	2538	2.56%	2538	1.46%	2538	3.03%	2538	0.35%	2538	0.59%														
620~630	77		112		37		58		21		6															
020 030	4281	1.80%		2.62%		0.86%	4281	1.35%		0.49%	4281	0.14%														
630~640	23		61		22		26		6		10															
	2845	0.81%	2845 144	2.14%	2845 48	0.77%	2845 54	0.91%	2845 18	0.21%	2845 10															
640~650	4115	1.46%		3.50%		1.17%		1.31%		0.44%																
	1	111070	10	5.5070	5		16	115 1 70	7	011170	8															
650~660	2266	0.04%		0.44%		0.22%		0.71%	2266	0.31%																
660~670	47		70		14		21		9		19															
000-3070	2729	1.72%	2729	2.57%		0.51%		0.77%		0.33%		0.70%														
670~680	86		220		67		83		22		17															
	2844	3.02%	2844 35	7.74%	2844 11	2.36%	2844 13	2.92%	2844	0.77%	2844 15															
680~690	2366	0.38%		1.48%		0.46%		0.55%		0.93%																
	8	0.5670	2300	1.40 /0	2300	0.4070	12	0.5570	6	0.93 /0	2500	0.05 /0														
690~700	1062	0.75%	1062	2.17%	1062	1.98%	1062	1.13%	1062	0.56%	1062	0.19%														
700~710	102		61		26		37		4		4															
700710	1434	7.11%	1434	4.25%	1434	1.81%	1434	2.58%	1434	0.28%	1434	0.28%														
710~720	8		11		5		6		2		4															
	1039	0.77%		1.06%		0.48%	1039	0.58%		0.19%		0.38%														
720~730	52 1155	4.50%	87 1155	7 530/-	52 1155	4.50%	33 1155	2.86%	8 1155	0.69%	1 1155	0.09%	1155	0.09%												
	17	4.50%	66	7.53%	9	4.50%	1133	2.00%	2	0.05%	1133		1155													
730~740		2.27%		8.81%		1.20%	749	2.14%		0.27%)											
740 750	1		2				3				3		1													
740~750			450	0.44%			450	0.67%			450	0.67%	450	0.22%)											
750~760			4			-	2		2				1								-				-	
			388	1.03%			388	0.52%	388	0.52%			388	0.26%	1											

震源Vs30	路徑最小 Vs30(100		路徑最小 Vs30(200		路徑最/ Vs30(30		路徑最小 Vs30(400		路徑最小 Vs30(500	~599)	路徑最小 Vs30(600	~699)	路徑最小 Vs30(700)~799)	路徑最小 Vs30(800		路徑最/ Vs30(90	ارا 00~999)	路徑最/J Vs30(10	\ 00~1099)	路徑最/J Vs30(11		路徑最小 Vs30(120		路徑最小 Vs30(130	
₩ 4330	次數總數	百分比	次數總數	百分比	次數總數	百分比	次數 總數	百分比	次數 總數	百分比	次數總數	百分比	次數 總數	百分比	次數 總數	百分比	次數總數	百分比	次數總數	百分比	次數 總數	百分比	次數總數	百分比	次數總數	百分比
760~770	11021		102.		11021		1		3				1	0.32%			102		, week		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		1021		,	
770~780					120	1 0 0.83%			1 120	0.83%																
780~790					16	1	2		1	0.60%	2 167	1.20%	1 167													
790~800	1 189		189			0.0070	2 189		1		1			0.0070	<u>'</u>											
800~810	395		15		;	2 5 0.51%	3			0.55 / 5	395				1 395	0.25%)									
810~820			4				3				1 179															
820~830			2								1 323				1 323	0.31%										
830~840									1 241	0.41%	1															
840~850			1 680	0.15%																						
850~860	1 444		ı												1 444)									
860~870	48 788		75 788		1: 78:	5 8 1.90%	16 788	2.03%	2 788	0.25%			1 788		1 788	0.13%)									
870~880			2 391	0.51%	ı																					
880~890							1 57	1.75%																		
890~900			1 401	0.25%		1 1 0.25%																				
900~910																										
910~920																		1 1 4.76%)							
920~930																										
930~940																										
940~950																										
950~960																										
960~970																										

震源Vs30	路徑最小 Vs30(100)~199)	路徑最小 Vs30(200)~299)	路徑最小 Vs30(300	~399)	路徑最小 Vs30(400)~499)	路徑最小 Vs30(500)~599)	路徑最小 Vs30(60) 0~699)	路徑最小 Vs30(700)~799)	路徑最小 Vs30(800	، 0~899)	路徑 Vs30(最小 (900~99	99)	路徑最小 Vs30(100	00~1099)	路徑最小 Vs30(110) 00~1199)	路徑最小 Vs30(120	00~1299)	路徑最小 Vs30(130	\ 00~1399)
₩.W.V330	次數總數	百分比	次數 總數	百分比	次數 總數	百分比	次數 總數	百分比	次數 總數	百分比	次數 總數	百分比	次數 總數	百分比	次數 總數	百分比	次數總數		分比	次數 總數	百分比	次數 總數	百分比	次數 總數	百分比	次數總數	百分比
970~980																	1	1 111 0).90%								
980~990	33	6.06%			1 33	3.03%																					
990~1000																		1 19 5	5.26%								
1000~1010																											
1010~1020																											
1020~1030																											
1040~1050									1 20	5.00%																	
1060~1070																											
1070~1080																											
1080~1090																											
1090~1100																				1	25.00%						
1100~1110															1 31	I I 3.23%	,)										
1110~1120																											
1120~1130																											
1220~1230																											
1320~1330																											_