

 MEHA PHARMA Kundaim-Goa		BATCH MANUFACTURING RECORD	
BMR No.:		Effective Date:	
MFR No.:		Review Date :	
Product:	Code:	Specs:	
Max Batch Size – As per product requirement		Campaign No.:	
Batch No.:	Batch Size for this run:	No of lots:	

BATCH AUTHORIZATION

Batch Authorization by Production Manager	Batch Start Date	
	Batch Completion Date	

BATCH MANUFACTURING RECORD APPROVAL

Production Officer Sign & Date	Production Manager Sign & Date	Quality Assurance Manager Sign & Date

PRD Author-Sign and Date  24/12/2024 PRD Reviewer-Sign and Date  24/12/2024

QAD Reviewer-Sign and Date  24/12/2024 QAD Approver-Sign and Date  24/12/2024

QAD Authorizer-Sign and Date  24/12/2024

"This document is electronically signed"

"This document is Master Copy"

https://mehachem-my.sharepoint.com/personal/qam_mehapharma_com/Documents/QAD/QA MASTERS/SOPs/PRD SOP/MEHA PHARMA/SOPPRD004-1.0 preparation of MFR & BMR/SOPPRD004FMT011-1.0 Drying BMR.docx

 MEHA PHARMA Kundaim-Goa		BATCH MANUFACTURING RECORD	
BMR No.:		Effective Date :	
Product:		Code:	Specs:
Batch No.:	Campaign No.:	No of lot:	

DRYING, COMPACTION AND GRANULATION

FM/ISP CODE: _____

Batch No. _____

Lot No. _____ **to** _____

UNCONTROLLED COPY

QAD Reviewer-Sign and Date  **24/12/2024**
QAD Approver-Sign and Date  **24/12/2024**

"This document is electronically signed"

"This document is Master Copy"

https://mehachem-my.sharepoint.com/personal/qam_mehapharma_com/Documents/QAD/QA MASTERS/SOPs/PRD SOP/MEHA PHARMA/SOPPRD004-1.0 preparation of MFR & BMR/SOPPRD004FMT011-1.0 Drying BMR.docx

SOP/PRD/004/FMT/011-1.0

Page 2 of 12

 MEHA PHARMA Kundaim-Goa		BATCH MANUFACTURING RECORD	
BMR No.:		Effective Date :	
Product:		Code:	Specs:
Batch No.:	Campaign No.:		No of lot:

GENERAL INSTRUCTIONS

UNCONTROLLED COPY

QAD Reviewer-Sign and Date  **24/12/2024** **QAD Approver-Sign and Date**  **24/12/2024**

"This document is electronically signed"

"This document is Master Copy"

https://mehachem-my.sharepoint.com/personal/qam_mehapharma_com/Documents/QAD/QA MASTERS/SOPs/PRD SOP/MEHA PHARMA/SOPPRD004-1.0 preparation of MFR & BMR/SOPPRD004FMT011-1.0 Drying BMR.docx

SOP/PRD/004/FMT/011-1.0

Page 3 of 12

 MEHA PHARMA Kundaim-Goa		BATCH MANUFACTURING RECORD	
BMR No.:		Effective Date :	
Product:		Code:	Specs:
Batch No.:	Campaign No.:	No of lot:	

LIST OF EQUIPMENT

DRYING SECTION			
Sr.No.	Equipment Name	Equipment ID	Function

UNCONTROLLED COPY

QAD Reviewer-Sign and Date  24/12/2024 QAD Approver-Sign and Date  24/12/2024

"This document is electronically signed"

"This document is Master Copy"

https://mehachem-my.sharepoint.com/personal/qam_mehapharma_com/Documents/QAD/QA MASTERS/SOPs/PRD SOP/MEHA PHARMA/SOPPRD004-1.0 preparation of MFR & BMR/SOPPRD004FMT011-1.0 Drying BMR.docx

SOP/PRD/004/FMT/011-1.0

Page 4 of 12

 MEHA PHARMA Kundaim-Goa		BATCH MANUFACTURING RECORD	
BMR No.:		Effective Date :	
Product:	Code:	Specs:	
No of lot:	Campaign No.:	Batch No.:	

DRIER, ROLL COMPACTOR, MULTIMILL, GRANULATOR, SIFTER PARAMETERS

(STD parameters to be given by Shift Inchargee before starting of drying operation)

Equipment	Limit	Remarks	Sign SIC
FD Blower			
ID Blower			
Drier CHAMBER VACCUM			
Spin Agitator RPM			
BF PRESSURE			
BF SOLENOID VALVE			
DC PRESSURE			
DC SOLENOID VALVE			
ATOMISER RPM			
INLET TEMP			
OUTLET TEMP			
Micronizer No of Hammers			
Micronizer Feed RPM			
Micronizer Mesh No.			
RC FEED RPM			
RC ROLLER RPM			
MULTIMILL FEED RPM			
MULTIMILL HAMMER RPM			
MULTIMILL MESH			
SIFTER TOP MESH			
SIFTER MIDDLE MESH			
SIFTER BOTTOM MESH			
LOD of input Paste/Cake			

QAD Reviewer-Sign and Date  **24/12/2024** **QAD Approver-Sign and Date**  **24/12/2024**

"This document is electronically signed"

"This document is Master Copy"

https://mehachem-my.sharepoint.com/personal/qam_mehapharma_com/Documents/QAD/QA MASTERS/SOPs/PRD

SOP/MEHA PHARMA/SOPPRD004-1.0 preparation of MFR & BMR/SOPPRD004FMT011-1.0 Drying BMR.docx

SOP/PRD/004/FMT/011-1.0

Page 5 of 12

 MEHA PHARMA Kundaim-Goa		BATCH MANUFACTURING RECORD	
BMR No.:		Effective Date :	
Product:	Code:	Specs:	
No of lot:	Campaign No.:	Batch No.:	

OPERATION OF DRIER

Step no.	Date	Operation	Observation	Time		Done by	Verified by
				Start	Stop		
1		Change status board of Spin Flash Drier (D502/PRD/002) or Spray drier (D501/PRD/001) as under operation with Batch no.					
2		Ensure Bag filter bags are replaced. Product Switchover only	Replaced / Not Replaced				
3		Check integrity of used mesh sieve Sieve mesh 1 _____ Sieve mesh 2 _____ Sieve mesh 3 _____	Integrity is OK / Not Ok Integrity is OK / Not Ok Integrity is OK / Not Ok				
4		Microniser	Bypass / Online				
5		Roll Compactor	Bypass / Online				
6		Multimill /Granulator	Bypass / Online				
7		Start Spin Flash Dryer- D502/PRD/002 or Spray Drier- D501/PRD/001 as per SOP					
8		Start feeding of paste/Cake through screw feeder/feed. Drier Inlet and Outlet temp to be maintained as per STD parameters. STD Time:3000min	Total time: _____ mins.				
9		Adjust feed rate to achieve desired assay					
10		Ensure outlet temperature variation to be minimum					
11		Ensure the feed is in auto mode with outlet temperature					
12		Carry out drying, sifting, and packing as continuous operation. Check Black particles/Floating particles/Foreign matter after every 10 bags and record in packing details.					
13		After completion of batch shutdown the drier.					
14		After completion of drying check, the integrity of used mesh sieve Sieve mesh 1 _____ Sieve mesh 2 _____ Sieve mesh 3 _____	Integrity is OK / Not Ok Integrity is OK / Not Ok Integrity is OK / Not Ok				

QAD Reviewer-Sign and Date  24/12/2024 QAD Approver-Sign and Date  24/12/2024

"This document is electronically signed"

"This document is Master Copy"

https://mehachem-my.sharepoint.com/personal/qam_mehapharma_com/Documents/QAD/QA MASTERS/SOPs/PRD

SOP/MEHA PHARMA/SOPPRD004-1.0 preparation of MFR & BMR/SOPPRD004FMT011-1.0 Drying BMR.docx

SOP/PRD/004/FMT/011-1.0

Page 6 of 12

 MEHA PHARMA Kundaim-Goa		BATCH MANUFACTURING RECORD			
BMR No.:			Effective Date :		
Product:		Code:		Specs:	
No of lot:		Campaign No.:		Batch No.:	

Packing details

Sr. no.	Bag/ Drum no.	BLP	BFP	BD	LOD	Sr. no.	Bag/ Drum no.	BLP	BFP	BD	LOD
1						24					
2						25					
3						26					
4						27					
5						28					
6						29					
7						30					
8						31					
9						32					
10						33					
11						34					
12						35					
13						36					
14						37					
15						38					
16						39					
17						40					
18						41					
19						42					
20						43					
21						44					
22						45					
23						46					

QAD Reviewer-Sign and Date  24/12/2024 QAD Approver-Sign and Date  24/12/2024

"This document is electronically signed"

"This document is Master Copy"

https://mehachem-my.sharepoint.com/personal/qam_mehapharma_com/Documents/QAD/QA MASTERS/SOPs/PRD

SOP/MEHA PHARMA/SOPPRD004-1.0 preparation of MFR & BMR/SOPPRD004FMT011-1.0 Drying BMR.docx

SOP/PRD/004/FMT/011-1.0

Page 7 of 12



MEHA PHARMA
Kundaim-Goa

BATCH MANUFACTURING RECORD

BMR No.:				Effective Date :			
Product:				Code:		Specs:	
No of lot:				Campaign No.:		Batch No.:	

Sr. no.	Bag/ Drum no.	BLP	BFP	BD	LOD	Sr. no.	Bag/ Drum no.	BLP	BFP	BD	LOD
47						71					
48						72					
49						73					
50						74					
51						75					
52						76					
53						77					
54						78					
55						79					
56						80					
57						81					
58						82					
59						83					
60						84					
61						85					
62						86					
63						87					
64						88					
65						89					
66						90					
67						91					
68						92					
69						93					
70						94					

QAD Reviewer-Sign and Date *[Signature]* 24/12/2024 QAD Approver-Sign and Date *[Signature]* 24/12/2024

"This document is electronically signed"

"This document is Master Copy"

https://mehachem-my.sharepoint.com/personal/qam_mehapharma_com/Documents/QAD/QA MASTERS/SOPs/PRD

SOP/MEHA PHARMA/SOPPRD004-1.0 preparation of MFR & BMR/SOPPRD004FMT011-1.0 Drying BMR.docx

SOP/PRD/004/FMT/011-1.0

Page 8 of 12

 MEHA PHARMA Kundaim-Goa		BATCH MANUFACTURING RECORD									
BMR No.:							Effective Date :				
Product:					Code:			Specs:			
No of lot:					Campaign No.:				Batch No.:		

Sr. no.	Bag/ Drum no.	BLP	BFP	BD	LOD	Sr. no.	Bag/ Drum no.	BLP	BFP	BD	LOD
95						118					
96						119					
97						120					
98						121					
99						122					
100						123					
101						124					
102						125					
103						126					
104						127					
105						128					
106						129					
107						130					
108						131					
109						132					
110						133					
111						134					
112						135					
113						136					
114						137					
115						138					
116						139					
117						140					

QAD Reviewer-Sign and Date  24/12/2024 QAD Approver-Sign and Date  24/12/2024

"This document is electronically signed"

"This document is Master Copy"

https://mehachem-my.sharepoint.com/personal/qam_mehapharma_com/Documents/QAD/QA MASTERS/SOPs/PRD

SOP/MEHA PHARMA/SOPPRD004-1.0 preparation of MFR & BMR/SOPPRD004FMT011-1.0 Drying BMR.docx

SOP/PRD/004/FMT/011-1.0

Page 9 of 12

 MEHA PHARMA Kundaim-Goa		BATCH MANUFACTURING RECORD	
BMR No.:		Effective Date :	
Product:	Code:	Specs:	
No of lot:	Campaign No.:	Batch No.:	

DRYING SHEET

Start Date:

Stop Date:

Start Time:

Stop Time:

The following Data to be taken:

Shift	SD Inlet temp°C	DC- PRESSURE	MM-Mesh
Date	SD Outlet temp°C	DC- SOLENOID	MM-Hamm RPM
Time	Variation in Outlet Temp	DC- Sol Open Time	BF-PRESSURE
Product Name	FD Blower Frequency	Pul-FS RPM	BF-SOLINOID
Batch No.	ID Blower Frequency	Pul-Hamm	BF Sol Open time
Lot No.	SFD-Feed Screw RPM	Pul-Hamm-RPM	Sifter top mesh
Bag No.	SFD-Agitator RPM	Pul-Mesh	Sifter middle mesh
SFD Inlet temp°C	SD- Feed Pump RPM	RC-FS-RPM	Sifter bottom mesh
SFD Outlet temp°C	SD-Atomiser RPM	RC-Rol-RPM	Sign -Operator
Variation in Outlet Temp	SD-Nozzle No	Drier rate	Sign-Shift Incharge
Average Daily outlet temp	DC Blower Frequency	Powder %	

Gas Reading		
	Digital	Mechanical
Initial		
Final		

QAD Reviewer-Sign and Date



24/12/2024

QAD Approver-Sign and Date



24/12/2024

"This document is electronically signed"

"This document is Master Copy"

https://mehachem-my.sharepoint.com/personal/qam_mehapharma_com/Documents/QAD/QA MASTERS/SOPs/PRD

SOP/MEHA PHARMA/SOPPRD004-1.0 preparation of MFR & BMR/SOPPRD004FMT011-1.0 Drying BMR.docx

SOP/PRD/004/FMT/011-1.0

Page 10 of 12

 MEHA PHARMA Kundaim-Goa		BATCH MANUFACTURING RECORD					
BMR No.:					Effective Date :		
Product:				Code:		Specs:	
No of lot:				Campaign No.:			Batch No.:

Drier Log sheet							
Shift							
Date							
Time							
Product Name							
Batch No							
Lot No							
Bag No Sifter							
Bag No BF							
SFD Inlet temp °C							
SFD Outlet temp°C							
Variation in Outlet temp							
Average daily outlet Temp							
SD Inlet temp °C							
SD Outlet temp°C							
Variation in Outlet temp							
FD blower frequency							
ID blower frequency							
SFD-Feed Screw RPM							
SFD-Agitator RPM							
SD-feed pump							
SD Atomizer RPM							
SD Nozzle no							
DC-Blower frequency							
DC-pressure							
DC-solenoid							

QAD Reviewer-Sign and Date  **24/12/2024**
QAD Approver-Sign and Date  **24/12/2024**

"This document is electronically signed"

"This document is Master Copy"

https://mehachem-my.sharepoint.com/personal/qam_mehapharma_com/Documents/QAD/QA MASTERS/SOPs/PRD

SOP/MEHA PHARMA/SOPPRD004-1.0 preparation of MFR & BMR/SOPPRD004FMT011-1.0 Drying BMR.docx

SOP/PRD/004/FMT/011-1.0

Page 11 of 12

 MEHA PHARMA Kundaim-Goa		BATCH MANUFACTURING RECORD					
BMR No.:					Effective Date :		
Product:				Code:		Specs:	
No of lot:				Campaign No.:			Batch No.:

DC-sol open time							
Pulveriser-FS RPM							
Pulveriser-Hammer							
Pulveriser-Hammer RPM							
Pulveriser-mesh							
Roll compactor-FS RPM							
Roll compactor-Rol RPM							
Drier rate							
Powder %							
Multimill mesh							
MM-Hammer RPM							
Bag filter-pressure							
BF-Solenoid							
BF solenoid open time							
Sifter top mesh							
Sifter middle mesh							
Sifter bottom mesh							
Operator sign							
Shift Incharge sign							

END OF DOCUMENT

 QAD Reviewer-Sign and Date  24/12/2024 QAD Approver-Sign and Date  24/12/2024

"This document is electronically signed"

"This document is Master Copy"

https://mehachem-my.sharepoint.com/personal/qam_mehapharma_com/Documents/QAD/QA MASTERS/SOPs/PRD

SOP/MEHA PHARMA/SOPPRD004-1.0 preparation of MFR & BMR/SOPPRD004FMT011-1.0 Drying BMR.docx

SOP/PRD/004/FMT/011-1.0

Page 12 of 12