



US010978226B2

(12) **United States Patent**
Ding et al.(10) **Patent No.:** US 10,978,226 B2
(45) **Date of Patent:** Apr. 13, 2021(54) **SINTERED ND—FE—B MAGNET COMPOSITION AND A PRODUCTION METHOD FOR THE SINTERED ND—FE—B MAGNET**(71) Applicant: **Yantai Shougang Magnetic Materials, Inc.**, Yantai (CN)(72) Inventors: **Kaihong Ding**, Yantai (CN); **Zhongjie Peng**, Yantai (CN); **Guohai Wang**, Yantai (CN); **Xiulei Chen**, Yantai (CN)(73) Assignee: **YANTAI SHOUGANG MAGNETIC MATERIALS INC.**, Yantai (CN)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 355 days.

(21) Appl. No.: **15/588,584**(22) Filed: **May 5, 2017**(65) **Prior Publication Data**

US 2017/0372823 A1 Dec. 28, 2017

(30) **Foreign Application Priority Data**

Jun. 22, 2016 (CN) 201610452048.5

(51) **Int. Cl.****H01F 1/057** (2006.01)
B22F 9/04 (2006.01)

(Continued)

(52) **U.S. Cl.**CPC **H01F 1/0577** (2013.01); **B22D 11/001** (2013.01); **B22F 3/04** (2013.01);
(Continued)(58) **Field of Classification Search**

None

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2006/0137767 A1 * 6/2006 Yamamoto C22C 38/002

148/302

2015/0023831 A1 1/2015 Lin et al.

(Continued)

FOREIGN PATENT DOCUMENTS

CN 101071667 11/2007
CN 103456452 12/2013

(Continued)


OTHER PUBLICATIONS

Machine translation of JP 2000-331810A. (Year: 2000).*

(Continued)

Primary Examiner — Xiaowei Su(74) *Attorney, Agent, or Firm* — William H. Honaker;
Dickinson Wright PLLC(57) **ABSTRACT**

A sintered Nd—Fe—B magnet comprising at least one light rare earth element having a weight content between 31 wt. % and 35 wt. %, at least one heavy rare earth element having a weight content of no more than 0.2 wt. %, B having a weight content between 0.95 wt. % and 1.2 wt. %, at least one additive including Ti and having a weight content between 1.31 wt. % and 7.2 wt. %, Fe as a balance, and impurities including C, O, and N. Ti has a weight content between 0.3 wt. % and 1 wt. % and forms a Titanium-Iron-Boron phase with Fe and Boron B and being present in the sintered Nd—Fe—B magnet between 0.86 vol. % and 2.85 vol. %. The C, O, and N satisfy $630 \text{ ppm} \leq 1.2\text{C} + 0.6\text{O} + \text{N} \leq 3680 \text{ ppm}$. The sintered Nd—Fe—B magnet has a squareness factor of at least 0.95.

7 Claims, 4 Drawing Sheets

(51) Int. Cl.	(56) References Cited
<i>B22F 3/24</i> (2006.01)	U.S. PATENT DOCUMENTS
<i>H01F 41/02</i> (2006.01)	
<i>B22D 11/00</i> (2006.01)	
<i>B22F 3/04</i> (2006.01)	2015/0170810 A1* 6/2015 Miwa B22F 3/10 75/246
<i>B22F 3/16</i> (2006.01)	
<i>B22F 9/02</i> (2006.01)	2017/0140856 A1* 5/2017 Hirota H01F 41/0266
<i>C21D 6/00</i> (2006.01)	
<i>C21D 9/00</i> (2006.01)	
<i>C22C 38/00</i> (2006.01)	FOREIGN PATENT DOCUMENTS
<i>C22C 38/06</i> (2006.01)	CN 103646742 3/2014
<i>C22C 38/10</i> (2006.01)	CN 104064346 9/2014
<i>C22C 38/14</i> (2006.01)	CN 104347216 2/2015
<i>C22C 38/16</i> (2006.01)	CN 104599801 5/2015
(52) U.S. Cl.	CN 105513737 A 4/2016
CPC <i>B22F 3/16</i> (2013.01); <i>B22F 3/24</i> (2013.01); <i>B22F 9/023</i> (2013.01); <i>B22F 9/04</i> (2013.01); <i>C21D 6/00</i> (2013.01); <i>C21D 9/0068</i> (2013.01); <i>C22C 38/002</i> (2013.01); <i>C22C 38/005</i> (2013.01); <i>C22C 38/06</i> (2013.01); <i>C22C 38/10</i> (2013.01); <i>C22C 38/14</i> (2013.01); <i>C22C 38/16</i> (2013.01); <i>H01F 41/0253</i> (2013.01); <i>B22F 2003/248</i> (2013.01); <i>B22F 2009/042</i> (2013.01); <i>B22F 2009/044</i> (2013.01); <i>B22F 2201/20</i> (2013.01); <i>B22F 2202/05</i> (2013.01); <i>B22F 2301/355</i> (2013.01); <i>B22F 2998/10</i> (2013.01); <i>B22F 2999/00</i> (2013.01); <i>C22C 2202/02</i> (2013.01)	JP 2000331810 A * 11/2000 H01F 1/057
	JP 2012079726 4/2012
	JP 2015023285 2/2015
	JP 2015179841 10/2015
	JP 2016086078 5/2016
	WO 2015096583 7/2015
	WO 2015129861 9/2015
	OTHER PUBLICATIONS
	European Search Report dated May 17, 2017 (1 page).
	Japanese Notice of Reasons for Refusal dated Oct. 3, 2017 (4 pages).

* cited by examiner