




Fine-Tuning Airflow: Parameters You May Not Know About

Ivan Sayapin
Yu Lung Law

3.0

Agenda

- A Brief Introduction to Bloomberg
- Our Team and the Role of Apache Airflow
- Understanding Airflow Configurations
- Case Studies: How Configurations Resolved Four (4) Distinct Production Issues
- Key Insights and Takeaways



Founded in 1981
350K+ Bloomberg Terminal subscribers
in 170 countries

The ***Bloomberg Terminal*** is software that delivers a diverse array of information, news and analytics to facilitate financial decision-making.

TechAtBloomberg.com

© 2025 Bloomberg Finance L.P. All rights reserved.

Bloomberg


Engineering

Our Team and the Role of Airflow

- Data Platform Engineering
- Manage & orchestrate data workflows for global financial professionals
- Ingestion of Alternative Data:
 - Pharmaceutical drug pricing and sales
 - Airline flight totals and jet fuel consumption
- Transform click and drag configurations into data pipelines



Alternative Data On The Terminal



Actions Views Dataset Information Export Dataset Library: Dataset Views [View Owner](#)

BloombergNEF Jet Fuel Weekly Demand Forecast and Number of Scheduled Flights | Shortcut: DSET FLY

Global Jet Fuel Demand & Flights Jet Fuel Demand Revision

View: **Jet Fuel Demand (in barre** By Origin Region

By Week

By Week Any Flight Type Date Range: 09/09/25 - 02/17/26

Data Chart

Origin Region	02/17/2026	02/10/2026	02/03/2026	01/27/2026	01/20/2026	01/13/2026	01/06/2026	12/30/2025
Total	7,073,728	6,969,033	6,945,775	6,955,744	6,977,192	7,026,927	7,299,812	7,279,965
Asia	2,480,046	2,481,196	2,479,050	2,480,201	2,482,130	2,485,620	2,485,049	2,481,968
North America	1,606,460	1,537,853	1,531,412	1,535,557	1,543,189	1,552,740	1,723,613	1,733,271
Western Europe	1,156,234	1,123,946	1,105,065	1,098,607	1,101,727	1,122,918	1,204,915	1,178,364
Middle East and North Afr...	613,716	612,814	611,826	610,937	613,139	617,789	623,889	622,072
South and Central America	427,909	425,723	430,192	435,205	436,873	437,246	447,269	449,305
Eastern Europe	368,445	366,623	366,368	366,775	367,527	373,506	376,954	380,399
Oceania	242,468	242,640	243,628	249,807	251,782	253,234	252,924	250,195
Sub-Saharan Africa	168,258	168,036	168,073	168,521	170,661	173,578	174,887	174,112
Unspecified	10,192	10,202	10,161	10,134	10,164	10,296	10,312	10,279

Last Updated: 08/23/2025 03:26:25 UTC-4:00 Source: Bloomberg FLY<GO>

Suggested Functions **RECE** See the news stories you've recently read **INDE** Bloomberg Indices Introduction

Understanding Airflow Configurations

- Parameters control how Airflow behaves
- Govern:
 - DAG parsing
 - Scheduler heartbeat
 - Database interactions
 - Task queueing & retries
 - Metadata cleanup & observability
- Airflow provides default values, but often need to be customized
- Defined via:
 - Configuration file
 - Environment variables: `AIRFLOW__{SECTION}__{KEY}`

Case Studies: How Configurations Resolved Four (4) Distinct Production Issues?


Case 1: Dynamic DAGs Not Parsed

Case 1: Dynamic DAGs Not Parsed


- We have 2,500+ dynamic DAGs
 - Each corresponding to a **distinct** dataset data pipeline
 - Similarity between DAGs, but slightly different based on configs
 - Configs come in **different permutations** and **vary** for each dataset
 - Dynamic DAGs avoid creating the same DAG, same tasks with slight modifications

Case 1: Dynamic DAGs Not Parsed

- `create_dynamic_dags.py` file generates dynamic DAGs at runtime
 - Calls services to:
 - Get a list of tables in our system
 - Obtain the tree of task descendants
 - Creates a dynamic DAG using those relationships
 - Some complex DAGs can have 150+ tasks
 - Process is resource intensive



Case 1: Dynamic DAGs Not Parsed



Home

Dags

Assets

Browse

Admin

Security

DagsRunsTask Instances

_ingestion_mc

All

Failed

Running

Success

All

Filter by tag

0 Dags

No Dags found.

11

Debugging DAG Processor Logs

In the logs, the value 50 appears in multiple places

=====							
DAG File Processing Stats							
Bundle	File Path	PID	Current Duration	# DAGs	# Errors	Last Duration	Last Run At
-----	-----	-----	-----	-----	-----	-----	-----
dags-folder	create_dynamic_dags.py	35115	13.05s	0	1	50.01s	2025-08-22T15:03:10

dag-processor-1		2025-08-22T15:19:17.768+0000	{manager.py:1018}	ERROR	-	Processor for DagFileInfo(rel_path=PosixPath('create_dynamic_dags.py'), bundle_name='dags-folder', bundle_path=PosixPath('/airflow-docker/home/dags'), bundle_version=None) with PID 77574	started 50 ago	killing it.
-----------------	--	------------------------------	-------------------	-------	---	--	----------------	-------------

[dag_processor] dag_file_processor_timeout

dag_file_processor_timeout

How long before timing out a DagFileProcessor, which processes a dag file



Type:

integer

Default:

50

Environment Variable:

AIRFLOW__DAG_PROCESSOR__DAG_FILE_PROCESSOR_TIMEOUT

Increase Timeout

```
[dag_processor]
dag_file_processor_timeout = 500
```

DAG File Processing Stats						
Bundle	File Path	PID	Current Duration	# DAGs	# Errors	Last Duration
dags-folder	create_dynamic_dags.py	18045	66.96s	2964	0	78.33s

The screenshot shows the DagsHub web application interface. On the left is a dark blue sidebar with navigation icons and labels: Home, Dags (highlighted), Assets, Browse, and Admin. The main header has tabs for 'Dags', 'Runs', and 'Task Instances'. Below the header is a search bar labeled 'Search Dags'. A row of filter buttons includes 'All', 'Failed', 'Running', and 'Success'. To the right are dropdown menus for 'All' and a selected filter 'ingestion_mc X unload_mc X'. A green box highlights the text '2,964 Dags'. Below this are two view toggles (grid and list). The main area displays a table of DAGs:

Schedule	DAG Name	Latest Run	Next Run
	_ingestion_mc dynamic, ingestion_mc		
	_unload_mc unload_mc, dynamic		

Case 1: Solution

- Increasing [dag_processor] dag_file_processor_timeout allowed us to:
 - Quickly fix the issue
 - Find the right value for the current processing times
 - Buy time to think about long term solutions
 - Cleaning up unused datasets
 - Splitting dynamic DAGs into multiple files
 - Dedicating more compute resources to the dag processor

Case 2: DAG Parsing Delay

Case 2: DAG Parsing Delay

dag-processor-1	DAG File Processing Stats								
dag-processor-1									
dag-processor-1	Bundle	File Path	PID	Current Duration	# DAGs	# Errors	Last Duration	Last Run At	
dag-processor-1	-----	-----	----	-----	-----	-----	-----	-----	
dag-processor-1	dags-folder	create_dynamic_dags.py			2964	0	70.12s	2025-09-08T20:29:50	
dag-processor-1	dags-folder	[REDACTED].py			1	0	1.83s	2025-09-08T20:29:00	
dag-processor-1	dags-folder	[REDACTED].py			1	0	0.78s	2025-09-08T20:30:58	
dag-processor-1	dags-folder	[REDACTED].py			1	0	0.74s	2025-09-08T20:31:02	
dag-processor-1	dags-folder	[REDACTED].py			1	0	0.72s	2025-09-08T20:31:01	
dag-processor-1	dags-folder	[REDACTED].py			1	0	0.71s	2025-09-08T20:30:11	
dag-processor-1	dags-folder	[REDACTED].py			1	0	0.69s	2025-09-08T20:30:59	
dag-processor-1	dags-folder	[REDACTED].py			1	0	0.68s	2025-09-08T20:30:12	
dag-processor-1	dags-folder	[REDACTED].py			1	0	0.68s	2025-09-08T20:31:32	
dag-processor-1	dags-folder	[REDACTED].py			1	0	0.67s	2025-09-08T20:31:31	
dag-processor-1	dags-folder	[REDACTED].py			1	0	0.65s	2025-09-08T20:29:10	
dag-processor-1	dags-folder	[REDACTED].py			1	0	0.63s	2025-09-08T20:30:12	
dag-processor-1	dags-folder	[REDACTED].py			1	0	0.62s	2025-09-08T20:31:29	
dag-processor-1	dags-folder	[REDACTED].py			1	0	0.59s	2025-09-08T20:29:00	
dag-processor-1	dags-folder	[REDACTED].py			1	0	0.58s	2025-09-08T20:31:01	
dag-processor-1	dags-folder	[REDACTED].py			1	0	0.48s	2025-09-08T20:30:59	
dag-processor-1	dags-folder	[REDACTED].py			1	0	0.46s	2025-09-08T20:31:03	
dag-processor-1	dags-folder	[REDACTED].py			1	0	0.45s	2025-09-08T20:31:30	
dag-processor-1	dags-folder	[REDACTED].py			1	0	0.43s	2025-09-08T20:31:03	
dag-processor-1	dags-folder	[REDACTED].py			1	0	0.42s	2025-09-08T20:31:00	
dag-processor-1	dags-folder	[REDACTED].py			1	0	0.39s	2025-09-08T20:30:57	
dag-processor-1	dags-folder	[REDACTED].py			1	0	0.39s	2025-09-08T20:29:10	
dag-processor-1	dags-folder	[REDACTED].py			1	0	0.35s	2025-09-08T20:31:04	
dag-processor-1	dags-folder	[REDACTED].py			1	0	0.34s	2025-09-08T20:30:57	
dag-processor-1	dags-folder	[REDACTED].py			1	0	0.32s	2025-09-08T20:31:04	
dag-processor-1	dags-folder	[REDACTED].py			1	0	0.16s	2025-09-08T20:29:01	

[dag_processor] parsing_processes

parsing_processes

The DAG processor can run multiple processes in parallel to parse dags. This defines how many processes will run.

Type:

integer

Default:

2

Environment Variable:

AIRFLOW__DAG_PROCESSOR__PARSING_PROCESSES

[dag_processor] min_file_process_interval

min_file_process_interval

Number of seconds after which a DAG file is parsed. The DAG file is parsed every [dag_processor] min_file_process_interval number of seconds. Updates to DAGs are reflected after this interval. Keeping this number low will increase CPU usage.

Type:

integer

Default:

30

Environment Variable:

AIRFLOW__DAG_PROCESSOR__MIN_FILE_PROCESS_INTERVAL


Case 2: Solution

- Tweaking `parsing_processes` and `min_file_process_interval` allowed us to:
 - Get faster DAG processing runs each iteration
 - Get DAG processor to run more frequently
 - Get close to “live” updates to DAG structures
 - Change no code
- Be wary of the CPU usage trade-off

Case 3: Scheduler Memory Leak


Case 3: Scheduler Memory Leak

- Scheduler was using an increasing amount of memory
- This was eventually causing it to get killed and restarted
- Symptoms of a memory leak



Scheduler RSS (Resident Set Size)

```
docker compose exec -it scheduler sh -lc \  
'while true; do ps -o pid,rss,command -p $(pgrep -f "scheduler"); \  
sleep 10; done'
```



PID	RSS	COMMAND
16	198828	/opt/bb/bin/python3 /opt/bb/bin/airflow scheduler
16	204204	/opt/bb/bin/python3 /opt/bb/bin/airflow scheduler
16	209708	/opt/bb/bin/python3 /opt/bb/bin/airflow scheduler
16	214828	/opt/bb/bin/python3 /opt/bb/bin/airflow scheduler
16	232376	/opt/bb/bin/python3 /opt/bb/bin/airflow scheduler
16	237496	/opt/bb/bin/python3 /opt/bb/bin/airflow scheduler
16	242616	/opt/bb/bin/python3 /opt/bb/bin/airflow scheduler

[scheduler] enable_tracemalloc

enable_tracemalloc

Added in version 3.0.0.

Whether to enable memory allocation tracing in the scheduler. If enabled, Airflow will start tracing memory allocation and log the top 10 memory usages at the error level upon receiving the signal SIGUSR1. This is an expensive operation and generally should not be used except for debugging purposes.

Type:

Boolean

Default:

False

Environment Variable:

AIRFLOW__SCHEDULER__ENABLE_TRACEMALLOC

[scheduler] enable_tracemalloc

enable_tracemalloc

Added in version 3.0.0.

Whether to enable memory allocation tracing in the scheduler. If enabled, Airflow will start tracing memory allocation and log the top 10 memory usages at the error level upon receiving the signal SIGUSR1. **This is an expensive operation and generally should not be used except for debugging purposes.**

Type:

Boolean

Default:

False

Environment Variable:

AIRFLOW__SCHEDULER__ENABLE_TRACEMALLOC

Tracemalloc Report

```
docker compose exec -it scheduler sh -c \  
'kill -SIGUSR1 $(pgrep -f "airflow scheduler")'
```

```
scheduler-1 | 2025-09-10T19:49:26.114+0000 {scheduler_job_runner.py:307} ERROR - scheduler memory  
usage:  
scheduler-1 | Top 10  
scheduler-1 | /airflow-docker/home/plugins/leaky_plugin.py:7: size=25.0 MiB, count=51, average=502 KiB  
scheduler-1 | <frozen importlib._bootstrap_external>:757: size=2521 KiB, count=22861, average=113 B  
scheduler-1 | /opt/bb/lib/python3.12/site-packages/sqlalchemy/sql/schema.py:1730: size=351 KiB,  
count=455, average=790 B  
scheduler-1 | /opt/bb/lib/python3.12/site-packages/gunicorn/config.py:247: size=217 KiB, count=644,  
average=346 B  
scheduler-1 | /opt/bb/lib/python3.12/site-packages/sqlalchemy/util/langhelpers.py:1185: size=180 KiB,  
count=789, average=233 B  
scheduler-1 | <frozen abc>:106: size=123 KiB, count=445, average=284 B  
scheduler-1 | <frozen abc>:123: size=122 KiB, count=1612, average=77 B  
scheduler-1 | /opt/bb/lib/python3.12/site-packages/sqlalchemy/sql/annotation.py:166: size=75.1 KiB,  
count=118, average=651 B
```

Case 3: Solution

```
docker compose exec -it scheduler sh -c \  
'kill -SIGUSR1 $(pgrep -f "airflow scheduler")'
```

```
scheduler-1 | 2025-09-10T20:34:04.807+0000 {scheduler_job_runner.py:307} ERROR - scheduler  
memory usage:  
scheduler-1 | Top 10  
scheduler-1 | <frozen importlib._bootstrap_external>:757: size=2521 KiB, count=22860,  
average=113 B  
scheduler-1 | /opt/bb/lib/python3.12/site-packages/sqlalchemy/sql/schema.py:1730: size=357  
KiB, count=461, average=794 B  
scheduler-1 | /opt/bb/lib/python3.12/site-packages/gunicorn/config.py:247: size=217 KiB,  
count=644, average=346 B  
scheduler-1 | /opt/bb/lib/python3.12/site-packages/sqlalchemy/util/langhelpers.py:1185:  
size=197 KiB, count=868, average=233 B  
scheduler-1 | <frozen abc>:106: size=123 KiB, count=445, average=284 B
```

Case 3: Solution

```
docker compose exec -it scheduler sh -lc \  
'while true; do ps -o pid,rss,command -p $(pgrep -f "scheduler"); \  
sleep 10; done'
```

PID	RSS	COMMAND
20	207968	/opt/bb/bin/python3 /opt/bb/bin/airflow scheduler
PID	RSS	COMMAND
20	207968	/opt/bb/bin/python3 /opt/bb/bin/airflow scheduler
PID	RSS	COMMAND
20	207968	/opt/bb/bin/python3 /opt/bb/bin/airflow scheduler
PID	RSS	COMMAND
20	207968	/opt/bb/bin/python3 /opt/bb/bin/airflow scheduler
PID	RSS	COMMAND
20	207968	/opt/bb/bin/python3 /opt/bb/bin/airflow scheduler
PID	RSS	COMMAND
20	207968	/opt/bb/bin/python3 /opt/bb/bin/airflow scheduler
PID	RSS	COMMAND
20	207968	/opt/bb/bin/python3 /opt/bb/bin/airflow scheduler

Case 4: Observability

TechAtBloomberg.com

© 2025 Bloomberg Finance L.P. All rights reserved.

Bloomberg

Engineering

Case 4: Observability

- With many components running, we need to make sure we have observability into components
- Ways to identify issues early for previous problems encountered:
 - No DAGs parsed
 - High DAG parsing run times
- Health of scheduler, DagRun, Celery, etc.

[metrics] statsd_on

```
pip install 'apache-airflow[statsd]'
```

statsd_on

Added in version 2.0.0.

Enables sending metrics to StatsD.

Type:

Boolean

Default:

False

Environment Variable:

AIRFLOW__METRICS__STATSD_ON

[metrics] metrics_allow_list

metrics_allow_list

Added in version 2.6.0.

Configure an allow list (comma separated regex patterns to match) to send only certain metrics.

Type:

string

Default:

"

Environment Variable:

AIRFLOW__METRICS__METRICS_ALLOW_LIST

Example:

"scheduler,executor,dagrun,pool,triggerer,celery"

Case 4: Solution

```
[metrics]  
metrics_allow_list = dag_processing,dagrun
```

- `dag_processing.last_run.seconds_ago.<dag_file>`
 - Alert if it's been too long since last run
- `dag_processing.last_duration.<dag_file>`
 - Alert if DAG files are taking too long to process
- `dagrun.<dag_id>.first_task_scheduling_delay`
 - Alert if there is a large delay for first task runs for DAGs of interest

Takeaways

- Small config tweaks: big impact on scale, stability and observability
 - [dag_processor] dag_file_processor_timeout
 - [dag_processor] parsing_processes
 - [dag_processor] min_file_process_interval
 - [scheduler] enable_tracemalloc ←
 - [metrics] statsd_on
 - [metrics] metrics_allow_list
- Test with different values of configurations in lower environments
- Temporarily changing configs can buy time to look into long term solutions
- Read the documentation and keep up to date with latest configurations

Bloomberg

Engineering

Thank you!

Questions?

Learn more: <https://TechAtBloomberg.com>

We're hiring: <https://www.bloomberg.com/careers>

TechAtBloomberg.com

© 2025 Bloomberg Finance L.P. All rights reserved.