

BEAM
SUMMIT

From Binary to Breach Detection



Agenda




- What is Google SecOps?
 - Feeds
 - Log Types
- Data Wall
 - Proprietary Logs
 - Mixed Logs
- Preprocessing
 - Enrichment / Cleansing
 - Demultiplexing
- Ingestion
 - GCS Path
 - Pub/Sub Path
 - Chronicle API Path

Google SecOps

Google SecOps is a unified, cloud-native security operations platform designed to ingest and normalize security telemetry at massive scale, enabling security teams to rapidly identify, detect, and react to threats across IT and industrial environments.

Two components of Google SecOps

- SIEM (Security Information and Event Management)
- SOAR (Security Orchestration, Automation, and Response)



Feeds

- An ingestion mechanism
- Bound to one log type



Log Types

- There are more than 1000 log types with a default parser
- Parsers transform logs into Unified Data Model (UDM)

AVAILABLE LOG TYPES

Review the log types that are available for use in your organization. To have a log type added, send a request.

[Learn more about requesting log types](#) 



Create Custom Log Type

VENDOR / PRODUCT	LOG TYPE	TYPE	DATA PROCESSING	FEED COUNT
1KOSMOS Identity and Authentication	ONEKOSMOS	Prebuilt	No	0
1Password	ONEPASSWORD	Prebuilt	No	0
1Password Audit Events	ONEPASSWORD_AUDIT_EVENTS	Prebuilt	No	0
3Com 8800 Series Switch	IBM_3COM	Prebuilt	No	0
A10 Load Balancer	A10_LOAD_BALANCER	Prebuilt	No	0
Abnormal Security	ABNORMAL_SECURITY	Prebuilt	No	0

But not enough

Sometimes you need a n+1th log type

- Custom feed creation is possible
- You need to create parsers

AVAILABLE LOG TYPES

Review the log types that are available for use in your organization. To have a log type added, send a request.


[Learn more about requesting log types](#) 

× CANBURAK


Create Custom Log Type

VENDOR / PRODUCT	LOG TYPE	TYPE	DATA PROCESSING	FEED COUNT
Google PSO Custom	CANBURAK_CUSTOM	Custom	No	0

Here comes proprietary logs




Or the centralized logs




Beam to the rescue



Enrichment / Cleansing




Demultiplexing




GCS Path

- Easy to implement
- Managed services
- Micro batch approach
- 15 minutes polling
- SA is out of user's control




Pub/Sub path

- Mature connectors
- Managed services
- One topic per one log is required




API Path

- Near real-time ingestion
- Independence of other services
- No connector exists
- Implementation is developer's responsibility



Decision Tree



Canburak TÜMER

QUESTIONS?

<https://www.linkedin.com/in/canburaktumer/>
<https://canburaktumer.com>

Or @canburaktumer on Social Media