

Description	Resource	Path	Location	Type
#1501-D (MISRA-C:2004 14.10/R) All if ... else if constructs shall be terminated with an else clause	Capture.c	/Timers/APP/Capture_Test	line 54	C/C++ Problem
#1501-D (MISRA-C:2004 14.10/R) All if ... else if constructs shall be terminated with an else clause	PWM_Test.c	/Timers/APP/PWM_Test	line 38	C/C++ Problem
#1501-D (MISRA-C:2004 14.10/R) All if ... else if constructs shall be terminated with an else clause	Timer.c	/Timers	line 18	C/C++ Problem
#1501-D (MISRA-C:2004 14.10/R) All if ... else if constructs shall be terminated with an else clause	main.c	/Timers	line 37	C/C++ Problem
#1498-D (MISRA-C:2004 6.3/A) typedefs that indicate size and signedness should be used in place of the basic numerical types	PWM_Test.c	/Timers/APP/PWM_Test	line 9	C/C++ Problem
#1498-D (MISRA-C:2004 6.3/A) typedefs that indicate size and signedness should be used in place of the basic numerical types	main.c	/Timers	line 19	C/C++ Problem
#1497-D (MISRA-C:2004 5.7/A) No identifier name should be reused ("RIS")	MEM_MAP.h	/Timers	line 234	C/C++ Problem
#1497-D (MISRA-C:2004 5.7/A) No identifier name should be reused ("RIS")	MEM_MAP.h	/Timers	line 283	C/C++ Problem
#1497-D (MISRA-C:2004 5.7/A) No identifier name should be reused ("RESERVED1")	MEM_MAP.h	/Timers	line 303	C/C++ Problem
#1497-D (MISRA-C:2004 5.7/A) No identifier name should be reused ("RESERVED0")	MEM_MAP.h	/Timers	line 281	C/C++ Problem
#1497-D (MISRA-C:2004 5.7/A) No identifier name should be reused ("mode")	main.c	/Timers	line 17	C/C++ Problem
#1497-D (MISRA-C:2004 5.7/A) No identifier name should be reused ("MIS")	MEM_MAP.h	/Timers	line 284	C/C++ Problem
#1497-D (MISRA-C:2004 5.7/A) No identifier name should be reused ("ICR")	MEM_MAP.h	/Timers	line 285	C/C++ Problem
#1496-D (MISRA-C:2004 5.6/A) No identifier in one name space should have the same spelling as an identifier in another name space, with the exception of structure member and union member names ("delay")	Utils.c	/Timers	line 3	C/C++ Problem
#1496-D (MISRA-C:2004 5.6/A) No identifier in one name space should have the same spelling as an identifier in another name space, with the exception of structure member and union member names ("delay")	Utils.h	/Timers	line 5	C/C++ Problem
#1473-D (MISRA-C:2004 16.4/R) The identifiers used in the declaration and definition of a function shall be identical	Timer.c	/Timers	line 104	C/C++ Problem
#1470-D (MISRA-C:2004 14.9/R) An if (expression) construct shall be followed by a compound statement. The else keyword shall be followed by either a compound statement, or another if statement	Timer.c	/Timers	line 17	C/C++ Problem

#1470-D (MISRA-C:2004 14.9/R) An if (expression) construct shall be followed by a compound statement. The else keyword shall be followed by either a compound statement, or another if statement      Timer.c /Timers line 19 C/C++ Problem

#1469-D (MISRA-C:2004 14.8/R) The statement forming the body of a switch, while, do ... while or for statement shall be a compound statement      Capture.c      /Timers/APP/Capture\_Test      line 31 C/C++ Problem

#1469-D (MISRA-C:2004 14.8/R) The statement forming the body of a switch, while, do ... while or for statement shall be a compound statement      Capture.c      /Timers/APP/Capture\_Test      line 34 C/C++ Problem

#1469-D (MISRA-C:2004 14.8/R) The statement forming the body of a switch, while, do ... while or for statement shall be a compound statement      Utils.c /Timers line 6 C/C++ Problem

#1469-D (MISRA-C:2004 14.8/R) The statement forming the body of a switch, while, do ... while or for statement shall be a compound statement      periodic.c      /Timers/APP/Periodic\_Test      line 21 C/C++ Problem

#1469-D (MISRA-C:2004 14.8/R) The statement forming the body of a switch, while, do ... while or for statement shall be a compound statement      periodic.c      /Timers/APP/Periodic\_Test      line 24 C/C++ Problem

#1459-D (MISRA-C:2004 12.1/A) Limited dependence should be placed on C's operator precedence rules in expressions      Capture.c      /Timers/APP/Capture\_Test      line 49 C/C++ Problem

#1459-D (MISRA-C:2004 12.1/A) Limited dependence should be placed on C's operator precedence rules in expressions      Timer.c /Timers line 18 C/C++ Problem

#1459-D (MISRA-C:2004 12.1/A) Limited dependence should be placed on C's operator precedence rules in expressions      Timer.c /Timers line 24 C/C++ Problem

#1459-D (MISRA-C:2004 12.1/A) Limited dependence should be placed on C's operator precedence rules in expressions      Timer.c /Timers line 78 C/C++ Problem

#1459-D (MISRA-C:2004 12.1/A) Limited dependence should be placed on C's operator precedence rules in expressions      Timer.c /Timers line 93 C/C++ Problem

#1459-D (MISRA-C:2004 12.1/A) Limited dependence should be placed on C's operator precedence rules in expressions      Timer.c /Timers line 116C/C++ Problem

#1459-D (MISRA-C:2004 12.1/A) Limited dependence should be placed on C's operator precedence rules in expressions      Timer.c /Timers line 134C/C++ Problem

#1459-D (MISRA-C:2004 12.1/A) Limited dependence should be placed on C's operator precedence rules in expressions      Timer.c /Timers line 161C/C++ Problem

#1459-D (MISRA-C:2004 12.1/A) Limited dependence should be placed on C's operator precedence rules in expressions      Utils.c /Timers line 6 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments      PWM\_Test.c      /Timers/APP/PWM\_Testline 50 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments      PWM\_Test.c      /Timers/APP/PWM\_Testline 51 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
PWM\_Test.c /Timers/APP/PWM\_Testline 52 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /* ... */ style comments /Timers line 172C/C++ Problem	Timer.c
#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /* ... */ style comments /Timers line 173C/C++ Problem	Timer.c
#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /* ... */ style comments /Timers line 174C/C++ Problem	Timer.c
#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /* ... */ style comments /Timers line 175C/C++ Problem	Timer.c
#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /* ... */ style comments /Timers line 176C/C++ Problem	Timer.c
#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /* ... */ style comments /Timers line 49 C/C++ Problem	Timer.h
#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /* ... */ style comments /Timers line 50 C/C++ Problem	Timer.h
#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /* ... */ style comments /Timers line 51 C/C++ Problem	Timer.h
#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /* ... */ style comments /Timers line 52 C/C++ Problem	Timer.h
#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /* ... */ style comments /Timers line 53 C/C++ Problem	Timer.h
#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /* ... */ style comments /Timers line 54 C/C++ Problem	Timer.h
#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /* ... */ style comments /Timers line 55 C/C++ Problem	Timer.h
#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /* ... */ style comments /Timers line 56 C/C++ Problem	Timer.h
#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /* ... */ style comments /Timers line 57 C/C++ Problem	Timer.h
#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /* ... */ style comments /Timers line 58 C/C++ Problem	Timer.h
#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /* ... */ style comments /Timers line 59 C/C++ Problem	Timer.h
#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /* ... */ style comments /Timers line 60 C/C++ Problem	Timer.h
#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /* ... */ style comments /Timers line 61 C/C++ Problem	Timer.h
#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /* ... */ style comments /Timers line 62 C/C++ Problem	Timer.h

[illegible]

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /* ... */ style comments /Timers line 84 C/C++ Problem	Timer.h
#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /* ... */ style comments /Timers line 85 C/C++ Problem	Timer.h
#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /* ... */ style comments /Timers line 86 C/C++ Problem	Timer.h
#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /* ... */ style comments /Timers line 87 C/C++ Problem	Timer.h
#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /* ... */ style comments /Timers line 88 C/C++ Problem	Timer.h
#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /* ... */ style comments /Timers line 89 C/C++ Problem	Timer.h
#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /* ... */ style comments /Timers line 90 C/C++ Problem	Timer.h
#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /* ... */ style comments /Timers line 91 C/C++ Problem	Timer.h
#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /* ... */ style comments /Timers line 92 C/C++ Problem	Timer.h
#1376-D (MISRA-C:2004 1.1/R) Ensure strict ANSI C mode (-ps) is enabled /Timers line 22 C/C++ Problem	Platform_Types.h
#1376-D (MISRA-C:2004 1.1/R) Ensure strict ANSI C mode (-ps) is enabled /Timers line 74, external location: C:\ti\ccs1210\ccs\tools\compiler\ti-cgt-arm_20.2.7.LTS\include\machine\_types.h C/C++ Problem	.ccsproject
#1377-D (MISRA-C:2004 2.1/R) Assembly language shall be encapsulated and isolated (function "ResetISR") tm4c123gh6pm_startup_ccs.c /Timers line 238C/C++ Problem	
#1379-D (MISRA-C:2004 5.2/R) Identifiers in an inner scope shall not use the same name as an identifier in an outer scope, and therefore hide that identifier ("delay") Utils.c /Timers line 3 C/C++ Problem	
#1383-D (MISRA-C:2004 8.1/R) Functions shall have prototype declarations and the prototype shall be visible at both the function definition and call periodic.c /Timers/APP/Periodic_Test line 18 C/C++ Problem	
#1383-D (MISRA-C:2004 8.1/R) Functions shall have prototype declarations and the prototype shall be visible at both the function definition and call periodic.c /Timers/APP/Periodic_Test line 9 C/C++ Problem	
#1383-D (MISRA-C:2004 8.1/R) Functions shall have prototype declarations and the prototype shall be visible at both the function definition and call main.c /Timers line 19 C/C++ Problem	
#1383-D (MISRA-C:2004 8.1/R) Functions shall have prototype declarations and the prototype shall be visible at both the function definition and call Utils.c /Timers line 3 C/C++ Problem	



#1383-D (MISRA-C:2004 8.1/R) Functions shall have prototype declarations and the prototype shall be visible at both the function definition and call      Timer.c /Timers line 210C/C++ Problem

#1383-D (MISRA-C:2004 8.1/R) Functions shall have prototype declarations and the prototype shall be visible at both the function definition and call      Timer.c /Timers line 202C/C++ Problem

#1383-D (MISRA-C:2004 8.1/R) Functions shall have prototype declarations and the prototype shall be visible at both the function definition and call      Timer.c /Timers line 194C/C++ Problem

#1383-D (MISRA-C:2004 8.1/R) Functions shall have prototype declarations and the prototype shall be visible at both the function definition and call      Timer.c /Timers line 186C/C++ Problem

#1383-D (MISRA-C:2004 8.1/R) Functions shall have prototype declarations and the prototype shall be visible at both the function definition and call      Timer.c /Timers line 178C/C++ Problem

#1383-D (MISRA-C:2004 8.1/R) Functions shall have prototype declarations and the prototype shall be visible at both the function definition and call      PWM\_Test.c    /Timers/APP/PWM\_Testline  
25      C/C++ Problem

#1383-D (MISRA-C:2004 8.1/R) Functions shall have prototype declarations and the prototype shall be visible at both the function definition and call      PWM\_Test.c    /Timers/APP/PWM\_Testline  
11      C/C++ Problem

#1383-D (MISRA-C:2004 8.1/R) Functions shall have prototype declarations and the prototype shall be visible at both the function definition and call      Capture.c      /Timers/APP/Capture\_Test  
line 28 C/C++ Problem

#1383-D (MISRA-C:2004 8.1/R) Functions shall have prototype declarations and the prototype shall be visible at both the function definition and call      Capture.c      /Timers/APP/Capture\_Test  
line 12 C/C++ Problem

#1392-D (MISRA-C:2004 9.3/R) In an enumerator list, the '=' construct shall not be used to explicitly initialise members other than the first, unless all items are explicitly initialised      Timer.h /Timers line  
33      C/C++ Problem

#1392-D (MISRA-C:2004 9.3/R) In an enumerator list, the '=' construct shall not be used to explicitly initialise members other than the first, unless all items are explicitly initialised      Std\_Types.h  
/Timers line 56 C/C++ Problem

#1393-D (MISRA-C:2004 10.1/R) The value of an expression of integer type shall not be implicitly converted to a different underlying type if it is not a conversion to a wider integer type of the same signedness      Timer.c /Timers line 140C/C++ Problem

#1393-D (MISRA-C:2004 10.1/R) The value of an expression of integer type shall not be implicitly converted to a different underlying type if it is not a conversion to a wider integer type of the same signedness      Timer.c /Timers line 136C/C++ Problem

#1393-D (MISRA-C:2004 10.1/R) The value of an expression of integer type shall not be implicitly converted to a different underlying type if it is not a conversion to a wider integer type of the same signedness      Timer.c /Timers line 134C/C++ Problem

#1393-D (MISRA-C:2004 10.1/R) The value of an expression of integer type shall not be implicitly converted to a different underlying type if it is not a conversion to a wider integer type of the same signedness      Timer.c /Timers line 124C/C++ Problem











#1393-D (MISRA-C:2004 10.1/R) The value of an expression of integer type shall not be implicitly converted to a different underlying type if it is not a conversion to a wider integer type of the same signedness      Capture.c      /Timers/APP/Capture\_Test      line 20   C/C++ Problem

#1393-D (MISRA-C:2004 10.1/R) The value of an expression of integer type shall not be implicitly converted to a different underlying type if it is not a conversion to a wider integer type of the same signedness      Capture.c      /Timers/APP/Capture\_Test      line 19   C/C++ Problem

#1393-D (MISRA-C:2004 10.1/R) The value of an expression of integer type shall not be implicitly converted to a different underlying type if it is not a conversion to a wider integer type of the same signedness      Capture.c      /Timers/APP/Capture\_Test      line 18   C/C++ Problem

#1393-D (MISRA-C:2004 10.1/R) The value of an expression of integer type shall not be implicitly converted to a different underlying type if it is not a conversion to a wider integer type of the same signedness      Capture.c      /Timers/APP/Capture\_Test      line 17   C/C++ Problem

#1393-D (MISRA-C:2004 10.1/R) The value of an expression of integer type shall not be implicitly converted to a different underlying type if it is not a conversion to a wider integer type of the same signedness      Capture.c      /Timers/APP/Capture\_Test      line 16   C/C++ Problem

#1393-D (MISRA-C:2004 10.1/R) The value of an expression of integer type shall not be implicitly converted to a different underlying type if it is not a conversion to a wider integer type of the same signedness      Capture.c      /Timers/APP/Capture\_Test      line 15   C/C++ Problem

#1400-D (MISRA-C:2004 11.3/A) A cast should not be performed between a pointer type and an integral type      periodic.c      /Timers/APP/Periodic\_Test      line 26   C/C++ Problem

#1400-D (MISRA-C:2004 11.3/A) A cast should not be performed between a pointer type and an integral type      periodic.c      /Timers/APP/Periodic\_Test      line 25   C/C++ Problem

#1400-D (MISRA-C:2004 11.3/A) A cast should not be performed between a pointer type and an integral type      periodic.c      /Timers/APP/Periodic\_Test      line 24   C/C++ Problem

#1400-D (MISRA-C:2004 11.3/A) A cast should not be performed between a pointer type and an integral type      periodic.c      /Timers/APP/Periodic\_Test      line 23   C/C++ Problem

#1400-D (MISRA-C:2004 11.3/A) A cast should not be performed between a pointer type and an integral type      periodic.c      /Timers/APP/Periodic\_Test      line 22   C/C++ Problem

#1400-D (MISRA-C:2004 11.3/A) A cast should not be performed between a pointer type and an integral type      periodic.c      /Timers/APP/Periodic\_Test      line 21   C/C++ Problem

#1400-D (MISRA-C:2004 11.3/A) A cast should not be performed between a pointer type and an integral type      periodic.c      /Timers/APP/Periodic\_Test      line 13   C/C++ Problem

#1400-D (MISRA-C:2004 11.3/A) A cast should not be performed between a pointer type and an integral type      periodic.c      /Timers/APP/Periodic\_Test      line 12   C/C++ Problem

#1400-D (MISRA-C:2004 11.3/A) A cast should not be performed between a pointer type and an integral type      periodic.c      /Timers/APP/Periodic\_Test      line 11   C/C++ Problem

#1400-D (MISRA-C:2004 11.3/A) A cast should not be performed between a pointer type and an integral type      Timer.c /Timers line 19   C/C++ Problem

#1400-D (MISRA-C:2004 11.3/A) A cast should not be performed between a pointer type and an integral type    Timer.c /Timers line 17   C/C++ Problem

#1400-D (MISRA-C:2004 11.3/A) A cast should not be performed between a pointer type and an integral type    Timer.c /Timers line 6   C/C++ Problem

#1400-D (MISRA-C:2004 11.3/A) A cast should not be performed between a pointer type and an integral type    PWM\_Test.c    /Timers/APP/PWM\_Test line 18   C/C++ Problem

#1400-D (MISRA-C:2004 11.3/A) A cast should not be performed between a pointer type and an integral type    PWM\_Test.c    /Timers/APP/PWM\_Test line 17   C/C++ Problem

#1400-D (MISRA-C:2004 11.3/A) A cast should not be performed between a pointer type and an integral type    PWM\_Test.c    /Timers/APP/PWM\_Test line 16   C/C++ Problem

#1400-D (MISRA-C:2004 11.3/A) A cast should not be performed between a pointer type and an integral type    PWM\_Test.c    /Timers/APP/PWM\_Test line 15   C/C++ Problem

#1400-D (MISRA-C:2004 11.3/A) A cast should not be performed between a pointer type and an integral type    PWM\_Test.c    /Timers/APP/PWM\_Test line 14   C/C++ Problem

#1400-D (MISRA-C:2004 11.3/A) A cast should not be performed between a pointer type and an integral type    PWM\_Test.c    /Timers/APP/PWM\_Test line 13   C/C++ Problem

#1400-D (MISRA-C:2004 11.3/A) A cast should not be performed between a pointer type and an integral type    Capture.c    /Timers/APP/Capture\_Test    line 57   C/C++ Problem

#1400-D (MISRA-C:2004 11.3/A) A cast should not be performed between a pointer type and an integral type    Capture.c    /Timers/APP/Capture\_Test    line 56   C/C++ Problem

#1400-D (MISRA-C:2004 11.3/A) A cast should not be performed between a pointer type and an integral type    Capture.c    /Timers/APP/Capture\_Test    line 52   C/C++ Problem

#1400-D (MISRA-C:2004 11.3/A) A cast should not be performed between a pointer type and an integral type    Capture.c    /Timers/APP/Capture\_Test    line 51   C/C++ Problem

#1400-D (MISRA-C:2004 11.3/A) A cast should not be performed between a pointer type and an integral type    Capture.c    /Timers/APP/Capture\_Test    line 47   C/C++ Problem

#1400-D (MISRA-C:2004 11.3/A) A cast should not be performed between a pointer type and an integral type    Capture.c    /Timers/APP/Capture\_Test    line 46   C/C++ Problem

#1400-D (MISRA-C:2004 11.3/A) A cast should not be performed between a pointer type and an integral type    Capture.c    /Timers/APP/Capture\_Test    line 35   C/C++ Problem

#1400-D (MISRA-C:2004 11.3/A) A cast should not be performed between a pointer type and an integral type    Capture.c    /Timers/APP/Capture\_Test    line 34   C/C++ Problem

#1400-D (MISRA-C:2004 11.3/A) A cast should not be performed between a pointer type and an integral type    Capture.c    /Timers/APP/Capture\_Test    line 33   C/C++ Problem

#1393-D (MISRA-C:2004 10.1/R) The value of an expression of integer type shall not be implicitly converted to a different underlying type if the expression is not constant and is a function argument  
periodic.c    /Timers/APP/Periodic\_Test    line 15   C/C++ Problem

#1393-D (MISRA-C:2004 10.1/R) The value of an expression of integer type shall not be implicitly converted to a different underlying type if the expression is not constant and is a function argument  
PWM\_Test.c /Timers/APP/PWM\_Testline 47 C/C++ Problem

#1400-D (MISRA-C:2004 11.3/A) A cast should not be performed between a pointer type and an integral type  
Capture.c /Timers/APP/Capture\_Test line 32 C/C++ Problem

#1393-D (MISRA-C:2004 10.1/R) The value of an expression of integer type shall not be implicitly converted to a different underlying type if the expression is not constant and is a function argument  
PWM\_Test.c /Timers/APP/PWM\_Testline 21 C/C++ Problem

#1393-D (MISRA-C:2004 10.1/R) The value of an expression of integer type shall not be implicitly converted to a different underlying type if the expression is not constant and is a function argument  
PWM\_Test.c /Timers/APP/PWM\_Testline 20 C/C++ Problem

#1400-D (MISRA-C:2004 11.3/A) A cast should not be performed between a pointer type and an integral type  
Capture.c /Timers/APP/Capture\_Test line 31 C/C++ Problem

#1393-D (MISRA-C:2004 10.1/R) The value of an expression of integer type shall not be implicitly converted to a different underlying type if the expression is complex  
Timer.c /Timers line 19 C/C++ Problem

#1400-D (MISRA-C:2004 11.3/A) A cast should not be performed between a pointer type and an integral type  
Capture.c /Timers/APP/Capture\_Test line 30 C/C++ Problem

#1400-D (MISRA-C:2004 11.3/A) A cast should not be performed between a pointer type and an integral type  
Capture.c /Timers/APP/Capture\_Test line 24 C/C++ Problem

#1400-D (MISRA-C:2004 11.3/A) A cast should not be performed between a pointer type and an integral type  
Capture.c /Timers/APP/Capture\_Test line 23 C/C++ Problem

#1393-D (MISRA-C:2004 10.1/R) The value of an expression of integer type shall not be implicitly converted to a different underlying type if the expression is complex  
Timer.c /Timers line 17 C/C++ Problem

#1400-D (MISRA-C:2004 11.3/A) A cast should not be performed between a pointer type and an integral type  
Capture.c /Timers/APP/Capture\_Test line 22 C/C++ Problem

#1400-D (MISRA-C:2004 11.3/A) A cast should not be performed between a pointer type and an integral type  
Capture.c /Timers/APP/Capture\_Test line 21 C/C++ Problem

#1400-D (MISRA-C:2004 11.3/A) A cast should not be performed between a pointer type and an integral type  
Capture.c /Timers/APP/Capture\_Test line 20 C/C++ Problem

#1393-D (MISRA-C:2004 10.1/R) The value of an expression of integer type shall not be implicitly converted to a different underlying type if the expression is complex  
Capture.c /Timers/APP/Capture\_Test line 38 C/C++ Problem

#1400-D (MISRA-C:2004 11.3/A) A cast should not be performed between a pointer type and an integral type  
Capture.c /Timers/APP/Capture\_Test line 19 C/C++ Problem

#1400-D (MISRA-C:2004 11.3/A) A cast should not be performed between a pointer type and an integral type  
Capture.c /Timers/APP/Capture\_Test line 18 C/C++ Problem

#1400-D (MISRA-C:2004 11.3/A) A cast should not be performed between a pointer type and an integral type    Capture.c        /Timers/APP/Capture\_Test        line 17   C/C++ Problem

#1400-D (MISRA-C:2004 11.3/A) A cast should not be performed between a pointer type and an integral type    Capture.c        /Timers/APP/Capture\_Test        line 16   C/C++ Problem

#1393-D (MISRA-C:2004 10.1/R) The value of an expression of integer type shall not be implicitly converted to a different underlying type if it is not a conversion to a wider integer type of the same signedness        periodic.c        /Timers/APP/Periodic\_Test        line 26   C/C++ Problem

#1393-D (MISRA-C:2004 10.1/R) The value of an expression of integer type shall not be implicitly converted to a different underlying type if it is not a conversion to a wider integer type of the same signedness        periodic.c        /Timers/APP/Periodic\_Test        line 25   C/C++ Problem

#1400-D (MISRA-C:2004 11.3/A) A cast should not be performed between a pointer type and an integral type    Capture.c        /Timers/APP/Capture\_Test        line 15   C/C++ Problem

#1404-D (MISRA-C:2004 12.4/R) The right-hand operand of a logical && or || operator shall not contain side effects        Timer.c /Timers line 161C/C++ Problem

#1404-D (MISRA-C:2004 12.4/R) The right-hand operand of a logical && or || operator shall not contain side effects        Timer.c /Timers line 116C/C++ Problem

#1404-D (MISRA-C:2004 12.4/R) The right-hand operand of a logical && or || operator shall not contain side effects        Timer.c /Timers line 93   C/C++ Problem

#1393-D (MISRA-C:2004 10.1/R) The value of an expression of integer type shall not be implicitly converted to a different underlying type if it is not a conversion to a wider integer type of the same signedness        periodic.c        /Timers/APP/Periodic\_Test        line 24   C/C++ Problem

#1404-D (MISRA-C:2004 12.4/R) The right-hand operand of a logical && or || operator shall not contain side effects        Timer.c /Timers line 78   C/C++ Problem

#1393-D (MISRA-C:2004 10.1/R) The value of an expression of integer type shall not be implicitly converted to a different underlying type if it is not a conversion to a wider integer type of the same signedness        periodic.c        /Timers/APP/Periodic\_Test        line 23   C/C++ Problem

#1393-D (MISRA-C:2004 10.1/R) The value of an expression of integer type shall not be implicitly converted to a different underlying type if it is not a conversion to a wider integer type of the same signedness        periodic.c        /Timers/APP/Periodic\_Test        line 22   C/C++ Problem

#1404-D (MISRA-C:2004 12.4/R) The right-hand operand of a logical && or || operator shall not contain side effects        Timer.c /Timers line 134C/C++ Problem

#1405-D (MISRA-C:2004 12.5/R) The operands of a logical && or || shall be primary-expressions        Timer.c /Timers line 161C/C++ Problem

#1405-D (MISRA-C:2004 12.5/R) The operands of a logical && or || shall be primary-expressions        Timer.c /Timers line 134C/C++ Problem

#1405-D (MISRA-C:2004 12.5/R) The operands of a logical && or || shall be primary-expressions        Timer.c /Timers line 116C/C++ Problem



#1393-D (MISRA-C:2004 10.1/R) The value of an expression of integer type shall not be implicitly converted to a different underlying type if it is not a conversion to a wider integer type of the same signedness      periodic.c      /Timers/APP/Periodic\_Test      line 21 C/C++ Problem

#1405-D (MISRA-C:2004 12.5/R) The operands of a logical && or || shall be primary-expressions  
Timer.c /Timers line 93 C/C++ Problem

#1405-D (MISRA-C:2004 12.5/R) The operands of a logical && or || shall be primary-expressions  
Timer.c /Timers line 78 C/C++ Problem

#1405-D (MISRA-C:2004 12.5/R) The operands of a logical && or || shall be primary-expressions  
Timer.c /Timers line 24 C/C++ Problem

#1405-D (MISRA-C:2004 12.5/R) The operands of a logical && or || shall be primary-expressions  
Timer.c /Timers line 18 C/C++ Problem

#1405-D (MISRA-C:2004 12.5/R) The operands of a logical && or || shall be primary-expressions  
Capture.c      /Timers/APP/Capture\_Test      line 49 C/C++ Problem

#1406-D (MISRA-C:2004 12.7/R) Bitwise operators shall not be applied to operands whose underlying type is signed      periodic.c      /Timers/APP/Periodic\_Test      line 26 C/C++ Problem

#1406-D (MISRA-C:2004 12.7/R) Bitwise operators shall not be applied to operands whose underlying type is signed      periodic.c      /Timers/APP/Periodic\_Test      line 24 C/C++ Problem

#1406-D (MISRA-C:2004 12.7/R) Bitwise operators shall not be applied to operands whose underlying type is signed      periodic.c      /Timers/APP/Periodic\_Test      line 23 C/C++ Problem

#1406-D (MISRA-C:2004 12.7/R) Bitwise operators shall not be applied to operands whose underlying type is signed      periodic.c      /Timers/APP/Periodic\_Test      line 21 C/C++ Problem

#1406-D (MISRA-C:2004 12.7/R) Bitwise operators shall not be applied to operands whose underlying type is signed      periodic.c      /Timers/APP/Periodic\_Test      line 13 C/C++ Problem

#1406-D (MISRA-C:2004 12.7/R) Bitwise operators shall not be applied to operands whose underlying type is signed      periodic.c      /Timers/APP/Periodic\_Test      line 12 C/C++ Problem

#1406-D (MISRA-C:2004 12.7/R) Bitwise operators shall not be applied to operands whose underlying type is signed      periodic.c      /Timers/APP/Periodic\_Test      line 11 C/C++ Problem

#1406-D (MISRA-C:2004 12.7/R) Bitwise operators shall not be applied to operands whose underlying type is signed      Timer.c /Timers line 140 C/C++ Problem

#1406-D (MISRA-C:2004 12.7/R) Bitwise operators shall not be applied to operands whose underlying type is signed      Timer.c /Timers line 136 C/C++ Problem

#1406-D (MISRA-C:2004 12.7/R) Bitwise operators shall not be applied to operands whose underlying type is signed      Timer.c /Timers line 124 C/C++ Problem

#1406-D (MISRA-C:2004 12.7/R) Bitwise operators shall not be applied to operands whose underlying type is signed      Timer.c /Timers line 120 C/C++ Problem

#1406-D (MISRA-C:2004 12.7/R) Bitwise operators shall not be applied to operands whose underlying type is signed      Timer.c /Timers line 63 C/C++ Problem

#1406-D (MISRA-C:2004 12.7/R) Bitwise operators shall not be applied to operands whose underlying type is signed      Timer.c /Timers line 58 C/C++ Problem

#1406-D (MISRA-C:2004 12.7/R) Bitwise operators shall not be applied to operands whose underlying type is signed      Timer.c /Timers line 53 C/C++ Problem

#1406-D (MISRA-C:2004 12.7/R) Bitwise operators shall not be applied to operands whose underlying type is signed      Timer.c /Timers line 39 C/C++ Problem

#1406-D (MISRA-C:2004 12.7/R) Bitwise operators shall not be applied to operands whose underlying type is signed      Timer.c /Timers line 34 C/C++ Problem

#1406-D (MISRA-C:2004 12.7/R) Bitwise operators shall not be applied to operands whose underlying type is signed      Timer.c /Timers line 29 C/C++ Problem

#1406-D (MISRA-C:2004 12.7/R) Bitwise operators shall not be applied to operands whose underlying type is signed      Timer.c /Timers line 21 C/C++ Problem

#1406-D (MISRA-C:2004 12.7/R) Bitwise operators shall not be applied to operands whose underlying type is signed      Timer.c /Timers line 19 C/C++ Problem

#1406-D (MISRA-C:2004 12.7/R) Bitwise operators shall not be applied to operands whose underlying type is signed      Timer.c /Timers line 17 C/C++ Problem

#1406-D (MISRA-C:2004 12.7/R) Bitwise operators shall not be applied to operands whose underlying type is signed      PWM\_Test.c    /Timers/APP/PWM\_Testline 18 C/C++ Problem

#1406-D (MISRA-C:2004 12.7/R) Bitwise operators shall not be applied to operands whose underlying type is signed      PWM\_Test.c    /Timers/APP/PWM\_Testline 17 C/C++ Problem

#1406-D (MISRA-C:2004 12.7/R) Bitwise operators shall not be applied to operands whose underlying type is signed      PWM\_Test.c    /Timers/APP/PWM\_Testline 16 C/C++ Problem

#1406-D (MISRA-C:2004 12.7/R) Bitwise operators shall not be applied to operands whose underlying type is signed      PWM\_Test.c    /Timers/APP/PWM\_Testline 15 C/C++ Problem

#1406-D (MISRA-C:2004 12.7/R) Bitwise operators shall not be applied to operands whose underlying type is signed      PWM\_Test.c    /Timers/APP/PWM\_Testline 14 C/C++ Problem

#1406-D (MISRA-C:2004 12.7/R) Bitwise operators shall not be applied to operands whose underlying type is signed      PWM\_Test.c    /Timers/APP/PWM\_Testline 13 C/C++ Problem

#1406-D (MISRA-C:2004 12.7/R) Bitwise operators shall not be applied to operands whose underlying type is signed      Capture.c      /Timers/APP/Capture\_Test      line 57 C/C++ Problem

#1406-D (MISRA-C:2004 12.7/R) Bitwise operators shall not be applied to operands whose underlying type is signed      Capture.c      /Timers/APP/Capture\_Test      line 56   C/C++ Problem

#1406-D (MISRA-C:2004 12.7/R) Bitwise operators shall not be applied to operands whose underlying type is signed      Capture.c      /Timers/APP/Capture\_Test      line 52   C/C++ Problem

#1406-D (MISRA-C:2004 12.7/R) Bitwise operators shall not be applied to operands whose underlying type is signed      Capture.c      /Timers/APP/Capture\_Test      line 51   C/C++ Problem

#1406-D (MISRA-C:2004 12.7/R) Bitwise operators shall not be applied to operands whose underlying type is signed      Capture.c      /Timers/APP/Capture\_Test      line 47   C/C++ Problem

#1406-D (MISRA-C:2004 12.7/R) Bitwise operators shall not be applied to operands whose underlying type is signed      Capture.c      /Timers/APP/Capture\_Test      line 46   C/C++ Problem

#1406-D (MISRA-C:2004 12.7/R) Bitwise operators shall not be applied to operands whose underlying type is signed      Capture.c      /Timers/APP/Capture\_Test      line 34   C/C++ Problem

#1406-D (MISRA-C:2004 12.7/R) Bitwise operators shall not be applied to operands whose underlying type is signed      Capture.c      /Timers/APP/Capture\_Test      line 31   C/C++ Problem

#1406-D (MISRA-C:2004 12.7/R) Bitwise operators shall not be applied to operands whose underlying type is signed      Capture.c      /Timers/APP/Capture\_Test      line 24   C/C++ Problem

#1406-D (MISRA-C:2004 12.7/R) Bitwise operators shall not be applied to operands whose underlying type is signed      Capture.c      /Timers/APP/Capture\_Test      line 23   C/C++ Problem

#1393-D (MISRA-C:2004 10.1/R) The value of an expression of integer type shall not be implicitly converted to a different underlying type if it is not a conversion to a wider integer type of the same signedness      periodic.c      /Timers/APP/Periodic\_Test      line 13   C/C++ Problem

#1406-D (MISRA-C:2004 12.7/R) Bitwise operators shall not be applied to operands whose underlying type is signed      Capture.c      /Timers/APP/Capture\_Test      line 22   C/C++ Problem

#1406-D (MISRA-C:2004 12.7/R) Bitwise operators shall not be applied to operands whose underlying type is signed      Capture.c      /Timers/APP/Capture\_Test      line 21   C/C++ Problem

#1406-D (MISRA-C:2004 12.7/R) Bitwise operators shall not be applied to operands whose underlying type is signed      Capture.c      /Timers/APP/Capture\_Test      line 20   C/C++ Problem

#1406-D (MISRA-C:2004 12.7/R) Bitwise operators shall not be applied to operands whose underlying type is signed      Capture.c      /Timers/APP/Capture\_Test      line 19 C/C++ Problem

#1406-D (MISRA-C:2004 12.7/R) Bitwise operators shall not be applied to operands whose underlying type is signed      Capture.c      /Timers/APP/Capture\_Test      line 18 C/C++ Problem

#1406-D (MISRA-C:2004 12.7/R) Bitwise operators shall not be applied to operands whose underlying type is signed      Capture.c      /Timers/APP/Capture\_Test      line 17 C/C++ Problem

#1406-D (MISRA-C:2004 12.7/R) Bitwise operators shall not be applied to operands whose underlying type is signed      Capture.c      /Timers/APP/Capture\_Test      line 16 C/C++ Problem

#1393-D (MISRA-C:2004 10.1/R) The value of an expression of integer type shall not be implicitly converted to a different underlying type if it is not a conversion to a wider integer type of the same signedness      periodic.c      /Timers/APP/Periodic\_Test      line 12 C/C++ Problem

#1406-D (MISRA-C:2004 12.7/R) Bitwise operators shall not be applied to operands whose underlying type is signed      Capture.c      /Timers/APP/Capture\_Test      line 15 C/C++ Problem

#1393-D (MISRA-C:2004 10.1/R) The value of an expression of integer type shall not be implicitly converted to a different underlying type if it is not a conversion to a wider integer type of the same signedness      periodic.c      /Timers/APP/Periodic\_Test      line 11 C/C++ Problem

#1393-D (MISRA-C:2004 10.1/R) The value of an expression of integer type shall not be implicitly converted to a different underlying type if it is not a conversion to a wider integer type of the same signedness      Utils.c      /Timers line 6      C/C++ Problem

#1435-D (MISRA-C:2004 20.1/R) Reserved identifiers, macros and functions in the standard library, shall not be defined, redefined or undefined ("NULL")      Std\_Types.h      /Timers line 24 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments      Timer.h  
/Timers line 98 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments      Timer.h  
/Timers line 97 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments      main.c  
/Timers line 116C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments      main.c  
/Timers line 117C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments      main.c  
/Timers line 118C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments      main.c  
/Timers line 119C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /* ... */ style comments /Timers line 120C/C++ Problem	main.c
#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /* ... */ style comments /Timers line 121C/C++ Problem	main.c
#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /* ... */ style comments /Timers line 122C/C++ Problem	main.c
#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /* ... */ style comments /Timers line 123C/C++ Problem	main.c
#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /* ... */ style comments /Timers line 124C/C++ Problem	main.c
#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /* ... */ style comments /Timers line 125C/C++ Problem	main.c
#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /* ... */ style comments /Timers line 126C/C++ Problem	main.c
#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /* ... */ style comments /Timers line 127C/C++ Problem	main.c
#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /* ... */ style comments /Timers line 128C/C++ Problem	main.c
#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /* ... */ style comments /Timers line 129C/C++ Problem	main.c
#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /* ... */ style comments /Timers line 130C/C++ Problem	main.c
#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /* ... */ style comments /Timers line 131C/C++ Problem	main.c
#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /* ... */ style comments /Timers line 132C/C++ Problem	main.c
#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /* ... */ style comments /Timers line 96 C/C++ Problem	Timer.h
#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /* ... */ style comments /Timers line 95 C/C++ Problem	Timer.h
#1393-D (MISRA-C:2004 10.1/R) The value of an expression of integer type shall not be implicitly converted to a different underlying type if it is not a conversion to a wider integer type of the same signedness Timer.c /Timers line 167C/C++ Problem	
#1421-D (MISRA-C:2004 16.8/R) All exit paths from a function with non-void return type shall have an explicit return statement with an expression (function "main") main.c /Timers line 46 C/C++ Problem	
#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /* ... */ style comments /Timers line 94 C/C++ Problem	Timer.h



#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /* ... */ style comments /Timers line 100C/C++ Problem	main.c
#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /* ... */ style comments /Timers line 101C/C++ Problem	main.c
#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /* ... */ style comments /Timers line 102C/C++ Problem	main.c
#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /* ... */ style comments /Timers line 103C/C++ Problem	main.c
#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /* ... */ style comments /Timers line 104C/C++ Problem	main.c
#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /* ... */ style comments /Timers line 105C/C++ Problem	main.c
#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /* ... */ style comments /Timers line 106C/C++ Problem	main.c
#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /* ... */ style comments /Timers line 107C/C++ Problem	main.c
#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /* ... */ style comments /Timers line 108C/C++ Problem	main.c
#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /* ... */ style comments /Timers line 109C/C++ Problem	main.c
#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /* ... */ style comments /Timers line 110C/C++ Problem	main.c
#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /* ... */ style comments /Timers line 111C/C++ Problem	main.c
#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /* ... */ style comments /Timers line 112C/C++ Problem	main.c
#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /* ... */ style comments /Timers line 113C/C++ Problem	main.c
#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /* ... */ style comments /Timers line 114C/C++ Problem	main.c
#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /* ... */ style comments /Timers line 115C/C++ Problem	main.c
#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /* ... */ style comments tm4c123gh6pm.h /Timers line 1 C/C++ Problem	
#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /* ... */ style comments tm4c123gh6pm.h /Timers line 2 C/C++ Problem	
#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /* ... */ style comments tm4c123gh6pm.h /Timers line 3 C/C++ Problem	

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 4 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 5 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 6 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 7 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 8 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 9 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 10 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 11 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 12 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 13 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 14 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 15 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 16 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 17 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 18 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 19 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 20 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 21 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 22 C/C++ Problem



#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 23 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 25 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 27 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 29 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 31 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 33 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 35 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 37 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 43 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 45 C/C++ Problem













#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 284C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 285C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 298C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 299C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 300C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 301C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 302C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 315C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 316C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 317C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 318C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 319C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 332C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 333C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 334C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 335C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 336C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 349C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 350C/C++ Problem



#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 351C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 352C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 353C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 374C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 375C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 376C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 377C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 378C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 399C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 400C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 401C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 402C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 403C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 424C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 425C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 426C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 427C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 428C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 449C/C++ Problem





#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 640C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 665C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 666C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 667C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 668C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 669C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 696C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 697C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 698C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 699C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 700C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 727C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 728C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 729C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 730C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 731C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 819C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 820C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 821C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 822C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 823C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 911C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 912C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 913C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 914C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 915C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 928C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 929C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 930C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 931C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 932C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 945C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 946C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 947C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 948C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 949C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 978C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 979C/C++ Problem



[illegible]

[illegible]



[illegible]

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 1540 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 1541 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 1570 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 1571 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 1572 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 1573 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 1574 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 1757 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 1758 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 1759 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 1760 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 1761 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 1789 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 1790 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 1791 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 1792 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 1793 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 1821 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 1822 C/C++ Problem

[illegible]

[illegible]

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 2030 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 2031 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 2032 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 2033 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 2034 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 2177 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 2178 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 2179 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 2180 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 2181 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 2206 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 2207 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 2208 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 2209 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 2210 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 2211 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 2212 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 2213 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 2214 C/C++ Problem

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 7690 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 7692 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 7694 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 7700 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 7701 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 7702 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 7703 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 7704 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 7705 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 7706 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 7707 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 7708 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 7709 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 7710 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 7711 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 7712 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 7713 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 7714 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 7717 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 7718 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 7719 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 7720 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 7721 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 7722 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 7724 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 7726 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 7732 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 7733 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 7734 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 7735 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 7736 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 7737 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 7740 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 7741 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 7742 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 7743 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 7744 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 7745 C/C++ Problem

[illegible]

[illegible]

[illegible]

[illegible]

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 7830 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 7831 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 7832 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 7835 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 7836 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 7837 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 7838 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 7839 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 7840 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 7842 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 7844 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 7850 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 7851 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 7852 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 7853 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 7854 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 7855 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 7856 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 7857 C/C++ Problem



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 8161 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 8162 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 8163 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 8164 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 8167 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 8168 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 8169 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 8170 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 8171 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 8172 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 8174 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 8176 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 8182 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 8183 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 8184 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 8185 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 8186 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 8187 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 8190 C/C++ Problem

[illegible]

[illegible]



[illegible]

[illegible]

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 8275 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 8276 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 8277 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 8278 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 8279 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 8280 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 8281 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 8282 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 8285 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 8286 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 8287 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 8288 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 8289 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 8290 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 8292 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 8294 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 8300 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 8301 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 8302 C/C++ Problem

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 8464 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 8467 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 8468 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 8469 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 8470 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 8471 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 8472 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 8474 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 8476 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 8482 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 8483 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 8484 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 8485 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 8486 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 8487 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 8488 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 8491 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 8492 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 8493 C/C++ Problem

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 9983 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 9984 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 9985 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 9986 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 9987 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 9988 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 9989 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 9990 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 9992 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 9993 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 9994 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 9995 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 9996 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 9997 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 9998 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 9999 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 10000 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 10001 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 10002 C/C++ Problem

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 12848 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 12849 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 12850 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 12851 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 12852 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 12853 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 12854 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 12855 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 12856 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 12857 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 12859 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 12860 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 12861 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 12862 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 12863 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 12866 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 12867 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm.h /Timers line 12871 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 42 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 45 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 46 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 47 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 48 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 49 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 52 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 53 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 54 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 55 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 56 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 57 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 59 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 60 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 61 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 62 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 63 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 64 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 65 C/C++ Problem

#1400-D (MISRA-C:2004 11.3/A) A cast should not be performed between a pointer type and an integral type  
tm4c123gh6pm\_startup\_ccs.c /Timers line 69 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 70 C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "ResetISR")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 71 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 71 C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "NmiSR")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 72 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 72 C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "FaultISR")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 73 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 73 C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 74 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 74 C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 75 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 75 C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 76 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 76 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 77 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 78 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 79 C/C++ Problem



#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 80 C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 81 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 81 C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 82 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 82 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 83 C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 84 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 84 C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 85 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 85 C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 86 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 86 C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 87 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 87 C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 88 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 88 C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 89 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 89 C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 90 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 90 C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 91 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 91 C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 92 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 92 C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 93 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 93 C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 94 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 94 C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 95 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 95 C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 96 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 96 C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 97 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 97 C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 98 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 98 C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 99 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 99 C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 100C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 100C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 101C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 101C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 102C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 102C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 103C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 103C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 104C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 104C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 105C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 105C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 106C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 106C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 107C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 107C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 108C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 108C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 109C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 109C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 110C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 110C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 111C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments

tm4c123gh6pm\_startup\_ccs.c /Timers line 111C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")

tm4c123gh6pm\_startup\_ccs.c /Timers line 112C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments

tm4c123gh6pm\_startup\_ccs.c /Timers line 112C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")

tm4c123gh6pm\_startup\_ccs.c /Timers line 113C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments

tm4c123gh6pm\_startup\_ccs.c /Timers line 113C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")

tm4c123gh6pm\_startup\_ccs.c /Timers line 114C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments

tm4c123gh6pm\_startup\_ccs.c /Timers line 114C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")

tm4c123gh6pm\_startup\_ccs.c /Timers line 115C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments

tm4c123gh6pm\_startup\_ccs.c /Timers line 115C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")

tm4c123gh6pm\_startup\_ccs.c /Timers line 116C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments

tm4c123gh6pm\_startup\_ccs.c /Timers line 116C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")

tm4c123gh6pm\_startup\_ccs.c /Timers line 117C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments

tm4c123gh6pm\_startup\_ccs.c /Timers line 117C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")

tm4c123gh6pm\_startup\_ccs.c /Timers line 118C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments

tm4c123gh6pm\_startup\_ccs.c /Timers line 118C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 119C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 119C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 120C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 120C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 121C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 121C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 122C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 122C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 123C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 123C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 124C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 124C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 125C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 125C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 126C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 126C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 127C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 128C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 129C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 129C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 130C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 130C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 131C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 131C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 132C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 132C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 133C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 133C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 134C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 134C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 135C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 135C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 136C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 136C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 137C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 137C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 138C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 139C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 140C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 140C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 141C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 141C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 142C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 142C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 143C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 143C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 144C/C++ Problem



#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 144C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 145C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 145C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 146C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 146C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 147C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 147C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 148C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 148C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 149C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 149C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 150C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 151C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 152C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 153C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 154C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 154C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 155C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 155C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 156C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 156C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 157C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 157C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 158C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 159C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 160C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 161C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 162C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 163C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 164C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 165C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 166C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 167C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 168C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 169C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 170C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 171C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 172C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 173C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 174C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 175C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 176C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 177C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or  
with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 178C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 178C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or  
with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 179C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 179C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or  
with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 180C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 180C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or  
with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 181C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments

tm4c123gh6pm\_startup\_ccs.c /Timers line 181C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")

tm4c123gh6pm\_startup\_ccs.c /Timers line 182C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments

tm4c123gh6pm\_startup\_ccs.c /Timers line 182C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")

tm4c123gh6pm\_startup\_ccs.c /Timers line 183C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments

tm4c123gh6pm\_startup\_ccs.c /Timers line 183C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")

tm4c123gh6pm\_startup\_ccs.c /Timers line 184C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments

tm4c123gh6pm\_startup\_ccs.c /Timers line 184C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")

tm4c123gh6pm\_startup\_ccs.c /Timers line 185C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments

tm4c123gh6pm\_startup\_ccs.c /Timers line 185C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")

tm4c123gh6pm\_startup\_ccs.c /Timers line 186C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments

tm4c123gh6pm\_startup\_ccs.c /Timers line 186C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")

tm4c123gh6pm\_startup\_ccs.c /Timers line 187C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments

tm4c123gh6pm\_startup\_ccs.c /Timers line 187C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")

tm4c123gh6pm\_startup\_ccs.c /Timers line 188C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments

tm4c123gh6pm\_startup\_ccs.c /Timers line 188C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 189C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 189C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 190C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 190C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 191C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 191C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 192C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 192C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 193C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 194C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 195C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 195C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 196C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 196C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 197C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 197C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 198C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 198C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 199C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 199C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 200C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 201C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 202C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 202C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 203C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 203C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 204C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 204C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 205C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 205C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 206C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 206C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 207C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 207C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 208C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 208C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 209C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 209C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 210C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 210C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 211C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 211C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 212C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 212C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 213C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 213C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 214C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 214C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 215C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 215C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 216C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 216C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 217C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 217C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 218C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 218C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 219C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 219C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 220C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 220C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")  
tm4c123gh6pm\_startup\_ccs.c /Timers line 221C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 221C/C++ Problem



#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")

tm4c123gh6pm\_startup\_ccs.c /Timers line 222C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments

tm4c123gh6pm\_startup\_ccs.c /Timers line 222C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")

tm4c123gh6pm\_startup\_ccs.c /Timers line 223C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments

tm4c123gh6pm\_startup\_ccs.c /Timers line 223C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments

tm4c123gh6pm\_startup\_ccs.c /Timers line 224C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")

tm4c123gh6pm\_startup\_ccs.c /Timers line 224C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments

tm4c123gh6pm\_startup\_ccs.c /Timers line 227C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments

tm4c123gh6pm\_startup\_ccs.c /Timers line 228C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments

tm4c123gh6pm\_startup\_ccs.c /Timers line 229C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments

tm4c123gh6pm\_startup\_ccs.c /Timers line 230C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments

tm4c123gh6pm\_startup\_ccs.c /Timers line 231C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments

tm4c123gh6pm\_startup\_ccs.c /Timers line 232C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments

tm4c123gh6pm\_startup\_ccs.c /Timers line 233C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments

tm4c123gh6pm\_startup\_ccs.c /Timers line 234C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments

tm4c123gh6pm\_startup\_ccs.c /Timers line 235C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments

tm4c123gh6pm\_startup\_ccs.c /Timers line 236C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments

tm4c123gh6pm\_startup\_ccs.c /Timers line 240C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 241C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 242C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 243C/C++ Problem

#1393-D (MISRA-C:2004 10.1/R) The value of an expression of integer type shall not be implicitly converted to a different underlying type if it is not a conversion to a wider integer type of the same signedness  
Timer.c /Timers line 161C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 248C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 249C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 250C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 251C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 252C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 253C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 254C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 258C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 259C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 260C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 266C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 267C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 268C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 269C/C++ Problem





#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 23 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 27 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 28 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 29 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 30 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 31 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 37 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 38 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 39 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 40 C/C++ Problem

#1455-D (MISRA-C:2004 2.2/R) Source code shall only use /\* ... \*/ style comments  
tm4c123gh6pm\_startup\_ccs.c /Timers line 41 C/C++ Problem