

InRideMart: Quick Start

An AI-powered in-ride shopping concierge that brings context-aware discovery, checkout, mock payment, and tracking into one ride-time experience.

Submission Links

GitHub:

REPLACE WITH PUBLIC REPOSITORY URL

Demo video:

REPLACE WITH YOUTUBE / LOOM URL

Frontend:

http://localhost:3000

Test Account

Email: REPLACE WITH DEMO EMAIL

Password: REPLACE WITH DEMO PASSWORD

Or create a fresh account in the registration flow. Do not place personal or production credentials in this package.

Run Locally

```
git clone <REPLACE-WITH-REPOSITORY-URL>
cd InRideMart
$env:OPENAI_API_KEY = "<optional-key-for-live-AI>"
.\start-inridemart.ps1
```

Default Ports

Frontend 3000 | Auth 8081 | Customer 8082 | Catalog 8083 |
Cart 8084 | Order 8085 | AI 8086 | Payment 8087
Docker infrastructure: PostgreSQL 5433, Redis 6379, Kafka 9092.

Swagger

:8081/swagger-ui.html
:8082/swagger-ui.html
:8083/swagger-ui.html
:8085/swagger-ui.html
:8086/swagger-ui.html

2-Minute Demo Flow

Register / Login -> Catalog -> AI Chat -> Cart -> Checkout + Payment -> Tracking

Try: I'm heading to the airport and have INR 800, add a returned catalog item, select any mock payment method, and observe the confirmed order timeline. For live GPT responses and translation, set OPENAI_API_KEY; otherwise use the documented catalog-grounded fallback behavior.