Adelaide mine, Gold Run Mining District, Humboldt County, Nevada, USA

This page is currently not sponsored. Click here to sponsor this page.

Quick Nav
Top
Commodities
Mineral List
Rock Types
Other Databases
Other Regions
References

Photos Maps Search



Inspecting the area

Adelaide mine, Gold Run Mining District, Humboldt County, Nevada, USA

Latitude & Longitude (WGS84):	40° 48' 18" North , 117° 29' 40" West
Latitude & Longitude (decimal):	40.80509,-117.49462
GRN:	N28Wl64
Type:	Mine
Köppen climate type:	BSk : Cold semi-arid (steppe) climate

Nearest Settlements:	Place	Population	Distance
	Golconda	214 (2017)	16.5km N
	Winnemucca	7,887 (2017)	27.5km NW
Mindat Locality ID:	59702		
Long-form identifier:	mindat:1:2:59702:2		
GUID (UUID V4):	0		
Other/historical names associated with this locality:	Nbmg Sample Site 2301		

Sec 20 T34N R40E
Structure: Ne Trending Folds Faults

Alteration: Oxidation

Deposit: Sulfide replacement of marble and calcareous siltstone. The irregular replacement observed in the trench above the adit appears to follow 'transposed bedding,' (rocks are isoclinally folded), although there are north-trending high-angle (75w) faults that may influence localization of sulfides and low-angle thrust faults also appear to be present. Rocks to the east of the replaced units are hard, laminated sandstone and siltstone. The carbonate-bearing rocks are converted to calcsilicate rocks containing a light brown garnet. Vesuvianite is reported, As is scheelite in the mine waste dumps, although no scheelite was observed under black light in the collected sample 2301. This record has been merged with m231276, which has been deleted. Discovery year: 1860s

Deposit type: Skarn Cu

Development: Operated from 1860s to 1940 and yielded the major pon of the gold, silver, copper and lead produced in the district. Gold, silver, and copper production began again in 1980, with bullion monarch co. Owning a 50% interest in m.andb. Mining co. In october 1980, about 1000 tons of ore had beemined, stockpiled and readied for delivery to monarch's 200 tpd flotation mill at austin. Inactive in 1984 (garside).

Geology: The ore consists of chalcopyrite, pyrrhotite, and a little sphalerite and galena in a gangue of calcite, garnet, and vesuvianite. These replacement-type bodies occur in a limestone interbedded with a dark calcareous phyllite. Traces of scheelite have been noted in the mine waste dumps.

Rock formation(s): Preble Formation;Preble Formation

Ore(s): Fault Zone

Select Mineral List Type

Standard | Detailed | Gallery | Strunz | Chemical Elements

Commodity List

This is a list of exploitable or exploited mineral commodities recorded at this locality.

- Copper
- Gold
- Lead
- Silver
- Tungsten
- Zinc

Mineral List

Filter Mineral List Reset

Valid Species | Origin type unlisted | Al | C | Ca | Cu | Fe | H | K | Mg | O | Pb | S | Si | W | Zn

- Calcite
- Chalcopyrite
- Diopside
- Galena
- 'Garnet Group'
- Orthoclase
- Pyrrhotite
- Quartz
- Scheelite
- Sphalerite
- Vesuvianite

10 valid minerals.

Rock Types Recorded

Note: data is currently VERY limited. Please bear with us while we work towards adding this information!

Select Rock List Type

Alphabetical List | Tree Diagram

- Limestone

Other Databases

Link to USGS MRDS:	10014368

Other Regions, Features and Areas containing this locality

North America	Continent
North America Plate	Tectonic Plate
Basin and Range Basins	Basin
Mojave Domain	Domain
Northern Basin and Range	Wide Rift

This page contains all mineral locality references listed on mindat.org. This does not claim to be a complete list. If you know of more minerals from this site, please register so you can add to our database. This locality information is for reference purposes only. You should never attempt to visit any sites listed in mindat.org without first ensuring that you have the permission of the land and/or mineral rights holders for access and that you are aware of all safety precautions necessary.

References

Year | Author | Title | Publisher | Add Occurrence References

Ransome, F. L., (1909), Notes on Some Mining Districts in Humboldt County Nevada: USGS Bull. 414.

Couch, B.F., and Carpenter, J.A., (1943), Nevada's Metal and Mineral Production (1859-1940): NBMG Bull. 38, P. 69.

Willden, R., (1964), Geology and Mineral Deposits of Humboldt County, Nevada, NBMG Bull 59.

Berger, B.R., (1975), Report of Property Examination, Adelaide Mine: Continental Oil Co. - Minerals Department: NBMG Unpublished (tingely) File.

Marsh, S. P. and Erickson, R. L., (1978), Geologic Map of the Gold Run Creek Quad: USGS Map Gq-1407.

Garside, L.J., (1984), Field Investigation and Sample Analysis: NBMG Unpublished Report (tingley) Files.

Stager, H.K., and Tingley, J.V., (1988), Tungsten Deposits in Nevada: NBMG Bull. 105, P. 75-76.

Mindat.org® is an outreach project of the Hudson Institute of Mineralogy, a 501(c)(3) not-for-profit organization. Mindat® and mindat.org® are registered trademarks of the Hudson Institute of Mineralogy.

Copyright © mindat.org and the Hudson Institute of Mineralogy 1993-2026, except where stated. Most political location boundaries are © OpenStreetMap contributors.

Mindat.org relies on the contributions of thousands of members and supporters. Founded in 2000 by Jolyon Ralph and Ida Chau.

To cite: Ralph, J., Von Bargen, D., Martynov, P., Zhang, J., Que, X., Prabhu, A., Morrison, S. M., Li, W., Chen, W., & Ma, X. (2025). Mindat.org: The open access mineralogy database

to accelerate data-intensive geoscience research. American Mineralogist, 110(6), 833–844. doi:10.2138/am-2024-9486.
Privacy Policy - Terms & Conditions - Contact Us / DMCA Issues - Report a bug/vulnerability
This website uses cookies to ensure you get the best experience on our website. Learn more
Got it!