INTERNAL ASSIGNMENT

NAME	**SOHAIL ANSARI**
ROLL NO	**261450205242**
SESSION	**JULY 2026**
PROGRAM	**BACHELOR OF COMPUTER APPLICATIONS (BCA)**
SEMESTER	**I**
COURSE CODE & NAME	**DCA1110-ENVIRONMENTAL SCIENCE**

SET – 1

QUESTION -1: What is the concept of sustainability? Discuss various principles of sustainability and their application in development planning.

ANSWER - **Concept of Sustainability**

Sustainability, or sustainable development, was formally defined by the World Commission on Environment and Development (WCED) in the 1987 Brundtland Report, *Our Common Future*, as "development that meets the needs of the present without compromising the ability of future generations to meet their own needs." It rests on **three interdependent pillars** — environmental protection, economic prosperity, and social equity — often called the Triple Bottom Line (Planet, Profit, People).

Principles of Sustainability and Their Application in Development Planning

1. **Intergenerational Equity** — The present generation must not exhaust resources or degrade the environment in ways that deprive future generations. In planning, this translates into **carrying-capacity assessment** before approving large projects, and **intergenerational cost-benefit analysis** in infrastructure decisions.
2. **Intragenerational Equity** — Benefits of development must be distributed fairly across income groups and regions. Development planning applies this through **participatory planning**, inclusive housing policies, and equitable access to water, sanitation, and energy.
3. **Precautionary Principle** — Where there is a threat of serious or irreversible damage, lack of full scientific certainty should not delay preventive action. In practice, this

justifies **Environmental Impact Assessment (EIA)** and the "no-go" zones for ecologically sensitive areas.

4. **Polluter Pays Principle** — Those who cause pollution bear the cost of managing it. This is applied through **effluent charges, carbon pricing, and Extended Producer Responsibility (EPR)** in waste planning.
5. **Integration of Environment with Development** — Environmental concerns must be embedded at the policy stage, not added later. Tools include **Strategic Environmental Assessment (SEA)** and **green budgeting**.
6. **Sustainable Use of Resources** — Renewable resources should be used within their regeneration rates, and non-renewable resources within the limits of substitutability. **Land-use zoning, groundwater regulation, and forest working plans** operationalise this.
7. **Conservation of Biodiversity and Ecosystems** — Planning must protect critical habitats and ecological corridors. This is reflected in **biosphere reserves, eco-sensitive zones, and compensatory afforestation norms**.
8. **Public Participation and Good Governance** — Decisions affecting the environment require transparency and stakeholder involvement. In Indian planning, **Gram Sabhas under PESA, public hearings in EIA, and access to information** give this principle practical effect.
9. **Decoupling Economic Growth from Environmental Degradation** — Development should raise living standards without proportionate increases in resource use and pollution. **Circular economy models, renewable energy targets, and energy-efficiency standards** apply this principle.
10. **Prevention over Remediation** — It is cheaper and safer to prevent damage than to restore it. **Source segregation of waste, cleaner production technologies, and pollution-prevention audits** embody this principle.

Application in Indian Development Planning: The **UN 2030 Agenda and its 17 SDGs** are localised through state and district plans. **EIA Notification 2006**, **Coastal Regulation Zone norms**, and **smart-city planning** integrate sustainability principles into decision-making. Sustainable development is therefore not merely an environmental idea but a **framework for planning that balances growth, equity, and ecological limits**.

QUESTION -2: What are the two main components of an Ecosystem, explain with suitable examples. Also describe the food chain and its importance in maintaining the balance of the ecosystem.

ANSWER - **Two Main Components of an Ecosystem**

An ecosystem has two interacting components: **abiotic** (non-living) and **biotic** (living).

Abiotic components are the physical and chemical factors that set the conditions for life. They include **sunlight, temperature, water, air, soil, minerals, and pH**. In a **pond**

ecosystem, for example, sunlight drives photosynthesis, dissolved oxygen supports aquatic life, and water temperature influences species distribution.

Biotic components are the living organisms, classified by their role:

- **Producers (autotrophs):** Green plants, phytoplankton, and algae that convert solar energy into food. In a pond, **phytoplankton** are the primary producers.
- **Consumers (heterotrophs):** Herbivores (primary consumers such as zooplankton), carnivores (secondary and tertiary consumers such as small fish and large fish), and omnivores.
- **Decomposers (saprotrophs):** Bacteria and fungi that break down dead organic matter and release nutrients back into the system.

A **forest ecosystem** illustrates the same structure: trees and shrubs are producers, deer and insects are primary consumers, tigers and snakes are higher-level consumers, and soil microbes are decomposers. The continuous interaction between biotic and abiotic components drives **energy flow and nutrient cycling**, which sustain the ecosystem.

Food Chain and Its Importance in Maintaining Ecosystem Balance

A **food chain** is a linear sequence of organisms through which energy and nutrients pass from one trophic level to the next — for example, **grass → grasshopper → frog → snake → eagle**. There are two main types: the **grazing food chain**, which begins with green plants, and the **detritus food chain**, which begins with dead organic matter and is dominant in many terrestrial ecosystems.

The importance of food chains lies in the following:

- **Energy transfer:** Energy flows from producers to consumers in one direction. According to **Lindeman's 10% Law**, only about 10% of the energy at one trophic level is transferred to the next; the rest is lost as heat through respiration. This limits the number of trophic levels (usually four to five) and explains why top carnivores are few.
- **Nutrient cycling:** Decomposers at the end of detritus chains return nutrients to the soil and water, making them available to producers again.
- **Population regulation:** Predator-prey relationships in food chains keep populations of herbivores and smaller carnivores in check, preventing overgrazing and resource exhaustion.
- **Ecological balance:** Food chains maintain the structure and stability of communities. The **removal or decline of one link** — for instance, the loss of a top predator — can cause cascading effects such as herbivore overpopulation and vegetation degradation (trophic cascade).
- **Biomagnification:** Food chains also explain how certain pollutants (such as pesticides and heavy metals) become concentrated at higher trophic levels, posing risks to wildlife and human health.

- **Food web resilience:** In nature, food chains interconnect to form **food webs**, which provide alternative pathways and make ecosystems more resilient to disturbance.

Thus, food chains are not merely feeding relationships; they are the **functional wiring of ecosystems**, linking energy flow, nutrient cycling, and population dynamics.

QUESTION -3: Give a brief comparison between renewable and non-renewable natural resources.

ANSWER - Natural resources used for energy and materials are broadly classified into **renewable** and **non-renewable** categories based on their rate of replenishment.

Basis of Comparison	Renewable Resources	Non-Renewable Resources
Definition	Resources that are naturally replenished over short periods.	Resources that are finite and cannot be replenished within human timescales.
Examples	Solar, wind, hydro, biomass, geothermal, tidal energy.	Coal, petroleum, natural gas, nuclear fuels, minerals.
Exhaustibility	Inexhaustible if used within regeneration limits.	Exhaustible; reserves are depleted with use.
Rate of formation	Formed continuously or within a human lifetime.	Formed over millions of years.
Environmental impact	Generally lower; near-zero emissions during operation.	High; combustion releases CO_2, SO_2, NO_x, and particulates.
Cost structure	High initial capital cost, low running cost.	Lower initial cost, but volatile fuel prices and external health costs.
Geographical availability	Widely distributed; suitable for decentralised generation.	Concentrated in specific geological regions; often imported.
Sustainability	Consistent with sustainable development.	Inherently unsustainable in the long run.
Technology maturity	Rapidly improving; costs falling (especially solar and wind).	Mature and well-established.

Basis of Comparison	Renewable Resources	Non-Renewable Resources
Waste and pollution	Minimal operational waste; end-of-life disposal of panels and batteries is a concern.	Fly ash, mining spoil, radioactive waste (in the case of nuclear).

Explanation and Indian Context

Renewable resources are **flow resources**: they are available irrespective of past use and are not depleted by consumption, provided the systems that generate them (such as solar radiation, wind patterns, and hydrological cycles) remain intact. Non-renewable resources are **stock resources**: every unit consumed reduces the remaining stock, and extraction becomes progressively costlier as high-grade deposits are exhausted.

In **India**, coal still dominates electricity generation, but the share of renewables is rising rapidly, with solar, hydro, wind, and biomass contributing to installed capacity. The country has set ambitious renewable energy targets and is promoting solar parks, rooftop solar, and wind corridors. At the same time, dependence on imported crude oil and coal remains a strategic and economic vulnerability, which is why energy transition is both an environmental and a security imperative.

The key insight is that **renewability is not an intrinsic property of a resource but a function of the rate of use relative to the rate of regeneration**. Groundwater, for example, is renewable in principle but becomes effectively non-renewable when extracted faster than recharge. Similarly, biomass is renewable only if harvested sustainably. Therefore, sound resource management requires matching **use rates to regeneration rates** for renewables and **prioritising efficiency, substitution, and recycling** for non-renewables.

SET – 2

QUESTION -4: What is Biodiversity and what are its different types. Briefly comment on Biodiversity hotspots, endangered vs endemic species.

ANSWER - **Biodiversity and Its Types**

Biodiversity refers to the variety and variability of life on Earth at all levels of biological organisation. It encompasses not only the number of species but also the genetic variation within them and the diversity of ecosystems they form.

The three recognised types are:

1. **Genetic diversity** — Variation in genes within a single species. It enables populations to adapt to changing environments and is the basis of crop and livestock improvement. For example, different varieties of rice grown in India represent genetic diversity.

2. **Species diversity** — The variety of species present in a given area, measured by species richness and evenness. Tropical forests, with millions of species, have far higher species diversity than temperate forests.
3. **Ecosystem diversity** — The variety of habitats, biological communities, and ecological processes. India's ecosystems — from the Thar Desert to the Sundarbans mangroves, and from Himalayan alpine meadows to Western Ghats rainforests — illustrate ecosystem diversity.

Biodiversity Hotspots

A **biodiversity hotspot** is a biogeographic region with **exceptionally high species richness and endemism** that has already lost a large proportion of its original habitat. The concept, developed by Norman Myers, identifies 36 global hotspots. **India hosts four of them: the Himalayas, the Western Ghats, Indo-Burma, and Sundaland (Nicobar Islands).**

Hotspots matter because they concentrate irreplaceable biodiversity in a small area. The **Western Ghats**, for example, harbour a large number of globally threatened species, including amphibians, plants, and freshwater fish, making conservation there disproportionately important.

Endangered vs Endemic Species

These two concepts are often confused but are distinct:

- **Endangered species** are those facing a very high risk of extinction in the wild, as classified by the **IUCN Red List** (categories such as Vulnerable, Endangered, and Critically Endangered). Endangerment is a **status** based on population decline, range contraction, and threats. Example: the **Bengal tiger** and the **Asian elephant** are endangered or vulnerable depending on the assessment.
- **Endemic species** are those **restricted to a particular geographical area** and found nowhere else. Endemism is a matter of **distribution**, not threat status. A species can be endemic without being endangered, and an endangered species need not be endemic. Example: the **Nilgiri tahr** and the **lion-tailed macaque** are endemic to the Western Ghats.

The two categories **overlap** when an endemic species also faces high extinction risk — a common situation in hotspots, where habitat loss threatens range-restricted species. Conservation priority is highest for **endemic and endangered species**, because their loss represents an irreversible global loss of biodiversity.

QUESTION -5: Among water and air pollution, which do you consider the most severe? Justify your answer with reasons.

ANSWER - **Preliminary Observation**

Both water and air pollution are severe in India, and ranking them is not a purely factual exercise — it depends on the criterion chosen: **scale of exposure, health burden, reversibility, or economic cost**. On balance, I consider **air pollution more severe**, primarily

because of the **scale, immediacy, and involuntary nature of exposure**, while recognising that water pollution remains a catastrophic and often more locally devastating problem.

Reasons for Considering Air Pollution More Severe

1. **Universal and involuntary exposure.** Air pollution affects entire populations simultaneously. Unlike contaminated water, which can be avoided by using a safe source, polluted air cannot be opted out of. In India, **PM2.5 levels in most cities chronically exceed National Ambient Air Quality Standards**, and Delhi has repeatedly ranked among the world's most polluted capitals, with concentrations far above WHO limits.
2. **Large and immediate health burden.** Air pollution is a leading risk factor for **respiratory and cardiovascular disease, lung cancer, stroke, and premature death**. The health effects are chronic and cumulative, affecting millions who have no individual means of protection.
3. **Transboundary and regional scale.** Air pollution does not respect administrative boundaries; pollutants and their precursors travel across states and even countries, making local action insufficient. Water pollution, by contrast, is more often **spatially contained** within a river basin or aquifer, even though it can spread.
4. **Rapid onset and low reversibility of some impacts.** Episodes of severe air pollution produce **public-health emergencies** requiring school closures and traffic restrictions. While air quality can improve relatively quickly when emissions fall, the **health damage already inflicted** — especially to children and the elderly — is irreversible.
5. **Linkages to climate change.** Many air pollutants and greenhouse gases share the **same sources** (fossil-fuel combustion). Addressing air pollution therefore yields **co-benefits for climate mitigation**, giving it strategic priority.

Counterarguments in Favour of Water Pollution

It must be acknowledged that **water pollution** is arguably more **directly lethal** in specific contexts. Contaminated drinking water causes **waterborne diseases** that kill large numbers of children, and industrial effluents and sewage degrade rivers such as the **Ganga**, affecting agriculture, fisheries, and aquatic ecosystems. Groundwater contamination is **difficult and expensive to reverse**, and aquifer pollution can persist for decades. For communities dependent on a single contaminated source, water pollution is an immediate existential threat.

Conclusion

The severity of the two problems is **context-dependent**. However, judged by **population exposed, chronic disease burden, transboundary reach, and difficulty of individual avoidance**, **air pollution is the more severe national-scale problem**. Water pollution is more severe in **localised, acute** settings, and deserves equal policy attention. The rational approach is not to choose one over the other but to recognise that both require **source control, regulation, and public investment**, and that air pollution carries the additional advantage of **climate co-benefits** that make action urgently justified.

QUESTION -6: Why do we need proper management of solid waste disposal, support your answer with appropriate examples.

ANSWER - **Why Solid Waste Management Is Necessary**

Solid waste management (SWM) is not merely a cleanliness issue; it is a **public-health, environmental, and economic necessity**. Improper disposal creates a chain of harms that affect air, water, soil, climate, and human well-being.

1. Public Health and Sanitation

Uncollected and openly dumped waste becomes a **breeding ground for vectors** — flies, mosquitoes, and rodents — that transmit diseases such as dengue, malaria, and diarrhoeal infections. Sharp waste and biomedical residues pose direct injury and infection risks to waste pickers and residents. Proper collection, segregation, and treatment are therefore a **basic public-health function**.

2. Environmental Pollution

- **Water pollution:** Leachate from landfills contaminates groundwater and surface water. The **Ganga and other rivers** receive large quantities of solid waste and sewage, degrading water quality and aquatic ecosystems.
- **Air pollution:** Open burning of waste releases **particulate matter, dioxins, and furans**. Landfills emit **methane**, a potent greenhouse gas. The **Ghazipur landfill** in Delhi, which has repeatedly caught fire and contributed to air-quality emergencies, illustrates the consequences of failing to manage waste.
- **Soil contamination:** Heavy metals and persistent organic pollutants accumulate in soil, affecting agricultural productivity and food safety.

3. Climate Change and Resource Loss

Landfills are a significant source of **methane emissions**. When organic waste is landfilled instead of composted or digested, both **climate mitigation potential and nutrient value are lost**. Proper SWM — through **composting, anaerobic digestion, and recycling** — converts waste into resources and reduces greenhouse gas emissions.

4. Land Scarcity and Urban Governance

Cities are running out of land for landfills. **Open dumps occupy valuable land, depreciate nearby property, and create social conflict**. Efficient SWM reduces the volume of waste requiring landfill disposal and extends the life of existing sites.

5. Legal and Policy Framework

In India, the **Solid Waste Management Rules, 2016** mandate **source segregation** into wet, dry, and hazardous waste, and assign responsibility to generators, local bodies, and producers (through **Extended Producer Responsibility**). Compliance is not optional; it is a statutory obligation.

Examples: Indore's Success and Ghazipur's Failure

The contrast between **Indore** and **Ghazipur** is instructive.

Indore has ranked as India's cleanest city consistently since 2017, built on **100% source segregation, door-to-door collection, decentralised composting, and dry-waste recovery**. The municipal corporation strengthened enforcement by lowering the bulk-waste-generator threshold and requiring residential colonies to compost organic waste on-site. The result has been **reduced landfill dependence, lower methane emissions, cleaner air, and safer livelihoods**.

Ghazipur, by contrast, exemplifies **legacy waste failure**: an overflowing landfill, frequent fires, leachate contamination, and persistent air-quality problems for surrounding communities. The difference is not geography or wealth but **institutional capacity, political will, citizen participation, and a functioning segregation-and-processing system**.

Conclusion

Proper solid waste management is necessary because **the costs of neglect are borne disproportionately by the poor and by future generations**. SWM is also an opportunity: a well-designed system **recovers materials and energy, creates green jobs, reduces emissions, and improves urban liveability**. Indore demonstrates that transformation is achievable; Ghazipur shows the price of inaction.