





Launch an instance | EC2 | ap-south-1

ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#LaunchInstances:

WhatsAppProblems - LeetCodeChatGPTGoogle Gemini

aws

Search

[Alt+S]Ask Amazon Q

Asia Pacific (Mumbai)

Aditya Yanna (0182-3990-5918)

Aditya Yanna

EC2>Instances>Launch an instance

Launch an instance

Amazon EC2 allows you to create virtual machines, or instances, that run on the AWS Cloud. Quickly get started by following the simple steps below.

Name and tags

Name

MyServer

Add additional tags

Application and OS Images (Amazon Machine Image)

An AMI contains the operating system, application server, and applications for your instance. If you don't see a suitable AMI below, use the search field or choose [Browse more AMIs](#).

Search our full catalog including 1000s of application and OS images

Recents

Quick Start

Amazon Linux

macOS

Ubuntu

Windows

Red Hat

SUSE Linux

Debian

Browse more AMIs

Including AMIs from AWS, Marketplace and the Community

Summary

Number of instances

1

Software Image (AMI)

Amazon Linux 2023 AMI 2023.11....[read more](#)

ami-0e12ffc2dd465f6e4

Virtual server type (instance type)

t3.micro

Firewall (security group)

New security group

Storage (volumes)

1 volume(s) - 8 GiB

Cancel

Launch instance

Preview code

CloudShellFeedbackConsole Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. PrivacyTermsCookie preferences

Launch an instance | EC2 | ap-south-1

ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#LaunchInstances:

WhatsAppProblems - LeetCodeChatGPTGoogle Gemini

aws

Search

[Alt+S]Ask Amazon Q

Asia Pacific (Mumbai)

Aditya Yanna (0182-3990-5918)

Aditya Yanna

EC2>Instances>Launch an instance

t3.micro

Family: t3 2 vCPU 1 GiB Memory Current generation: true

On-Demand Linux base pricing: 0.0112 USD per Hour On-Demand S...

On-Demand Windows base pricing: 0.0204 USD per Hour

On-Demand Ubuntu Pro base pricing: 0.0147 USD per Hour On-Dem...

Additional costs apply for AMIs with pre-installed software

Key pair (login)

You can use a key pair to securely connect to your instance. Ens...

Key pair name - required

Select

Network settings

Network

vpc-074f944bf54a8c595

Subnet

No preference (Default subnet in any availability zone)

Auto-assign public IP

Enable

Create key pair

Key pairs allow you to connect to your instance securely.

Key pair name

MyServer

The name can include up to 255 ASCII characters. It can't include leading or trailing spaces.

Key pair type

☒ RSA
RSA encrypted private and public key pair

☐ ED25519
ED25519 encrypted private and public key pair

Private key file format

☒ .pem
For use with OpenSSH

☐ .ppk
For use with PuTTY

When prompted, store the private key in a secure and accessible location on your computer. You will need it later to connect to your instance. [Learn more](#)

Cancel

Create key pair

Summary

Number of instances

1

Software Image (AMI)

Amazon Linux 2023 AMI 2023.11....[read more](#)

ami-0e12ffc2dd465f6e4

Virtual server type (instance type)

t3.micro

Firewall (security group)

New security group

Storage (volumes)

1 volume(s) - 8 GiB

Cancel

Launch instance

Preview code

CloudShellFeedbackConsole Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. PrivacyTermsCookie preferences

Launch an instance | EC2 | ap-south-1

ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#LaunchInstances:

Search [Alt+S] Ask Amazon Q

Asia Pacific (Mumbai) Aditya Yanna (0182-3990-5918)

EC2 > Instances > Launch an instance

Success

Successfully initiated launch of instance (i-021749cec9769d1ea)

Launch log

Next Steps

What would you like to do next with this instance, for example "create alarm" or "create backup"

Create billing usage alerts

To manage costs and avoid surprise bills, set up email notifications for billing usage thresholds.

Create billing alerts

Connect to your instance

Once your instance is running, log into it from your local computer.

Connect to instance

Learn more

Connect an RDS database

Configure the connection between an EC2 instance and a database to allow traffic flow between them.

Connect an RDS database

Create a new RDS database

Learn more

Create EBS snapshot policy

Create a policy that automates the creation, retention, and deletion of EBS snapshots

Create EBS snapshot policy

CloudShell Feedback Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Instances | EC2 | ap-south-1

ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#Instances:

Search [Alt+S] Ask Amazon Q

Asia Pacific (Mumbai) Aditya Yanna (0182-3990-5918)

EC2 > Instances

EC2

Dashboard

AWS Global View

Events

Instances

Instances

Instance Types

Launch Templates

Spot Requests

Savings Plans

Reserved Instances

Dedicated Hosts

Capacity Reservations

Capacity Manager

Images

AMIs

AMI Catalog

Elastic Block Store

Volumes

Instances (1) Info

Last updated less than a minute ago

Connect

Instance state

Actions

Launch instances

Saved filter sets

Choose filter set

Find Instance by attribute or tag (case-sensitive)

	Name	Instance ID	Instance state	Instance type	Status check	Alarm status	Availability Zone	Public IP
☐	MyServer	i-021749cec9769d1ea	Running	t3.micro	Initializing	View alarms +	ap-south-1a	ec2-15-2

Select an instance

CloudShell Feedback Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Connect to instance | EC2 | ap-south-1

ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#ConnectToInstance:instanceId=i-021749cec9769d1ea

aws

EC2 > Instances > i-021749cec9769d1ea > Connect to instance

EC2 Instance Connect SSM Session Manager SSH client EC2 serial console

Instance ID
i-021749cec9769d1ea (MyServer)

Connection type

☒ Connect using a Public IP
Connect using a public IPv4 or IPv6 address

☐ Connect using a Private IP
Connect using a private IP address and a VPC endpoint

☒ Public IPv4 address
15.206.172.14

☐ IPv6 address
-

Username
Enter the username defined in the AMI used to launch the instance. If you didn't define a custom username, use the default username, ec2-user.

ec2-user

Note: In most cases, the default username, ec2-user, is correct. However, read your AMI usage instructions to check if the AMI owner has changed the default AMI username.

Cancel Connect

https://ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh?region=ap-south-1&connType=standard&instanceId=i-021749cec9769d1ea&osUser=ec2-user&sshPort=22&addressFamily=ipv4 affiliates Privacy Terms Cookie preferences

Instances | EC2 | ap-south-1

EC2 Instance Connect | ap-south-1

m-d(Dos format) aws linux com

after nano msyscript.py what to

ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-021749cec9769d1ea&osUser=e...

aws

Amazon Linux 2023

https://aws.amazon.com/linux/amazon-linux-2023

```
[ec2-user@ip-172-31-43-66 ~]$ sudo yum update -y
Amazon Linux 2023 Kernel Livepatch repository
Dependencies resolved.
Nothing to do.
Complete!
[ec2-user@ip-172-31-43-66 ~]$ python3
Python 3.9.25 (main, Mar 13 2026, 00:00:00)
[GCC 11.5.0 20240719 (Red Hat 11.5.0-5)] on linux
Type "help", "copyright", "credits" or "license" for more information.
>>> exit()
[ec2-user@ip-172-31-43-66 ~]$ sudo yum install python3 -pip
usage: yum install [-c [config file]] [-q] [-v] [--version] [--installroot [path]] [--nodocs] [--noplugins] [--enableplugin [plugin]] [--disableplugin [plugin]]
[--releasever RELEASEVER] [--setopt SETOPTS] [--skip-broken] [-h] [--allowrasing] [-b | --nobest] [-C] [-R [minutes]] [-d [debug level]]
[--debugsolver] [--showduplicates] [-e ERRORLEVEL] [--obsoletes] [--rpmverbosity [debug level name]] [-y] [--assumeno] [--enablerepo [repo]]
[--disablerepo [repo] | --repo [repo]] [--enable | --disable] [-x [package]] [--disableexcludes [repo]] [--repofrompath [repo,path]]
[--noautoremove] [--nogpgcheck] [--color COLOR] [--refresh] [-4] [-6] [--destdir DESTDIR] [--downloadonly] [--comment COMMENT] [--bugfix]
[--enhancement] [--newpackage] [--security] [--advisory ADVISORY] [--bz BUGZILLA] [--cve CVES]
[--sec-severity {Critical,Important,Moderate,Medium,Low}] [--forcearch ARCH]
PACKAGE [PACKAGE ...]
yum install: error: unrecognized arguments: -pip
[ec2-user@ip-172-31-43-66 ~]$ sudo yum install python3-pip
Last metadata expiration check: 0:02:33 ago on Sat Apr 18 10:38:14 2026.
Dependencies resolved.
```

CloudShell Feedback Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

```
Instances | EC2 | ap-south-1 x EC2 Instance Connect | ap-south-1 x +
ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-021749cec9769d1ea&osUser=e...
aws Search [Alt+S] Asia Pacific (Mumbai) Aditya Yanna (0182-3990-5918) Aditya Yanna

Package Architecture Version Repository Size
Installing: python3-pip noarch 21.3.1-2.amzn2023.0.16 amazonlinux 1.8 M
Installing weak dependencies: libxcrypt-compat x86_64 4.4.33-7.amzn2023 amazonlinux 92 k
Transaction Summary
Install 2 Packages
Total download size: 1.9 M
Installed size: 11 M
Is this ok [y/N]: y
Downloading Packages:
(1/2): libxcrypt-compat-4.4.33-7.amzn2023.x86_64.rpm 2.4 MB/s | 92 kB 00:00
(2/2): python3-pip-21.3.1-2.amzn2023.0.16.noarch.rpm 34 MB/s | 1.8 MB 00:00
Total 20 MB/s | 1.9 MB 00:00
Running transaction check
Transaction check succeeded.
Running transaction test
Transaction test succeeded.
Running transaction
Preparing : 1/1
Installing : libxcrypt-compat-4.4.33-7.amzn2023.x86_64 1/2
Installing : python3-pip-21.3.1-2.amzn2023.0.16.noarch 2/2
CloudShell Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences
```

```
Instances | EC2 | ap-south-1 x EC2 Instance Connect | ap-south-1 x +
ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-021749cec9769d1ea&osUser=e...
aws Search [Alt+S] Asia Pacific (Mumbai) Aditya Yanna (0182-3990-5918) Aditya Yanna

Running scriptlet: python3-pip-21.3.1-2.amzn2023.0.16.noarch 2/2
Verifying : libxcrypt-compat-4.4.33-7.amzn2023.x86_64 1/2
Verifying : python3-pip-21.3.1-2.amzn2023.0.16.noarch 2/2
Installed:
libxcrypt-compat-4.4.33-7.amzn2023.x86_64 python3-pip-21.3.1-2.amzn2023.0.16.noarch
Complete!
[ec2-user@ip-172-31-43-66 ~]$ python3 -m pip install pandas
Defaulting to user installation because normal site-packages is not writeable
Collecting pandas
  Downloading pandas-2.3.3-cp39-cp39-manylinux_2_24_x86_64.manylinux_2_28_x86_64.whl (12.8 MB)
    [REDACTED] | 12.8 MB 17.8 MB/s
Collecting tzdata>=2022.7
  Downloading tzdata-2026.1-py2.py3-none-any.whl (348 kB)
    [REDACTED] | 348 kB 70.2 MB/s
Collecting numpy>=1.22.4
  Downloading numpy-2.0.2-cp39-cp39-manylinux_2_17_x86_64.manylinux2014_x86_64.whl (19.5 MB)
    [REDACTED] | 19.5 MB 75.3 MB/s
Requirement already satisfied: pytz>=2020.1 in /usr/lib/python3.9/site-packages (from pandas) (2022.7.1)
Collecting python-dateutil>=2.8.2
  Downloading python_dateutil-2.9.0.post0-py2.py3-none-any.whl (229 kB)
    [REDACTED] | 229 kB 75.5 MB/s
Requirement already satisfied: six>=1.5 in /usr/lib/python3.9/site-packages (from python-dateutil>=2.8.2->pandas) (1.15.0)
Installing collected packages: tzdata, python-dateutil, numpy, pandas
ERROR: pip's dependency resolver does not currently take into account all the packages that are installed. This behaviour is the source of the following dependency conflicts.
awscli 2.33.15 requires python-dateutil<=2.9.0,>=2.1, but you have python-dateutil 2.9.0.post0 which is incompatible.
Successfully installed numpy-2.0.2 pandas-2.3.3 python-dateutil-2.9.0.post0 tzdata-2026.1
[ec2-user@ip-172-31-43-66 ~]$ python3 -m pip install sympy
Defaulting to user installation because normal site-packages is not writeable
Collecting sympy
  Downloading sympy-1.14.0-py2.py3-none-any.whl (6.2 MB)
CloudShell Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences
```

Instances | EC2 | ap-south-1 x EC2 Instance Connect | ap-south-1 x +

ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-021749cec9769d1ea&osUser=e... Search ☆

aws Search [Alt+S] Asia Pacific (Mumbai) Aditya Yanna (0182-3990-5918) Aditya Yanna

```
GNU nano 8.3 myscript.py Modified
print("Hello")
```

File Name to Write: myscript.py

^G Help	M-D DOS Format	M-A Append	M-B Backup File
^C Cancel	M-M Mac Format	M-F Prepend	^T Browse

i-021749cec9769d1ea (MyServer)

PublicIPs: 15.206.172.14 PrivateIPs: 172.31.43.66

CloudShell Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Instances | EC2 | ap-south-1 x EC2 Instance Connect | ap-south-1 x +

ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-021749cec9769d1ea&osUser=e... Search ☆

aws Search [Alt+S] Asia Pacific (Mumbai) Aditya Yanna (0182-3990-5918) Aditya Yanna

```
Collecting numpy>=1.22.4
  Downloading numpy-2.0.2-cp39-cp39-manylinux_2_17_x86_64.manylinux2014_x86_64.whl (19.5 MB)
    19.5 MB 75.3 MB/s
Requirement already satisfied: pytz>=2020.1 in /usr/lib/python3.9/site-packages (from pandas) (2022.7.1)
Collecting python-dateutil>=2.8.2
  Downloading python_dateutil-2.9.0.post0-py2.py3-none-any.whl (229 kB)
    229 kB 75.5 MB/s
Requirement already satisfied: six>=1.5 in /usr/lib/python3.9/site-packages (from python-dateutil>=2.8.2->pandas) (1.15.0)
Installing collected packages: tzdata, python-dateutil, numpy, pandas
ERROR: pip's dependency resolver does not currently take into account all the packages that are installed. This behaviour is the source of the following dependency conflicts.
awscli 2.33.15 requires python-dateutil<=2.9.0,>=2.1, but you have python-dateutil 2.9.0.post0 which is incompatible.
Successfully installed numpy-2.0.2 pandas-2.3.3 python-dateutil-2.9.0.post0 tzdata-2026.1
[ec2-user@ip-172-31-43-66 ~]$ python3 -m pip install sympy
Defaulting to user installation because normal site-packages is not writeable
Collecting sympy
  Downloading sympy-1.14.0-py3-none-any.whl (6.3 MB)
    6.3 MB 16.8 MB/s
Collecting mpmath<1.4,>=1.1.0
  Downloading mpmath-1.3.0-py3-none-any.whl (536 kB)
    536 kB 73.8 MB/s
Installing collected packages: mpmath, sympy
Successfully installed mpmath-1.3.0 sympy-1.14.0
[ec2-user@ip-172-31-43-66 ~]$ mkdir testing
[ec2-user@ip-172-31-43-66 ~]$ cd testing
[ec2-user@ip-172-31-43-66 testing]$ nano myscript.py
[ec2-user@ip-172-31-43-66 testing]$ python3 myscript.py
python3: can't open file '/home/ec2-user/testing/myscript.py': [Errno 2] No such file or directory
[ec2-user@ip-172-31-43-66 testing]$ nano myscript.py
[ec2-user@ip-172-31-43-66 testing]$ python3 myscript.py
python3: can't open file '/home/ec2-user/testing/myscript.py': [Errno 2] No such file or directory
[ec2-user@ip-172-31-43-66 testing]$ nano myscript.py
[ec2-user@ip-172-31-43-66 testing]$ python3 myscript.py
hello
[ec2-user@ip-172-31-43-66 testing]$
```

CloudShell Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences