

Contents

- [define the parameters of the Rayleigh distribution](#)
- [Generate random samples from the Gaussian distribution](#)
- [Compute the PDF and CDF](#)
- [Plot the PDF](#)
- [Plot the CDF](#)

```
clc;  
clear;  
close all;
```

define the parameters of the Rayleigh distribution

```
sigma = 1.5; %Scale
```

Generate random samples from the Gaussian distribution


```
sample_size = 1000; % You can change this valuuue to generate more or fewer examples  
%random_samples = mu + sigma * randn(sample_size, 1);
```

Compute the PDF and CDF

```
%x = linspace(mu - 4*sigma, 1000); %Range of valuse for PDF and CDF  
x = linspace(0, 5, 1000);  
pdf_values = (x ./ (sigma^2)).* exp(-(x).^2 / (2*sigma^2));  
cdf_values = 1 - exp(-x.^2/(2*(sigma^2)));
```

Plot the PDF

```
figure;  
plot(x, pdf_values, 'b-', 'LineWidth', 2);  
title('Probability Density Function(PDF) of Rayleigh Distribution');  
xlabel('Random Vaiable (X)');  
ylabel('PDF f(X)');  
grid on;
```



Plot the CDF

```
figure;  
plot(x, cdf_values, 'r-', 'Linewidth', 2);  
title('Cumulative Density Function(CDF) of Rayleigh Distribution');  
xlabel('Random Vaiable (X)');  
ylabel('CDF f(X)');  
grid on;
```

