```
C:\Users\likhi>mongosh "mongodb+srv://cluster0.qh8blz4.mongodb.net/" --apiVersion 1 --username likhithcs22
Enter password: ************
Current Mongosh Log ID: 6833148466c722794490defd
Connecting to:          mongodb+srv://<credentials>@cluster0.qh8blz4.mongodb.net/?appName=mongosh+2.2.9
Using MongoDB:          8.0.9 (API Version 1)
Using Mongosh:          2.2.9
mongosh 2.5.1 is available for download: https://www.mongodb.com/try/download/shell

For mongosh info see: https://docs.mongodb.com/mongodb-shell/

Atlas atlas-2vljb9-shard-0 [primary] test> show dbs
e-commerce  108.00 KiB
myDB         72.00 KiB
admin       312.00 KiB
local        64.34 GiB
Atlas atlas-2vljb9-shard-0 [primary] test> use myDB
switched to db myDB
Atlas atlas-2vljb9-shard-0 [primary] myDB> db
myDB
Atlas atlas-2vljb9-shard-0 [primary] myDB> show collections
Student
```

```
Enter password: ************
Current Mongosh Log ID: 67c6c754899c67e814fa4213
Connecting to:          mongodb+srv://<credentials>@cluster0.qh8blz4.mongodb.net/?appName=mongosh+2.4.0
Using MongoDB:          8.0.5 (API Version 1)
Using Mongosh:          2.4.0

For mongosh info see: https://www.mongodb.com/docs/mongodb-shell/

Atlas atlas-2vlj3r-shard-0 [primary] test> show dbs
e-commerce  188.00 KiB
myDB         40.00 KiB
admin       232.00 KiB
local        15.79 GiB
Atlas atlas-2vlj3r-shard-0 [primary] test> use myDB
switched to db myDB
Atlas atlas-2vlj3r-shard-0 [primary] myDB> db
myDB
Atlas atlas-2vlj3r-shard-0 [primary] myDB> db.createCollection("Student");
{ ok: 1 }
Atlas atlas-2vlj3r-shard-0 [primary] myDB> db.Student.insert({RollNo:1,Age:21,Cont:9876,email:"antara.de9@gmail.com"});
...
... db.Student.insert({RollNo:2,Age:22,Cont:9976,email:"anushka.de9@gmail.com"});
...
... db.Student.insert({RollNo:3,Age:21,Cont:5576,email:"anubhav.de9@gmail.com"});
...
... db.Student.insert({RollNo:4,Age:20,Cont:4476,email:"pari.de9@gmail.com"});
...
... db.Student.insert({RollNo:10,Age:23,Cont:2276,email:"rekha.de9@gmail.com"});
DeprecationWarning: Collection.insert() is deprecated. Use insertOne, insertMany, or bulkWrite.
{
  acknowledged: true,
  insertedIds: { '0': ObjectId('67c6c898899c67e814fa4218') }
}
Atlas atlas-2vlj3r-shard-0 [primary] myDB> db.Student.insert({RollNo:1,Age:21,Cont:9876,email:"antara.de9@gmail.com"});
{
  acknowledged: true,
  insertedIds: { '0': ObjectId('67c6c8a1899c67e814fa4219') }
}
Atlas atlas-2vlj3r-shard-0 [primary] myDB> db.Student.insert({RollNo:2,Age:22,Cont:9976,email:"anushka.de9@gmail.com"});
{
  acknowledged: true,
  insertedIds: { '0': ObjectId('67c6c8f7899c67e814fa421a') }
}
Atlas atlas-2vlj3r-shard-0 [primary] myDB> db.Student.insert({RollNo:3,Age:21,Cont:5576,email:"anubhav.de9@gmail.com"});
{
  acknowledged: true,
  insertedIds: { '0': ObjectId('67c6c8fb899c67e814fa421b') }
}
C:\Users\likhi>mongosh "mongodb+srv://cluster0.qh8blz4.mongodb.net/" --apiVersion 1 --username likhithcs22
```

```
Atlas atlas-2vljb9-shard-0 [primary] myDB> db.Student.find()
[
  {
    _id: ObjectId('67c6c898899c67e814fa4214'),
    RollNo: 1,
    Age: 21,
    Cont: 9876,
    email: 'antara.de9@gmail.com'
  },
  {
    _id: ObjectId('67c6c898899c67e814fa4215'),
    RollNo: 2,
    Age: 22,
    Cont: 9976,
    email: 'anushka.de9@gmail.com'
  },
  {
    _id: ObjectId('67c6c898899c67e814fa4216'),
    RollNo: 3,
    Age: 21,
    Cont: 5576,
    email: 'anubhav.de9@gmail.com'
  },
  {
    _id: ObjectId('67c6c898899c67e814fa4217'),
    RollNo: 4,
    Age: 20,
    Cont: 4476,
    email: 'pani.de9@gmail.com'
  },
  {
    _id: ObjectId('67c6c898899c67e814fa4218'),
    RollNo: 10,
    Age: 23,
    Cont: 2276,
    email: 'Abhinav@gmail.com'
  },
  {
    _id: ObjectId('67c6c8a3899c67e814fa4219'),
    RollNo: 1,
    Age: 21,
    Cont: 9876,
    email: 'antara.de9@gmail.com'
  },
  {
    _id: ObjectId('67c6c8f7899c67e814fa421a'),
    RollNo: 2,
    Age: 22,
    Cont: 9976,
    email: 'anushka.de9@gmail.com'
  },
  {
    _id: ObjectId('67c6c8fb899c67e814fa421b'),
    RollNo: 3,
    Age: 21,
    Cont: 5576,
    email: 'anubhav.de9@gmail.com'
  },
  {
    _id: ObjectId('67c6c8fd899c67e814fa421c'),
    RollNo: 4,
    Age: 20,
    Cont: 4476,
    email: 'pani.de9@gmail.com'
  },
  {
    _id: ObjectId('67c6c904899c67e814fa421d'),
    RollNo: 10,
    Age: 23,
    Cont: 2276,
    email: 'rekha.de9@gmail.com'
  },
  {
    _id: ObjectId('67c6ca34899c67e814fa421e'),
    RollNo: 11,
    Age: 22,
    Name: 'FEM',
    Cont: 2276,
    email: 'rea.de9@gmail.com'
  }
]
```

```
Atlas atlas-2vljb9-shard-0 [primary] myDB> db.Student.updateOne({"RollNo": 10}, {$set: {"email": "john.des@gmail.com"}})
{
  acknowledged: true,
  insertedId: null,
  matchedCount: 1,
  modifiedCount: 1,
  upsertedCount: 0
}
Atlas atlas-2vljb9-shard-0 [primary] myDB> db.Student.find(
... {"Name": /^F/}
... )
[
  {
    _id: ObjectId('67c6ca34899c67e814fa421e'),
    RollNo: 11,
    Age: 22,
    Name: 'FEM',
    Cont: 2276,
    email: 'rea.de9@gmail.com'
  }
]
Atlas atlas-2vljb9-shard-0 [primary] myDB>
```

output

```
MyDataBase> use MyDataBase
already on db MyDataBase
MyDataBase> show collections
Customers
NewStudent
Student
MyDataBase> db.Student.find();
[
  {
    _id: 1,
    studName: 'Michellejacintha',
    Grade: 'VII',
    Hobbies: 'InternetSurfing'
  },
```