1.1.1

✓ PASSED



Conditionals · ■■ Medium

1.1.2

✓ PASSED



Date & Time · ■■ Medium

1.1.3

✓ PASSED



String Manipulation · ■ Easy

1.1.4

✓ PASSED



Loops · ■ Easy

1.1.5

✓ PASSED


codetantra mitaoe - Search
Course
https://mitaoe.codetantra.com/secure/course.jsp?eucId=698c54860aba96214c8b7d5e#/contents/698c54860aba96214c8b7d5f/698c54860aba96214c8b7d60/678dd2f0fa4f5e20f6fcdc1a
Chat
CODETANTRA
Home
Learn Anywhere
202501120167@mitaoe.ac.in
Support
Logout
1.1.5. Multiplication Table
00:45
Write a Python program that takes an integer as input and prints the multiplication table for that integer from 1 to 10.
Input Format:
• The first line of input contains an integer that represents the number for which the multiplication table is to be printed.
Output Format:
• Print the multiplication table for the given number in the format:
<number> x <multiplier> = <result>
Note:
• The character "x" is used in the output to represent multiplication.
• Refer to the visible test-cases for more clarity.
Sample Test Cases
Explorer
multiplica...
Submit
Debugger
#write your code here...
n = int(input())
for i in range(1,11):
print(f"{n} x {i} = {n*i}")
Average time
0.006 s
6.50 ms
Maximum time
0.011 s
11.00 ms
2 out of 2 shown test case(s) passed
2 out of 2 hidden test case(s) passed
Test case 1
7 ms
Debug
Expected output
Actual output
8
8 x 1 = 8
8 x 2 = 16
8 x 3 = 24
8 x 4 = 32
8 x 5 = 40
Terminal
Test cases
Prev
Reset
Submit
Next

✓ PASSED

Conditionals & Lists · ■■ Medium

codetantra mitaoe - Search | Course

https://mitaoe.codetantra.com/secure/course.jsp?eucId=698c54860aba96214c8b7d5e#/contents/698c54860aba96214c8b7d5f/698c54860aba96214c8b7d61/6773f211f4ab787eca9d15d0

CODETANTRA Home Learn Anywhere 202501120167@mitaoe.ac.in Support Logout

1.2.1. Pass or Fail

07:33

Write a Python program that accepts the number of courses and the marks of a student in those courses.
The grade is determined based on the aggregate percentage:

- If the aggregate percentage is greater than 75, the grade is Distinction.
- If the aggregate percentage is greater than or equal to 60 but less than 75, the grade is First Division.
- If the aggregate percentage is greater than or equal to 50 but less than 60, the grade is Second Division.
- If the aggregate percentage is greater than or equal to 40 but less than 50, the grade is Third Division.

Input Format:

- The first input will be an integer n, the number of courses.
- The second input will be n integers representing the marks of the student in each of the n courses, separated by a space.

Output Format:

If the student passes all courses:

- Print the aggregate percentage (formatted to two decimal places).
- Print the grade based on the aggregate percentage.

If the student fails any course (marks < 40 in any course), print:

- "Fail".

Note:

- Aggregate Percentage: Average performance across all courses, calculated by summing all marks and dividing by the number of courses.

passorFa... Submit

```python
# write your code here
subject=int(input(""))
marks=list(map(int,input("").split()))
if any(mark<40 for mark in marks):
    print("Fail")
else:
    total_marks=sum(marks)
    Aggregate_percentage = (total_marks/(subject*100))*100
    print(f"Aggregate Percentage:{Aggregate_percentage: .2f}")
    if Aggregate_percentage > 75:
        print("Grade: Distinction")
    elif Aggregate_percentage > 60:
        print("Grade: First Division")
```

Average time 0.007 s 6.70 ms | Maximum time 0.008 s 8.00 ms

5 out of 5 shown test case(s) passed

5 out of 5 hidden test case(s) passed

Test case 1 8 ms Debug

Expected output	Actual output
4	4
55 65 78 89	55 65 78 89
Aggregate Percentage: 71.75	Aggregate Percentage: 71.75
Grade: First Division	Grade: First Division

Test case 2 7 ms

Terminal Test cases

< Prev Reset Submit Next >

✓ PASSED

CodeTantra MITAOE · Problem 1.2.1 · Python Solutions

Recursion · ■■■ Hard



1.2.2

✓ PASSED

Recursion · ■■■ Hard



1.2.3

✓ PASSED

Nested Loops · ■■ Medium



Nested Loops · ■■ Medium

1.2.4

✓ PASSED


codetantra mitaoe - Search
Course
https://mitaoe.codetantra.com/secure/course.jsp?eucId=698c54860aba96214c8b7d5e#/contents/698c54860aba96214c8b7d5f/698c54860aba96214c8b7d61/6774cc86f4ab787eca9d8f99
Chat
CODETANTRA
Home
Learn Anywhere
202501120167@mitaoe.ac.in
Support
Logout
1.2.4. Pattern - 2
03:58
Write a Python program to print a right-angled triangle pattern of numbers.
Input Format:
• The input is an integer, representing the number of rows in the pattern.
Output Format:
• The output should display the pattern of numbers separated by space, with each row containing increasing numbers starting from 1 up to the row number.
Note:
• Refer to the displayed test cases for the sample pattern.
Sample Test Cases
Explorer
numberP...
Submit
Debugger
# Type Content here...
n = int(input())
for i in range(1,n+1):
for j in range(1,i+1):
print(j,end=' ')
print()
Average time
0.014 s
13.75 ms
Maximum time
0.017 s
17.00 ms
2 out of 2 shown test case(s) passed
2 out of 2 hidden test case(s) passed
Test case 1
17 ms
Debug
Expected output
Actual output
5
1
1 2
1 2 3
1 2 3 4
1 2 3 4 5
Terminal
Test cases
Prev
Reset
Submit
Next