
codetantra mitaoe - Search
Course
https://mitaoe.codetantra.com/secure/course.jsp?eucId=698c54860aba96214c8b7d5e#/contents/698c54860aba96214c8b7d62/698c54860aba96214c8b7d63/667bbd7f01060f3d690f3f...
CODETANTRA
Home
Learn Anywhere
202501120167@mitaoe.ac.in
Support
Logout
2.1.1. List operations
02:19
Write a Python program that implements a menu-driven interface for managing a list of integers. The program should have the following menu options:
1. Add
2. Remove
3. Display
4. Quit
The program should repeatedly prompt the user to enter a choice from the menu. Depending on the choice selected, the program should perform the following actions:
• Add: Prompts the user to enter an integer and add it to the integer list. If the input is not a valid integer, display "Invalid input".
• Remove: Prompts the user to enter an integer to remove from the list. If the integer is found in the list, remove it; otherwise, display "Element not found". If the list is empty, display "List is empty".
• Display: Displays the current list of integers. If the list is empty, display "List is empty".
• Quit: Exits the program.
• The program should handle invalid menu choices by displaying "Invalid choice".Ensure that the program continues to prompt the user until they choose to quit (option 4).
Sample Test Cases
listOps.py
Submit
def main():
integer_list = []
while True:
print("1. Add")
print("2. Remove")
print("3. Display")
print("4. Quit")
choice = input("Enter choice: ")
if choice == "1":
num = input("Integer: ")
Average time
0.167 s
167.00 ms
Maximum time
0.245 s
245.00 ms
2 out of 2 shown test case(s) passed
1 out of 1 hidden test case(s) passed
Test case 1
158 ms
Debug
Expected output
Actual output
1. Add
2. Remove
3. Display
4. Quit
Enter choice: 1
Integer: 11
Terminal
Test cases
Prev
Reset
Submit
Next


codetantra mitaoe - Search
Course
https://mitaoe.codetantra.com/secure/course.jsp?eucId=698c54860aba96214c8b7d5e#/contents/698c54860aba96214c8b7d62/698c54860aba96214c8b7d63/697335a7e2971206fe82d...
CODETANTRA
Home
Learn Anywhere
202501120167@mitaoe.ac.in
Support
Logout
2.1.2. Dictionary Operations
10:48
Write a Python program to perform insertion, update, deletion, and traversal operations on a dictionary. An initial dictionary containing 10 predefined records is already given in the program.
Operations to be Performed:
1. Insertion – Insert a new key-value pair into the dictionary using user input.
2. Update – Update the value of an existing key using user input.
3. Deletion – Delete a specified key from the dictionary using user input.
4. Traversal – Traverse the final dictionary and display all key-value pairs.
Input and Output Format:
1. Read an integer representing the key to be inserted and a string representing its value. Insert this new key-value pair into the dictionary and display the dictionary after insertion.
2. Read an integer representing the key to be updated and a string representing the new value. Update the value of the specified key (only if it exists) and display the dictionary after the update.
3. Read an integer representing the key to be deleted. Delete the specified key from the dictionary (only if it exists) and display the dictionary after deletion.
4. Finally, traverse the dictionary and display all key-value pairs.
The program should also display the original dictionary before performing any operations. Each output should be printed with appropriate messages.
Note:
• All operations must be performed using dictionary methods.
• Perform deletion only if possible; leave the dictionary unchanged.
• Refer to the visible test cases for better understanding and strictly match with the input/outputs.
Sample Test Cases
DictOper...
Submit
Initial dictionary with 10 predefined records
student = {
1: "Amit",
2: "Riya",
3: "Kiran",
4: "Neha",
5: "Arjun",
6: "Pooja",
7: "Rahul",
8: "Sneha",
9: "Vikram",
10: "Anjali"
}
Average time
0.016 s
15.75 ms
Maximum time
0.017 s
17.00 ms
2 out of 2 shown test case(s) passed
2 out of 2 hidden test case(s) passed
Test case 1
16 ms
Debug
Expected output
Actual output
Original Dictionary: {1: 'Amit', 2: 'Riya', 3: 'Kiran', 4: 'Neha', 5: 'Arjun', 6: 'Pooja', 7: 'Rahul', 8: 'Sneha', 9: 'Vikram', 10: 'Anjali'}
11
Suresh
After Insertion: {1: 'Amit', 2: 'Riya', 3: 'Kiran'
Terminal
Test cases
Prev
Reset
Submit
Next


codetantra mitaoe - Search
Course
https://mitaoe.codetantra.com/secure/course.jsp?eucId=698c54860aba96214c8b7d5e#/contents/698c54860aba96214c8b7d62/698c54860aba96214c8b7d64/64ac0cb9b4547106899a...
Chat
CODETANTRA
Home
Learn Anywhere
202501120167@mitaoe.ac.in
Support
Logout
2.2.1. Linear search Technique
03:27
Write a program to check whether the given element is present or not in the array of elements using linear search.
Input format:
• The first line of input contains the array of integers which are separated by space
• The last line of input contains the key element to be searched
Output format:
• If the element is found, print the index. If the element found multiple times, print the starting index
• If the element is not found, print Not found.
Sample Test Case:
Input:
1 2 3 4 3 5 6
3
Output:
2
Sample Test Cases
Explorer
CTP1709...
Submit
Debugger
def linear_search(arr, key):
for index in range(len(arr)):
if arr[index] == key:
return index
return "Not found"
arr = list(map(int, input().split()))
key = int(input())
result = linear_search(arr, key)
print(result)
Average time
0.017 s
16.50 ms
Maximum time
0.018 s
18.00 ms
2 out of 2 shown test case(s) passed
2 out of 2 hidden test case(s) passed
Test case 1
16 ms
Debug
Expected output
Actual output
1 2 3 4 3 5 6
3
2
Test case 2
16 ms
Terminal
Test cases
Prev
Reset
Submit
Next


codetantra mitaoe - Search
Course
https://mitaoe.codetantra.com/secure/course.jsp?eucId=698c54860aba96214c8b7d5e#/contents/698c54860aba96214c8b7d62/698c54860aba96214c8b7d64/6774d0abf4ab787eca9d9...
Chat
CODETANTRA
Home
Learn Anywhere
202501120167@mitaoe.ac.in
Support
Logout
2.2.2. Captain of the Team
01:45
You are provided with the heights of 11 cricket players (in centimeters). Your task is to identify the tallest player, who will be selected as the captain of the team.
Input Format:
The first line of input will contain 11 integers, each representing the height of a player (in centimeters), each separated by a space.
Output Format
The output should be the height (in centimeters) of the tallest player.
Sample Test Cases
Explorer
captainof...
Submit
Debugger
# Taking input of 11 integers separated by space
heights = list(map(int, input().split()))
# Finding the maximum height
captain_height = max(heights)
# Printing the height of the tallest player
print(captain_height)
Average time
0.004 s
3.67 ms
Maximum time
0.004 s
4.00 ms
1 out of 1 shown test case(s) passed
2 out of 2 hidden test case(s) passed
Test case 1
3 ms
Debug
Expected output
Actual output
171 169 185 156 174 191 186 190 187 172 160
191
Terminal
Test cases
Prev
Reset
Submit
Next