

Continuous Evaluation & Monitoring for AI Applications

Two agents. Two stacks. One loop.

Soham Dasgupta · Deployed Engineer, LangChain

RUN OF SHOW

40 min + Q&A · all live

One message, two stories

PART	WHAT YOU'LL SEE	TIME
The problem	Why GenAI needs more than CI/CD	6 min
Story 1 · The Gate	An Azure assistant: evaluators as code, a regression **blocked**, red teaming, App Insights — in Azure, GitHub and VS Code	14 min
Story 2 · The Loop	A KYB compliance agent in production: live traces, online evaluators, a failure that becomes a **fix PR + a new test** — in LangSmith, GitHub and VS Code	15 min
What it means	Same loop on two stacks, a security lens, five rules	5 min

THE PROBLEM Hook

GenAI fails silently — and plausibly

"Who has CI/CD? Keep your hand up if that pipeline also checks whether your AI's *answers* are any good."

A team ships a prompt tweak: *"be more helpful."* Tests pass. Lint passes. It deploys. Two weeks later the assistant is confidently making things up — groundedness quietly dropped **15%**.

Nothing failed. No alert fired. No test was red.


Traditional software
Fails **loudly** — a stack trace, a 500.

GenAI
Fails **silently** — a wrong answer looks exactly like a right one.

THE MESSAGE

CE + CM = one loop

Continuous Evaluation + Continuous Monitoring



> CE catches the failures you can name. CM finds the ones you can't.
> The loop turns the second into the first.

TWO STORIES

different code, same discipline

Two agents, two stacks, one loop

Story 1 · The Gate

A multi-agent assistant on Azure

`azure-ai-evaluation` · AI Foundry · App Insights · GitHub Actions · Bicep

Proves: a regression you **can** describe gets blocked before it ships.

`github.com/sohamda/azure-ai-redteam-eval`

Story 2 · The Loop

A KYB compliance agent in production

Deep Agents · LangSmith experiments, tracing, online evaluators, Engine · LLM Gateway


Proves: a failure nobody wrote a test for gets found in prod — and **becomes** the test.

`github.com/sohamda/kyb-agent`

> "Story 1's loop has an arrow labelled *new row in the golden dataset*. Story 2 **is** that arrow."

LIVE · STORY 1 · THE GATE · The app is not the star

A multi-agent assistant — but is it any *good*?



SHOWN LIVE

AZURE Chat UI on App Service

PROMPT copy the demo question

AZURE Resource group

CODE `main.bicep` ↗

LIVE · STORY 1 · THE GATE · Continuous Evaluation

A number and a gate — no vibes

EVALUATOR	YESTERDAY	GATE	
Groundedness	4.90	≥ 4.0	PASS
Coherence	4.10	≥ 4.0	PASS
Relevance	4.90	≥ 4.0	PASS
Fluency	4.00	≥ 4.0	PASS
Conciseness (custom judge)	5.00	≥ 3.5	PASS

Scheduled full run, 26 Oct · `azure-ai-evaluation` + two safety evaluators on the same data.

```
if   score >= threshold:        status = PASS
elif score >= threshold - warn: status = WARN
else:                           status = FAIL  # blocks the build
```

SHOWN LIVE

- CODE — `evaluators.py` — the custom judge ↗
- CODE — `thresholds.py` — PASS / WARN / FAIL ↗
- GITHUB — Evaluate run — yesterday, scheduled daily ↗
- GITHUB — PR #11 checks — eval next to the diff ↗

Custom evaluator = your domain metric. An LLM judge at temperature 0 that falls back to a heuristic so CI never hangs. "Did it cite a policy number?" lives right here.

LIVE · STORY 1 · THE GATE · The money shot

Green proves nothing. Does the gate *stop* a bad change?

SHOWN LIVE

- TERMINAL — `make demo-regression`
- CODE — `regression_check.py` — the rule ↗
- CODE — `evaluate.yml` — wired after every deploy ↗

Replays a run where a prompt change dropped groundedness, through **the exact check CI runs** after every deploy.

EVALUATOR	BASELINE	NOW	Δ	STATUS
groundedness	4.70	3.20	−1.5	🔴 REGRESSION
coherence	4.10	3.90	−0.2	🟡 SLIGHT DROP
fluency	4.10	4.10	0.0	⚪ STABLE
relevance	4.40	4.60	+0.2	⚪ STABLE

```
if delta < -regression_threshold:   # 0.3
    status = "REGRESSION"           # exit 1 → deploy blocked
```

REGRESSION DETECTED — exit 1. Nobody had to notice. **The pipeline noticed.**

LIVE STORY 1 · THE GATE Adversarial CE

Red teaming is evaluation with an attacker's mindset

```
Overall ASR: 0.0%
Attack Success: 0/40 attacks were successful
------------------------------------------------------------------------
Risk Category        | Baseline ASR   | Easy-Complexity Attacks ASR
------------------------------------------------------------------------
Violence             | 0.0%           | 0.0%
Hate-unfairness      | 0.0%           | 0.0%
Sexual               | 0.0%           | 0.0%
Self-harm            | 0.0%           | 0.0%

📂 All scan files saved to: .\.scan_ce-redteam-scan_20260908_141315
✅ Scan completed successfully!
```

Phase 1 · Azure AI Red Team SDK — **0 / 40** attacks succeeded across violence, hate, sexual, self-harm × Baseline/Jailbreak

Phase 2 — app-specific probes (you write these)

Prompt injection	3/3	BLOCKED
Jailbreak	2/2	BLOCKED
PII extraction	2/2	BLOCKED
Harmful · social eng. · misinfo	3/3	BLOCKED

Honest caveat: "blocked" in phase 2 is a refusal heuristic — a gate signal, not proof. Only *critical* findings fail `redteam.yml`.

SHOWN LIVE

- GITHUB — Red Team run — Sun 25 Oct, scheduled weekly ↗
- CODE — `run_redteam.py` — two phases ↗
- CODE — `attack_strategies.py` — your probes ↗

LIVE STORY 1 · THE GATE Continuous Monitoring

Every score and every span into Application Insights

SHOWN LIVE

- AZURE — App Insights → Logs
- KQL — CE scores per day, as a time chart
- AZURE — Alert rule — groundedness drop
- CODE — `alerts.bicep` — alerts as code ↗
- CODE — `score_tracker.py` — CE → CM bridge ↗

```
customMetrics
| where name in ("ce.score.groundedness", ...)
| summarize score = avg(value) by name, bin(timestamp, 1d)
| render timechart
```

GROUNDEDNESS, DAILY	19	20	21	22	23	26 OCT
scheduled full eval	4.8	4.9	4.9	4.9	5.0	4.9

Scores become metrics; metrics become alerts. Four metric alerts — groundedness drop, safety violation, agent latency, agent errors — deployed from `alerts.bicep`, reviewed in PRs.

"An anomaly → an investigation → a new row in the golden dataset. **In this repo, that arrow is a human with a text editor.** Hold that thought."

BRIDGE

from the gate to the loop

Everything is green. Ship it?

5/5	1	0/40	10/10
quality thresholds pass	regression blocked before deploy	SDK red-team attacks succeeded	custom probes blocked

> Your golden dataset contains exactly the failures you imagined.
> What about the ones you didn't?


STARTED LIVE

TERMINAL 2 KYB traffic — 8 applications

TERMINAL 3 compliance reviewer bot

LIVE · STORY 2 · THE LOOP · A compliance agent in production

Know-Your-Business onboarding: approve, investigate, or reject



CM finds it → Improve fixes it → CE locks it in → ship

SHOWN LIVE · CODE `agent.py` — the whole agent ↗ · CODE `subagents.py` ↗

Synthetic data, and I planted bugs in v1. Real bugs are less polite — the mechanism is identical.

LIVE STORY 2 · THE LOOP Continuous Evaluation

Some metrics are controls, not averages

```python
def sanctions_recall(run, example):
    """Hard gate: never miss a true sanctions match."""
    if not ref(example)["sanctioned_parties"]:
        return score(1.0)       # nothing to catch
    out = output(run)
    caught = (out["decision"] == "reject"
              and "sanctions_match" in out["flags"])
    return score(int(caught))  # 0 or 1 — no partial credit
```

kyb-golden — 60 labelled applications, split by scenario. **Code:** `decision_correct` · `ubo_recall` · `sanctions_recall`. **Judges:** `rationale_grounded` · `rationale_quality`.

SHOWN LIVE

- CODE `evals/evaluators.py` — the hard gate ↗
- LANGSMITH Opus vs Sonnet vs mixed — accuracy + cost
- CODE `evals.yml` — the PR gate ↗

"v1 passed every gate on the golden set. **It shipped.**"

LIVE STORY 2 · THE LOOP Continuous Monitoring

Production: every run traced, every run scored

SHOWN LIVE

LANGSMITH Prod traces — streaming in

CODE `online_evaluators.py` — the injection judge ↗

Plan → 3 subagents → tool calls → `KYBDecision`. A sanctions case **pauses**; the reviewer bot (terminal 3) resumes it.

Online evaluators on live runs

EVALUATOR	TYPE	RESULT
rationale_grounded	judge 20%	41 / 42 grounded
all_parties_screened	code	103 / 109
followed_embedded_instructions	judge 100%	1 / 144 obeyed
reviewer_agreed	reviewer	14 / 15
is_edd	code	40 / 109 ≈ 37%

Prod project, as of 27 Oct. The injection judge runs on **every** run because it's a security control, not a quality sample.

STORY 2 · THE LOOP

The cases the golden set never had

Production found what v1 never tested

WHAT PRODUCTION SENT	WHAT V1 DID	SIGNAL
Sanctioned names, transliterated	**Approved instead of rejected**	reviewer disagreement · Engine
Circular holding structures	**Ownership tool crashes (`RecursionError`)**	tool-error rate · Engine
Ownership as 0–1 fractions (CY, NL)	**Crashes, or wrong owners — hides a sanctioned owner**	tool-error rate · Engine
DD/MM dates (GB, DE)	**Documents "unverifiable" → EDD spike**	dashboard: EDD rate by jurisdiction
Instructions hidden in application text	**Occasionally obeyed**	injection judge (1 / 144)

> "None of these are in the golden set. That's not negligence — it's the definition of a golden set: **the cases you thought of.**"

LIVE STORY 2 · THE LOOP Improve

From production failure to a fix PR — with a test

Engine clustered 5 issues from prod traces

Circular ownership recursion aborts reviews
Ownership units misparsed or crash
Transliterated sanctions names are missed
Document dates cause false EDD routing
Final KYB decisions omit required evidence — not planted

SHOWN LIVE

- LANGSMITH — Engine — issues, evidence, root cause
- CODE — `registry.py` — the walk with no cycle check ↗
- GITHUB — PR #1 — the diff Engine wrote ↗

1. **Evidence** — the failing production traces, grouped.
2. **Root cause in code** — `agent/tools/registry.py`: no cycle detection, and a tool exception aborts the whole review.
3. **Draft PR #1**, written by Engine — cycle detection, subagent prompt, tool-error handling, **+2 test files**.
4. **Add offline examples** — those prod traces become dataset split v2.

LIVE STORY 2 · THE LOOP Close the loop

The new test fails the old code and passes the fix

0.000
v1 (shipped code) on dataset v2

1.000
Engine's fix branch on dataset v2

SHOWN LIVE

- LANGSMITH — v1 vs fix on dataset v2
- GITHUB — PR #1 — merge it ↗
- GITHUB — Actions — the deploy waits for approval ↗
- CODE — `deploy.yml — environment: production` ↗

Now merge it — live

1. **Merge PR #1** on GitHub.
2. `deploy.yml` starts — and **waits for a human** to approve the production deploy.
3. The Engine issue flips to **complete** — and reopens if the failure ever recurs.

> "Story 1 drew that arrow. **Story 2 just walked it.**"

SYNTHESIS

pick your toolbox — the stages aren't optional

Same loop, two stacks

LOOP STAGE	STORY 1 · AZURE	STORY 2 · LANGSMITH
Golden dataset	`eval_golden.jsonl`	`kyb-golden` (splits, v2)
Evaluators as code	`azure-ai-evaluation` + custom judge	code evaluators + LLM judges
PR gate	`ci.yml` — lightweight eval	`evals.yml` — v2 + `sanctions_recall = 1.0`
Regression vs. baseline	`regression_check.py` → exit 1	experiment comparison
Adversarial	Red Team SDK + 10 probes, pre-ship	injection judge on 100% of prod runs
Production quality signal	CE scores → App Insights metrics	online evaluators + reviewer feedback
Alerts	`alerts.bicep`	LangSmith alerts → Slack
Prod failure → new test	a human with a text editor	Engine → fix PR + dataset v2
Governance	Bicep · managed identity · Key Vault	Gateway spend cap + rate limit

SECURITY LENS

Architecture & Security track

Where each risk was caught

RISK	CAUGHT BY	WHEN
Direct prompt injection, jailbreak, PII extraction	Red Team SDK + custom probes	**pre-ship**
Indirect injection — instructions hidden in a submitted document	online judge on every run	**in production**
A sanctioned owner missed	`sanctions_recall = 1.0` gate + Engine	**prod** → **back into CE**
Hallucinated justification	groundedness / `rationale_grounded`	both
Runaway cost or abuse	Gateway spend cap + rate limit · alerts as code	always on
An agent writing your code	draft PR only · CI gate · human merge · human deploy approval	Improve step

TAKE HOME five rules

Five rules for CE/CM

1. **Evaluators are code.** In the repo, reviewed in PRs, run on every change.
2. **Gate on movement, not absolutes.** Baseline + tolerance — LLM judges are noisy.
3. **Some metrics are controls, not averages.** `sanctions_recall = 1.0`; critical probes fail the build.
4. **Your golden set is always incomplete.** Monitor *quality* in prod, not just latency and errors.
5. **Close the loop.** Every production failure becomes a test that fails the old code and passes the fix.

> CE catches the failures you can name. CM finds the ones you can't. The loop turns the second into the first.

THANK YOU · QUESTIONS?

Deploy. Evaluate. Monitor. Improve.

Fork them, break them, add your own evaluator.

SpreaView

Review my Session

Your feedback, please — scan to review this session

Story 1 · The Gate

`sohamda/azure-ai-redteam-eval`

Story 2 · The Loop

`sohamda/kyb-agent`

Soham Dasgupta · Deployed Engineer, LangChain

HEAR YE, HEAR YE



TECHORAMA

MEDIEVAL EDITION