

SENTRY

An API lifecycle security platform for banking estates

August 2026

Repository — <https://github.com/sohamkamat28/sentry>

Demo — <https://sentry-sage.vercel.app>

The demo serves a frozen capture of a real run. The subject of this report is the system that produced it: a Docker Compose stack of 25 services, a kernel sensor, and a fourteen-stage analysis pipeline. That system needs a privileged Linux host and cannot be hosted on a static site.

Abstract

Banks accumulate APIs faster than they retire them. An endpoint outlives the team that wrote it, drops out of the gateway registry, and keeps serving account numbers to nobody in particular. Nothing in the usual toolchain finds it: a gateway only knows what was registered with it, and a code scanner only knows what is still in a repository.

SENTRY finds those endpoints by watching traffic from inside the Linux kernel, then classifies, scores, and retires them through a workflow that proves what breaks before anything is switched off. It is built on one rule: **no figure is ever invented**. There is no seeding script. Every number in this report was produced by a sensor reading or by an engine computing over sensor output, in a single measured run whose raw output is committed alongside this document.

In that run the system discovered **48 endpoints** across twelve TLS banking services, of which **33 appear in no gateway and no code repository**, and classified every one with a replayable decision trace. All **14 pipeline stages** completed in **101 seconds** over **263,765 records**.

1 • Problem and approach

An API estate decays in two independent ways, and most tooling conflates them.

The first is **lifecycle**: is anyone still calling this? An endpoint nobody has called in months is not harmless — it is unmonitored, unpatched, and still reachable. The second is **governance**: does anyone own this? An endpoint can be under heavy load and still have no team that would be paged if it leaked.

These axes are independent, and the interesting failures live where they cross. An API that is both silent and unowned is one nobody will notice, nobody will fix, and nobody will miss until it appears in a breach report.

Finding them requires seeing traffic that no registry describes. SENTRY attaches uprobes to the TLS library functions every service already calls, reads request and response metadata at the moment the plaintext exists in memory, and builds its inventory from what it observes rather than from what it was told. A registry can only report what was registered with it; a kernel probe reports what actually happened.

The constraint that shaped everything


Nothing in this system invents an endpoint, a call count, or a risk input.

That rule is easy to state and expensive to keep. It means the reference estate had to be real services speaking real TLS, not fixtures. It means an endpoint the system cannot see has to be absent rather than assumed. It means a degraded sensor must produce *fewer* rows, never plausible ones — and that a count of zero and a failure to read must be visibly different on screen, because a blind estate and a quiet estate look identical otherwise.

Its sharpest expression is the endpoint `GET /internal/fx/rate`. It runs in the estate, it is in no gateway and in no scanned repository, and the traffic driver never calls it — it is reached only when two other services call it internally. It appears in the results below because a kernel probe watched those calls happen. The blind-spot claim is therefore a measurement rather than an assertion.

On the repository's two halves. `design/` holds an earlier specification for a system called SENTINEL, together with a Next.js prototype that ran on synthetic data. `sentry/` is the implementation described here: built from those specifications, against a live estate, with nothing synthetic in it. Where the two disagree, this document follows the running code.

2 · System architecture



Three planes, separated so that discovery cannot cheat.

The **reference estate** is its own Compose project. It shares no volume and no database credential with the platform, so the only way SENTRY learns anything about it is by observing it. Twelve services speak TLS on `:8443` through Python's `ssl` module — which is OpenSSL, which is precisely what makes the sensor's uprobes fire. Eleven are REST and publish OpenAPI; one is SOAP and publishes a WSDL.

The **sensing plane** is the eBPF agent and the ingest service, both in Go. The agent is the single privileged container in the deployment: `pid: host`, `cgroup: host`, and the BPF filesystem mounted. Everything else runs unprivileged.

The **control plane** is Python. A FastAPI service exposes 53 REST paths, every one declaring a response schema, from which the console's TypeScript types are generated rather than hand-written. A Celery worker runs the fourteen stages on a schedule, with a Redis lock guaranteeing exactly one cycle at a time.


Why the language split. Go sits on the hot path because the agent decodes a ring buffer and the ingest service writes batches under load, and neither can afford a garbage collector pause or a GIL. Python sits on the analysis path because that is where scikit-learn, networkx, datasketch and tree-sitter live, and a fourteen-stage pipeline that runs every six virtual hours is not latency-bound.

The virtual clock. Lifecycle rules are written in days — an endpoint is dormant after 30, a zombie after 90. Waiting 90 real days to test a 90-day rule is not a test. A single `vclock` row defines a scale factor, all analysis reads time through it, and one virtual day elapses in 30 seconds. Only the clock is accelerated; the traffic and the analysis are real.

COMPONENT	LANGUAGE	RESPONSIBILITY
agent	Go + C (eBPF)	uprobes on OpenSSL; classifies data classes in kernel
ingest	Go	observation intake, batching, backpressure
api	Python / FastAPI	53 REST paths, RBAC, hash-chained audit ledger
worker	Python / Celery	the fourteen stages, collectors, actuators, the Judge
core	Python	30-table domain model, virtual clock, config
console	TypeScript / React	14 operator surfaces, types generated from the API
honeypot	Go	serves retired routes as instrumented traps
estate	Python	12 TLS banking services and a traffic driver

Roughly 46,000 lines, of which about 7,800 are tests.

3 · The kernel sensor



The agent attaches uprobes to `SSL_write` and `SSL_read` and their `_ex` forms, plus Go's `crypto/tls` entry points — eleven programs against nine maps. At the moment those functions are called the plaintext is in a buffer, before encryption on the way out and after decryption on the way in. The watched process is unmodified: no sidcar, no library shim, no code change.

The `_ex` forms are load-bearing. CPython links against `SSL_write_ex` and `SSL_read_ex` and nothing else. Without those four programs an estate of Python services produces no capture whatsoever — a failure the classic probes cannot reveal, because they attach cleanly and simply never fire.

Privacy as control flow

The response body is scanned in kernel for data classes — PAN, Aadhaar, IFSC, account number, card, CVV, date of birth — and then discarded in place. What leaves the kernel is the *class mask* and the JSON *key names*; the values do not. A name is schema: `accountNumber` describes the shape of a response and carries none of the account number.

The guarantee is structural rather than promissory. When the parser encounters a token that resolves to a value, it rewinds out of the buffer before the next byte is read. There is no execution path on which a value is still in scope when the next token begins. An audit over every stored field name found **zero** identifier-shaped strings.

The verifier

The in-kernel classifier was the hardest part of the build, and the difficulty was not the algorithm.

A rolled 256-iteration loop with branches in its body compiled to **625 instructions**. The BPF verifier walks every path rather than every instruction, and it processed **1,000,001** of them before rejecting the program at its limit of 1,000,000. Worse, the outcome was toolchain-dependent: clang 22 produced an object this kernel accepted, and clang 19, from identical source, produced one it rejected at exactly the same ceiling.

Three changes fixed it. `bpf_loop` moved iteration into a helper the verifier does not have to unroll — and the classifier and the field extractor were given *separate* loops, because two loops are two budgets. Every load and store was clamped and masked, so bounds became a property the verifier could read directly. A

compiler barrier was inserted where a clamp alone was insufficient, because the compiler kept a pre-clamp copy in another register and the verifier still saw an unbounded scalar.

The result is a program whose acceptance is a property of the program rather than of the toolchain that happened to build it.

What the sensor did in this run

The agent resolved BTF, loaded all eleven programs, and attached to the estate's OpenSSL. During the measured window it reported:


```
filter    captured 4159  emitted 2772  ringbuf_lost 0
          dropped_cgroup 0  dropped_port 0  dropped_discarder 0
shipping  sent 1470  body_merged 2665  queue_dropped 0  callers_named 5
```

Zero ring-buffer loss and zero queue drops. Attach failures against one unrelated container are logged every reconcile pass rather than suppressed — the agent is noisy about what it could not instrument, which is the correct behaviour for a component whose silence would otherwise be indistinguishable from success.

4 · The fourteen-stage pipeline

THE 14-STAGE PIPELINE — the dependency graph, from STAGE_DEPS

Top to bottom is dependency depth; an arrow points from a stage to one that needs it.
Only the 16 edges that constrain ordering are drawn. Six of the 22 declared are implied by a longer path — 10 needs 6, but $6 \rightarrow 8 \rightarrow 10$ already says so — and are left out.



Execution order is a topological sort tie-broken by stage number, so a run is reproducible.
A stage that raises is recorded and skipped with its dependants; the cycle reports partial.
03 precedes 02 and 05 precedes 06, correcting the specification this was built from.

Stages declare their dependencies as data. The graph is validated at import time, execution order is a topological sort tie-broken by stage number for determinism, and a stage that raises is recorded and skipped — its dependants are skipped with a stated reason, and the cycle completes and reports partial rather than aborting.

Two orderings are deliberate corrections of the specification they were built from. **Stage 03 runs before 02**, because the daily rollup aggregates by endpoint and endpoint identity is what correlation produces. **Stage 05 runs before 06**, because the CDRI formula consumes a behavioural anomaly term; the reverse would have a stage read an input from its own future. One write-back is declared and legal: stage 07 writes `pre_zombie` onto the stage-04 record. It is not an edge in the graph — 04 does not depend on 07 — so it constrains nothing, which is why the figure draws it apart from the dependencies.

Scoring. CDRI is a weighted composite of six terms — missing authentication (0.28), zombie status (0.22), data exposure (0.20), TLS below 1.3 (0.15), no rate limiting (0.08), behavioural anomaly (0.07). The console renders the terms and their contributions beside the total, because a score an operator is asked to act on has to be decomposable or it is only an assertion.

The Judge. Nothing reaches the gateway on the strength of a proposal. Stage 10 generates a candidate Kong plugin configuration, then replays the endpoint's own captured traffic through a shadow pair on the live gateway and measures schema conformance, error rate, exposure and latency. A control is applied only if it passes, and **APPLIED** is set only when Kong returns a plugin id. Where the service answers a bodyless request with a fault, request bodies are synthesised from the endpoint's own OpenAPI or WSDL contract so the replay is meaningful.

5 • Results measured from a real run

Everything in this section comes from one frozen capture, `report/evidence/00-bundle.json`, taken at **2026-08-09T09:39:58Z**. The tables below are generated from that file; no figure is transcribed by hand.

5.1 What was discovered

Four collectors run independently and disagree on purpose.

SOURCE	ENDPOINTS	EXCLUSIVE TO IT	HEALTHY
eBPF kernel probe	44	28	yes
Kong gateway registry	15	3	yes
Code repositories	6	0	yes
Legacy WSDL + registry	5	1	yes
Sightings	70		

Seventy sightings correlate to **48 distinct endpoints** — a dedup ratio of **1.458**. The kernel probe is the *only* source for **28 of them**. That number is the product: it is what a gateway registry and a code scan, together, cannot see.

5.2 Lifecycle and governance

LIFECYCLE x GOVERNANCE — the two axes, measured

All 48 endpoints carry a CONFIRMED verdict on both axes. The axes are independent: an actively-used API can still have no owner.

	OWNED	ORPHANED	SHADOW
ACTIVE	4	9	29
DEPRECATED	1	.	.
DORMANT	.	.	.
ZOMBIE	.	1	4

Total 48 — the matrix sums to the estate.

Shaded cells carry a lifecycle or a governance failure; the bordered cell carries both:

4 endpoints nobody calls, that no gateway and no repository knows about, still switched on and reachable.

Measured 2026-08-09T09:39:58+00:00.

All 48 endpoints carry a **CONFIRMED** verdict on both axes, meaning each had enough observed history for the confidence ramp to permit a decision. **33 are SHADOW** — in no gateway and in no repository. Ten are ORPHANED: registered, but with no resolvable owner. Five are OWNED.

Each verdict carries a replayable trace of the five questions asked, the answer, and the column the answer came from. The screenshot in §5.5 shows one.

5.3 Pipeline execution

#	STAGE	DEPENDS ON	RECORDS	MS
1	Sensor Grid	—	24	274
2	Baseline	1, 3	263,265	78,541
3	Correlation	1	43	912
4	Classification	2, 3	44	125
5	Behaviour	4	44	3,070
6	CDRI	5	44	31
7	Forecast	4	41	2,812
8	Findings	6, 7, 9	44	284
9	Blast Radius	3	48	20
10	Remediation	6, 8, 9	0	643
11	Decommission	4, 9	0	3,944
12	Threat	3, 11	0	10,629
13	Zero-Trust	6, 10	44	47
14	Operations	6	124	101
Total			263,765	101,433

Run 3132, scheduled, all fourteen stages `ok`. Wall clock was 101,468 ms against 101,433 ms of summed stage time — a 35 ms difference, so execution is effectively serial. Stage 02 is 77% of the runtime and 99.8% of the records: the daily rollup over the observation table dominates, and it is the obvious first target if this ever needed to be faster.

5.4 Posture and evidence

Zero-trust. Across the 44 live endpoints, controls held: 11 endpoints hold none of the five, 23 hold one, 2 hold two, 5 hold three, 3 hold four, and none hold all five. The largest gaps are token binding (44), rate limiting (39) and authentication (38).

Behaviour. The isolation forest fitted on 44 endpoints against a 30-endpoint minimum, scored 48, and flagged 3.

Findings. 48 generated findings carrying **259 regulatory clause rows** across five frameworks, each citing the specific clause and the evidence for it.

The audit ledger. 754 entries, hash-chained, verified intact with no break point. Every operator action that changes state is in it, attributed to an email rather than a UUID.

Three proofs were run against the live infrastructure:


WORM immutability. The archive written at retirement is stored under S3 Object Lock in COMPLIANCE mode. Asking the system to verify its own archive:

```
{ "object": "s3://sentry-worm/decommission/ep_8f29b4446fd86166/44710.json.gz",  
  "lock_mode": "COMPLIANCE", "retain_until": "2033-08-02T17:57:28Z",  
  "verified": true, "delete_refused_with": "InvalidRequest",  
  "detail": "Object is WORM protected and cannot be overwritten" }
```


The shadow endpoint. `GET /internal/fx/rate` — `ACTIVE × SHADOW`, CDRI 0.71, `auth = none`. Found by the kernel probe alone.

The role boundary. `POST /operations/scan` as `viewer` returns **403**; as `analyst` and `approver` it returns **409 CYCLE_IN_PROGRESS** — past authorization, refused by the Redis lock. The two failures are different for the right reasons, and the 409 is itself the serialisation guarantee.


5.5 The console



The landing surface, reading live from the control plane. The header shows the virtual day, the capture counter incrementing, and a scan in flight at stage 9 of 14.



One endpoint, fully decomposed: the six weighted CDRI terms and their contributions, the five classification questions with the column each answer came from, the blast radius, and an ownership record that resolved to nobody and escalated.



Control posture across the estate — five controls per endpoint, held or missing, with the estate-wide gap count in each column header.

5.6 Tests

SUITE	RUNNER	RESULT
api/tests + worker/tests	pytest	428 passed
estate/driver	pytest	8 passed
agent , ingest , honeypot	go test	9 packages, all ok
console	vitest	38 passed

The Python figure is what `pytest` collects under the configured test paths; it supersedes the 393 and 425 quoted in earlier documents, both of which had gone stale. A regression suite pins previously-found defects so they cannot return.

6 · Engineering decisions and trade-offs

Kong in database-backed mode, not declarative. Declarative mode is the more fashionable choice and it makes the Admin API read-only — `POST /services` returns 405. Stage 10's entire mechanism is Admin API writes. The YAML remains the registry of record and is *imported* at bootstrap rather than mounted.

MinIO Object Lock enabled at bucket creation. Object Lock cannot be turned on for an existing bucket. Getting this wrong means retirement archives to deletable storage and nobody discovers it until the first audit. The bucket is created `--with-lock` in a bootstrap job, and the worker fails its readiness check rather than finding out at the first retirement.

Deseasonalise before fitting the trend. Holt's method applied to raw call volume fitted the weekend dip as a downward trend and flagged **51 of 86** active endpoints as heading for zombie status. Deseasonalising over one weekly period first fixed it. The traffic driver now carries an explicit regression guard: a service that grows while dipping at weekends, so a forecast that stops deseasonalising fails a test rather than a demo.

Two-hop cap on blast radius. Unbounded graph traversal rated **108 of 125** endpoints CRITICAL, which is the same as rating none of them.

tree-sitter instead of line matching for the code collector. A line-wise matcher missed `router.HandleFunc(` with its path on the next line, and read `"POST /api/v1/transfer"` twice — once correctly and once as a GET on a path beginning `/POST`, inventing an endpoint that does not exist. That matters more than it sounds: a route the collector cannot see is a route absent from the `code` source, and absent from both code and gateway is the definition of SHADOW.

A deliberate over-capture, kept in the record. The sensor's approved-port list originally included 443. The worker pulled Python dependencies over TLS during build, and the agent dutifully registered **277 endpoints on `files.pythonhosted.org`** as bank APIs. The fix was to narrow the port list; the lesson is in the repository rather than edited out of it.

7 • Limitations

Stated plainly, because a system that only reports its successes is not measuring anything.

No load testing at production volume. The pipeline has been run repeatedly against a 48-endpoint estate. Nothing here establishes how it behaves at ten thousand endpoints, and the stage-02 rollout is the obvious first thing to break.

No precision or recall figures. The estate contains a known shadow endpoint and a known zombie, and the system finds both. That is a demonstration, not an evaluation: there is no labelled ground truth, no baseline to compare against, and no false-positive rate for shadow detection on an estate we did not build.

The resurrection result is a single case. Behavioural re-identification scored 0.882 against a 0.85 threshold with the nearest unrelated endpoint at 0.591; with field shingles stripped it scores 0.800 and misses. That is one pair, `n = 1`. It justifies the feature choice; it does not establish a detection rate.

No per-endpoint latency was measured. The schema carries `p95_latency_us` and it is NULL for all 48 endpoints in this run. The ingest path deliberately stores NULL rather than 0 for an unmeasured value, so the absence is honest — but it is an absence.

One latency figure exists and should not be read as steady state. The oauth2 control was measured at 41.8 ms against a 10 ms budget. That was a single request against a cold Kong route with router warm-up not separated out.

Sensor coverage is host-dependent. The agent captured cleanly here on Docker Desktop's LinuxKit kernel, but it could not attach to one container whose libssl the uprobe could not open, and it logs that failure every reconcile pass. On a host without BTf the agent refuses to start rather than running blind.

Two of the five zero-trust controls cannot be judged in this deployment. `mtls` needs client certificates and `dpop` needs a DPoP-capable caller, and this estate provides neither. The Judge rejects both — correctly, but for a reason about the harness rather than about the control. Only three of the five have been measured

end to end.

Change requests are stubs. The ServiceNow client has never run against a live instance; every change request raised so far carries `stub = true`. The approval workflow is modelled, not integrated.

The pre-merge gate abstains more often than it fires. It compares a pull request's route declaration against the *declarable* projection of a retired endpoint's fingerprint — method, response fields, data classes. A handler that delegates its body to a shared helper the diff does not touch reveals none of that, and the check abstains rather than passing quietly. Stage 12's runtime detection is what covers that case, after the fact.

The gRPC contract is declared but not wired. `contracts/` defines a protobuf observation message; the live wire format between agent and ingest is JSON over HTTP. Reviewed and declined rather than left open: the agent and the ingest receiver agree, nothing here is throughput-bound, and the change would put the one path that cannot be re-run — live kernel capture — through a rewrite of both ends. The proto remains the schema of record and the migration path.

One collector diverges from its specification. The design names `zeep` for reading WSDL. `zeep` is a SOAP *client*; extracting operations from a contract needs an XML parser, and the standard library's `ElementTree` is exact for it and adds no dependency. The collector never calls a SOAP service, so the rest of `zeep` would be unused.

8 • Running it

```
git clone https://github.com/sohamkamat28/sentry && cd sentry/sentry
docker network create sentry-net
docker compose -f deploy/compose/compose.yaml up -d
docker compose -f estate/compose.yaml up -d
```

The console is on <http://localhost:5173>, the control plane on <http://localhost:8080>. The first scan cycle begins on the scheduler's next tick; `POST /api/v1/operations/scan` forces one. Everything that does not need Docker runs with `make verify`, which needs Go and an LLVM with a `bpf` target.

The eBPF agent needs a Linux host with BTF. On macOS it runs under Docker Desktop's LinuxKit kernel, with the caveat noted in §7.

All figures in §5 derive from `report/evidence/00-bundle.json`, captured 2026-08-09T09:39:58Z, alongside the transcripts in the same directory.