

Write a Python program that accepts the number of courses and the marks of a student in those courses.

The grade is determined based on the aggregate percentage:

- If the aggregate percentage is greater than 75, the grade is Distinction.
- If the aggregate percentage is greater than or equal to 60 but less than 75, the grade is First Division.
- If the aggregate percentage is greater than or equal to 50 but less than 60, the grade is Second Division.
- If the aggregate percentage is greater than or equal to 40 but less than 50, the grade is Third Division.

Input Format:

- The first input will be an integer n , the number of courses.
- The second input will be n integers representing the marks of the student in each of the n courses, separated by a space.

Output Format:

If the student passes all courses:

- Print the aggregate percentage (formatted to two decimal places).
- Print the grade based on the aggregate percentage.

If the student fails any course (marks < 40 in any course), print:

- "Fail".

Note:

- Aggregate Percentage: Average performance across all courses, calculated by summing all marks and dividing by the number of courses.

Sample Test Cases

+

passorFail....



Submit

Explorer

```
1 n = int(input())
2 # Read the marks as a list of
  integers
3 marks = list(map(int,
  input().split()))
4 if any(m < 40 for m in marks):
5     print("Fail")
6 else:
7     aggregate_percentage =
      sum(marks) / n
8
9     if aggregate_percentage > 75:
10         grade = "Distinction"
11     elif 60 <= aggregate_percentage
      < 75:
12         grade = "First Division"
13     elif 50 <= aggregate_percentage
      < 60:
14         grade = "Second Division"
15     elif 40 <= aggregate_percentage
      < 50:
16         grade = "Third Division"
17
18     print(f"Aggregate Percentage:
      {aggregate_percentage:.2f}")
19     print(f"Grade: {grade}")
```

Debugger

1.2.2. Fibonacci Series

26:01



Write a Python program that uses recursion to print the first n terms of the Fibonacci series.

Input Format:

- A single integer n representing the number of terms to generate.

Output Format:

- A single line containing the first n terms of the Fibonacci sequence, separated by spaces.

Sample Test Cases



Explorer

fibonacci.py



Submit

Debugger

```
1  # def fibonacci(n):
2  #     if n <= 2:
3  #         return n-1
4  #     else:
5  #         return fibonacci(n-1) +
6  #             fibonacci(n-2)
7  # return fibonacci(n) = int(input())
8  # for i in range(1, n + 1):
9  #     print(fibonacci(i), end=" ")
10
11 v def fibonacci(n):
12     if n <= 2:
13         return n-1
14     else:
15         return fibonacci(n-1) +
16             fibonacci(n-2)
17
18     n = int(input())
19 v for i in range(1, n + 1):
20     print(fibonacci(i), end=" ")
```

Write a Python program to print a pattern of asterisks in the form of a right-angled triangle.

Input Format:

- The input is an integer, representing the number of rows in the pattern.

Output Format

- The output should display the pattern of asterisks (*), with each row containing an increasing number of asterisks.

Note: Refer to the displayed test cases for the sample pattern.

Sample Test Cases

+

Explorer

rightangled...

▶

Submit

Debugger

```
1 n = int(input())
2 for i in range(1, n + 1):
3     print("* " * i)
```

Write a Python program to print a right-angled triangle pattern of numbers.

Input Format:

- The input is an integer, representing the number of rows in the pattern.

Output Format:

- The output should display the pattern of numbers separated by space, with each row containing increasing numbers starting from 1 up to the row number.

Note:

- Refer to the displayed test cases for the sample pattern.

Sample Test Cases

+

Explorer

numberPat...

▶

Submit

Debugger

```
1 n = int(input())
2 for i in range(1, n + 1):
3     for j in range(1, i + 1):
4         print(j, end=" ")
5     print("")
```