

Swagger UI interface for a REST API endpoint.

Endpoint: POST /create (Create Product)

Parameters: No parameters.

Request body: required (multipart/form-data)

Fields:

- name** (string, required): laptop
- category** (string, required): electronics
- our_price** (number, required): 500000
- alert_threshold** (number | (number | null)): 450000
 - ☐ Send empty value
- image** (string | (string | null) (binary)): Choose File (no file selected)
 - ☒ Send empty value

Actions: Execute, Clear

Responses:

Terminal:

```
curl -X 'POST' \
  'http://127.0.0.1:8000/create' \
  -H 'accept: application/json' \
  -H 'Content-Type: multipart/form-data' \
  -F 'name=laptop' \
  -F 'category=electronics' \
  -F 'our_price=500000' \
  -F 'alert_threshold=450000' \
  -F 'image'
```

127.0.0.1

GET / Dashboard

Parameters

No parameters

Execute Clear

Responses

Curl

```
curl -X 'GET' \
  'http://127.0.0.1:8000/' \
  -H 'accept: text/html'
```

Request URL

http://127.0.0.1:8000/

Server response

Code Details

200

Response body

```
<span class="nav-icon"><i class="fas fa-chart-line"></i></span> Dashboard
</a>
<a href="/create" class="nav-link">
<span class="nav-icon"><i class="fas fa-plus-circle"></i></span> Track Product
</a>
<a href="/alerts" class="nav-link" id="nav-alerts">
<span class="nav-icon"><i class="fas fa-bell"></i></span> Price Alerts

<span class="nav-badge" id="alert-badge" style="display:none">0</span>
</a>
</nav>
```

127.0.0.1

POST /signup Signup Post

GET /login Login Page

POST /login Login Post

Parameters

No parameters

Request body **required**

application/x-www-form-urlencoded

email **required**
string shreekant8275@gmail.com

password **required**
string shree@0001

Execute Clear

Responses

Curl

```
curl -X 'POST' \
  'http://127.0.0.1:8000/login' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/x-www-form-urlencoded' \
  -d 'email=shreekant8275x40@gmail.com&password=shree400001'
```

127.0.0.1

Dash... Stun... Sort... Progr... Sort... Progr... GitHub... Email... Dash... Blog... Price... Dash... Buy... Binar... halal... FastAPI - Swagger UI

Curl

```
curl -X 'POST' \
  'http://127.0.0.1:8000/login' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/x-www-form-urlencoded' \
  -d 'email=shreekant8275@gmail.com&password=shreeX400001'
```

Request URL

http://127.0.0.1:8000/login

Server response

Code Details

200

Response body

```
<span class="nav-icon"><i class="fas fa-plus-circle"></i></span> Track Product
</a>
<a href="/alerts" class="nav-link" id="nav-alerts">
  <span class="nav-icon"><i class="fas fa-bell"></i></span> Price Alerts
  <span class="nav-badge" id="alert-badge" style="display:none">0</span>
</a>
</nav>

<div class="sidebar-footer">
  <div class="user-card">
    <div class="user-avatar">S</div>
    <div class="user-info">
      <div class="user-name">shree</div>
      <div class="user-email">shreekant8275@gmail.com</div>
    </div>
    <a href="/logout" class="logout-btn" title="Sign out"><i class="fas fa-sign-out-alt"></i></a>
  </div>
</div>
</aside>

<main class="main-content">
```

Response headers

```
content-length: 23363
content-type: text/html; charset=utf-8
date: Thu, 10 Jun 2026 05:01:06 GMT
server: uvicorn
```

Download

127.0.0.1

Dash... Stun... Sort... Progr... Sort... Progr... GitHub... Email... Dash... Blog... Price... Dash... Buy... Binar... halal... FastAPI - Swagger UI

POST /signup Signup Post

Parameters

No parameters

Request body **required** application/x-www-form-urlencoded

name **required** string test

email **required** string test1@gmail.com

password **required** string 123456

Execute Clear

Responses

Curl

```
curl -X 'POST' \
  'http://127.0.0.1:8000/signup' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/x-www-form-urlencoded' \
  -d 'name=test&email=test1%40gmail.com&password=123456'
```

Request URL

http://127.0.0.1:8000/signup

The screenshot shows a Swagger UI interface with a table of responses. The first response is a 200 status code for the POST /api/users endpoint. The response body is a JSON object representing a user. The response headers are also displayed.

Code	Description	Links
200	Successful Response	No links

Media type: application/json

```

{
  "id": 1,
  "username": "test1",
  "email": "test1@gmail.com",
  "password": "test1"
}
  
```

Response headers:

```

content-length: 22296
content-type: text/html; charset=utf-8
date: Thu, 18 Jun 2026 04:58:30 GMT
server: uvicorn
  
```