Create a multi agent by combining agents

Tuesday, March 10, 2026 6:02 PM

Recap: Add Tools to an LLM

⇒ Chain = PT | LLM | Parser | Search ✓

Chain.invoke( ) ← query → response

.invoke() ← Chain Runnable

Simple agent using a search tool

↓

create_agent

```
@tool
def search_tool( )
'''
    Doc. explain- purpose of tools ✓
'''     param, return. ✓
return search.invoke()
```

query.

```
create_agent('model': groq | gemini
    tools = [search_tool])
    System prompt = " "
```

Chain = PT | agent

Langchain Unified Frame works

chain.invoke( )

Query → response

Groq → Tools calls → o/p

recent

moonshotAi → Kiwi2

Gemini 2.5 → ✗ Tool calls

Agentic Beh

Prompt → LLM → Tools

Interact query

response

Stop → respond

1) Select of Tools ✓

2) order of employ. ✓

response → Tools → respond

Suitable resp user query

→ won't repeat toolcall.

2) order of employ.

System

↓

Job resume Screening System

↓

Candidate resume

Is the resume suitable for given Job description



↓

Decision

Sub agents

A1 ← wikipedia

Resume: Skills

Match → Job → Score (9/10)

wikipedia ← A2 Experience

Match → Job → Score (80/100)

A3. Salary exp.

Match → Curren Sal Market → Score

Resquest tool → http req → website → responds.

@tool

A1 agent call

@tool

A2 agent call

@tool

A3 agent call



↓

Decides → Final Score

Resume ⟷ Job decr

Chain

response = Chain. invoke (query)

StrOutP → parser ⇒ response.[messages][1]. Content.

LLM response

agent → response ✗

@ chain

def transform query):

post prue ( )

pT | agent | transform → string.