



CSV: Antibiotics from WHO Model List of Essential Medicines (2019) with dosage forms/strengths

Below is a clean, comma-separated CSV you can paste into a .csv file. It lists the antibiotics in Section 6.2 of the 2019 WHO Model List of Essential Medicines (21st List), with their AWARe group and the dosage forms/strengths exactly as stated in the source PDFs. ^[1] ^[2]

Drug,AWARe group,Dosage forms and strengths

amikacin,Access,"Injection: 250 mg(as sulfate)/mL in 2-mL vial" ^[1]

amoxicillin,Access,"Powder for oral liquid: 125 mg(as trihydrate)/5 mL; 250 mg(as trihydrate)/5 mL; Solid oral dosage form: 250 mg; 500 mg(as trihydrate); Powder for injection: 250 mg; 500 mg; 1 g(as sodium) in vial" ^[1]

amoxicillin + clavulanic acid,Access,"Oral liquid: 125 mg amoxicillin + 31.25 mg clavulanic acid/5 mL AND 250 mg amoxicillin + 62.5 mg clavulanic acid/5 mL; Tablet: 500 mg(as trihydrate) + 125 mg(as potassium salt); Powder for injection: 500 mg(as sodium) + 100 mg(as potassium salt); 1,000 mg(as sodium) + 200 mg(as potassium salt) in vial" ^[1]

ampicillin,Access,"Powder for injection: 500 mg; 1 g(as sodium salt) in vial" ^[1]

benzathine benzylpenicillin,Access,"Powder for injection: 900 mg benzylpenicillin(=1.2 million IU) in 5-mL vial; 1.44 g benzylpenicillin(=2.4 million IU) in 5-mL vial" ^[1]

benzylpenicillin,Access,"Powder for injection: 600 mg(=1 million IU); 3 g(=5 million IU)(sodium or potassium salt) in vial" ^[1]

cefalexin,Access,"Powder for reconstitution with water: 125 mg/5 mL; 250 mg/5 mL(anhydrous); Solid oral dosage form: 250 mg(as monohydrate)" ^[1]

cefazolin,Access,"Powder for injection: 1 g(as sodium salt) in vial" ^[1]

chloramphenicol,Access,"Capsule: 250 mg; Oily suspension for injection: 0.5 g(as sodium succinate)/mL in 2-mL ampoule; Oral liquid: 150 mg(as palmitate)/5 mL; Powder for injection: 1 g(sodium succinate) in vial" ^[1]

clindamycin,Access,"Capsule: 150 mg(as hydrochloride); Injection: 150 mg(as phosphate)/mL; Oral liquid: 75 mg/5 mL(as palmitate)" ^[1]

cloxacillin,Access,"Capsule: 500 mg; 1 g(as sodium salt); Powder for injection: 500 mg(as sodium salt) in vial; Powder for oral liquid: 125 mg(as sodium salt)/5 mL" ^[1]

doxycycline,Access,"Oral liquid: 25 mg/5 mL; 50 mg/5 mL(anhydrous); Solid oral dosage form: 50 mg; 100 mg(as hyclate); Powder for injection: 100 mg in vial" ^[1]

gentamicin,Access,"Injection: 10 mg; 40 mg(as sulfate)/mL in 2-mL vial" ^[1]

metronidazole,Access,"Injection: 500 mg in 100-mL vial; Oral liquid: 200 mg(as benzoate)/5 mL; Suppository: 500 mg; 1 g; Tablet: 200 mg to 500 mg" ^[1]

nitrofurantoin,Access,"Oral liquid: 25 mg/5 mL; Tablet: 100 mg" ^[1]

phenoxymethylpenicillin,Access,"Powder for oral liquid: 250 mg(as potassium salt)/5 mL; Tablet: 250 mg(as potassium salt)" ^[1]

procaine benzylpenicillin,Access,"Powder for injection: 1 g(=1 million IU); 3 g(=3 million IU) in

vial" ^[1]

spectinomycin,Access,"Powder for injection: 2 g(as hydrochloride) in vial" ^[1]

sulfamethoxazole + trimethoprim,Access,"Injection: 80 mg + 16 mg/mL in 5-mL ampoule; 80 mg + 16 mg/mL in 10-mL ampoule; Oral liquid: 200 mg + 40 mg/5 mL; Tablet: 100 mg + 20 mg; 400 mg + 80 mg; 800 mg + 160 mg" ^[1]

azithromycin,Watch,"Capsule: 250 mg; 500 mg(anhydrous); Oral liquid: 200 mg/5 mL" ^[1]

cefixime,Watch,"Capsule or tablet: 200 mg; 400 mg(as trihydrate); Powder for oral liquid: 100 mg/5 mL" ^[1]

cefotaxime,Watch,"Powder for injection: 250 mg per vial(as sodium salt)" ^[1]

ceftriaxone,Watch,"Powder for injection: 250 mg; 1 g(as sodium salt) in vial" ^[1]

cefuroxime,Watch,"Powder for injection: 250 mg; 750 mg; 1.5 g(as sodium salt) in vial" ^[1]

ciprofloxacin,Watch,"Oral liquid: 250 mg/5 mL(anhydrous); Solution for IV infusion: 2 mg/mL(as hyclate); Tablet: 250 mg(as hydrochloride)" ^[1]

clarithromycin,Watch,"Solid oral dosage form: 500 mg; Powder for oral liquid: 125 mg/5 mL; 250 mg/5 mL; Powder for injection: 500 mg in vial" ^[1]

piperacillin + tazobactam,Watch,"Powder for injection: 2 g + 250 mg; 4 g + 500 mg(as sodium salts) in vial" ^[1]

vancomycin,Watch,"Capsule: 125 mg; 250 mg(as hydrochloride)" ^[1]

ceftazidime,Watch (Complementary),"Powder for injection: 250 mg or 1 g(as pentahydrate) in vial" ^[1]

meropenem,Watch (Complementary),"Powder for injection: 500 mg(as trihydrate); 1 g(as trihydrate) in vial" ^[1]

vancomycin (parenteral),Watch (Complementary),"Powder for injection: 250 mg(as hydrochloride) in vial" ^[1]

ceftazidime + avibactam,Reserve (Complementary),"Powder for injection: 2 g + 0.5 g in vial" ^[1]

colistin (colistimethate sodium),Reserve (Complementary),"Powder for injection: 1 million IU in vial" ^[1]

fosfomycin (intravenous),Reserve (Complementary),"Powder for injection: 2 g; 4 g(as sodium) in vial" ^[1]

linezolid,Reserve (Complementary),"Injection for IV administration: 2 mg/mL in 300-mL bag; Powder for oral liquid: 100 mg/5 mL; Tablet: 400 mg; 600 mg" ^[1]

meropenem + vaborbactam,Reserve (Complementary),"Powder for injection: 1 g + 1 g in vial" ^[1]

plazomicin,Reserve (Complementary),"Injection: 500 mg/10 mL" ^[1]

polymyxin B,Reserve (Complementary),"Powder for injection: 500,000 IU in vial" ^[1]

Notes

- The Access, Watch, Reserve grouping and the exact list of antibiotics included in the 2019 EML are confirmed in the WHO Technical Report Series No.1021 executive summary for the 2019 update. ^[2]
- Dosage form and strength text are transcribed verbatim from Section 6.2 of the 2019 EML PDF pages for antibacterials. ^[1]

If a downloadable .csv file is required, it can be generated and shared.

Citations: The CSV content and groupings are sourced from the WHO Model List of Essential Medicines 2019 PDF and the WHO 2019 Technical Report Series executive summary listing the

Access/Watch/Reserve antibiotics included on the 2019 Model Lists.^[2] ^[1]



1. <https://iris.who.int/bitstream/handle/10665/325771/WHO-MVP-EMP-IAU-2019.06-eng.pdf?sequence=1>
2. <https://apps.who.int/iris/bitstream/handle/10665/330668/9789241210300-eng.pdf>