

TranKin

A software package for
enhancement of time resolution in
transient kinetic methods

Version 1.0.1

Soheil Soltani

Division of Chemical Reaction Engineering,

Department of Chemical Engineering

Chalmers University of Technology, Göteborg, Sweden

<http://www.chalmers.se/en/staff/Pages/soheil-soltani.aspx>

December 11, 2014

License

TranKin is licensed under the terms of the MIT license:

Copyright © 2014, Soheil Soltani. <ssoheil@chalmers.se>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

To Mozhan, Jon and Oana

Preface

Analysis of transient kinetic data requires a fairly high temporal resolution. For instance, kinetic analysis of ultrafast systems involves processes with time scales in the order of pico- or femto seconds, which necessitates achieving an extremely high resolution in time. Therefore, the response time of the analyzers is generally desired to be lower than the kinetic time scale to obtain the time-resolved information of the system. However, dispersion effects in various parts of the experimental setup can smear the concentration signal so that the response time of the detector becomes larger than the time scale of the kinetic processes. Under these circumstances, temporal resolution can be a major limitation of transient kinetic methods.

A signal restoration method is therefore required in order to retrieve the true response of the system as the solution to a one-dimensional deconvolution problem. However, the inverse problem of finding the true signal is an ill-posed problem in the presence of experimental uncertainties (noise), since arbitrarily small perturbations in the measurements result in arbitrarily large oscillation in the solution. Therefore, a regularization method is required to filter out these magnified perturbations. TranKin is a software package that has been primarily developed to solve the above-mentioned problem using the Tikhonov regularization method, yet it can be regarded as a general-purpose solver for one-dimensional deconvolution problems.

Chapter 1 of this monograph gives a short introduction to the topic, which is followed by the physics of hydrodynamic dispersion briefly recapped in Chapter 2. Chapter 3 summarizes the mathematical background of the inverse problem. Finally, the software package is described in Chapter 4, which is accompanied by a short tutorial on how to use the package.

Acknowledgments. I am grateful to my advisers at Chalmers, Prof. Bengt Andersson and Doc. Ronnie Andersson, who have always inspired me and supported my research. My deepest thanks go to Mozhan Soltani and Jon Kristensen for their invaluable assistance and motivating discussions. And last, but foremost, Goli and Oana for their endless love.

*Soheil Soltani
Gothenburg, August 2014*

Contents

1	Introduction	1
2	Hydrodynamic dispersion	1
2.1	Dispersion in tubular parts	2
2.2	Dispersion in a gas cell	2
3	The inverse problem	4
4	Software package	6
4.1	TranKin	6
4.2	initial_guess	7
4.3	frootf	7
4.4	Tutorial	7

1 Introduction

Despite the generality of the mathematical background and numerical analysis of inverse problems, the features of the practical issues where an inverse problem arises can be very different from case to case. The main objective of this work is to address hydrodynamic dispersion and time-lag in laboratory reactor systems in order to enhance the temporal resolution of transient measurements.

Perhaps the problem with smeared concentration measurements is first understood when running a calibration-like experiment in an empty reactor setup, in which a known concentration signal (often a step change from 0 to a certain concentration of a specific gas) is dosed at the inlet. In the absence of any catalytic or reactive material that can interact with the gas phase species, the same step function is expected to be observed as the measured signal in the outlet. Nevertheless, the result is often a monotonically increasing function of time which slowly reaches the inlet concentration after certain elapsed time. Hydrodynamic dispersion is known to be responsible for the observed phenomenon as it gives rise to a distribution of the residence time of fluid elements. Consequently, signal distortion will also affect the results of reactive experiments, and therefore it is necessary to characterize the reactor setup with respect to these smearing effects in order to properly interpret the results of transient experiments. Having this fulfilled, the next step would be to propose a method to retrieve the true response of the reactor system for quantitative data analysis. To this end, TranKin has been developed under a permissive and business-friendly open-source license. While being capable of handling one-dimensional, unconstrained deconvolution problems in general, its prime focus is on solving deconvolution of transient kinetic data. The following sections include a more in-depth description of these issues.

2 Hydrodynamic dispersion

Let us consider a linear, time-invariant (LTI) system that represents a laboratory setup as depicted in Figure 1. The reactor system can be thought of as an operator that maps the input signal into the output observation.




Figure 1: Block diagram of the reactor setup.

We note that the forward problem is governed by the convolution of the

input signal with the transfer function of the system according to Eq. 1:

$$\int_a^b g(t - t')x(t')dt' = y(t), \quad (1)$$

where g is the transfer function of the system, x is the unknown input and y is the measured output concentration.

Generally speaking, all the possible sources of signal distortion which have a linear effect on the output signal can be lumped into a transfer function which is also referred to as the kernel of the convolution equation. Therefore, determination of the kernel is an essential part of the characterization study.

As an example, we shall consider the reactor system that has been investigated in an earlier study, with a predominant laminar flow field throughout the setup (the system is normally operated at a volumetric flow rate of 3500 mL/min at NTP) [8]. The major source of dispersion was shown to be the gas cell of the detector. In addition to that, the reactor tube was introduced as the second most important contributor to signal distortion. In the coming sections, characterization of hydrodynamic dispersion in each of these parts of the setup is shortly described.

2.1 Dispersion in tubular parts

In laminar flows through cylindrical tubes, the parabolic velocity profile is the main responsible for axial dispersion of a concentration signal. Furthermore, molecular diffusion may play a relatively important role under certain conditions. Diffusion in the flow direction contributes to axial dispersion, while diffusion towards the walls helps maintain a more uniform concentration profile. The relative importance of these processes have been thoroughly investigated in earlier studies [1, 2, 3, 9].

The reactor tube in the above-mentioned case study is made of quartz, which is 80 cm long with an inner diameter of 22 mm. The analysis has shown that dispersion in the quartz tube can be described by the Aris-Taylor equation which predicts a dispersion coefficient of $3.34 \times 10^{-3} \text{ m}^2/\text{s}$. Consequently, residence time distribution (RTD) of the quartz tube can be described by a Gaussian function with a variance of 0.66 s^2 . Figure 2 shows the thus-obtained transfer function of the quartz tube, having a mean residence time of $\sim 1.7 \text{ s}$. Assuming a unitary Heaviside function as the input concentration signal and a uniform velocity profile at the inlet of the quartz tube, the evolution of the concentration profile in the outlet can be constructed according to Eq. 1. Figure 3 illustrates the calculated step-response of the quartz tube.

2.2 Dispersion in a gas cell

The analysis of residence time distribution becomes more complex if the geometry differs from a cylindrical tube, and numerical methods are required to calculate the response of the system. In the former study, the temporal evolution of a unitary Heaviside function at the inlet of the gas cell was obtained from a computational fluid dynamics (CFD) simulation. The simulated output signal has been differentiated with respect to time to obtain the kernel representing




Figure 2: Residence time distribution of the quartz tube.




Figure 3: Step-response of the quartz tube.




Figure 4: RTD of the gas cell.

the RTD of the gas cell:

$$g(t) = \begin{cases} u(t), & \text{when } z = \delta(t - t_0), \\ \frac{du(t)}{dt}, & \text{when } z = H(t), \end{cases} \quad (2)$$

where δ is the Dirac delta function, and H is the Heaviside step function.

Figure 4 depicts the residence time distribution of the gas cell, indicating a more complex flow field compared to a simple pipe system.

3 The inverse problem

In this section, the inverse problem of deducing the unperturbed concentration signal is addressed, and the ill-posed characteristics of the problem are briefly described.

In Section 2, the 1-dimensional convolution operation was introduced by Eq. 1, which is a typical example of the Fredholm integral equation of the first kind. The kernel and the right-hand side of Eq. 1 are assumed to be known, and the unknown signal x is to be deduced such that the following residual norm is minimized:

$$\operatorname{argmin} \{ \|A_\tau x - y_\delta\|^2 \}. \quad (3)$$

Here, A_τ is an approximation to the convolution operator that is derived, in its discretized form, by transforming the kernel into a lower-triangular, toeplitz matrix. y_δ represents the observations, and δ, τ denote the error in specifying the right-hand side and the kernel, respectively. However, the encountered inverse problem is known to be ill-posed if the right-hand side (and possibly also the kernel) is perturbed by experimental noise. Under these circumstances, arbitrarily small perturbations in the measurements result in arbitrarily large

oscillations in the calculated solution. Therefore, a regularization method is required in order to dampen out these oscillations [4].

We shall use the Tikhonov regularization method in conjunction with the discrepancy principle for calculating the optimum value of the regularization parameter. The theoretical background has been outlined in previous studies; therefore, only the most important governing equations are mentioned here, and the interested reader is referred to other references for further information [5, 8, 6, 7].

Tikhonov's method introduces a regularization parameter as a weighting factor on minimizing the residual norm versus the solution norm as

$$M^\alpha[x] = \|A_\tau x - y_\delta\|^2 + \alpha\|x\|^2. \quad (4)$$

Consequently, the regularized solution to Eq. 4 reads

$$x_\eta^\alpha = (A_\tau^* A_\tau + \alpha I)^{-1} A_\tau^* y_\delta, \quad (5)$$

where I is the identity matrix, and the superscript $*$ signifies the adjoint operator. Using singular value decomposition (SVD) of A_τ , Eq. 5 can be written as

$$x_\eta^\alpha = \sum_{i=1}^m \left(\frac{\sigma_i}{\sigma_i^2 + \alpha} \right) \gamma_i^T y_i \theta_i, \quad (6)$$

where γ_i, θ_i are the elements of the orthogonal vectors of the decomposed operator, having σ_i as its singular values. The key parameter that determines the optimum extent of filtering in Eq. 3-5 is the regularization parameter α . The only available method that derives α in correspondence to the experimental uncertainties (i.e. δ, τ) is the generalized discrepancy principle. Let us define discrepancy as

$$\rho_\eta^\kappa(\alpha) = \|A_\tau x_\eta^\alpha - y_\delta\|^2 - (\delta + \tau\|x_\eta^\alpha\|)^2. \quad (7)$$

It is desired to find the value of α corresponding to the root of Eq. 7, i.e. $\rho_\eta(\alpha) = 0$. It has been shown that the Newton's method can be used to find the root of Eq. 7, and if the kernel is exact, i.e. $\tau = 0$, the convergence of the Newton's method is guaranteed [10]. In case the kernel is experimentally determined, the convergence of the Newton's method is not guaranteed; therefore, an under-relaxation factor ω has been implemented in the software to provide a satisfactory convergence of the algorithm. Nevertheless, the use of a more robust root-finding procedure is recommended under these circumstances. Derivative of the discrepancy functional is needed in the Newton's routine which can be obtained from

$$(\rho_\eta^\kappa(\alpha_n))' = ((A_\tau^* A_\tau + \alpha I_n)^{-1} x_\eta^\alpha, x_\eta^\alpha) \left(\alpha + \frac{\tau\delta}{\sqrt{\|x_\eta^\alpha\|^2}} + \tau^2 \right), \quad (8)$$

where I_n is the identity matrix [10].

Convergence of the Newton's method requires the starting value of the regularization parameter to be fairly close to the final solution. Therefore, the

following lemma has been implemented in the software that attempts to compute a suitable starting guess to initialize the iterations [10]:

$$\bar{\alpha} = \|A_\tau\| \left(\tau + \frac{\sqrt{\tau^2 + (\tilde{\alpha} + \tau^2)(C^2 - 1)} + \tau}{C^2 - 1} \right), \quad (9)$$

where $1 < C < \frac{\|y\delta\|}{\delta}$; $C = \text{constant}$, and $\tilde{\alpha}$ is obtained from $\tilde{\alpha} = \frac{\|A_\tau\|^2 C \delta}{\|y\delta\| - C \delta}$.

4 Software package

The software can be downloaded from its official repository at:

<https://github.com/soheil-soltani/TranKin>.

The package consists of three MATLAB files (*.m files): i) TranKin ii) initial_guess and iii) frootf. The dissection of the different parts of the code is given in this section.

For a proper installation, it is important to keep the *.m files and the data file(s) in the same folder.

4.1 TranKin

This is the main file. It loads the input data, controls the procedure of finding the regularization parameter and computation of the corresponding solution and performs post-processing of the results.

Block 1 initializes the algorithm by requesting the user to provide the name of the data file that contains the time series at which data has been acquired, the measured concentration signal and the kernel. These variables are denoted by t , y and g , respectively. It is important to note that the data file should contain the aforementioned variables as separate columns having the same length. The data file should be a .txt file¹, and it must be located in the same folder as the installation folder of the software.

In block 2, the kernel is first rearranged into a lower-triangular toeplitz matrix denoted with K . Consequently, Eq. 1 can be written in operator form as $y = Kx$. Using singular value decomposition routine (**svd**), the operator K is next decomposed into matrices G , $Sigma$ and T . G and T are matrices with orthonormal columns, and $Sigma$ is a square matrix with non-negative real elements on its main diagonal. The off-diagonal elements of $Sigma$ are excluded so that the resulting vector consists solely of the singular values of the operator K .

The uncertainties (error) in the measurements and the kernel are defined in block 3 by requesting the user to specify the values of δ and τ . The former represents the uncertainties in the measured signal y , and the latter is the error in the kernel.

The procedure of calculating the regularization parameter is controlled in block 4. The user can choose to enter the value of the regularization parameter or to let the software calculate it. It should be noted that the regularization parameter accepts a value on the interval $(0, \infty)$; otherwise, the user is notified with an error message and the program stops.

¹For other file-formats, the main code must be adapted accordingly.

If the user leaves the calculation of the regularization parameter to the software, he/she will be asked for the starting point of the Newton root-finding routine in the next step. Again, the user may choose to enter the initial guess from the interval $(0, \infty)$ or to let the *initial_guess* routine calculate it. The subroutine *initial_guess* is explained in the following section. In the next step, the root-finding procedure *frootf* is called to calculate the regularization parameter, which finalizes block 4.

Using the calculated regularization parameter, the regularized solution is computed in block 5. Next, the user is asked to confirm post-processing of the results in block 6, which is the last part of the main routine *TranKin*.

4.2 *initial_guess*

This function is basically the implementation of the proposed lemma (see Eq. 9) to closely approximate the initial guess of the regularization parameter [10]. This can be very important with respect to the convergence behavior of the Newton root-finding routine.

4.3 *frootf*

This function implements the Newton root-finding procedure to calculate the regularization parameter as the root of the discrepancy functional.

The subroutine starts by requesting the user to provide the under-relaxation factor from the interval $(0, 1]$. Under-relaxation factor is strongly dependent upon the features of the problem; however, a trial value between 0.8-0.95 may be recommended. It should be noted that if the entered value is not within the specified interval, an error occurs, and the program stops. In case of convergence problems, the under-relaxation factor should be reduced.

The second block is responsible to ensure that a positive value for discrepancy is calculated before starting the iterations. If not, the initial guess is increased by a factor 2 until the criterion is satisfied. This is confirmed by notifying the user: "Correct starting value was computed".

Block 3 contains the implementation of the Newton's formula through the calculation of the discrepancy functional and its derivative.

After the convergence criterion is met, the user is informed about the number of iterations and the time it took for the subroutine to converge, the initial guess that was used to start off the iterations and the calculated regularization parameter.

In the final step, the user can choose to perform the post-processing of the results by confirming the message: "Plot the results?[Y/N]...".

4.4 Tutorial

In this section, we shall demonstrate the software in the MATLAB environment using an example consisting of synthetic data. To this end, we start first by defining a time series representing the sequence at which our imaginary data has been acquired:

```
t = 0:1:160;
```




Figure 5: The measured signal corrupted with random noise.

Next, we define a step function with the same length as t corresponding to the unknown input signal x . We want this signal to start exactly from 0:

```
x = heaviside(t);
x(1) = 0;
```

We assume a well-mixed vessel with a time constant of 3 s as the system; therefore, the kernel can be defined as:

```
g = 1/3*exp(-t./3);
```

We now define the smeared observations according to the convolution of x and g as the imaginary data:

```
y = filter(g,1,x);
```

We shall further assume an uncertainty of 0.003 to be present in our measurements by superimposing a randomly distributed noise with mean 0 and standard deviation of 0.003:

```
y = y + 0.003.*randn(161,1);
```

This will render the data as depicted in Figure 5. In this elementary example, we let the kernel remain exact. The generated data including the time series, the corrupted signal and the defined kernel are stored as column vectors in the supplementary data file (i.e. the `data.txt` file in the software's directory).

The software is now called by executing the main code: **TranKin**. As the first step, the name of the data file, i.e. `data.txt`, is supplied to initialize the




Figure 6: The reconstructed signal.

program. Next, the errors are declared as $\delta = 0.003$ and $\tau = 0$. We shall let the software calculate the regularization parameter and the initial guess by pressing the "Enter" key for the next two enquiries of the algorithm. An under-relaxation of 0.9 is chosen to start off the iterations. Consequently, the algorithm converges after 230 iterations, resulting in a regularization parameter of 0.00026. The input signal x is restored as shown in Figure 6, and the convergence monitor as illustrated in Figure 7 indicates a satisfactory solution.




Figure 7: Convergence monitor.

References

- [1] Ananthakrishnan.V, Gill, W. N., Barduhn, A. J.: Laminar Dispersion in Capillaries .I. Mathematical Analysis. Aiche Journal. **11**(6), 1063 (1965)
- [2] Aris, R.: On the dispersion of a solute in a fluid flowing through a tube. Proceedings of the Royal Society of London Series a-Mathematical and Physical Sciences. **235**(1200), 66–77 (1956)
- [3] Bournia, A., Houghton, G., Coull, J.: Dispersion of Gases in Laminar Flow through a Circular Tube. Proceedings of the Royal Society of London Series a-Mathematical and Physical Sciences. **261**(1305), 227 (1961)
- [4] Groetsch, C.W.: The theory of Tikhonov regularization for Fredholm equations of the first kind. Pitman, Boston (1984)
- [5] Morozov, V.A.: Methods for solving incorrectly posed problems. Springer-Verlag, New York, (1984)
- [6] Soltani, S., Andersson, R., Andersson, B.: Enhancement of time resolution in transient kinetics. Chemical Engineering Journal. DOI 10.1016/j.cej.2014.10.098, **264**, 188–196 (2014).
- [7] Soltani, S., Andersson, R., Andersson, B.: Time resolution in transient kinetics, in: L. Beilina (Ed.) Inverse Problems and Applications, Springer, ISBN 978-3-319-12498-8 (2015).
- [8] Soltani, S., Wang-Hansen, C., Andersson, R., Andersson, B.: CFD characterization of monolithic reactors for kinetic studies. Canadian Journal of Chemical Engineering. DOI 10.1002/cjce.22022, **92**(9), 1570 (2014).
- [9] Taylor, G.: Dispersion of Soluble Matter in Solvent Flowing Slowly through a Tube. Proceedings of the Royal Society of London. Series A. Mathematical and Physical Sciences. **219**(1137), 186–203 (1953)
- [10] Tikhonov, A.N., Goncharsky, A.V., Stepanov, V.V., Yagola, A.G.: Numerical Methods for the Solution of Ill-Posed Problems. Springer, Dordrecht (1977)