BIM COORDINATION

Model review / Spatial coordination / Technical documentation


Soheil Masti Farashi

BIM Coordinator
Selected project portfolio

A practical approach to coordinated models, traceable issues and clear drawing outputs.

ROMANIA + SELECTED REVIT MODELS

Barcelona, Spain
soheil.masti@gmail.com



Romania / native Revit model export. Project package remains a design-review issue.

Clear models. Traceable decisions.

A focused coordination portfolio for an intermediate BIM Coordinator role.

COORDINATION FOCUS

Revit model review, linked-model context, route interfaces, issue documentation and drawing consistency.

WORKING APPROACH

Locate the issue in plan and 3D, record the affected elements, compare options, update the model and verify the drawing output.

SELECTED EVIDENCE

Romania overhead-conduit review package plus architectural model views from the supplied Apply project folder.

01

REVIEW

Understand the model, references and source redlines.

02

COORDINATE

Check routes, spatial interfaces and access constraints.

03

DOCUMENT

Prepare views, sections, schedules and issue notes.

04

VERIFY

Check revised geometry and record remaining decisions.

Overhead conduit coordination

Electrical routes within a linked architectural and other-trade model.

PROJECT SCOPE


Overhead conduit routing, panel and box interfaces, support coordination and penetration documentation.

MODEL EVIDENCE

Six connected feeder routes are recorded in the saved package, with route data and native drawing outputs.

REVIEW BOUNDARY

Physical geometry checks support the reviewed assignment area. Engineering approvals and building-wide certification are separate.



New image exported directly from the supplied coordinated Revit model.

From linked context to route layout

Plan-based coordination with readable service separation and branch locations.

COORDINATION TASK

Follow corridor geometry, organise parallel runs and coordinate turn-offs against the supplied room and equipment layout.

EVIDENCE SHOWN

Native coordination plan with conduit runs highlighted against the linked architectural context.

CHECK SEQUENCE

Review route continuity, branch locations and proposed wall crossings; compare the plan against model sections.



Native Revit coordination plan / temporary presentation view. Original sheet retained in the assets.

Supports, sections & clearances

Use targeted details to explain the interfaces that a plan alone cannot show.

COORDINATION TASK


Review conduit banks, trapeze geometry and structural interfaces together in section and enlarged detail.

EVIDENCE SHOWN

Native support detail and cross-section sheets from the saved Romania package.

OPEN DECISION

Secondary support load paths and anchor capacities require engineering review. Model contact alone does not establish capacity.



EC-102 and EC-501 / native Revit drawing excerpts.

Make the issue easy to review

Connect each observation to a location, a drawing and a required decision.

ISSUE WORKFLOW


Capture the affected area, describe the interface and record a proposed action with a clear review status.

COORDINATION VALUE

Separate physical clashes from access, electrical-design and support-capacity questions so that the responsible reviewer can act.

EVIDENCE SHOWN

Project redline review plates. These are review records rather than proof that every RFI has been closed.



Existing Romania review plate / source redlines retained.

Model data that supports review

Schedules connect model elements to route identities and support information.

INFORMATION FOCUS


Route IDs, feeder data, conduit quantities and support attachment status are organised for checking.

MEASURED SCOPE

The closeout records approximately 157.1 m of raceway path, including fitting arcs. This is distinct from conductor pull quantity.

RELEASE STATUS

Conductor allowances, structural attachments and firestop decisions remain subject to design approval.



REM CONDUIT TAKEOFF

RUN	SIZE	STRAIGHT CUT	FROM	TO
1F-001	3/4"	81' - 1 15/16"	PNL-RP11	0176
1F-002	3/4"	66' - 7 7/8"	PNL-RP11	0176
1F-003	3/4"	62' - 0 3/8"	PNL-RP11	0154
1F-004	3/4"	67' - 0 3/8"	PNL-RP11	0170
1F-005	1"	86' - 0 11/16"	PNL-MP11-02	0150
1F-006	1"	121' - 5 3/16"	PNL-MP11-02	0150

REM FEEDER REDLINE DATA

RUN	CIRCUIT 1	CIRCUIT 2	CIRCUIT 3	CIRCUIT 4	GND QTY	GND AWG
1F-001	21	33	34		1	10
1F-002	11	31			1	10
1F-003	27	32	35		1	10
1F-004	16	29	36		1	10
1F-005	2,4,6	8, 10, 12			1	8
1F-006	7,9,11	13, 15, 17			1	8

REM JUNCTION BOXES

BOX ID	RUN	TRADE SIZE	ROOM
1F-001-JB	1F-001	3/4"	0176
1F-002-JB	1F-002	3/4"	0176
1F-003-JB	1F-003	3/4"	0154
1F-004-JB	1F-004	3/4"	0170
1F-005-JB	1F-005	1"	0150
1F-006-JB	1F-006	1"	0150

REM ELBOWS

RUN	QTY
1F-001	6
1F-002	5
1F-003	5
1F-004	5
1F-005	5
1F-006	5

REM PULL BOXES

PULL BOX	RUN	TRADE SIZE
1F-001-PB	1F-001	3/4"
1F-002-PB	1F-002	3/4"
1F-003-PB	1F-003	3/4"
1F-004-PB	1F-004	3/4"
1F-005-PB	1F-005	1"
1F-006-PB	1F-006	1"

REM HANGER PREFAB

RACK	CHANNEL	ROD 1	ROD 2	RUNS	RELEASE ST
RACK-001	1' - 6"	7' - 5 3/8"	7' - 5 3/8"	1F-006	HOLD - SECONDARY SUPPORT STRUCTURE NOT SUPPLIED
RACK-002	1' - 6"	7' - 5 1/8"	7' - 5 1/8"	1F-006	MODELED STEEL CONTACT - CAPACITY REVIEW
RACK-003	1' - 6"	7' - 5 3/8"	7' - 5 3/8"	1F-005	HOLD - SECONDARY SUPPORT STRUCTURE NOT SUPPLIED
RACK-004	1' - 6"	7' - 5 3/8"	7' - 5 3/8"	1F-004; 1F-006	HOLD - SECONDARY SUPPORT STRUCTURE NOT SUPPLIED
RACK-005	1' - 6"	7' - 5 1/8"	7' - 5 1/8"	1F-004; 1F-005; 1F-006	MODELED STEEL CONTACT - CAPACITY REVIEW
RACK-006	1' - 6"	7' - 5 3/8"	7' - 5 3/8"	1F-004; 1F-005; 1F-006	HOLD - SECONDARY SUPPORT STRUCTURE NOT SUPPLIED
RACK-007	1' - 6"	7' - 5 1/8"	7' - 5 1/8"	1F-004; 1F-005; 1F-006	MODELED STEEL CONTACT - CAPACITY REVIEW
RACK-008	1' - 9"	7' - 5 3/8"	7' - 5 3/8"	1F-003; 1F-004; 1F-005; 1F-006	HOLD - SECONDARY SUPPORT STRUCTURE NOT SUPPLIED
RACK-009	1' - 6"	7' - 5 3/8"	7' - 5 3/8"	1F-002	HOLD - SECONDARY SUPPORT STRUCTURE NOT SUPPLIED
RACK-010	2' - 0"	7' - 5 1/8"	7' - 5 1/8"	1F-002; 1F-003; 1F-004; 1F-005; 1F-006	MODELED STEEL CONTACT - CAPACITY REVIEW
RACK-011	1' - 6"	7' - 5 3/8"	7' - 5 3/8"	1F-006	HOLD - SECONDARY SUPPORT STRUCTURE NOT SUPPLIED
RACK-012	1' - 6"	7' - 5 3/8"	7' - 5 3/8"	1F-005	HOLD - SECONDARY SUPPORT STRUCTURE NOT SUPPLIED
RACK-013	1' - 6"	7' - 5 3/8"	7' - 5 3/8"	1F-004	HOLD - SECONDARY SUPPORT STRUCTURE NOT SUPPLIED
RACK-014	1' - 6"	7' - 5 3/8"	7' - 5 3/8"	1F-003	HOLD - SECONDARY SUPPORT STRUCTURE NOT SUPPLIED
RACK-015	1' - 6"	7' - 5 3/8"	7' - 5 3/8"	1F-006	HOLD - SECONDARY SUPPORT STRUCTURE NOT SUPPLIED
RACK-016	1' - 6"	7' - 5 3/8"	7' - 5 3/8"	1F-002	HOLD - SECONDARY SUPPORT STRUCTURE NOT SUPPLIED
RACK-017	1' - 6"	7' - 5 3/8"	7' - 5 3/8"	1F-005	HOLD - SECONDARY SUPPORT STRUCTURE NOT SUPPLIED
RACK-018	1' - 6"	7' - 5 3/8"	7' - 5 3/8"	1F-001	HOLD - SECONDARY SUPPORT STRUCTURE NOT SUPPLIED
RACK-019	1' - 6"	7' - 5 3/8"	7' - 5 3/8"	1F-004	HOLD - SECONDARY SUPPORT STRUCTURE NOT SUPPLIED
RACK-020	1' - 6"	7' - 5 3/8"	7' - 5 3/8"	1F-001	HOLD - SECONDARY SUPPORT STRUCTURE NOT SUPPLIED
RACK-021	1' - 6"	7' - 5 3/8"	7' - 5 3/8"	1F-003	HOLD - SECONDARY SUPPORT STRUCTURE NOT SUPPLIED
RACK-022	1' - 6"	7' - 5 3/8"	7' - 5 3/8"	1F-002	HOLD - SECONDARY SUPPORT STRUCTURE NOT SUPPLIED
RACK-023	1' - 6"	7' - 5 3/8"	7' - 5 3/8"	1F-001	HOLD - SECONDARY SUPPORT STRUCTURE NOT SUPPLIED
RACK-024	2' - 3"	7' - 10 3/4"	7' - 10 3/4"	1F-001; 1F-002; 1F-003; 1F-004; 1F-005; 1F-006	MODELED STEEL CONTACT - CAPACITY REVIEW
RACK-025	1' - 6"	7' - 5 1/8"	7' - 5 1/8"	1F-001	MODELED STEEL CONTACT - CAPACITY REVIEW
RACK-026	1' - 6"	7' - 5 3/8"	7' - 5 3/8"	1F-005; 1F-006	HOLD - SECONDARY SUPPORT STRUCTURE NOT SUPPLIED
RACK-027	1' - 6"	7' - 5 3/8"	7' - 5 3/8"	1F-001	HOLD - SECONDARY SUPPORT STRUCTURE NOT SUPPLIED
RACK-028	1' - 9"	7' - 5 3/8"	7' - 5 3/8"	1F-001; 1F-002; 1F-003; 1F-004	HOLD - SECONDARY SUPPORT STRUCTURE NOT SUPPLIED
RACK-029	1' - 6"	7' - 5 1/8"	7' - 5 1/8"	1F-001	MODELED STEEL CONTACT - CAPACITY REVIEW
RACK-030	1' - 6"	7' - 5 3/8"	7' - 5 3/8"	1F-001	HOLD - SECONDARY SUPPORT STRUCTURE NOT SUPPLIED
RACK-031	1' - 6"	7' - 5 3/8"	7' - 5 3/8"	1F-006	HOLD - SECONDARY SUPPORT STRUCTURE NOT SUPPLIED

EC-601 and EC-602 / native schedules. Quantities refer to the archived review issue.

Parklands Road / architectural model

Building form, envelope and floor relationships

MODEL STUDY


Views exported directly from the supplied RVT. The model provides architectural context alongside the Romania coordination case study.

PORTFOLIO FOCUS

Clear 3D communication, model navigation and readable documentation of building elements.

SOURCE IDENTIFICATION

11 parklands road mount colah.rvt



Native Revit exports / architectural work sample. No unverified MEP coordination outcome is claimed.

Sydney / architectural model

Model organisation and spatial documentation

MODEL STUDY


Views exported directly from the supplied RVT. The model provides architectural context alongside the Romania coordination case study.

PORTFOLIO FOCUS

Clear 3D communication, model navigation and readable documentation of building elements.

SOURCE IDENTIFICATION

Sydney_Project.rvt



Native Revit exports / architectural work sample. No unverified MEP coordination outcome is claimed.

Architectural model / Project1

Building geometry and model-based presentation

MODEL STUDY


Views exported directly from the supplied RVT. The model provides architectural context alongside the Romania coordination case study.

PORTFOLIO FOCUS

Clear 3D communication, model navigation and readable documentation of building elements.

SOURCE IDENTIFICATION

Project1.rvt



Native Revit exports / architectural work sample. No unverified MEP coordination outcome is claimed.


Additional architectural models

A broader sample of the supplied Revit project files.



project2.rvt

Native 3D model export from the supplied Apply folder.



project2.rvt / envelope detail

Native 3D model export from the supplied Apply folder.

These views demonstrate architectural model content. Project names and scopes are kept at file level where the supplied material does not establish a verified project identity.

Programming & BIM automation

Practical development skills applied to model workflows, data and technical tools.

Python

Automation scripts for model queries, parameter checks, geometry review and repeatable technical reports.

Dynamo + Revit API

Python-driven Revit workflows for element collection, view exports, sheets, schedules and model information.

C# / .NET

Revit add-in development with IExternalApplication, ribbon tools, dockable interfaces and external-event handlers.

FastAPI + WebSockets

Local backend services connecting BIM tools, browser interfaces and structured requests.

HTML / CSS / JavaScript

Web interfaces for technical tools, interactive controls and clear presentation of project information.

JSON / CSV + data workflows

Structured exchange of model data, route and support registers, validation results and traceable reporting.

APPLICATION TO BIM COORDINATION

Query model elements / Audit parameters / Export coordinated views / Generate reports

Project examples: Romania automation scripts and BIM Assist development sources.

CONTACT

Let's discuss your coordination workflow.

Selected model and drawing evidence for BIM Coordinator opportunities.

Soheil Masti Farashi

BIM Coordinator
Barcelona, Spain

EMAIL

soheil.masti@gmail.com

LINKEDIN

linkedin.com/in/soheil-masti

WEB

www.soheilmasti.com

MODEL REVIEW

SPATIAL COORDINATION

ISSUE DOCUMENTATION

DRAWING QUALITY