



SIC/DSI V.25.01 	THE CHRONOPOST LABEL FOR IMPORT SHIPMENTS <u>FROM ANYWHERE TO FRANCE AND TO THE REST OF EUROPE</u>	Réf. : Doc Etiquette ROW- FR-ROE GB_V25.01.doc Created : 13/03/2015 Last modif : 27/01/2025
--	--	---



SIC/DSI V.25.01 	THE CHRONOPOST LABEL FOR SHIPMENTS <u>FROM ANYWHERE TO FRANCE AND TO</u> <u>THE REST OF EUROPE</u>	Réf : Doc Etiquette ROW-FR-ROE GB_V25.01.doc Dernière modif : 27/01/2025
---	--	---

Table of content

1. GENERALITIES	3
1.1. SUBJECT OF THE DOCUMENT	3
1.2. TERMINOLOGY	3
2. THE GEOPOST LABEL	4
2.1. THE LABEL DIMENSIONS.....	4
2.2. THE TRANSPORT LABEL EXAMPLE	5
2.3. MANDATORY INFORMATION	6
2.4. THE ZONES PRINTED ON THE LABEL	6
2.4.1. <i>The legal disclaimer</i>	6
2.4.2. <i>The carrier's logo</i>	6
2.4.3. <i>Sender address</i>	6
2.4.4. <i>Delivery address</i>	7
2.4.5. <i>Delivery information</i>	7
2.4.6. <i>Parcel's rank and its weight</i>	8
2.6.1. <i>The Chronopost parcel ID barcode</i>	8
2.6.1.1. Description	8
2.6.1.2. Suffix of the Chronopost parcel ID	9
2.6.2. <i>Chronopost delivery service level name</i>	9
2.6.2.1. Product file description.....	9
2.6.2.2. Example of the product file	10
2.6.3. <i>Customs clearance method</i>	10
2.6.4. <i>Geopost tracking ID, service and various routings</i>	11
2.6.4.1. The Geopost tracking ID and its checksum	11
2.6.4.2. Geopost delivery service mention	13
2.6.4.3. Routing information	13
2.6.4.4. Geopost routing information.....	15
2.6.4.5. Parcel Tag.....	15
2.6.4.6. Date, version and sender identification.....	16
2.5. THE GEOPOST ROUTING BARCODE	16
2.5.1. <i>Description</i>	16
2.5.2. <i>Calculation of the Geopost routing barcode checksum</i>	17
3. HANDLING AND CUSTOMS LABELS.....	18
4. THE PREALERT TRANSMISSION.....	19
5. CONTACTS.....	20
6. LABEL SAMPLES	21

SIC/DSI V.25.01 	THE CHRONOPOST LABEL FOR SHIPMENTS <u>FROM ANYWHERE TO FRANCE AND TO</u> <u>THE REST OF EUROPE</u>	Réf : Doc Etiquette ROW-FR-ROE GB_V25.01.doc Dernière modif : 27/01/2025
---	--	---

1. GENERALITIES

1.1. SUBJECT OF THE DOCUMENT

To work in partnership with Chronopost, you must follow several steps :

- Create a label regarding Chronopost's requirements
- Create an end of day manifest
- Validate both of them with Chronopost
- Create and transmit a daily file with the details of the shipments of the day.

You will also find the description of the needed barcodes, their calculation and their dimensions.
A description of the daily manifest will detail the needed information to print.
Finally, you will have a chapter with the EDI persons to contact, for the daily file transmission.


1.2. TERMINOLOGY

Geopost routing barcode	:	The barcode used during the transit of the parcel.
Geopost parcel ID	:	It is the parcel ID used for the tracking in the Geopost network.
Chronopost delivery service code	:	Printed on the labels, it indicates the delivery service level.
Routing information	:	This information is useful for a manual sorting of your parcels.

SIC/DSI V.25.01 	THE CHRONOPOST LABEL FOR SHIPMENTS <u>FROM ANYWHERE TO FRANCE AND TO</u> <u>THE REST OF EUROPE</u>	Réf : Doc Etiquette ROW-FR-ROE GB_V25.01.doc Dernière modif : 27/01/2025
---	--	---

2. THE GEOPOST LABEL

2.1. THE LABEL DIMENSIONS




SIC/DSI V.25.01 	THE CHRONOPOST LABEL FOR SHIPMENTS FROM ANYWHERE TO FRANCE AND TO THE REST OF EUROPE	Réf : Doc Etiquette ROW-FR-ROE GB_V25.01.doc Dernière modif : 27/01/2025
---	---	--

2.2. THE TRANSPORT LABEL EXAMPLE

Legal disclaimer

On delivery, damage or theft must be the subject of precise and complete reservations, dated and signed by the consignee, on the delivery note.

Delivery address	DELIVERY NAME 1 DELIVERY NAME 2 DELIVERY ADDRESS 1 DELIVERY ADDRESS 2 DELIVERY CITY 1000 BRUXELLES BE-BELGIQUE	Delivery address Sender COMP SENDER NAME SENDER ADDRESS LINE 2 SENDER ADDRESS LINE 2 94523 SENDER CITY Phone 0101010101 Reference SENDER INTERNAL REF	Carrier's logo or name	Sender address
Delivery Information	Contact Phone 41.2.03.04.05.06 Ref CONSIGNEE CODE Consignment HY712000001JF	Weight 4.500 KG	Parcel bundling and weight	
Customs value and Clearance method	Date : 16/03/15 HY 712 000 001 JF  VALEUR DOUANE 95.00 EUR	Chronopost tracking number	www.chronopost.fr	
Geopost tracking nr.	HY-DP COM INT	MAR	Delivery service codes	
Parcel Tag	0407 1120 0000 10W Track	D-B2C Service	Routing Informations	
Routing barcode and the associated text	☐ BE-0611-C-52 MLH 327-BE-1000 16/03/15 VP5 CHREDI-TT897 V15.03	Date and identification of the sender.		
 0001 0000 4071 1200 0001 0327 0561				

SIC/DSI V.25.01 	THE CHRONOPOST LABEL FOR SHIPMENTS <u>FROM ANYWHERE TO FRANCE AND TO</u> <u>THE REST OF EUROPE</u>	Réf : Doc Etiquette ROW-FR-ROE GB_V25.01.doc Dernière modif : 27/01/2025
---	---	---

2.3. MANDATORY INFORMATION

To use Chronopost and for a good delivery service, your labels must have all the required information describes here above.

The allowed products are :

SPECIFICITIES	PRODUCT NAME	GEOPOST service code
France Import <= 3 kg	Import B2C France Small	328
France Import > 3 kg	Import B2C France Normal	327
Rest of Europe Import <= 3 kg	Import B2C RO-Europe Small	328
Rest of Europe Import > 3 kg	Import B2C RO-Europe Normal	327

Your label must respect scrupulously the layout described in the example above.

In order to validate your development, you will have to send us by postal mail :

- 10 original labels per different printer used for label printing (leave them sticked on their support).
- 5 original labels of each Chronopost product used.

2.4. THE ZONES PRINTED ON THE LABEL

2.6.1. THE LEGAL DISCLAIMER

The legal disclaimer will be provided in a text file, and should be printed on 2 lines maximum, in a font size 6.

2.6.2. THE CARRIER'S LOGO

You can print the Chronopost logo that has been provided in a JPG and TIF format, or simply print « Chronopost » in a **BOLD** font, size 12.

2.6.3. SENDER ADDRESS

This zone must have a header called "Sender". You must also print your Chronopost account number. (see label p.4)

You will find below, the different fields located in this zone, their maximal lengths and the fonts that must be used when printing.

SIC/DSI V.25.01 	THE CHRONOPOST LABEL FOR SHIPMENTS <u>FROM ANYWHERE TO FRANCE AND TO</u> <u>THE REST OF EUROPE</u>	Réf : Doc Etiquette ROW-FR-ROE GB_V25.01.doc Dernière modif : 27/01/2025
---	---	---

Printing order	Field content	Mandatory or Optional	Font size	Maximum Length
1	Sender name	M	6	35
2	Sender name line 2	O	6	35
3	Sender address	M	6	35
4	Zip code	M	6	5
	City	M	6	30
5	Country code	M	6	2
	-	M	6	1
	Country name	M	6	20
6	Sender's telephone	O	6	20
7	Sender's internal shipment reference	O	6	20

2.6.4. DELIVERY ADDRESS

This zone must have a header called "Delivery address". (See label p.4)

You will find below, the different fields located in this zone, their maximal lengths and the fonts that must be used when printing.

Printing order	Field content	Mandatory or Optional	Font size	Maximum Length
1	Consignee name	M	6 Bold	35
2	Consignee name line 2	O	6 Bold	35
3	Delivery address	M	6 Bold	35
4	Delivery address line 2	O	6 Bold	35
5	City	M	6 Bold	30
6	Zip code	M	6 Bold	5
7	Country code	M	6B	2
	-	M	6B	1
	Country name	M	6B	20

2.6.5. DELIVERY INFORMATION

You will find below, the different fields located in this zone, their maximal lengths and the fonts that must be used when printing.

Printing order	Field content	Mandatory or Optional	Font size	Maximum Length
1	Delivery contact name	O	8	20
2	Consignee phone number	O	8	20
3	Consignee code (customer code)	M	8	15
4	Master parcel Geopost ID number	M	8	16

SIC/DSI V.25.01 	THE CHRONOPOST LABEL FOR SHIPMENTS <u>FROM ANYWHERE TO FRANCE AND TO</u> <u>THE REST OF EUROPE</u>	Réf : Doc Etiquette ROW-FR-ROE GB_V25.01.doc Dernière modif : 27/01/2025
---	--	---

2.6.6. PARCEL'S RANK AND ITS WEIGHT

You will find below, the different fields located in this zone, their maximal lengths and the fonts that must be used when printing.

Printing order	Field content	Mandatory or Optional	Font size	Maximum Length
1	Parcel bulking for multi pieces	M	12	5
2	Weight in kilograms	M	12	6

2.6.1. THE CHRONOPOST PARCEL ID BARCODE

2.6.1.1. Description


The parcel ID barcode is a code128 barcode built with 13 characters. The barcode will be divided into 3 parts.

You must print the 13 characters of the barcode above it, in a font size 10.

We recommend you to use different subsets B & C and to print the barcode as following :

- Subset B : The 3 first characters (example : HY7)
- Subset C : The 8 next digits (example : 12000002)
- Subset B : The 2 last characters (example : JF)

Example of a Chronopost parcel ID barcod and it's ID number : **HY712000002JF**



- The two first letters and the three next digits are used to recognize the customer. In our example **HY712**. These five characters are fixed and supplied by Chronopost.
- 6 digits counter, incremented by one (never use the same number twice during a 6 month period). Once the counter entirely used, reset it to 000000.
- It's the suffix. These 2 letters are used to identify the Chronopost delivery product, in our example JF. These codes are provided in the product file explained in chapter 2.6.1.2.

SIC/DSI V.25.01 	THE CHRONOPOST LABEL FOR SHIPMENTS <u>FROM ANYWHERE TO FRANCE AND TO</u> <u>THE REST OF EUROPE</u>	Réf : Doc Etiquette ROW-FR-ROE GB_V25.01.doc Dernière modif : 27/01/2025
---	--	---

The same parcel ID must not exist twice during a 6 month period.

2.6.1.2. Suffix of the Chronopost parcel ID

Depending on the Chronopost product used, defined in the column 6 "Description" of the product file "produit.csv", you will find in column 15, the suffix to use in the Chronopost parcel ID.

The product file is a .CSV file format. There are 19 columns, using a semi column (;) separator. Its format is explained in chapter 2.6.2.1

The product file can be updated as often as Chronopost will need to. The updated files can be provided by FTP or by Email.

2.6.2. CHRONOPOST DELIVERY SERVICE LEVEL NAME

Depending on the Chronopost product used, defined in the column 6 "Description" of the product file "produit.csv", you will find in column 17, the Chronopost delivery service level name to print.

Its format is explained in chapter below

2.6.2.1. Product file description

The lines beginning with a " #" include remarks.

The line beginning with a " ## " includes the version and the startup date of the product file.

The date uses the format yyymmdd.

Here is the description of the following line included in the product file :

Example:

327;18H;X;010;D-B2C;IMPORT B2C FRANCE NORMAL;N;N;SE;O;N;O;O;N;JF;16;18H;016;;B2C NORMAL PA;P;999

Column	Description	Format	Example of value
1 : Service	Service Code	N	328
2 : PLTRI	Routing mode to use	AN	18H
3 : Service Mark	Service Mark	AN	X
4 : Service element	Service element	Unused	
5 : Service Text	Geopost delivery service mention	AN	XD-B2C
6 : Description	Chronopost product name	AN	TRANSIT B2C SMALL
7 : Produit shipping	Product shippable from France	AN	O or N (means Y or N)
8 : Produit Nat/Inter	National or International product	AN	N or I
9 : Samedi	Saturday delivery authorized	AN	SE pour week days VE for Saturday delivery

SIC/DSI V.25.01 	THE CHRONOPOST LABEL FOR SHIPMENTS <u>FROM ANYWHERE TO FRANCE AND TO</u> <u>THE REST OF EUROPE</u>	Réf : Doc Etiquette ROW-FR-ROE GB_V25.01.doc Dernière modif : 27/01/2025
---	---	---

10 : Assurance	Insurance authorized	AN	O or N (means Y or N)
11 : REP	For internal use	Unused	
12 : Multicolis	Multi pieces authorized	AN	O or N (means Y or N)
13 : Instance Poste	Instance Poste authorized	AN	O or N (means Y or N)
14 : SAC	Sac	Unused	
15 : Suffixe	Suffixe of the tracking number	A	JF
16 : Code Fact	Invoicing code	N	0G
17 : Libel 25	Chronopost delivery service mention	AN	18H
18 : Codexp 25	For internal use	Unused	
19 : Usage interne	For internal use	Unused	
20 : Usage interne	For internal use	Unused	
21 : Usage interne	For internal use	Unused	
22 : Usage interne	For internal use	Unused	

2.6.2.2. Example of the product file

327;18H.;;10;D-B2C.....;IMPORT B2C NORMAL...;N;N;SE;O;N;O;O;N;JB;0G;18H.....;016;;B2C NORMAL PA;P;999
328;18H.;X;10;D-B2C;IMPORT B2C SMALL...;N;N;SE;O;N;O;O;N;JB;0G;18H.....;016;;B2C SMALL PAR;P;999
327;DPD.;;1.;D-B2C.....;TRANSIT B2C NORMAL...;O;I;SE;O;N;O;O;N;JF;0H;COM INT....;044;;B2C NORMAL PA;P;55
328;DPD.;X;1.;XD-B2C;TRANSIT B2C SMALL...;O;I;SE;O;N;O;O;N;JF;0H;COM INT....;044;;B2C SMALL PAR;P;56

2.6.3. CUSTOMS CLEARANCE METHOD



According on how the customs clearance must be done, your labels need to have an additional indication about that point.

You need to print :

- « HY-DP » if the fees have already been paid
- « HY-NP » if the fees haven't yet been paid.

SIC/DSI V.25.01 	THE CHRONOPOST LABEL FOR SHIPMENTS <u>FROM ANYWHERE TO FRANCE AND TO</u> <u>THE REST OF EUROPE</u>	Réf : Doc Etiquette ROW-FR-ROE GB_V25.01.doc Dernière modif : 27/01/2025
---	--	---

2.6.4. GEOPOST TRACKING ID, SERVICE AND VARIOUS ROUTINGS


2.6.4.1. The Geopost tracking ID and its checksum

The Geopost tracking ID is the unique identification of your parcel in the Geopost Network. It is composed of 14 characters and a 1 character checksum. These 15 characters must be printed in a font size 10, in 3 groups of 4 characters and 1 group of 3 characters. The first group must be printed in a **BOLD** font.

It is calculated upon the Chronopost parcel ID.

For example : **HY712000002JF**.

2.6.4.1.1. Description



- A. These 7 characters are your unique sender ID in the Geopost network. This ID is provided by Chronopost. The 4 first characters must be printed in a BOLD font.
- B. These 6 digits are the Chronopost tracking number counter. See section B from chapter 2.6.1.1.
- C. In the case of an International shipment, the value of this character is always 0.
- D. It's the checksum of the Geopost tracking number. The calculation of this character is explained in the next chapter.

The same parcel tracking number must not exist twice during a 6 month period.

2.6.4.1.2. Character table for the ISO 7064 mod 37/36

For the calculation of the Geopost tracking ID, you must find the value (**VAL**) depending on each character (**CAR**), based on the below table.

Character	Value	Character	Value	Character	Value
0	0	A	10	N	23
1	1	B	11	O	24
2	2	C	12	P	25
3	3	D	13	Q	26
4	4	E	14	R	27

SIC/DSI V.25.01 	THE CHRONOPOST LABEL FOR SHIPMENTS <u>FROM ANYWHERE TO FRANCE AND TO</u> <u>THE REST OF EUROPE</u>	Réf : Doc Etiquette ROW-FR-ROE GB_V25.01.doc Dernière modif : 27/01/2025
---	--	---

5	5	F	15	S	28
6	6	G	16	T	29
7	7	H	17	U	30
8	8	I	18	V	31
9	9	J	19	W	32
		K	20	X	33
		L	21	Y	34
		M	22	Z	35

Examples : VAL(M) = 22, VAL(4) = 4 and VAL(Y) = 34
CAR(22) = M, CAR(6) = 6 and CAR(34) = Y

2.6.4.1.3. Geopost tracking ID checksum calculation

If the Geopost tracking ID is **ABCDEFGHijkl X**, where **X** is the checksum. The calculation of **X** is possible as following :

At the beginning of the calculation, you must set the variables MOD and CS to 36.

The modulo (MOD) = 36

The checksum (CS) = MOD so CS=36

Let LEN be the length of the string (LEN = 14)

For I=1 to I=LEN (loop from 1 to 14 on the characters of the string, going from left to right)

Y=VAL(CHAR(I)) CHAR(I) goes from A to L in our example

CS = CS + Y

If CS > MOD then CS = CS – MOD Else CS = CS EndIf

CS = CS * 2

If CS > MOD then CS = CS – MOD – 1 Else CS = CS EndIf.

END OF THE LOOP

At the end of the loop, we do :

CS = MOD + 1 – CS

If CS = MOD then CS = 0 Else CS = CS Endif.

The checksum **X** equals CHAR(CS) defined in the table of the chapter 2.6.4.1.2

2.6.4.1.4. Calculation examples

GEOPOST parcel ID	GEOPOST parcel ID and its checkSum
99993456799248	99993456799248 V
12345678901234	12345678901234 E

SIC/DSI V.25.01 	THE CHRONOPOST LABEL FOR SHIPMENTS <u>FROM ANYWHERE TO FRANCE AND TO</u> <u>THE REST OF EUROPE</u>	Réf : Doc Etiquette ROW-FR-ROE GB_V25.01.doc Dernière modif : 27/01/2025
---	--	---

2.6.4.2. Geopost delivery service mention

The Geopost delivery service mention is located in column 5 of the product file, explained at chapter 2.6.2.1

It must be printed in a font size 10 and can contain up to 18 characters.

2.6.4.3. Routing information

To gather the routing information to print, you must use the product and the routing files.

In the product file, you must find the routing mode to use depending on the Chronopost product name.

In the routing file, you will find the lines corresponding to your routing mode and depending on the range of zip code min & max, the expected routing information to print. If there is no zip code mentioned, the same routing must be applied for all the country.

2.6.4.3.1. Routing file

2.6.4.3.1.1. Format description

The routing file is a .CSV file format. There are 10 columns, using a semi column (;) separator.

The routing file can be updated as often as Chronopost will need to. The updated files can be provided by FTP or by Email.

This is the description of the routing file :

The first line includes the version and the startup date (YYYYMMDD) and the origin of the routing file.

Example : **5;20150302;ROUTING_CHRONO_NAT;;;**

Routing version	6
Startup date	: 6 january 2025
Content description	: Routing Chronopost

Here is the description of the following lines of the routing table :

Example : **18H;FR;01000;01069;A2;MAC;01P50;;250;0467;**

SIC/DSI V.25.01 	THE CHRONOPOST LABEL FOR SHIPMENTS <u>FROM ANYWHERE TO FRANCE AND TO</u> <u>THE REST OF EUROPE</u>	Réf : Doc Etiquette ROW-FR-ROE GB_V25.01.doc Dernière modif : 27/01/2025
---	--	---

Column	1	2	3	4	5	6	7	8	9	10
Description	Routing mode to use	Delivery country code	Zip code Min	Zip code Max	Origine Sort	Lot Acheminement	Distri Sort	Internal use	Ctry code UN3	Deliv. Agency code
Format	AN	AN	N	N	AN	AN	AN	AN	N	N
Value example	18H	FR	01000	01069	A2	MAC	01P50		250	0467

- Column 1 (18H) : Routing mode to use.
- Column 2 (FR) : Delivery country code (ISO 3166 format)
- Column 3 (01000): Zip code minimum is the beginning of the zip code range where your parcel must be delivered.
- Column 4 (01069): Zip code maximum is the beginning of the zip code range where your parcel must be delivered.
- Column 5 (A2) : Origine Sort
- Column 6 (MAC) : Lot d'acheminement
- Column 7 (01P50): Distribution Sort
- Column 8 () : Chronopost internal use
- Column 9 (250) : Delivery country numerical code
- Column 10 (0467): Delivery agency code
-

2.6.4.3.1.2. Utilisation

In the product file, you must :

1. Find the Chronopost product that you want to use (column 6)
2. Check that the product is available on the shipping day (column 8)
3. Check that the needed options are possible with that product (columns 10,11,12,13)

Once the good line obtained, you will find the routing mode to use (column 2).

In the routing file, you must :

1. Find the lines corresponding to your routing mode (column1).
2. Check your delivery country code (column 2).
3. Find the good zip code range where the parcel must be delivered (columns 3 and 4).

If you do not obtain a possibility, you can not ship the parcel with the chosed Chronopost product. To ship your parcel, you must only have 1 unique line possible.

Vous must finally print :


- In a font 24 **Bold** and left aligned : Origine Sort (column 5). Ex: A2
- In a font 30 **Bold** and centered : Delivery country code (column 2) + "-" + Delivery agency code (column 10) + "-" + Lot acheminement (column 6). Ex: FR-0467-MAC

SIC/DSI V.25.01 	THE CHRONOPOST LABEL FOR SHIPMENTS <u>FROM ANYWHERE TO FRANCE AND TO</u> <u>THE REST OF EUROPE</u>	Réf : Doc Etiquette ROW-FR-ROE GB_V25.01.doc Dernière modif : 27/01/2025
---	--	---


- In a font 24 **Bold** and right justified: **Distri Sort** (column 7). Ex: 01P50

If you do not obtain a choice, you can not ship the parcel with the choosed Chronopost product.
You must choose a different shipping product.

2.6.4.3.2. Example



2.6.4.4. Geopost routing information




The routing information is composed of 14 characters and must be printed in a font size 10.
Format : SSS-CC-PPPPPP

- SSS is the service code, which is provided in the first column of the product file (see chapter 2.6.2.1.)
- CC is the delivery country code using the ISO 3166 codification. It always is composed of 2 letters. This data is provided in the second column of the routing file.
- PPPPP is the delivery zip code.

2.6.4.5. Parcel Tag

The left frame must contain the value provided in column 3 of the product file.
If there is no value, you can print an empty frame or not print the frame at all.

SIC/DSI V.25.01 	THE CHRONOPOST LABEL FOR SHIPMENTS <u>FROM ANYWHERE TO FRANCE AND TO</u> <u>THE REST OF EUROPE</u>	Réf : Doc Etiquette ROW-FR-ROE GB_V25.01.doc Dernière modif : 27/01/2025
---	--	---



2.6.4.6. Date, version and sender identification.

The various elements listed below, must be printed in a font size 6 and spaced by a blank.

- The shipping date must be printed using the format dd/mm/yy.
- The printing hour must be printed using the format hh:mm.
- VP followed of the routing version provided in the first line of the routing file (example VP8).
- Your sender identification that will always be CHREDI- followed of your personal ID provided in the PDF document containing your personal parameters.
- The version of the label documentation that you used to develop the labels. This version is the **V25.01**.

Example :

16/03/15 VP5 CHREDI-TT897 V15.03

2.5. THE GEOPOST ROUTING BARCODE

2.7.1. DESCRIPTION







The Geopost routing barcode is a code128 barcode, composed with 28 characters. You will have to text plain print characters 2 up to 28 below the barcode, followed by the checksum. The 28 characters must be printed in a font size 10, and by groups of 4 characters.

We recommend you to use different subsets B & C and to print the barcode as following :

- Subset B : The 2 first characters (example : %0)
- Subset C : The 26 next digits (example : 09120099934567992481226250)

Example of the barcoded Geopost routing : %009120099934567992481226250

Example of the printed Geopost routing : 0091 2009 9934 5679 9248 1226 250W

%	0091200	99934567992481	226	250	W
					
A	B	C	D	E	F

SIC/DSI V.25.01 	THE CHRONOPOST LABEL FOR SHIPMENTS <u>FROM ANYWHERE TO FRANCE AND TO</u> <u>THE REST OF EUROPE</u>	Réf : Doc Etiquette ROW-FR-ROE GB_V25.01.doc Dernière modif : 27/01/2025
---	--	---

- A. The first character is a %. It must be contained in the barcode but must not be plain text printed below the barcode.
- B. 7 characters. It is the delivery zip code, without any blanks or dashes (-) and completed on the left by 0 to always obtain 7 characters.
- C. 14 characters. It is the Geopost tracking ID without the checksum.
- D. 3 characters. It is the service code provided in the first column of the product file, explained at chapter 2.6.2.1.
- E. 3 numerical characters. It is the numerical delivery country code provided in column 9 of the routing file.
- F. 1 character. It is the checksum. It must be plain text printed below the barcode but must not be in the barcode content. Its calculation is explained here below.

2.7.2. CALCULATION OF THE GEOPOST ROUTING BARCODE CHECKSUM

The calculation of the Geopost routing barcode checksum is the same used for the Geopost tracking ID. It is calculated on the 27 previous characters instead of the 14 for the parcel ID. See chapter 2.6.4.1.3.

Example of checksums calculations :

GEOPOST routing without CheckSum	GEOPOST routing with CheckSum
009120082123456789248226250	0091 2008 2123 4567 8924 8226 250 0
009120036000000000248226250	0091 2003 6000 0000 0024 8226 250 3
009120049123123123336156250	0091 2004 9123 1231 2333 6156 250 J
009120024111111111209180250	0091 2002 4111 1111 1120 9180 250 Z

SIC/DSI V.25.01 	THE CHRONOPOST LABEL FOR SHIPMENTS <u>FROM ANYWHERE TO FRANCE AND TO</u> <u>THE REST OF EUROPE</u>	Réf : Doc Etiquette ROW-FR-ROE GB_V25.01.doc Dernière modif : 27/01/2025
---	---	---

3. HANDLING AND CUSTOMS LABELS

In order to handle your parcels, all your parcels must have in a transparent envelop stucked on the parcel, with the clearance invoices.

SIC/DSI V.25.01 	THE CHRONOPOST LABEL FOR SHIPMENTS <u>FROM ANYWHERE TO FRANCE AND TO</u> <u>THE REST OF EUROPE</u>	Réf : Doc Etiquette ROW-FR-ROE GB_V25.01.doc Dernière modif : 27/01/2025
---	---	---

4. THE PREALERT TRANSMISSION

This operation must be done each evening. You must transfer the details of your shipments to a Chronopost's SFTP server.

SIC/DSI V.25.01 	THE CHRONOPOST LABEL FOR SHIPMENTS <u>FROM ANYWHERE TO FRANCE AND TO</u> <u>THE REST OF EUROPE</u>	Réf : Doc Etiquette ROW-FR-ROE GB_V25.01.doc Dernière modif : 27/01/2025
---	---	---

5. CONTACTS


In case of problems or questions, you can contact your IT contact in charge to support you during all your implementation.

In order to validate your labels, end of day manifest and EDI, you will need to send samples by email, to your IT contact.

Please keep in mind that 2 or 3 week days may be needed to validate your labels.

SIC/DSI V.25.01 	THE CHRONOPOST LABEL FOR SHIPMENTS <u>FROM ANYWHERE TO FRANCE AND TO</u> <u>THE REST OF EUROPE</u>	Réf : Doc Etiquette ROW-FR-ROE GB_V25.01.doc Dernière modif : 27/01/2025
---	--	---

6. LABEL SAMPLES

On delivery, damage or theft must be the subject of precise and complete reservations, dated and signed by the consignee, on the delivery note.		CHRONOPOST www.chronopost.fr Compte N° : 111111111	
CONSIGNEE NAME LINE 1 CONSIGNEE NAME LINE 2 CONSIGNEE ADDRESS LINE 1 CONSIGNEE ADDRESS LINE 2 CONSIGNEE CITY 06000 FR-FRANCE		SENDER NAME SENDER ADDRESS LINE 1 SENDER ADDRESS LINE 2 SENDER CITY 94023 SENDER PHONE 0101010101 REFERENCE SENDER INTERNAL REF	
Contact Phone 33.4.56.67.78.89 Ref CONSIGNEE CODE Consignment HY712000002JB	Weight 0.500 KG		
Date : 16/03/15 HY 712 000 002 JB  VALEUR DOUANE 95.00 EUR HY-DP		MAR 18H	
0407 1120 0000 02W Track		D-B2C Service	
☒ FR-0446-NCE8 A1		328-FR-06000 16/03/15 VPS CHRED-TT897 V15.03	
06M00  0006 0000 4071 1200 0002 0328 250L			

On delivery, damage or theft must be the subject of precise and complete reservations, dated and signed by the consignee, on the delivery note.		CHRONOPOST www.chronopost.fr Compte N° : 111111111	
DELIVERY NAME 1 DELIVERY NAME 2 DELIVERY ADDRESS 1 DELIVERY ADDRESS 2 DELIVERY CITY 1000 BE-BELGIQUE		SENDER NAME SENDER ADDRESS LINE 1 SENDER ADDRESS LINE 2 SENDER CITY 94023 SENDER PHONE 0101010101 REFERENCE SENDER INTERNAL REF	
Contact Phone 32.2.03.04.05.06 Ref CONSIGNEE CODE Consignment HY712000002JF	Weight 3.500 KG		
Date : 16/03/15 HY 712 000 002 JF  VALEUR DOUANE 95.00 EUR HY-DP		COM INT	
0407 1120 0000 20S Track		D-B2C Service	
☐ BE-0535- CMZ		327-BE-1000 16/03/15 VPS CHRED-TT897 V15.03	
3A77  0001 0000 4071 1200 0002 0327 056N			