Azure Naming Standard

Note: Use a deployment prefix wherever possible for all resources within a resource group to identify. Deployment prefixes are specific to each application stack or deployment.

Resource Type	Naming Standard	Sample	Comment
Subscription Name	mck-<subscription name>-<environment>	mck-clarusone-prod mck-canada-scom-nonprod	Given reference name for this Azure subscription.
Resource Group	rg-<product/application group>-<context>-<region>-<environment>	rg-netsec-pan-westus-nonprod rg-netsec-pan-eastus-prod	
Availability Set	<deployment-prefix>-az	azw1pan-az	
Storage Account	<sa><deployment-prefix><index>	saazw1panprod01	Storage accounts can't have hyphen or underscore in the name.
Storage Account Container Name	<context>	vhds	
Compute VM	<deployment-prefix><index>	azw1pan01	VMs can't have underscore in the name and total number of characters needs to be less than or equal to 15.
Virtual Appliance	nvanamerole<index>	nvaprivate1fw	
Network Vnet	vnet-<region>-<networkname>-<environment>	vnet-west-ets-transit-prod	Network name can be Subscription or context name
Peer	peer-<vnet>-<region>-<networkname>-<environment>	peer-vnet-west-ets-transit-prod	each side of the peer-will just reference the name of the vnet that is it peering too.
Network Subnet	sb-<purpose>-<context><index>	sb-netsec-pan	
Network VM NIC	<deployment-prefix>-<purpose>-nic<index>	azw1-pan-nic0	

Network Route Table	udr-<purpose>-<context>	udr-private01-trustudr	
Route	route-<purpose>-<environment>	route-spoke-nonprod	
Security Groups	<deployment-prefix>-nsg<index>	azw1pan-nsg	
Public IP	<deployment-prefix>-pip<index>	azw1pan-pip1	
Internal Load Balancer	<deployment-prefix>-ilb<index>	azw1pan-ilb	
External Load Balancer	<deployment-prefix>-elb<index>	azw1pan-elb	
Public Load Balancer	<deployment-prefix>-plb<index>	azw1pan-plb	
Application Gateway	<deployment-prefix>-agw<index>	azw1pan-agw1	
Private endpoint	pep-<product/application group>-<context>	pep-psas-rptsqlserver1	
AAD Group	azure-<product/application group>-<RBAC Role>	azure-cloudplatform-contributor	

If not specifically listed here then us the basic flow to deploy your resource.

<azure service>-<product/application group>-<context>-<region>-<environment> — Sample: *adf-pharmaclick-reporting-westus3-prod*

Resource Abbreviation

MSCI naming conventions should follow this standard whenever possible to ensure consistency and support automation within the environment. Names should follow this pattern: <app>-<env>-<region>-<function>-<service>. Values for the name components appear in the tables below.

Naming Abbreviations: App	
Component Name	**Abbreviation**
Management Plane	mgmt
MSCI	msci

Environment

Component Name	Abbreviation
Test	tst
Development	dev
Quality Assessment	qa
Stage	stg
User Assessment Testing	uat
Performance Testing	perf
Production	prod

Regions			
Component Name	**Location**	**Paired Region (Availability Zone)**	**McKesson Express Route Connections**
eastus	Virginia	westus(no)	Yes
eastus2	Virginia	centralus(yes)	No
eastus3	Georgia	TBD	No
westus	California	eastus(no)	Yes
westus2	Washington	westcentralus(yes)	No
westus3	Arizona	eastus(yes)	Yes
northcentralus	Illinois	southcentralus(yes)	No
southcentralus	texas	northcentralus(yes)	No
westcentralus	Wyoming	westus2(yes)	No
cacentral	Toronto	caeast(yes)	Yes
caeast	Quebec City	cacentral(yes)	Yes

Abbreviations for Naming: Services	
General	
Component Name	**Abbreviation**
Policy	ply
Resource Group	rg
Networking	
Component Name	**Abbreviation**

Application Gateway	agw
Backend Load Balancer	blb
Firewall	fw
Firewall Policy	fwp
Firewall Rule	fwr
Load Balancer (External)	elb
Load Balancer (Internal)	ilb
Load Balancer (public)	plb
Network Interface	nic
Network Security Group	nsg
Public IP Address	pip
Route Table	udr
Subnet	sb
Virtual Hub	vhb
Virtual Network	vnet
Virtual Network Gateway	vgw
Virtual WAN	vwn
Databases	
Component Name	**Abbreviation**
Azure Cache for Redis	rdc/rdb
Azure SQL Database	sqldb
Azure SQL Database Server	sql
CosmosDB	cdb
MySQL Database	msql
PostgreSQL Database	psql
Analytics	
Component Name	**Abbreviation**
Azure DataBricks	dbk
Azure Data Explorer	adx
EventHub Namespace	ehns
Event Grid Topics	ehtp
Web and Compute	

Component Name	Abbreviation
AKS Cluster	aks
App Service Plan	asp
Availability Set	avs
Azure Container Registry	acr
Container Instance	aci
Function App	func
Virtual Machine	vm
Virtual Machine Scale Set	vmss
Web App	app
Storage	
Component Name	**Abbreviation**
Managed Disk	md
Storage Account	sa
Azure Files	saf
Azure Queue	saq
Management and Governance	
Component Name	**Abbreviation**
Key Vault	kv
Log Analytics Workspace	la
Recovery Services Vault	rsv
Service Principals	sp
Azure Data Factory	adf

The following are the limitations of this naming standard:

- Storage account names cannot have dashes and must be globally unique.
- VM names should be 15 characters or fewer.
- Image gallery names cannot include the character “-.”