

1. GIT-HOL

<https://gitlab.com/sohini1204/gitdemo/>

```
MINGW64/c/Users/KIIT0001/Desktop/GitDemo
KIIT0001@KIIT00001 MINGW64 ~
$ git --version
git version 2.33.0.windows.1
KIIT0001@KIIT00001 MINGW64 ~
$ ^C
KIIT0001@KIIT00001 MINGW64 ~
$ git config --global user.name "Sohini Sen"
KIIT0001@KIIT00001 MINGW64 ~
$ git config --global user.email "sohinisen2204@gmail.com"
KIIT0001@KIIT00001 MINGW64 ~
$ git config --global --list
core.editor=C:\Users\KIIT0001\AppData\Local\Programs\Microsoft VS Code\bin\code
--wait
user.name=Sohini Sen
user.email=sohinisen2204@gmail.com
KIIT0001@KIIT00001 MINGW64 ~
$ ^C
KIIT0001@KIIT00001 MINGW64 ~
$ git config --global core.editor "notepad++ -multiInst -nosession"
KIIT0001@KIIT00001 MINGW64 ~
$ git config --global core.editor
notepad++ -multiInst -nosession
KIIT0001@KIIT00001 MINGW64 ~
$ cd ~/Desktop
KIIT0001@KIIT00001 MINGW64 ~/Desktop
$ mkdir GitDemo
KIIT0001@KIIT00001 MINGW64 ~/Desktop
$ cd GitDemo
KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo
$ git init
Initialized empty Git repository in C:/Users/KIIT0001/Desktop/GitDemo/.git/
KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ echo "Welcome to GitLab!" > welcome.txt
KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
```

```
KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ echo "Welcome to GitLab!" > welcome.txt
KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ ls -la
total 69
drwxr-xr-x 1 KIIT0001 197609  0 Jul 25 16:02 ./
drwxr-xr-x 1 KIIT0001 197609  0 Jul 25 16:01 ../
drwxr-xr-x 1 KIIT0001 197609  0 Jul 25 16:01 .git/
-rw-r--r-- 1 KIIT0001 197609 19 Jul 25 16:02 welcome.txt
KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ cat welcome.txt
Welcome to GitLab!
KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git status
On branch main

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    welcome.txt

nothing added to commit but untracked files present (use "git add" to track)
KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git add welcome.txt
warning: in the working copy of 'welcome.txt', LF will be replaced by CRLF the n
ext time Git touches it
KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git status
On branch main

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
    new file:   welcome.txt
KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git commit
hint: Waiting for your editor to close the file... notepad++ -multiInst -nosessi
on: line 1: notepad++: command not found
```

```

MINGW64~/Users/KIIT0001/Desktop/GitDemo
KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git commit
Aborting commit due to empty commit message.

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git status
On branch main

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
    new file:   welcome.txt

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git log --online
fatal: your current branch 'main' does not have any commits yet

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git log --oneline
fatal: your current branch 'main' does not have any commits yet

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git remote add origin https://gitlab.com/sohini1204/gitdemo.git

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git remote -v
origin  https://gitlab.com/sohini1204/gitdemo.git (fetch)
origin  https://gitlab.com/sohini1204/gitdemo.git (push)

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git merge origin/main -- allow-unrelated-histories -m "Merge remote README"
merge: origin/main - not something we can merge

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git push -u origin main
error: src refspec main does not match any
error: failed to push some refs to 'https://gitlab.com/sohini1204/gitdemo.git'

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git status
On branch main

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)

```

```

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git commit
hint: waiting for your editor to close the file... notepad++ -multiInst -nosessi
on: line 1: notepad++: command not found
error: there was a problem with the editor 'notepad++ -multiInst -nosession'
Please supply the message using either -m or -F option.

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git config --global core.editor "C:/Program Files/Notepad++/notepad++.exe" -mu
ltiInst -nosession"

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git config --global core.editor "C:/Program Files/Notepad++/notepad++.exe" -m
ultiInst -nosession"

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ ls -la "/c:/Program Files/Notepad++/notepad.exe"
ls: cannot access '/c:/Program Files/Notepad++/notepad.exe': No such file or dire
ctory

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ find /c/ -name "notepad++.exe" 2>/dev/null

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git config --global core.editor "C:/Users/KIIT0001/AppData/Local/Programs/Mic
rosoft VS Code/bin/code" --wait"

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git config --global core.editor
"/c:/Users/KIIT0001/AppData/Local/Programs/Microsoft VS Code/bin/code" --wait

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git commit
Aborting commit due to empty commit message.

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git status
On branch main

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
    new file:   welcome.txt

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git add welcome.txt

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git commit -m "Initial commit: Added welcome.txt"
[main (root-commit) 51929fd] Initial commit: Added welcome.txt
 1 file changed, 1 insertion(+)
 create mode 100644 welcome.txt

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git push -u origin main
remote: HTTP Basic: Access denied. If a password was provided for Git authentica
tion, the password was incorrect or you're required to use a token instead of a
password. If a token was provided, it was either incorrect, expired, or improper
ly scoped. See https://gitlab.com/help/topics/git/troubleshooting_git.md#error-o
n-git-fetch-http-basic-access-denied
fatal: Authentication failed for 'https://gitlab.com/sohini1204/gitdemo.git/'

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git push -u origin main
remote: HTTP Basic: Access denied. If a password was provided for Git authentica
tion, the password was incorrect or you're required to use a token instead of a
password. If a token was provided, it was either incorrect, expired, or improper
ly scoped. See https://gitlab.com/help/topics/git/troubleshooting_git.md#error-o
n-git-fetch-http-basic-access-denied
fatal: Authentication failed for 'https://gitlab.com/sohini1204/gitdemo.git/'

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git push -u origin main
info: please complete authentication in your browser...
To https://gitlab.com/sohini1204/gitdemo.git
 ! [rejected]        main -> main (fetch first)

```

```
MINGW64~/Users/KIIT0001/Desktop/GitDemo
remote: HTTP Basic: Access denied. If a password was provided for Git authentication, the password was incorrect or you're required to use a token instead of a password. If a token was provided, it was either incorrect, expired, or improperly scoped. See https://gitlab.com/help/topics/git/troubleshooting_git.md#error-on-git-fetch-http-basic-access-denied
fatal: Authentication failed for 'https://gitlab.com/sohini1204/gitdemo.git/'

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git push -u origin main
info: please complete authentication in your browser...
To https://gitlab.com/sohini1204/gitdemo.git
 ! [rejected]        main -> main (fetch first)
error: failed to push some refs to 'https://gitlab.com/sohini1204/gitdemo.git'
hint: Updates were rejected because the remote contains work that you do not
hint: have locally. This is usually caused by another repository pushing to
hint: the same ref. If you want to integrate the remote changes, use
hint: 'git pull' before pushing again.
hint: See the 'Note about fast-forwards' in 'git push --help' for details.

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git pull origin main --allow-unrelated-histories
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (3/3), 2.71 KiB | 126.00 KiB/s, done.
From https://gitlab.com/sohini1204/gitdemo
 * branch            main       -> FETCH_HEAD
 * [new branch]      main       -> origin/main
Merge made by the 'ort' strategy.
 README.md | 93 +++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++
 1 file changed, 93 insertions(+)
 create mode 100644 README.md

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git push -u origin main
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 12 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 350 bytes | 550.00 KiB/s, done.
Total 5 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://gitlab.com/sohini1204/gitdemo.git
 c518865..9f0adc7 main -> main
branch 'main' set up to track 'origin/main'.

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$
```