

3. GIT-HOL

<https://gitlab.com/sohini1204/gitdemo>

```
MINGW64~/c:/Users/KIIT0001/Desktop/GitDemo
KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ cd ~/Desktop/GitDemo

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        configtxt

nothing added to commit but untracked files present (use "git add" to track)

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git branch
* main

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git branch GitNewBranch

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git branch
      GitNewBranch
* main

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ echo "This is a new feature" > feature.txt

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ echo "Branch-specific content" > branch-info.txt

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ mkdir src

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ echo "Main code file" > src/main.js

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ echo "# Feature Branch" > FEATURE_README.md

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        FEATURE_README.md
        branch-info.txt
        configtxt
        feature.txt
        src/

nothing added to commit but untracked files present (use "git add" to track)

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git add .
warning: in the working copy of 'FEATURE_README.md', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'branch-info.txt', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'configtxt', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'feature.txt', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/main.js', LF will be replaced by CRLF the next time Git touches it

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   FEATURE_README.md
        new file:   branch-info.txt
        new file:   configtxt
        new file:   feature.txt
        new file:   src/main.js

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git commit -m "Added feature files in GitNewBranch"
[main dca09f3] Added feature files in GitNewBranch
5 files changed, 5 insertions(+)
create mode 100644 FEATURE_README.md
create mode 100644 branch-info.txt
create mode 100644 configtxt
create mode 100644 feature.txt
create mode 100644 src/main.js
```

```

MINGW64/c/Users/KIIT0001/Desktop/GitDemo

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git status
On branch main
Your branch is ahead of 'origin/main' by 1 commit.
(use "git push" to publish your local commits)

nothing to commit, working tree clean

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git log --oneline
dca09f3 (HEAD -> main) Added feature files in GitNewBranch
679ce8f (origin/main, GitNewBranch) Added .gitignore to exclude log files and log folder
9f0adc7 Merge branch 'main' of https://gitlab.com/sohini1204/gitdemo
51929fd Initial commit: Added welcome.txt
c518865 Initial commit

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ echo "Updated feature content" >> feature.txt

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ echo "Documentation for feature" > docs.txt

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git add feature.txt docs.txt
warning: in the working copy of 'feature.txt', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'docs.txt', LF will be replaced by CRLF the next time Git touches it

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git commit -m "Updated feature files with documentation"
[main 44432ff] Updated feature files with documentation
2 files changed, 2 insertions(+)
create mode 100644 docs.txt

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git log --oneline --graph
* 44432ff (HEAD -> main) Updated feature files with documentation
* dca09f3 Added feature files in GitNewBranch
* 679ce8f (origin/main, GitNewBranch) Added .gitignore to exclude log files and log folder
* 9f0adc7 Merge branch 'main' of https://gitlab.com/sohini1204/gitdemo
| \
| * c518865 Initial commit
| * 51929fd Initial commit: Added welcome.txt

```

```

MINGW64/c/Users/KIIT0001/Desktop/GitDemo

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git status
On branch main
Your branch is ahead of 'origin/main' by 2 commits.
(use "git push" to publish your local commits)

nothing to commit, working tree clean

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git branch
  GitNewBranch
* main

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git log --oneline --graph --all
* 44432ff (HEAD -> main) Updated feature files with documentation
* dca09f3 Added feature files in GitNewBranch
* 679ce8f (origin/main, GitNewBranch) Added .gitignore to exclude log files and log folder
* 9f0adc7 Merge branch 'main' of https://gitlab.com/sohini1204/gitdemo
| \
| * c518865 Initial commit
| * 51929fd Initial commit: Added welcome.txt

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git branch feature-branch
  GitNewBranch
  feature-branch
* main

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git reset --hard 679ce8f
HEAD is now at 679ce8f Added .gitignore to exclude log files and log folder

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git log --oneline --graph

```

```
MINGW64:/c/Users/KIIT0001/Desktop/GitDemo

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git log --oneline --graph
* 679ce8f (HEAD -> main, origin/main, GitNewBranch) Added .gitignore to exclude log files and log folder
* 9f0adc7 Merge branch 'main' of https://gitlab.com/sohini1204/gitdemo
|\
| * c518865 Initial commit
| * 51929fd Initial commit: Added welcome.txt
$ git branch
  GitNewBranch
  feature-branch
* main
$ git branch -v
  GitNewBranch 679ce8f Added .gitignore to exclude log files and log folder
  feature-branch 44432ff Updated feature files with documentation
* main 679ce8f Added .gitignore to exclude log files and log folder
$ git checkout GitNewBranch
Switched to branch 'GitNewBranch'
$ git branch
* GitNewBranch
  feature-branch
  main
$ git log --oneline --graph
* 679ce8f (HEAD -> GitNewBranch, origin/main, main) Added .gitignore to exclude log files and log folder
* 9f0adc7 Merge branch 'main' of https://gitlab.com/sohini1204/gitdemo
|\
| * c518865 Initial commit
| * 51929fd Initial commit: Added welcome.txt
$ echo "This is a new feature" > feature.txt
$ echo "Branch-specific content" > branch-info.txt
```

```
MINGW64:/c/Users/KIIT0001/Desktop/GitDemo

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (GitNewBranch)
$ mkdir src
KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (GitNewBranch)
$ echo "Main code file" > src/main.js
KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (GitNewBranch)
$ echo "Config file" > src/config.js
KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (GitNewBranch)
$ git status
On branch GitNewBranch
Untracked files:
  (use "git add <file>..." to include in what will be committed)
        branch-info.txt
        feature.txt
        src/

nothing added to commit but untracked files present (use "git add" to track)
KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (GitNewBranch)
$ ls -la
total 87
drwxr-xr-x 1 KIIT0001 197609  0 Jul 25 18:07 ./
drwxr-xr-x 1 KIIT0001 197609  0 Jul 25 16:01 ../
drwxr-xr-x 1 KIIT0001 197609  0 Jul 25 18:09 .git/
-rw-r--r-- 1 KIIT0001 197609  77 Jul 25 17:13 .gitignore
-rw-r--r-- 1 KIIT0001 197609 6103 Jul 25 16:36 README.md
-rw-r--r-- 1 KIIT0001 197609  19 Jul 25 17:10 app.log
-rw-r--r-- 1 KIIT0001 197609  24 Jul 25 18:07 branch-info.txt
-rw-r--r-- 1 KIIT0001 197609  17 Jul 25 17:12 config.txt
-rw-r--r-- 1 KIIT0001 197609  12 Jul 25 17:11 debug.log
-rw-r--r-- 1 KIIT0001 197609  22 Jul 25 18:06 feature.txt
drwxr-xr-x 1 KIIT0001 197609  0 Jul 25 17:11 log/
drwxr-xr-x 1 KIIT0001 197609  0 Jul 25 18:09 src/
-rw-r--r-- 1 KIIT0001 197609  19 Jul 25 16:02 welcome.txt
KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (GitNewBranch)
$ git add .
warning: in the working copy of 'branch-info.txt', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'feature.txt', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/config.js', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/main.js', LF will be replaced by CRLF the next
```



```
MINGW64:/c/Users/KIIT0001/Desktop/GitDemo
time Git touches it

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (GitNewBranch)
$ git status
On branch GitNewBranch
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   branch-info.txt
    new file:   feature.txt
    new file:   src/config.js
    new file:   src/main.js

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (GitNewBranch)
$ git commit -m "Added feature files in GitNewBranch"
[GitNewBranch c47d98c] Added feature files in GitNewBranch
 4 files changed, 4 insertions(+)
 create mode 100644 branch-info.txt
 create mode 100644 feature.txt
 create mode 100644 src/config.js
 create mode 100644 src/main.js

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (GitNewBranch)
$ git status
On branch GitNewBranch
nothing to commit, working tree clean

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (GitNewBranch)
$ echo "Updated feature content" >> feature.txt

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (GitNewBranch)
$ echo "Documentation for feature" >> docs.txt

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (GitNewBranch)
$ git add feature.txt docs.txt
warning: in the working copy of 'feature.txt', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'docs.txt', LF will be replaced by CRLF the next time Git touches it

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (GitNewBranch)
$ git commit -m "Updated feature files with documentation"
[GitNewBranch 2f598a3] Updated feature files with documentation
 2 files changed, 2 insertions(+)
 create mode 100644 docs.txt

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (GitNewBranch)
```

```
MINGW64:/c/Users/KIIT0001/Desktop/GitDemo

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (GitNewBranch)
$ git status
On branch GitNewBranch
nothing to commit, working tree clean

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (GitNewBranch)
$ git log --oneline --graph --all
* 2f598a3 (HEAD -> GitNewBranch) Updated feature files with documentation
* c47d98c Added feature files in GitNewBranch
* 44432ff (feature-branch) Updated feature files with documentation
* dca09f3 Added feature files in GitNewBranch
/
* 679ce8f (origin/main, main) Added .gitignore to exclude log files and log folder
* 9f0adc7 Merge branch 'main' of https://gitlab.com/sohini1204/gitdemo
/
* c518865 Initial commit
* 51929fd Initial commit: Added welcome.txt

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (GitNewBranch)
$ git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git branch
  GitNewBranch
  feature-branch
* main

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git diff main GitNewBranch
diff --git a/branch-info.txt b/branch-info.txt
new file mode 100644
index 0000000..1f187fa
--- /dev/null
+++ b/branch-info.txt
@@ -0,0 +1 @@
+Branch-specific content
diff --git a/docs.txt b/docs.txt
new file mode 100644
index 0000000..e21cadd
--- /dev/null
+++ b/docs.txt
@@ -0,0 +1 @@
+Documentation for feature
diff --git a/feature.txt b/feature.txt
```

```

MINGW64:/c/Users/KIIT0001/Desktop/GitDemo
+++ b/docs.txt
@@ -0,0 +1 @@
+Documentation for feature
diff --git a/feature.txt b/feature.txt
new file mode 100644
index 0000000..d5b9589
--- /dev/null
+++ b/feature.txt
@@ -0,0 +1,2 @@
+This is a new feature
+Updated feature content
diff --git a/src/config.js b/src/config.js
new file mode 100644
index 0000000..a5356f0
--- /dev/null
+++ b/src/config.js
@@ -0,0 +1 @@
+Config file
diff --git a/src/main.js b/src/main.js
new file mode 100644
index 0000000..0e02eac
--- /dev/null
+++ b/src/main.js
@@ -0,0 +1 @@
+Main code file

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git diff --stat main GitNewBranch
branch-info.txt | 1 +
docs.txt        | 1 +
feature.txt     | 2 ++
src/config.js   | 1 +
src/main.js     | 1 +
5 files changed, 6 insertions(+)

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git diff --name-only main GitNewBranch
branch-info.txt
docs.txt
feature.txt
src/config.js
src/main.js

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git merge GitNewBranch
Updating 679ce8f..2f598a3
Fast-forward

```

```

MINGW64:/c/Users/KIIT0001/Desktop/GitDemo

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git merge GitNewBranch
Updating 679ce8f..2f598a3
Fast-forward
branch-info.txt | 1 +
docs.txt        | 1 +
feature.txt     | 2 ++
src/config.js   | 1 +
src/main.js     | 1 +
5 files changed, 6 insertions(+)
create mode 100644 branch-info.txt
create mode 100644 docs.txt
create mode 100644 feature.txt
create mode 100644 src/config.js
create mode 100644 src/main.js

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git status
On branch main
Your branch is ahead of 'origin/main' by 2 commits.
(use "git push" to publish your local commits)

nothing to commit, working tree clean

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git log --online --graph --all
fatal: unrecognized argument: --online

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git log --oneline --graph --all
* 2f598a3 (HEAD -> main, GitNewBranch) Updated feature files with documentation
* c47d98c Added feature files in GitNewBranch
* 44432ff (feature-branch) Updated feature files with documentation
* dca09f3 Added feature files in GitNewBranch
/
* 679ce8f (origin/main) Added .gitignore to exclude log files and log folder
* 9f0adc7 Merge branch 'main' of https://gitlab.com/sohini1204/gitdemo
/
* c518865 Initial commit
* 51929fd Initial commit: Added welcome.txt

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git push origin main
Enumerating objects: 12, done.
Counting objects: 100% (12/12), done.
Delta compression using up to 12 threads

```

```
MINGW64; c:/Users/KIIT0001/Desktop/GitDemo

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git push origin main
Enumerating objects: 12, done.
Counting objects: 100% (12/12), done.
Delta compression using up to 12 threads
Compressing objects: 100% (5/5), done.
Writing objects: 100% (11/11), 987 bytes | 329.00 KiB/s, done.
Total 11 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
To https://gitlab.com/sohini1204/gitdemo.git
  679ce8f..2f598a3  main -> main

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git branch -d GitNewBranch
Deleted branch GitNewBranch (was 2f598a3).

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git branch
  feature-branch
* main

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git log --oneline --graph --all
* 2f598a3 (HEAD -> main, origin/main) Updated feature files with documentation
* c47d98c Added feature files in GitNewBranch
| * 44432ff (feature-branch) Updated feature files with documentation
| * dca09f3 Added feature files in GitNewBranch
|/
* 679ce8f Added .gitignore to exclude log files and log folder
* 9f0adc7 Merge branch 'main' of https://gitlab.com/sohini1204/gitdemo
| \
| * c518865 Initial commit
| * 51929fd Initial commit: Added welcome.txt

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean
```