
EXISTING GROUND AT CL
℄ IMPROVEMENT PROFILE GRADE -1.12%
℄ IMPROVEMENT PROFILE GRADE -1.80%
-1.12%
-1.80%
L = 100
STA 7+00.00
ELEV 4086.75
L = 100
STA 7+00.00
ELEV 4086.77
L = 100
STA 12+40.00
ELEV 4077.02
L = 100
STA 12+40.00
ELEV 4077.22
BVC 6+50.00 4087.31
EVC 7+50.00 4085.85
BVC 11+90.00 4087.31
BVC 11+90.00 4087.51
PROFILE SCALES
HORZ.: 1"=40'
VERT.: 1"=4'
0+00.00
1+00.00
2+00.00
3+00.00
4+00.00
5+00.00
6+00.00
7+00.00
8+00.00
9+00.00
10+00.00
11+00.00
12+00.00
12+40.00


0+00.00 AVENAL STREET
0+00.00 PIONERO ROAD
PIONERO ROAD
SEE SHEET NO. 15
12+40.00 AVENAL STREET
0+00.00 CORTON STREET
CARTON STREET
REFER SHT NO.4
MATCHLINE STA: 12+90
SEE SHEET NO. 3 OF 17
LOT 43
S. B. C. D. E.
PER TRACT 17232
ROW
PROPOSED EDGE OF PAVEMENT
GRADED SHOULDER
CONSTRUCT CHANNEL CROSSING PER COUNTY STD. 200 AND 201
AVENAL
STREET
PIONERO
CORTON
APN# 3067-451-01
PH-RL - VACANT
APN# 3067-451-02
PH-RL - VACANT
END OF PAVEMENT
SEARCHED FD. NOTHING. SET 1" I.P., 18" IN LENGTH, DN. 0.5' W/ PLASTIC PLUG AND TAG STAMPED "LS 5091" BY SPLIT DISTANCE FOR CN 1/16 COR. SEC.15.
CONSTRUCTION NOTES
1 CONSTRUCT 26' WIDE A.C. PAVEMENT
2 CONSTRUCT AC DRIVEWAY APPROACH PER COUNTY STD. 128 A
3 INSTALL STREET NAME SIGN PER STANDARD 303
4 INSTALL STOP SIGN R1-1 PER MUTCD 2003 FIG. 2B-1.
5 PLACE TRAVERSABLE DIKE PER COUNTY STANDARD 117A
6 CONCRETE DRIVEWAY PER GRADING PLAN
7 INSTALL STREET MARKER WITH STOP SIGN PER STANDARD 303 a
8 INSTALL "PAVEMENT ENDS" SIGN W8-3 AND "500 FT" SIGN W 16-2A PER MUTCD FIG SC-2
9 PAINT 12" WHITE LIMIT LINE PER MUTCD 2003 CA SUPP. FIG 3B-103.
10 PAINT STOP PAVEMENT MARKING PER MUTCD 2003 CA SUPP. FIG. 3B-20 & FIG. 3B-103.
11 INSTALL OBJECT MARKER CA TYPE N-1 (OM1-3) PER MUTCD 2003 CA SUPP. FIG. 3C-101.
12 INSTALL STOP AHEAD SIGN W3-1 PER MUTCD FIG. SC-2
13 PAINT STOP AHEAD PAVEMENT MARKING PER MUTCD 2003 CA SUPP. FIG. 30-20(CA)
(IN FEET)
1 inch = 40 ft.





CONSTRUCTION NOTES

1. CONSTRUCT 26' WIDE A.C. PAVEMENT
2. CONSTRUCT AC DRIVEWAY APPROACH PER COUNTY STD. 128 A
3. INSTALL STREET NAME SIGN PER STANDARD 303
4. INSTALL STOP SIGN R1-1 PER MUTCD 2003 FIG. 2B-1.
5. PLACE TRAVERSABLE DIKE PER COUNTY STANDARD 117A
6. CONCRETE DRIVEWAY PER GRADING PLAN
7. INSTALL STREET MARKER WITH STOP SIGN PER STANDARD 303 a
8. INSTALL "PAVEMENT ENDS" SIGN W8-3 AND "500 FT" SIGN W 16-2A PER MUTCD FIG SC-2
9. PAINT 12" WHITE LIMIT LINE PER MUTCD 2003 CA SUPP. FIG 3B-103.
10. PAINT STOP PAVEMENT MARKING PER MUTCD 2003 CA SUPP. FIG. 3B-20 & FIG. 3B-103.
11. INSTALL OBJECT MARKER CA TYPE N-1 (OM1-3) PER MUTCD 2003 CA SUPP. FIG. 3C-101.
12. INSTALL STOP AHEAD SIGN W3-1 PER MUTCD FIG. SC-2
13. PAINT STOP AHEAD PAVEMENT MARKING PER MUTCD 2003 CA SUPP. FIG. 30-20(CA)



CONSTRUCTION NOTES

1. CONSTRUCT 26' WIDE A.C. PAVEMENT
2. CONSTRUCT AC DRIVEWAY APPROACH PER COUNTY STD. 128 A
3. INSTALL STREET NAME SIGN PER STANDARD 303
4. INSTALL STOP SIGN R1-1 PER MUTCD 2003 FIG. 2B-1.
5. PLACE TRAVERSABLE DIKE PER COUNTY STANDARD 117A
6. CONCRETE DRIVEWAY PER GRADING PLAN
7. INSTALL STREET MARKER WITH STOP SIGN PER STANDARD 303 a
8. INSTALL "PAVEMENT ENDS" SIGN W8-3 AND "500 FT" SIGN W 16-2A PER MUTCD FIG SC-2
9. PAINT 12" WHITE LIMIT LINE PER MUTCD 2003 CA SUPP. FIG 3B-103.
10. PAINT STOP PAVEMENT MARKING PER MUTCD 2003 CA SUPP. FIG. 3B-20 & FIG. 3B-103.
11. INSTALL OBJECT MARKER CA TYPE N-1 (OM1-3) PER MUTCD 2003 CA SUPP. FIG. 3C-101.
12. INSTALL STOP AHEAD SIGN W3-1 PER MUTCD FIG. SC-2
13. PAINT STOP AHEAD PAVEMENT MARKING PER MUTCD 2003 CA SUPP. FIG. 3D-20(CA)







(IN FEET)
1 inch = 40 ft.

CONSTRUCTION NOTES

1. CONSTRUCT 26' WIDE A.C. PAVEMENT
2. CONSTRUCT AC DRIVEWAY APPROACH PER COUNTY STD. 128 A
3. INSTALL STREET NAME SIGN PER STANDARD 303
4. INSTALL STOP SIGN R1-1 PER MUTCD 2003 FIG. 2B-1.
5. PLACE TRAVERSABLE DIKE PER COUNTY STANDARD 117A
6. CONCRETE DRIVEWAY PER GRADING PLAN
7. INSTALL STREET MARKER WITH STOP SIGN PER STANDARD 303 a
8. INSTALL "PAVEMENT ENDS" SIGN W8-3 AND "500 FT" SIGN W 16-2A PER MUTCD FIG SC-2
9. PAINT 12" WHITE LIMIT LINE PER MUTCD 2003 CA SUPP. FIG 3B-103.
10. PAINT STOP PAVEMENT MARKING PER MUTCD 2003 CA SUPP. FIG. 3B-20 & FIG. 3B-103.
11. INSTALL OBJECT MARKER CA TYPE N-1 (OM1-3) PER MUTCD 2003 CA SUPP. FIG. 3C-101.
12. INSTALL STOP AHEAD SIGN W3-1 PER MUTCD FIG. SC-2
13. PAINT STOP AHEAD PAVEMENT MARKING PER MUTCD 2003 CA SUPP. FIG. 3D-20(CA)