

2026.1 Multicore Computing, Project #3

(Due : 11:59pm, May 26)

Submission Rule

1. Create a directory {studentID#}_proj3 (example: 20203601_proj3).

2. Insert into the directory:


(i) 'C with OpenMP' source code proj3.c that generates [count for each bin] and [execution time for each algorithm (0,1-1,1-2,2-1,2-2,3-1,3-2) using {1,2,4,8,12,16} threads. The number of bins can be passed to the program as an argument (default: 10 bins).

(ii) a document (i.e. report) that contains (a) entire source code, (b) program output for 10 bins and 256 bins, (c) core OpenMP code part (including for-loop block) for each algorithm {0,1-1,1-2,2-1,2-2,3-1,3-2} with brief explanation on how you implemented for each algorithm, and (d) performance graphs, your interpretation and analysis of the results (evaluate performance for 10 bins and 256 bins).

(iii) insert a demo video file (.mp4 format) where you show (a) compilation, (b) execution, and (c) explanation on how you implemented for each algorithm (show the OpenMP code part for the algorithm you are explaining in the video)

3. zip the directory {studentID#}_proj3 and submit the zip file into eClass homework board.

• 1.3, 2.9, 0.4, 0.3, 1.3, 4.4, 1.7, 0.4, 3.2, 0.3, 4.9, 2.4,
3.1, 4.4, 3.9, 0.4, 4.2, 4.5, 4.9, 0.9



[Problem 1] Write a C/C++ code using OpenMP for Serial and Parallel Histogram Construction. Follow the submissino rule.

* Problem:

In the case of creating 10 bins:

- generate (1024x1024x1024) random floating point numbers between 0 and 10.
- create 10 bins: 0-1, 1-2, ..., 9-10, and construct a histogram as shown in above figure.
- Output: count for each bin and execution time/speedup for each algorithm {0, 1-1, 1-2, 2-1, 2-2, 3-1, 3-2}

* Output example

[0-1): 112730825

[1-2): 91084372

...


[9-10]: 106240811

Algorithm (2 threads)	0	1-1	1-2	2-1	2-2	3-1	3-2
Execution time	ms	ms	ms	ms	ms	ms	ms
speedup	1.0x	x	x	x	x	x	x

Print this table for {1,2,4,8,12,16} threads


Evaluate the program performance for the case of creating 256 bins as well.

Algorithm 0. Serial Algorithm using a single thread




Algorithm 1. Parallel Algorithm with critical section or locks

1-1. Parallel Algorithm with critical section for accessing the bins




1-2. Parallel Algorithm with locking for each bin




Algorithm 2. Parallel Algorithm with local bins

2-1. Parallel Algorithm with local bins (collecting the local bins in serial)




2-2. Parallel Algorithm with local bins (collecting the local bins in parallel)



Algorithm 3. Parallel Algorithm with the reduction

3-1. Parallel Algorithm with the reduction (doing reduction for each bin one by one)



3-2. Parallel Algorithm with the reduction (doing reduction for multiple bins in parallel)

