Name	:	**Mr. AADITYA SRIVASTAVA**	**Age**	:	**20 Years**
Lab No.	:	**179943083**	**Gender**	:	**Male**
Ref By	:	**SELF**	**Reported**	:	**7/6/2024 5:18:26PM**
Collected	:	**7/6/2024 12:13:00PM**	**Report Status**	:	**Final**
A/c Status	:	**P**	**Processed at**	:	**LPL-PREET VIHAR**
Collected at	:	**R. S. BALAJI ENTERPRISES-FPSC-GANESH NAGAR C-4/5, GROUND FLOOR, GANESH NAGAR, PANDA EAST DELHI**			**Plot no. 33, Defence Enclave, Vikas Marg, Preet Vihar, New Delhi-110092**

MC-5532

Test Report

Test Name	Results	Units	Bio. Ref. Interval
SWASTHFIT COMPLETE PACKAGE			
LIVER & KIDNEY PANEL, SERUM			
Creatinine (Modified Jaffe,Kinetic)	**0.65**	mg/dL	0.70 - 1.30
GFR Estimated	138	mL/min/1.73m2	>59
GFR Category	G1		
Urea (Urease)	22.00	mg/dL	13.00 - 43.00
Urea Nitrogen Blood	10.27	mg/dL	6.00 - 20.00
BUN/Creatinine Ratio	16		
Uric Acid (Uricase)	6.41	mg/dL	3.50 - 7.20
AST (SGOT) (IFCC)	17.0	U/L	15.00 - 40.00
ALT (SGPT) (IFCC)	27.0	U/L	10.00 - 49.00
GGTP (IFCC)	12.0	U/L	0 - 73
Alkaline Phosphatase (ALP) (IFCC-AMP)	54.00	U/L	30.00 - 120.00
Bilirubin Total (Oxidation)	0.79	mg/dL	0.30 - 1.20
Bilirubin Direct (Oxidation)	0.27	mg/dL	<0.3
Bilirubin Indirect (Calculated)	0.52	mg/dL	<1.10
Total Protein (Biuret)	6.90	g/dL	5.70 - 8.20
Albumin (BCG)	4.73	g/dL	3.20 - 4.80
A : G Ratio (Calculated)	**2.18**		0.90 - 2.00
Globulin(Calculated)	2.17	gm/dL	2.0 - 3.5
Calcium, Total (Arsenazo III)	9.60	mg/dL	8.70 - 10.40

Name	:	**Mr. AADITYA SRIVASTAVA**	**Age**	:	**20 Years**
Lab No.	:	**179943083**	**Gender**	:	**Male**
Ref By	:	**SELF**	**Reported**	:	**7/6/2024 5:18:26PM**
Collected	:	**7/6/2024 12:13:00PM**	**Report Status**	:	**Final**
A/c Status	:	**P**	**Processed at**	:	**LPL-PREET VIHAR**
Collected at	:	**R. S. BALAJI ENTERPRISES-FPSC-GANESH NAGAR C-4/5, GROUND FLOOR, GANESH NAGAR, PANDA EAST DELHI**			**Plot no. 33, Defence Enclave, Vikas Marg, Preet Vihar, New Delhi-110092**

Test Report

Test Name	Results	Units	Bio. Ref. Interval
Phosphorus (Phosphomolybdate UV)	4.10	mg/dL	2.40 - 5.10
Sodium (Indirect ISE)	139.40	mEq/L	136.00 - 145.00
Potassium (Indirect ISE)	4.12	mEq/L	3.50 - 5.10
Chloride (Indirect ISE)	106.10	mEq/L	98.00 - 107.00

Name	: **Mr. AADITYA SRIVASTAVA**		
Lab No.	: **179943083**	**Age**	: **20 Years**
Ref By	: **SELF**	**Gender**	: **Male**
Collected	: **7/6/2024 12:13:00PM**	**Reported**	: **7/6/2024 5:18:26PM**
A/c Status	: **P**	**Report Status**	: **Final**
Collected at	: **R. S. BALAJI ENTERPRISES-FPSC-GANESH NAGAR C-4/5, GROUND FLOOR, GANESH NAGAR, PANDA EAST DELHI**	**Processed at**	: **LPL-PREET VIHAR Plot no. 33, Defence Enclave, Vikas Marg, Preet Vihar, New Delhi-110092**

Test Report

Test Name	Results	Units	Bio. Ref. Interval
LIPID SCREEN, SERUM (CHO-POD)			
Cholesterol, Total	152.00	mg/dL	<200.00
Triglycerides	137.00	mg/dL	<150.00
HDL Cholesterol	**32.80**	mg/dL	>40.00
LDL Cholesterol, Calculated	91.80	mg/dL	<100.00
VLDL Cholesterol,Calculated	27.40	mg/dL	<30.00
Non-HDL Cholesterol	119	mg/dL	<130

Note

1. Measurements in the same patient can show physiological & analytical variations. Three serial samples 1 week apart are recommended for Total Cholesterol, Triglycerides, HDL& LDL Cholesterol.
2. Additional testing for Apolipoprotein B, hsCRP, Lp(a) & LP-PLA2 should be considered among patients with moderate risk for ASCVD for risk refinement.

Treatment Goals as per Lipid Association of India 2020

RISK CATEGORY	TREATMENT GOAL		CONSIDER THERAPY	
	LDL CHOLESTEROL (LDL-C)(mg/dL)	NON HDL CHLOESTEROL (NON HDL-C) (mg/dL)	LDL CHOLESTEROL (LDL-C)(mg/dL)	NON HDL CHLOESTEROL (NON HDL-C) (mg/dL)
Extreme Risk Group Category A	<50 (Optional goal ≤30)	<80 (Optional goal ≤60)	≥50	≥80
Extreme Risk Group Category B	≤30	≤60	>30	>60
Very High	<50	<80	≥50	≥80
High	<70	<100	≥70	≥100
Moderate	<100	<130	≥100	≥130
Low	<100	<130	≥130*	≥160*

*In low risk patient, consider therapy after an initial non-pharmacological intervention for at least 3 months

Name	: **Mr. AADITYA SRIVASTAVA**		
Lab No.	: **179943083**	**Age**	: **20 Years**
Ref By	: **SELF**	**Gender**	: **Male**
Collected	: **7/6/2024 12:13:00PM**	**Reported**	: **7/6/2024 5:18:26PM**
A/c Status	: **P**	**Report Status**	: **Final**
Collected at	: **R. S. BALAJI ENTERPRISES-FPSC-GANESH NAGAR C-4/5, GROUND FLOOR, GANESH NAGAR, PANDA EAST DELHI**	**Processed at**	: **LPL-PREET VIHAR Plot no. 33, Defence Enclave, Vikas Marg, Preet Vihar, New Delhi-110092**

Test Report

Test Name	Results	Units	Bio. Ref. Interval
GLUCOSE, FASTING (F) (Hexokinase)			
Glucose Fasting	82.00	mg/dL	70 - 100
VITAMIN B12; CYANOCOBALAMIN (CLIA)			
Vitamin B12; Cyanocobalamin	**208.00**	pg/mL	211.00 - 911.00

Notes

1. Interpretation of the result should be considered in relation to clinical circumstances.
2. It is recommended to consider supplementary testing with plasma Methylmalonic acid (MMA) or plasma homocysteine levels to determine biochemical cobalamin deficiency in presence of clinical suspicion of deficiency but indeterminate levels. Homocysteine levels are more sensitive but MMA is more specific
3. False increase in Vitamin B12 levels may be observed in patients with intrinsic factor blocking antibodies, MMA measurement should be considered in such patients
4. The concentration of Vitamin B12 obtained with different assay methods cannot be used interchangeably due to differences in assay methods and reagent specificity

Test Name	Results	Units	Bio. Ref. Interval
VITAMIN D, 25 - HYDROXY, SERUM (CLIA)			
Vitamin D, 25 Hydroxy	153.25	nmol/L	75.00 - 250.00

Interpretation

LEVEL	REFERENCE RANGE IN nmol/L	COMMENTS
Deficient	< 50	High risk for developing bone disease
Insufficient	50-74	Vitamin D concentration which normalizes Parathyroid hormone concentration
Sufficient	75-250	Optimal concentration for maximal health benefit
Potential intoxication	>250	High risk for toxic effects

Name	: Mr. AADITYA SRIVASTAVA		
Lab No.	: 179943083	Age	: 20 Years
Ref By	: SELF	Gender	: Male
Collected	: 7/6/2024 12:13:00PM	Reported	: 7/6/2024 5:18:26PM
A/c Status	: P	Report Status	: Final
Collected at	: R. S. BALAJI ENTERPRISES-FPSC-GANESH NAGAR C-4/5, GROUND FLOOR, GANESH NAGAR, PANDA EAST DELHI	Processed at	: LPL-PREET VIHAR Plot no. 33, Defence Enclave, Vikas Marg, Preet Vihar, New Delhi-110092

Test Report

Test Name	Results	Units	Bio. Ref. Interval

Note

- The assay measures both D2 (Ergocalciferol) and D3 (Cholecalciferol) metabolites of vitamin D.
- 25 (OH)D is influenced by sunlight, latitude, skin pigmentation, sunscreen use and hepatic function.
- Optimal calcium absorption requires vitamin D 25 (OH) levels exceeding 75 nmol/L.
- It shows seasonal variation, with values being 40-50% lower in winter than in summer.
- Levels vary with age and are increased in pregnancy.
- A new test Vitamin D, Ultrasensitive by LC-MS/MS is also available

THYROID PROFILE,TOTAL, SERUM
(CLIA)

T3, Total	1.31	ng/mL	0.60 - 1.81
T4, Total	9.60	µg/dL	4.50 - 11.60
TSH	2.13	µIU/mL	0.550 - 4.780

Note

1. TSH levels are subject to circadian variation, reaching peak levels between 2 - 4.a.m. and at a minimum between 6-10 pm . The variation is of the order of 50% . hence time of the day has influence on the measured serum TSH concentrations.
2. Alteration in concentration of Thyroid hormone binding protein can profoundly affect Total T3 and/or Total T4 levels especially in pregnancy and in patients on steroid therapy.
3. Unbound fraction (Free,T4 /Free,T3) of thyroid hormone is biologically active form and correlate more closely with clinical status of the patient than total T4/T3 concentration
4. Values <0.03 uIU/mL need to be clinically correlated due to presence of a rare TSH variant in some individuals

AMYLASE, SERUM
(Ethylidene Blocked-pNPG7)

Amylase	83.00	U/L	30.00 - 118.00

IRON STUDIES, SERUM
(Ferrozine)

Name	:	**Mr. AADITYA SRIVASTAVA**			
Lab No.	:	**179943083**	**Age**	:	**20 Years**
Ref By	:	**SELF**	**Gender**	:	**Male**
Collected	:	**7/6/2024 12:13:00PM**	**Reported**	:	**7/6/2024 5:18:26PM**
A/c Status	:	**P**	**Report Status**	:	**Final**
Collected at	:	**R. S. BALAJI ENTERPRISES-FPSC-GANESH NAGAR C-4/5, GROUND FLOOR, GANESH NAGAR, PANDA EAST DELHI**	**Processed at**	:	**LPL-PREET VIHAR Plot no. 33, Defence Enclave, Vikas Marg, Preet Vihar, New Delhi-110092**

Test Report

Test Name	Results	Units	Bio. Ref. Interval
Iron	75.00	ug/dL	65.00 - 175.00
Total Iron Binding Capacity (TIBC)	281.98	µg/dL	250 - 425
Transferrin Saturation	26.60	%	20.00 - 50.00

Name	: **Mr. AADITYA SRIVASTAVA**		**Age**	: **20 Years**	
Lab No.	: **179943083**		**Gender**	: **Male**	
Ref By	: **SELF**		**Reported**	: **7/6/2024 5:18:26PM**	
Collected	: **7/6/2024 12:13:00PM**		**Report Status**	: **Final**	
A/c Status	: **P**		**Processed at**	: **LPL-PREET VIHAR**	
Collected at	: **R. S. BALAJI ENTERPRISES-FPSC-GANESH NAGAR C-4/5, GROUND FLOOR, GANESH NAGAR, PANDA EAST DELHI**			**Plot no. 33, Defence Enclave, Vikas Marg, Preet Vihar, New Delhi-110092**	

Test Report

Test Name	Results	Units	Bio. Ref. Interval
HbA1c (GLYCOSYLATED HEMOGLOBIN), BLOOD (HPLC, NGSP certified)			
HbA1c	5.1	%	4.00 - 5.60
Estimated average glucose (eAG)	100	mg/dL	

Interpretation

HbA1c result is suggestive of non diabetic adults (>=18 years)/ well controlled Diabetes in a known Diabetic

Interpretation as per American Diabetes Association (ADA) Guidelines

Reference Group	Non diabetic adults >=18 years	At risk (Prediabetes)	Diagnosing Diabetes	Therapeutic goals for glycemic control
HbA1c in %	4.0-5.6	5.7-6.4	>= 6.5	<7.0

Note: Presence of Hemoglobin variants and/or conditions that affect red cell turnover must be considered, particularly when the HbA1C result does not correlate with the patient's blood glucose levels.

FACTORS THAT INTERFERE WITH HbA1C MEASUREMENT	FACTORS THAT AFFECT INTERPRETATION OF HBA1C RESULTS
Hemoglobin variants,elevated fetal hemoglobin (HbF) and chemically modified derivatives of hemoglobin (e.g. carbamylated Hb in patients with renal failure) can affect the accuracy of HbA1c measurements	Any condition that shortens erythrocyte survival or decreases mean erythrocyte age (e.g.,recovery from acute blood loss, hemolytic anemia, HbSS, HbCC, and HbSC) will falsely lower HbA1c test results regardless of the assay method used.Iron deficiency anemia is associated with higher HbA1c

Name	: **Mr. AADITYA SRIVASTAVA**		**Age**	: **20 Years**	
Lab No.	: **179943083**		**Gender**	: **Male**	
Ref By	: **SELF**		**Reported**	: **7/6/2024 5:18:26PM**	
Collected	: **7/6/2024 12:13:00PM**		**Report Status**	: **Final**	
A/c Status	: **P**		**Processed at**	: **LPL-PREET VIHAR**	
Collected at	: **R. S. BALAJI ENTERPRISES-FPSC-GANESH NAGAR C-4/5, GROUND FLOOR, GANESH NAGAR, PANDA EAST DELHI**			**Plot no. 33, Defence Enclave, Vikas Marg, Preet Vihar, New Delhi-110092**	

Test Report

Test Name	Results	Units	Bio. Ref. Interval
C-REACTIVE PROTEIN, CARDIO; hsCRP (Immunoturbidimetry)	<0.16	mg/L	<1.00
APOLIPOPROTEINS A1 & B, SERUM (Immunoturbidometry)			
Apolipoprotein (Apo A1)	**93**	mg/dL	105.00 - 175.00
Apolipoprotein (Apo B)	77	mg/dL	60.00 - 140.00
Apo B / Apo A1 Ratio	0.83		0.35 - 0.98

As per recommendations of National Cholesterol Education Program (NCEP) the clinical significance of results is as follows:

Apolipoprotein B

RESULT IN mg/dL	REMARKS
<23	Abetalipoproteinemia/Hypobetalipoproteinemia
23-45	Hypobetalipoproteinemia
46-135	Normal
>135	Hyperapobetalipoproteinemia/Increased CAD risk

Apo B to A1 Ratio

RATIO	REMARKS
0.35-0.98	Desirable
>0.98	Increased CAD risk

Name	: **Mr. AADITYA SRIVASTAVA**		
Lab No.	: **179943083**	**Age**	: **20 Years**
Ref By	: **SELF**	**Gender**	: **Male**
Collected	: **7/6/2024 12:13:00PM**	**Reported**	: **7/6/2024 5:18:26PM**
A/c Status	: **P**	**Report Status**	: **Final**
Collected at	: **R. S. BALAJI ENTERPRISES-FPSC-GANESH NAGAR C-4/5, GROUND FLOOR, GANESH NAGAR, PANDA EAST DELHI**	**Processed at**	: **LPL-PREET VIHAR Plot no. 33, Defence Enclave, Vikas Marg, Preet Vihar, New Delhi-110092**

MC-5532

Test Report

Test Name	Results	Units	Bio. Ref. Interval
URINE EXAMINATION, ROUTINE; URINE, R/E. (Automated Strip Test, Microscopy)			
Gross Examination			
Colour	Pale Yellow		Pale yellow
Specific Gravity	1.025		1.001 - 1.030
pH	5.5		5.0 - 8.0
Proteins	Negative		Negative
Glucose	Negative		Negative
Ketones	Negative		Negative
Bilirubin	Negative		Negative
Urobilinogen	Negative		Negative
Blood	Negative		Negative
Leucocyte Esterase	Negative		Negative
Nitrite	Negative		Negative
Microscopy			
R.B.C.	Negative		0-2 RBC/hpf
Pus Cells	Negative		0-5 WBC / hpf
Epithelial Cells	Few		0-5 Epi cells/hpf
Casts	None seen		None seen/Lpf
Crystals	None seen		None seen
Others	None seen		None seen

Name	:	Mr. AADITYA SRIVASTAVA	Age	:	20 Years
Lab No.	:	179943083	Gender	:	Male
Ref By	:	SELF	Reported	:	7/6/2024 5:18:26PM
Collected	:	7/6/2024 12:13:00PM	Report Status	:	Final
A/c Status	:	P	Processed at	:	LPL-PREET VIHAR Plot no. 33, Defence Enclave, Vikas Marg, Preet Vihar, New Delhi-110092
Collected at	:	R. S. BALAJI ENTERPRISES-FPSC-GANESH NAGAR C-4/5, GROUND FLOOR, GANESH NAGAR, PANDA EAST DELHI			

MC-5532

Test Report

Test Name	Results	Units	Bio. Ref. Interval

Name	:	**Mr. AADITYA SRIVASTAVA**	**Age**	:	**20 Years**
Lab No.	:	**179943083**	**Gender**	:	**Male**
Ref By	:	**SELF**	**Reported**	:	**7/6/2024 5:18:26PM**
Collected	:	**7/6/2024 12:13:00PM**	**Report Status**	:	**Final**
A/c Status	:	**P**	**Processed at**	:	**LPL-PREET VIHAR**
Collected at	:	**R. S. BALAJI ENTERPRISES-FPSC-GANESH NAGAR C-4/5, GROUND FLOOR, GANESH NAGAR, PANDA EAST DELHI**			**Plot no. 33, Defence Enclave, Vikas Marg, Preet Vihar, New Delhi-110092**

MC-5532

Test Report

Test Name	Results	Units	Bio. Ref. Interval
HEMOGRAM (DC Detection, Flow Cytometry, SLS, & Capillary photometry)			
Hemoglobin	14.80	g/dL	13.00 - 17.00
Packed Cell Volume (PCV)	43.60	%	40.00 - 50.00
RBC Count	4.83	mill/mm3	4.50 - 5.50
MCV	90.20	fL	83.00 - 101.00
MCH	30.70	pg	27.00 - 32.00
MCHC	34.00	g/dL	31.50 - 34.50
Red Cell Distribution Width (RDW)	12.80	%	11.60 - 14.00
Total Leukocyte Count (TLC)	**3.70**	thou/mm3	4.00 - 10.00
Differential Leucocyte Count (DLC)			
Segmented Neutrophils	54.90	%	40.00 - 80.00
Lymphocytes	35.90	%	20.00 - 40.00
Monocytes	6.60	%	2.00 - 10.00
Eosinophils	2.10	%	1.00 - 6.00
Basophils	0.50	%	<2.00
Absolute Leucocyte Count			
Neutrophils	2.03	thou/mm3	2.00 - 7.00
Lymphocytes	1.33	thou/mm3	1.00 - 3.00
Monocytes	0.24	thou/mm3	0.20 - 1.00
Eosinophils	0.08	thou/mm3	0.02 - 0.50
Basophils	0.02	thou/mm3	0.02 - 0.10
Platelet Count	**116**	thou/mm3	150.00 - 410.00
Mean Platelet Volume	11.3	fL	6.5 - 12.0
Platelets are reduced. Advised: Follow up and Review.			

Name	:	**Mr. AADITYA SRIVASTAVA**	**Age**	:	**20 Years**
Lab No.	:	**179943083**	**Gender**	:	**Male**
Ref By	:	**SELF**	**Reported**	:	**7/6/2024 5:18:26PM**
Collected	:	**7/6/2024 12:13:00PM**	**Report Status**	:	**Final**
A/c Status	:	**P**	**Processed at**	:	**LPL-PREET VIHAR**
Collected at	:	**R. S. BALAJI ENTERPRISES-FPSC-GANESH NAGAR C-4/5, GROUND FLOOR, GANESH NAGAR, PANDA EAST DELHI**			**Plot no. 33, Defence Enclave, Vikas Marg, Preet Vihar, New Delhi-110092**

MC-5532

Test Report

Test Name	Results	Units	Bio. Ref. Interval
Result rechecked E.S.R.	2	mm/hr	0.00 - 15.00

Note

1. As per the recommendation of International council for Standardization in Hematology, the differential leucocyte counts are additionally being reported as absolute numbers of each cell in per unit volume of blood
2. Test conducted on EDTA whole blood

DMC NO. DMC/R/9414

Dr. Raghav Chohda
MD Microbiology
Consultant Microbiologist
Dr Lal PathLabs Ltd

Sneha Kumari
DMC NO. 90439

Dr.Sneha Kumari
Consultant Pathologist
Dr Lal PathLabs Ltd

----------End of report ----------

IMPORTANT INSTRUCTIONS

•Test results released pertain to the specimen submitted.•All test results are dependent on the quality of the sample received by the Laboratory.•Laboratory investigations are only a tool to facilitate in arriving at a diagnosis and should be clinically correlated by the Referring Physician .•Report delivery may be delayed due to unforeseen circumstances. Inconvenience is regretted.•Certain tests may require further testing at additional cost for derivation of exact value. Kindly submit request within 72 hours post reporting.•Test results may show interlaboratory variations.•The Courts/Forum at Delhi shall have exclusive jurisdiction in all disputes/claims concerning the test(s) & or results of test(s).•Test results are not valid for medico legal purposes.•This is computer generated medical diagnostic report that has been validated by Authorized Medical Practitioner/Doctor.•The report does not need physical signature.

(#) Sample drawn from outside source.

If Test results are alarming or unexpected, client is advised to contact the Customer Care immediately for possible remedial action.

Tel: +91-11-49885050,Fax: - +91-11-2788-2134, E-mail: lalpathlabs@lalpathlabs.com