
True TMRCA · false calls at p < 0.05

100 independent test neutrals vs 100 reference neutrals · both segregating today



24/100 with ≥1 false call


86/100 with ≥1 false call

Every colored mark is a false positive: all test simulations have s = 0.

Posterior mass sorted using p < 0.05 calls, same rows at both thresholds. No multiple-testing correction.

Posterior median · false calls at p < 0.05

100 independent test neutrals vs 100 reference neutrals · both segregating today



16/100 with ≥1 false call


60/100 with ≥1 false call

Every colored mark is a false positive: all test simulations have s = 0.

Posterior mass sorted using p < 0.05 calls, same rows at both thresholds. No multiple-testing correction.

Posterior-weighted mass · false calls at p < 0.05

100 independent test neutrals vs 100 reference neutrals · both segregating today



3/100 with ≥1 false call


7/100 with ≥1 false call

Every colored mark is a false positive: all test simulations have s = 0.

Posterior mass sorted using p < 0.05 calls, same rows at both thresholds. No multiple-testing correction.

True TMRCA · false calls at p < 0.01

100 independent test neutrals vs 100 reference neutrals · both segregating today



7/100 with ≥1 false call


22/100 with ≥1 false call

Every colored mark is a false positive: all test simulations have s = 0.

Posterior mass sorted using p < 0.05 calls, same rows at both thresholds. No multiple-testing correction.

Posterior median · false calls at p < 0.01

100 independent test neutrals vs 100 reference neutrals · both segregating today



0/100 with ≥1 false call


14/100 with ≥1 false call

Every colored mark is a false positive: all test simulations have s = 0.

Posterior mass sorted using p < 0.05 calls, same rows at both thresholds. No multiple-testing correction.

Posterior-weighted mass · false calls at p < 0.01

100 independent test neutrals vs 100 reference neutrals · both segregating today



0/100 with ≥1 false call

0/100 with ≥1 false call

Every colored mark is a false positive: all test simulations have s = 0.

Posterior mass sorted using p < 0.05 calls, same rows at both thresholds. No multiple-testing correction.