

Selected: s=0.01 from 10 kya to present (shaded). Neutral: first held-out replicate.

Probability beyond 200 kya: selected 14.1%; neutral 61.2%. Curves are not renormalized.


Individual gamma posteriors: pairs chosen by inferred median
Actual fitted parameters · same two simulations and position · nearest pair to each target
Selected
Neutral
Inferred median
True TMRCA
Target inferred median: 10 kya
Posterior density (% per kyr)
6.0%
4.0%
2.0%
0.0%
0
10
20
30
40
50
60
70
Pairwise TMRCA (kya)
Selected: median 10.0; true 36.2 kya
Neutral: median 10.1; true 60.7 kya
Target inferred median: 100 kya
Posterior density (% per kyr)
0.80%
0.60%
0.40%
0.20%
0.00%
0
50
100
150
200
250
300
350
400
Pairwise TMRCA (kya)
Selected: median 99.3; true 245.7 kya
Neutral: median 97.6; true 397.4 kya
Pairs were chosen by age proximity, not curve shape. X/y scales differ between panels; older tails retained.


Individual gamma posteriors: pairs chosen by true TMRCA
Actual fitted parameters · same two simulations and position · nearest pair to each target
Selected
Neutral
Inferred median
True TMRCA
Target true TMRCA: 10 kya
Selected: median 3.0; true 9.9 kya
Neutral: median 7.2; true 9.8 kya
Posterior density (% per kyr)
20.0%
15.0%
10.0%
5.0%
0.0%
0
5
10
15
20
25
30
35
40
Pairwise TMRCA (kya)
Target true TMRCA: 100 kya
Selected: median 48.9; true 95.1 kya
Neutral: median 35.8; true 97.0 kya
Posterior density (% per kyr)
1.50%
1.00%
0.50%
0.00%
0
50
100
150
200
Pairwise TMRCA (kya)
Pairs were chosen by age proximity, not curve shape. X/y scales differ between panels; older tails retained.