

সহজ ভাষায়

C Programming



Loop সংক্রান্ত
Problem Solving



নামতার খেলা

```
#include <stdio.h>
int main() {
    int num, i;
    printf("Enter a number: ");
    scanf("%d", &num);
    printf("%d এর নামতা হচ্ছে:\n", num);
    for (i = 1; i <= 10; i++) {
        printf("%d x %d = %d\n", num,
i, num * i);
    }
    return 0;
}
```



১ - ১০০ পর্যন্ত জোড় সংখ্যার যোগফল

```
#include <stdio.h>

int main() {
    int sum = 0, i;

    for (i = 2; i <= 100; i = i+2) {
        sum = sum+i;
    }
    printf("The sum of all even
numbers between 1 and 100 is: %d\n",
sum);
    return 0;
}
```



যেকোন সংখ্যার factorial নির্ণয়

```
#include <stdio.h>
int main() {
    int num, factorial = 1;

    printf("Enter a positive integer:
");
    scanf("%d", &num);
    while (num > 0) {
        factorial = factorial * num;
        num--;
    }
    printf("The factorial of the
number is: %d\n", factorial);
    return 0;
}
```



১ - ৫০ পর্যন্ত বিজোড় সংখ্যার যোগফল

```
#include <stdio.h>

int main() {
    int num = 1, sum = 0;
    while (num <= 50) {
        if (num % 2 == 1) {
            sum = sum + num;
        }
        num++;
    }
    printf("The sum of all odd
numbers from 1 to 50 is: %d\n", sum);
    return 0;
}
```



Game: Guess the Number

```
#include <stdio.h>
#include <stdlib.h>
#include <time.h>
int main() {
    int num, guess, tries = 0;
    srand(time(0));
    num = rand() % 100 + 1;
    printf("Guess a number between 1 and 100: ");
    do {
        scanf("%d", &guess);
```



```
        tries++;  
        if (guess > num) {  
            printf("Too high. Guess  
again: ");  
        } else if (guess < num) {  
            printf("Too low. Guess  
again: ");  
        } while (guess != num);  
        printf("Congratulations! You  
guessed the number in %d tries.\n",  
tries);  
        return 0;  
    }
```



```
#include <stdio.h>
int main() {
```

```
    printf("Thank You"
```

```
    );
    return 0;
}
```