# API Document

❖ Token Type: **Bearer Token**

1. Login to get token
   - POST api/login

   Request Information

   - URI Parameters: None
   - Body Parameters: None

Name	Type	Additional information
username	string	Required
password	string	Required

2. List all ticket request
   - GET api/ticket

   Request Information

   - URI Parameters: None
   - Body Parameters: None

3. Create ticket
   - POST api/create_ticket

   Request Information

   - URI Parameters: None
   - Body Parameters

Name	Type	Additional information
summary	string	Required
description	string	Required
ticket_type_id	int	Required
severity	Int	Required
Priority	Int	Required

http://127.0.0.1:8000/api/create_ticket

Save

| POST | ∨ | http://127.0.0.1:8000/api/create_ticket | | Send | ∨ |

Params   Authorization ●   Headers (10)   Body ●   Pre-request Script   Tests   Settings   Cookies

● none   ● form-data   ● x-www-form-urlencoded   ● raw   ● binary   ● GraphQL

	KEY	VALUE	DESCRIPTION	ooo	Bulk Edit
☑	summary	test APid			
☑	description	test APId			
☑	ticket_type_id	1			
☑	severity	0			
☑	priority	0			
	Key	Value	Description		

Body   Cookies (2)   Headers (10)   Test Results   ⊕ Status: 200 OK Time: 246 ms Size: 348 B   Save Response ∨

Pretty   Raw   Preview   Visualize   JSON ∨

```
1  {
2      "code": 0,
3      "message": "Created Successful"
4  }
```

| POST | ∨ | http://127.0.0.1:8000/api/create_ticket | | Send | ∨ |