

ZË-RO Evals Report v0.1

- evalSpecVersion: evalSpec.v0.1
- specId: public-grounding-probe.v0.1
- runId: battery.v0.1.xai.grokexpert.r06
- provider: xai
- model: grokexpert
- label: r06

Aperture proxy (fixed): A=1.0, O=0.8, E=0.6, Ë=0.5, U=0.4, Y=0.3, I=0.1.

T2_LADDER_V0_1 - Full Ladder - V1..V7

- kind: byo
- languageHint: en
- targetBuckets: V1, V2, V3, V4, V5, V6, V7
- nPerBucket: 10

Buckets

Bucket	expectedN	providedN	validN	invalidN	dupN	mean(primary)	mean(presenceMean)
V1	10	10	10	0	0	0.550	0.550
V2	10	10	10	0	0	0.510	0.582
V3	10	10	10	0	0	0.510	0.505
V4	10	10	10	0	0	0.660	0.610
V5	10	10	10	0	0	0.420	0.485
V6	10	10	10	0	0	0.790	0.660
V7	10	10	10	0	0	0.590	0.591

Slope - aperturePrimary

- pearson r: 0.379 (p=0.389)
- spearman rho: 0.393 (p=0.386)
- permutation: iters=12000, seed=90273163

Slope - aperturePresenceMean

- pearson r: 0.329 (p=0.469)
- spearman rho: 0.393 (p=0.392)
- permutation: iters=12000, seed=97631760

Diagnostics

- missingBuckets: (none)
- extraBuckets: (none)
- emptyTokenCount: 0
- whitespaceTokenCount: 0
- noVowelTokenCount: 0
- totalInvalidTokenCount: 0
- notes: (none)

T3_NEGATIVE_CONTROL_SHUFFLE_V0_1 - Negative Control - Deterministic Label Shuffle (tokens fixed)

- kind: derived
- languageHint: en
- targetBuckets: V1, V2, V3, V4, V5, V6, V7
- nPerBucket: 10

Buckets

Bucket	expectedN	providedN	validN	invalidN	dupN	mean(primary)	mean(presenceMean)
V1	10	10	10	0	0	0.700	0.650
V2	10	10	10	0	0	0.550	0.563
V3	10	10	10	0	0	0.720	0.700
V4	10	10	10	0	0	0.320	0.445
V5	10	10	10	0	0	0.590	0.555
V6	10	10	10	0	0	0.520	0.517
V7	10	10	10	0	0	0.630	0.553

Slope - aperturePrimary

- pearson r: -0.229 (p=0.626)
- spearman rho: -0.286 (p=0.565)
- permutation: iters=12000, seed=90273163

Slope - aperturePresenceMean

- pearson r: -0.484 (p=0.273)
- spearman rho: -0.643 (p=0.135)
- permutation: iters=12000, seed=97631760

Diagnostics

- missingBuckets: (none)
- extraBuckets: (none)

- emptyTokenCount: 0
- whitespaceTokenCount: 0
- noVowelTokenCount: 0
- totalInvalidTokenCount: 0
- notes: (none)